

Guy Fagherazzi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/16174/guy-fagherazzi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

265
papers

9,720
citations

56
h-index

86
g-index

300
ext. papers

11,782
ext. citations

6.5
avg, IF

5.73
L-index

#	Paper	IF	Citations
265	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 810-8	18.1	330
264	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
263	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 150-63	7	231
262	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
261	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1082-92	5.2	195
260	Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. <i>Diabetologia</i> , 2013 , 56, 1520-30	10.3	188
259	Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidemiologique aupres des femmes de la Mutuelle Generale de l'Education Nationale-European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 517-23	7	178
258	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 60-9	10.3	158
257	Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1285-95		156
256	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
255	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
254	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
253	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
252	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
251	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study ^{1,4} . <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20	7	123
250	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
249	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002094	11.6	116

248	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7.5	109
247	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
246	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 109, 1498-507	3.6	102
245	Serum 25(OH) vitamin D and risk of breast cancer: a nested case-control study from the French E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2341-50	4	102
244	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
243	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
242	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 19-29	18.1	99
241	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1772-80	7.8	96
240	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
239	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 932-41	5.2	94
238	Dietary acid load and risk of type 2 diabetes: the E3N-EPIC cohort study. <i>Diabetologia</i> , 2014 , 57, 313-20	10.3	91
237	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
236	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
235	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
234	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82
233	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012 , 108, 1095-108	3.6	81
232	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3028-36	8.9	79
231	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013 , 24, 543-553	10.3	79

230	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 110, 1500-11	3.6	74
229	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	72
228	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
227	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1398-408	7	71
226	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
225	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
224	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
223	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019 , 11, 2045-2070	5.6	67
222	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011 , 54, 3037-46	10.3	66
221	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
220	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1002-12	7	64
219	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , 2012 , 55, 1944-52	10.3	61
218	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
217	Adherence to predefined dietary patterns and incident type 2 diabetes in European populations: EPIC-InterAct Study. <i>Diabetologia</i> , 2014 , 57, 321-33	10.3	59
216	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58
215	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 646-57	7.5	57
214	Body mass index, diabetes, and mortality in French women: explaining away a "paradox". <i>Epidemiology</i> , 2014 , 25, 10-4	3.1	57
213	Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2250-61	4	57

212	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
211	Flavonoid intake and incident hypertension in women. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1091-8	7	57
210	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
209	Digital diabetes: Perspectives for diabetes prevention, management and research. <i>Diabetes and Metabolism</i> , 2019 , 45, 322-329	5.4	56
208	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
207	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
206	Joint effects of dietary vitamin D and sun exposure on breast cancer risk: results from the French E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 187-98	4	54
205	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
204	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51
203	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
202	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
201	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
200	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
199	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
198	C-reactive protein and postmenopausal breast cancer risk: results from the E3N cohort study. <i>Cancer Causes and Control</i> , 2014 , 25, 533-9	2.8	47
197	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
196	Diet and risk of diabetic retinopathy: a systematic review. <i>European Journal of Epidemiology</i> , 2018 , 33, 141-156	12.1	47
195	Processed and unprocessed red meat consumption and hypertension in women. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 948-52	7	45

194	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
193	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. <i>Diabetologia</i> , 2018 , 61, 308-316	10.3	45
192	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 163-76	4.4	44
191	ABO and Rhesus blood groups and risk of type 2 diabetes: evidence from the large E3N cohort study. <i>Diabetologia</i> , 2015 , 58, 519-22	10.3	44
190	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910	3.7	44
189	Processed and unprocessed red meat consumption and incident type 2 diabetes among French women. <i>Diabetes Care</i> , 2012 , 35, 128-30	14.6	43
188	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408	5.2	42
187	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41
186	Hip circumference is associated with the risk of premenopausal ER-/PR- breast cancer. <i>International Journal of Obesity</i> , 2012 , 36, 431-9	5.5	41
185	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
184	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
183	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
182	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
181	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39
180	Body shape throughout life and the risk for breast cancer at adulthood in the French E3N cohort. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 29-37	2	39
179	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37
178	No association between coffee, tea or caffeine consumption and breast cancer risk in a prospective cohort study. <i>Public Health Nutrition</i> , 2011 , 14, 1315-20	3.3	37
177	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36

176	Dietary antioxidant capacity and all-cause and cause-specific mortality in the E3N/EPIC cohort study. <i>European Journal of Nutrition</i> , 2017 , 56, 1233-1243	5.2	35
175	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-52	7.5	35
174	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
173	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
172	Association between five lifestyle habits and cancer risk: results from the E3N cohort. <i>Cancer Prevention Research</i> , 2014 , 7, 516-25	3.2	35
171	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
170	Dietary inflammatory index and type 2 diabetes risk in a prospective cohort of 70,991 women followed for 20 years: the mediating role of BMI. <i>Diabetologia</i> , 2019 , 62, 2222-2232	10.3	32
169	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
168	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
167	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30
166	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
165	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 51-60	12.1	29
164	Alcohol consumption and survival after a breast cancer diagnosis: a literature-based meta-analysis and collaborative analysis of data for 29,239 cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 934-45	4	29
163	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
162	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2504-11	7.5	29
161	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , 2013 , 178, 570-81	3.8	29
160	Proportion of premenopausal and postmenopausal breast cancers attributable to known risk factors: Estimates from the E3N-EPIC cohort. <i>International Journal of Cancer</i> , 2016 , 138, 2415-27	7.5	29
159	Alcohol consumption and breast cancer risk subtypes in the E3N-EPIC cohort. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 209-14	2	28

158	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
157	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61	5.2	27
156	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
155	Egg and cholesterol intake and incident type 2 diabetes among French women. <i>British Journal of Nutrition</i> , 2015 , 114, 1667-73	3.6	26
154	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
153	Serum cholesterol level, use of a cholesterol-lowering drug, and breast cancer: results from the prospective E3N cohort. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 120-5	2	26
152	Nonlinear associations between dietary exposures to perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) and type 2 diabetes risk in women: Findings from the E3N cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 1054-1060	6.9	25
151	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
150	Childhood and adult secondhand smoke and type 2 diabetes in women. <i>Diabetes Care</i> , 2013 , 36, 2720-5	14.6	25
149	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
148	Anthropometry, silhouette trajectory, and risk of breast cancer in Mexican women. <i>American Journal of Preventive Medicine</i> , 2014 , 46, S52-64	6.1	24
147	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206	3.7	24
146	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28	7.5	23
145	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
144	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 367	9.7	22
143	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
142	Deep Digital Phenotyping and Digital Twins for Precision Health: Time to Dig Deeper. <i>Journal of Medical Internet Research</i> , 2020 , 22, e16770	7.6	22
141	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904	5.2	22

140	Associations between serum lipids and breast cancer incidence and survival in the E3N prospective cohort study. <i>Cancer Causes and Control</i> , 2017 , 28, 77-88	2.8	21
139	Wine consumption throughout life is inversely associated with type 2 diabetes risk, but only in overweight individuals: results from a large female French cohort study. <i>European Journal of Epidemiology</i> , 2014 , 29, 831-9	12.1	21
138	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021 , 44, 98-106	14.6	21
137	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
136	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014 , 66, 14-28	2.8	20
135	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8	7	20
134	High dietary total antioxidant capacity is associated with a reduced risk of hypertension in French women. <i>Nutrition Journal</i> , 2019 , 18, 31	4.3	19
133	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 1953-66	7.5	19
132	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
131	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013 , 24, 427-38	2.8	19
130	Activation of hepatic estrogen receptor- α increases energy expenditure by stimulating the production of fibroblast growth factor 21 in female mice. <i>Molecular Metabolism</i> , 2019 , 22, 62-70	8.8	18
129	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. <i>Clinical Nutrition</i> , 2018 , 37, 1625-1630	5.9	18
128	An International Study on the Determinants of Poor Sleep Amongst 15,000 Users of Connected Devices. <i>Journal of Medical Internet Research</i> , 2017 , 19, e363	7.6	18
127	Associations Between Migraine and Type 2 Diabetes in Women: Findings From the E3N Cohort Study. <i>JAMA Neurology</i> , 2019 , 76, 257-263	17.2	18
126	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019 , 68, 672-683	19.2	18
125	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 51-58	4.5	17
124	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1293-1303	5.6	17
123	Height, sitting height, and leg length in relation with breast cancer risk in the E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1171-5	4	17

122	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019 , 42, 568-575	14.6	16
121	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
120	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016 , 184, 129-39.8	3.8	16
119	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014 , 22, E127-34	8	16
118	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
117	Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39	8.7	16
116	Socioeconomic inequalities and type 2 diabetes complications: A systematic review. <i>Diabetes and Metabolism</i> , 2020 , 46, 89-99	5.4	16
115	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018 , 10,	6.7	15
114	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1486-92	6.9	15
113	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394	11.6	15
112	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 1157-1168	5.2	14
111	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018 , 61, 1325-1332	10.3	14
110	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
109	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14
108	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 147, 648-661	7.5	14
107	Voice for Health: The Use of Vocal Biomarkers from Research to Clinical Practice. <i>Digital Biomarkers</i> , 2021 , 5, 78-88	7.1	14
106	Dietary exposure to brominated flame retardants and risk of type 2 diabetes in the French E3N cohort. <i>Environment International</i> , 2019 , 123, 54-60	12.9	14
105	Strong adherence to dietary and lifestyle recommendations is associated with decreased type 2 diabetes risk in the AusDiab cohort study. <i>Preventive Medicine</i> , 2019 , 123, 208-216	4.3	13

104	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018 , 67, 1200-1205	0.9	13
103	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
102	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013 , 28, 677-88	12.1	13
101	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
100	Vitamin C supplement intake and postmenopausal breast cancer risk: interaction with dietary vitamin C. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 228-34	7	13
99	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 226-237	2.7	12
98	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
97	Use of Bisphosphonates and Risk of Breast Cancer in a French Cohort of Postmenopausal Women. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3230-3239	2.2	12
96	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
95	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
94	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947	3.7	12
93	Detection of COVID-19 from voice, cough and breathing patterns: Dataset and preliminary results. <i>Computers in Biology and Medicine</i> , 2021 , 138, 104944	7	12
92	The association of body shape trajectories over the life course with type 2 diabetes risk in adulthood: a group-based modeling approach. <i>Annals of Epidemiology</i> , 2015 , 25, 785-7	6.4	11
91	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
90	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
89	Determinants of folate and vitamin B12 plasma levels in the French E3N-EPIC cohort. <i>European Journal of Nutrition</i> , 2018 , 57, 751-760	5.2	10
88	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014 , 38, 528-37	2.8	10
87	Rethinking the Use of Mobile Apps for Dietary Assessment in Medical Research. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15619	7.6	10

86	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. <i>Journal of Medical Internet Research</i> , 2018 , 20, e227	7.6	10
85	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
84	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude Epidémiologique auprès des femmes de la Mutuelle Générale de l'Education Nationale) prospective cohort study. <i>British Journal of Nutrition</i> , 2016 , 1-9	3.6	10
83	Soda Intake Is Directly Associated with Serum C-Reactive Protein Concentration in Mexican Women. <i>Journal of Nutrition</i> , 2018 , 148, 117-124	4.1	9
82	Postmenopausal breast cancer risk and interactions between body mass index, menopausal hormone therapy use, and vitamin D supplementation: Evidence from the E3N cohort. <i>International Journal of Cancer</i> , 2016 , 139, 2193-200	7.5	9
81	Insulin pricing and other major diabetes-related concerns in the USA: a study of 46 407 tweets between 2017 and 2019. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	9
80	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
79	Sepsis risk factors in infants with congenital diaphragmatic hernia. <i>Annals of Intensive Care</i> , 2017 , 7, 32	8.9	8
78	Interaction between current vitamin D supplementation and menopausal hormone therapy use on breast cancer risk: evidence from the E3N cohort. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 966-73	7	8
77	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017 , 18, 297	2.7	8
76	Longitudinal association of antidepressant medication use with metabolic syndrome: Results of a 9-year follow-up of the D.E.S.I.R. cohort study. <i>Psychoneuroendocrinology</i> , 2016 , 74, 34-45	5	8
75	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020 , 63, 266-277	10.3	8
74	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 1651-1656	5.9	8
73	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3N-EPIC (Etude Epidémiologique auprès de femmes de l'Education Nationale) cohort study. <i>Journal of Diabetes</i> , 2018 , 10, 665-674	3.8	7
72	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3N-EPIC study. <i>International Journal of Cancer</i> , 2018 , 143, 1678-1687	7.5	7
71	Population attributable fractions of the main type 2 diabetes mellitus risk factors in women: Findings from the French E3N cohort. <i>Journal of Diabetes</i> , 2019 , 11, 242-253	3.8	7
70	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020 , 7, 393	8.2	7
69	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-904	10.4	6

68	Socio-economic factors associated with a healthy diet: results from the E3N study. <i>Public Health Nutrition</i> , 2017 , 20, 1574-1583	3.3	6
67	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
66	Anthropometrics, body shape over 12 years and risk of cancer events in pre- and post-menopausal women. <i>International Journal of Cancer</i> , 2013 , 133, 740-8	7.5	6
65	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118	7.5	6
64	Association Between Handedness and Type 2 Diabetes: The E3N Study. <i>Diabetes Care</i> , 2015 , 38, e199	14.6	6
63	Digital Health Strategies to Fight COVID-19 Worldwide: Challenges, Recommendations, and a Call for Papers (Preprint)		6
62	Prediagnostic body size and breast cancer survival in the E3N cohort study. <i>International Journal of Cancer</i> , 2016 , 139, 1053-64	7.5	6
61	Life course evolution of body size and breast cancer survival in the E3N cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1542-1553	7.5	6
60	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. <i>Public Health Nutrition</i> , 2018 , 21, 740-755	3.3	6
59	A comparison between different prediction models for invasive breast cancer occurrence in the French E3N cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 415-26	4.4	5
58	Protocol for a prospective, longitudinal cohort of people with COVID-19 and their household members to study factors associated with disease severity: the Predi-COVID study. <i>BMJ Open</i> , 2020 , 10, e041834	3	5
57	Cholesterol and Egg Intakes, and Risk of Hypertension in a Large Prospective Cohort of French Women. <i>Nutrients</i> , 2020 , 12,	6.7	5
56	Profiles of Polyphenol Intake and Type 2 Diabetes Risk in 60,586 Women Followed for 20 Years: Results from the E3N Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
55	Functional gastrointestinal disorders and incidence of type 2 diabetes: Evidence from the E3N-EPIC cohort study. <i>Diabetes and Metabolism</i> , 2016 , 42, 178-83	5.4	5
54	Body-size throughout life and risk of depression in postmenopausal women: findings from the E3N cohort. <i>Obesity</i> , 2014 , 22, 1926-34	8	5
53	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
52	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010 , 10, 563	4.8	5
51	Mapping and Modeling of Discussions Related to Gastrointestinal Discomfort in French-Speaking Online Forums: Results of a 15-Year Retrospective Infodemiology Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17247	7.6	5

50	Home and Work Physical Activity Environments: Associations with Cardiorespiratory Fitness and Physical Activity Level in French Women. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
49	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. <i>Nutrition Research</i> , 2017 , 44, 9-17	4	4
48	Dairy product consumption and hypertension risk in a prospective French cohort of women. <i>Nutrition Journal</i> , 2020 , 19, 12	4.3	4
47	Cross-sectional association of coffee and caffeine consumption with sex hormone-binding globulin in healthy nondiabetic women. <i>Clinical Endocrinology</i> , 2017 , 87, 475-483	3.4	4
46	Associations Between Physical Activity and Incident Hypertension Across Strata of Body Mass Index: A Prospective Investigation in a Large Cohort of French Women. <i>Journal of the American Heart Association</i> , 2020 , 9, e015121	6	4
45	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3
44	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
43	Identifying hotspots of cardiometabolic outcomes based on a Bayesian approach: The example of Chile. <i>PLoS ONE</i> , 2020 , 15, e0235009	3.7	3
42	Associations between early-life food deprivation during World War II and risk of hypertension and type 2 diabetes at adulthood. <i>Scientific Reports</i> , 2020 , 10, 5741	4.9	3
41	Mentally tiring work and type 2 diabetes in women: a 22-year follow-up study. <i>European Journal of Endocrinology</i> , 2019 , 180, 257-263	6.5	3
40	Distribution of Highly Prevalent Musculoskeletal Disorders and Their Association With Diabetes Complications in a Population of 140 Individuals With Type 1 Diabetes: A Retrospective Study in a French Diabetes Center. <i>Clinical Diabetes</i> , 2020 , 38, 181-187	2.9	3
39	Association of Migraine With Incident Hypertension After Menopause: A Longitudinal Cohort Study. <i>Neurology</i> , 2021 , 97, e34-e41	6.5	3
38	The Use of Social Media for Health Research Purposes: Scoping Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25736	7.6	3
37	Musculoskeletal disorders in patients with type 1 diabetes: An understudied group of diabetes complications that deserves further investigation. <i>Diabetes and Metabolism</i> , 2020 , 46, 177-178	5.4	3
36	Consumption of cocoa-containing foods and risk of hypertension in French women. <i>European Journal of Epidemiology</i> , 2020 , 35, 465-469	12.1	2
35	Transmission of Type 2 diabetes to sons and daughters: the D.E.S.I.R. cohort. <i>Diabetic Medicine</i> , 2017 , 34, 1615-1622	3.5	2
34	Advanced analytical methods to assess physical activity behaviour using accelerometer raw time series data: a protocol for a scoping review. <i>Systematic Reviews</i> , 2020 , 9, 259	3	2
33	Type 2 diabetes and its characteristics are associated with poor oral health: findings from 60,590 senior women from the E3N study. <i>BMC Oral Health</i> , 2021 , 21, 315	3.7	2

32	Scoping review protocol on the use of social media for health research purposes. <i>BMJ Open</i> , 2021 , 11, e040671	3	2
31	Identification of chemical mixtures to which women are exposed through the diet: Results from the French E3N cohort. <i>Environment International</i> , 2021 , 152, 106467	12.9	2
30	Methods to Generate Innovative Research Ideas and Improve Patient and Public Involvement in Modern Epidemiological Research: Review, Patient Viewpoint, and Guidelines for Implementation of a Digital Cohort Study.. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25743	7.6	2
29	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis.. <i>Lancet Public Health</i> , 2022 , 7, e447-e457	22.4	2
28	Intricate relationships between frailty and diabetes: where do we go from here?. <i>The Lancet Healthy Longevity</i> , 2020 , 1, e92-e93	9.5	1
27	Increased risk of type 2 diabetes in antidepressant users: evidence from a 6-year longitudinal study in the E3N cohort. <i>Diabetic Medicine</i> , 2020 , 37, 1866-1873	3.5	1
26	Determinants of 20-year non-progression to Type 2 diabetes in women at very high risk: the E3N cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 1716-1721	3.5	1
25	Advanced analytical methods to assess physical activity behavior using accelerometer time series: A scoping review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 ,	4.6	1
24	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. <i>Cancers</i> , 2021 , 13,	6.6	1
23	The associations of the Palaeolithic diet alone and in combination with lifestyle factors with type 2 diabetes and hypertension risks in women in the E3N prospective cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 3935-3945	5.2	1
22	Associations of Physical Activity Level and Variability With 6-Month Weight Change Among 26,935 Users of Connected Devices: Observational Real-Life Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e25385	5.5	1
21	Is the Consensual Threshold for Defining High Glucose Variability Implementable in Clinical Practice?. <i>Diabetes Care</i> , 2021 , 44, 1722-1725	14.6	1
20	BMI in the Associations of Plant-Based Diets with Type 2 Diabetes and Hypertension Risks in Women: The E3N Prospective Cohort Study. <i>Journal of Nutrition</i> , 2021 , 151, 2731-2740	4.1	1
19	Gonadal hormonal factors before menopause and incident type 2 diabetes in women: A 22-year follow-up of 83 799 women from the E3N cohort study. <i>Journal of Diabetes</i> , 2021 , 13, 330-338	3.8	1
18	Unraveling the concepts of distress, burnout, and depression in type 1 diabetes: A scoping review. <i>EClinicalMedicine</i> , 2021 , 40, 101118	11.3	1
17	The long-run effects of war on health: Evidence from World War II in France. <i>Social Science and Medicine</i> , 2021 , 276, 113812	5.1	0
16	Phénotypage numérique profond dans le diabète de type 1 : le renouveau de la recherche en biologie. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 375-379	0.1	0
15	Towards precision cardiometabolic prevention: results from a machine learning, semi-supervised clustering approach in the nationwide population-based ORISCAV-LUX 2 study. <i>Scientific Reports</i> , 2021 , 11, 16056	4.9	0

14	Challenges and perspectives for the future of diabetes epidemiology in the era of digital health and artificial intelligence. <i>Diabetes Epidemiology and Management</i> , 2021 , 1, 100004		0
13	Combinatorial analysis reveals highly coordinated early-stage immune reactions that predict later antiviral immunity in mild COVID-19 patients.. <i>Cell Reports Medicine</i> , 2022 , 3, 100600	18	0
12	Associations between physical activity prior to infection and COVID-19 disease severity and symptoms: results from the prospective Predi-COVID cohort study.. <i>BMJ Open</i> , 2022 , 12, e057863	3	0
11	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. <i>Diabetes Care</i> 2015;38:e199. <i>Diabetes Care</i> , 2016 , 39, e47	14.6	
10	Associations entre les mesures anthropométriques et le risque de dépression chez la femme post-ménopausée. <i>European Psychiatry</i> , 2013 , 28, 30-30	6	
9	Corpulence au cours de la vie et risque de dépression chez la femme post-ménopausée : résultats de la cohorte E3N. <i>European Psychiatry</i> , 2013 , 28, 29-30	6	
8	Reply to HC Stevens and C La Vecchia. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 250-1	7	
7	Improving Diabetes-Related Biomedical Literature Exploration in the Clinical Decision-making Process via Interactive Classification and Topic Discovery: Methodology Development Study.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e27434	7.6	
6	Effets potentiels de l'alarme optionnelle FreeStyle Libre sur l'allègement de la charge mentale des patients diabétiques. <i>Medecine Des Maladies Metaboliques</i> , 2020 , 14, 600-607	0.1	
5	RELATION BETWEEN BENIGN GYNECOLOGICAL DISEASES AND INCIDENT HYPERTENSION IN THE E3N COHORT. <i>Journal of Hypertension</i> , 2019 , 37, e45	1.9	
4	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. <i>Chronic Illness</i> , 2019 , 15, 236-241	1.4	
3	Troubles musculosquelettiques au cours du diabète de type 1. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 464-470	0.1	
2	Attitudes and Expectations of Clinical Research Participants Toward Digital Health and Mobile Dietary Assessment Tools: Cross-Sectional Survey Study.. <i>Frontiers in Digital Health</i> , 2022 , 4, 794908	2.3	
1	Emulating a virtual digital cohort study based on social media data as a complementary approach to traditional epidemiology: when, what for, and how?. <i>Diabetes Epidemiology and Management</i> , 2022 , 100085		