Guy Fagherazzi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/16174/guy-fagherazzi-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 265 56 9,720 h-index g-index citations papers 11,782 6.5 300 5.73 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
265	Improving Diabetes-Related Biomedical Literature Exploration in the Clinical Decision-making Process via Interactive Classification and Topic Discovery: Methodology Development Study <i>Journal of Medical Internet Research</i> , 2022 , 24, e27434	7.6	
264	Combinatorial analysis reveals highly coordinated early-stage immune reactions that predict later antiviral immunity in mild COVID-19 patients <i>Cell Reports Medicine</i> , 2022 , 3, 100600	18	0
263	Attitudes and Expectations of Clinical Research Participants Toward Digital Health and Mobile Dietary Assessment Tools: Cross-Sectional Survey Study <i>Frontiers in Digital Health</i> , 2022 , 4, 794908	2.3	
262	Associations between physical activity prior to infection and COVID-19 disease severity and symptoms: results from the prospective Predi-COVID cohort study <i>BMJ Open</i> , 2022 , 12, e057863	3	0
261	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis <i>Lancet Public Health, The</i> , 2022 , 7, e447-e457	22.4	2
260	Emulating a virtual digital cohort study based on social media data as a complementary approach to traditional epidemiology: when, what for, and how?. <i>Diabetes Epidemiology and Management</i> , 2022 , 100	085	
259	Advanced analytical methods to assess physical activity behavior using accelerometer time series: A scoping review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 ,	4.6	1
258	Detection of COVID-19 from voice, cough and breathing patterns: Dataset and preliminary results. <i>Computers in Biology and Medicine</i> , 2021 , 138, 104944	7	12
257	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. <i>Cancers</i> , 2021 , 13,	6.6	1
256	Voice for Health: The Use of Vocal Biomarkers from Research to Clinical Practice. <i>Digital Biomarkers</i> , 2021 , 5, 78-88	7.1	14
255	The associations of the Palaeolithic diet alone and in combination with lifestyle factors with type 2 diabetes and hypertension risks in women in the E3N prospective cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 3935-3945	5.2	1
254	Associations of Physical Activity Level and Variability With 6-Month Weight Change Among 26,935 Users of Connected Devices: Observational Real-Life Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e25385	5.5	1
253	Association of Migraine With Incident Hypertension After Menopause: A Longitudinal Cohort Study. <i>Neurology</i> , 2021 , 97, e34-e41	6.5	3
252	The long-run effects of war on health: Evidence from World War II in France. <i>Social Science and Medicine</i> , 2021 , 276, 113812	5.1	0
251	The Use of Social Media for Health Research Purposes: Scoping Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25736	7.6	3
250	Type 2 diabetes and its characteristics are associated with poor oral health: findings from 60,590 senior women from the E3N study. <i>BMC Oral Health</i> , 2021 , 21, 315	3.7	2
249	PhBotypage numEique profond dans le diabEe de type 1´: le renouveau de la recherche en BidEniologie. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 375-379	0.1	O

(2020-2021)

248	Is the Consensual Threshold for Defining High Glucose Variability Implementable in Clinical Practice?. <i>Diabetes Care</i> , 2021 , 44, 1722-1725	14.6	1	
247	BMI in the Associations of Plant-Based Diets with Type 2 Diabetes and Hypertension Risks in Women: The E3N Prospective Cohort Study. <i>Journal of Nutrition</i> , 2021 , 151, 2731-2740	4.1	1	
246	Gonadal hormonal factors before menopause and incident type 2 diabetes in women: A 22-year follow-up of 83 799 women from the E3N cohort study. <i>Journal of Diabetes</i> , 2021 , 13, 330-338	3.8	1	
245	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021 , 44, 98-106	14.6	21	
244	Scoping review protocol on the use of social media for health research purposes. <i>BMJ Open</i> , 2021 , 11, e040671	3	2	
243	Identification of chemical mixtures to which women are exposed through the diet: Results from the French E3N cohort. <i>Environment International</i> , 2021 , 152, 106467	12.9	2	
242	Towards precision cardiometabolic prevention: results from a machine learning, semi-supervised clustering approach in the nationwide population-based ORISCAV-LUX 2 study. <i>Scientific Reports</i> , 2021 , 11, 16056	4.9	О	
241	Troubles musculosquelettiques au cours du diab l e de type 1. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 464-470	0.1		
240	Unraveling the concepts of distress, burnout, and depression in type 1 diabetes: A scoping review. <i>EClinicalMedicine</i> , 2021 , 40, 101118	11.3	1	
239	Challenges and perspectives for the future of diabetes epidemiology in the era of digital health and artificial intelligence. <i>Diabetes Epidemiology and Management</i> , 2021 , 1, 100004		O	
238	Methods to Generate Innovative Research Ideas and Improve Patient and Public Involvement in Modern Epidemiological Research: Review, Patient Viewpoint, and Guidelines for Implementation of a Digital Cohort Study <i>Journal of Medical Internet Research</i> , 2021 , 23, e25743	7.6	2	
237	Intricate relationships between frailty and diabetes: where do we go from here?. <i>The Lancet Healthy Longevity</i> , 2020 , 1, e92-e93	9.5	1	
236	Protocol for a prospective, longitudinal cohort of people with COVID-19 and their household members to study factors associated with disease severity: the Predi-COVID study. <i>BMJ Open</i> , 2020 , 10, e041834	3	5	
235	Cholesterol and Egg Intakes, and Risk of Hypertension in a Large Prospective Cohort of French Women. <i>Nutrients</i> , 2020 , 12,	6.7	5	
234	Identifying hotspots of cardiometabolic outcomes based on a Bayesian approach: The example of Chile. <i>PLoS ONE</i> , 2020 , 15, e0235009	3.7	3	
233	Increased risk of type 2 diabetes in antidepressant users: evidence from a 6-year longitudinal study in the E3N cohort. <i>Diabetic Medicine</i> , 2020 , 37, 1866-1873	3.5	1	
232	Dairy product consumption and hypertension risk in a prospective French cohort of women. <i>Nutrition Journal</i> , 2020 , 19, 12	4.3	4	
231	Associations between early-life food deprivation during World War II and risk of hypertension and type 2 diabetes at adulthood. <i>Scientific Reports</i> , 2020 , 10, 5741	4.9	3	

230	Profiles of Polyphenol Intake and Type 2 Diabetes Risk in 60,586 Women Followed for 20 Years: Results from the E3N Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
229	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
228	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
227	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
226	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
225	Consumption of cocoa-containing foods and risk of hypertension in French women. <i>European Journal of Epidemiology</i> , 2020 , 35, 465-469	12.1	2
224	Rethinking the Use of Mobile Apps for Dietary Assessment in Medical Research. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15619	7.6	10
223	Deep Digital Phenotyping and Digital Twins for Precision Health: Time to Dig Deeper. <i>Journal of Medical Internet Research</i> , 2020 , 22, e16770	7.6	22
222	Mapping and Modeling of Discussions Related to Gastrointestinal Discomfort in French-Speaking Online Forums: Results of a 15-Year Retrospective Infodemiology Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17247	7.6	5
221	Distribution of Highly Prevalent Musculoskeletal Disorders and Their Association With Diabetes Complications in a Population of 140 Individuals With Type 1 Diabetes: A Retrospective Study in a French Diabetes Center. <i>Clinical Diabetes</i> , 2020 , 38, 181-187	2.9	3
220	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020 , 63, 266-27	710.3	8
219	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904	5.2	22
218	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 147, 648-661	7.5	14
217	Socioeconomic inequalities and type 2 diabetes complications: A systematic review. <i>Diabetes and Metabolism</i> , 2020 , 46, 89-99	5.4	16
216	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A´meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394	11.6	15
215	Associations Between Physical Activity and Incident Hypertension Across Strata of Body Mass Index: A Prospective Investigation in a Large Cohort of French Women. <i>Journal of the American Heart Association</i> , 2020 , 9, e015121	6	4
214	Advanced analytical methods to assess physical activity behaviour using accelerometer raw time series data: a protocol for a scoping review. <i>Systematic Reviews</i> , 2020 , 9, 259	3	2
213	Effets potentiels de l\(\text{Blarme optionnelle FreeStyle\(\text{LibreD}\) sur l\(\text{Bll\(\text{B}\)ement de la charge mentale des patients diabEiques. Medecine Des Maladies Metaboliques, 2020, 14, 600-607	0.1	

(2019-2020)

212	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020 , 7, 393	8.2	7
211	Insulin pricing and other major diabetes-related concerns in the USA: a study of 46 407 tweets between 2017 and 2019. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	9
210	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
209	Musculoskeletal disorders in patients with type 1 diabetes: An understudied group of diabetes complications that deserves further investigation. <i>Diabetes and Metabolism</i> , 2020 , 46, 177-178	5.4	3
208	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	72
207	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3
206	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
205	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 226-237	2.7	12
204	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
203	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1293-1303	5.6	17
202	Strong adherence to dietary and lifestyle recommendations is associated with decreased type 2 diabetes risk in the AusDiab cohort study. <i>Preventive Medicine</i> , 2019 , 123, 208-216	4.3	13
201	Activation of hepatic estrogen receptor-lincreases energy expenditure by stimulating the production of fibroblast growth factor 21 in female mice. <i>Molecular Metabolism</i> , 2019 , 22, 62-70	8.8	18
200	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019 , 42, 568-575	14.6	16
199	Population attributable fractions of the main type 2 diabetes mellitus risk factors in women: Findings from the French E3N cohort. <i>Journal of Diabetes</i> , 2019 , 11, 242-253	3.8	7
198	Dietary inflammatory index and type 2 diabetes risk in a prospective cohort of 70,991 women followed for 20 years: the mediating role of BMI. <i>Diabetologia</i> , 2019 , 62, 2222-2232	10.3	32
197	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
196	High dietary total antioxidant capacity is associated with a reduced risk of hypertension in French women. <i>Nutrition Journal</i> , 2019 , 18, 31	4.3	19
195	Mentally tiring work and type 2 diabetes in women: a 22-year follow-up study. <i>European Journal of Endocrinology</i> , 2019 , 180, 257-263	6.5	3

194	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019 , 11, 2045-2070	5.6	67
193	RELATION BETWEEN BENIGN GYNECOLOGICAL DISEASES AND INCIDENT HYPERTENSION IN THE E3N COHORT. <i>Journal of Hypertension</i> , 2019 , 37, e45	1.9	
192	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 1651-1656	5.9	8
191	Associations Between Migraine and Type 2 Diabetes in Women: Findings From the E3N Cohort Study. <i>JAMA Neurology</i> , 2019 , 76, 257-263	17.2	18
190	Dietary exposure to brominated flame retardants and risk of type 2 diabetes in the French E3N cohort. <i>Environment International</i> , 2019 , 123, 54-60	12.9	14
189	Digital diabetes: Perspectives for diabetes prevention, management and research. <i>Diabetes and Metabolism</i> , 2019 , 45, 322-329	5.4	56
188	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. <i>Chronic Illness</i> , 2019 , 15, 236-241	1.4	
187	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019 , 68, 672-683	19.2	18
186	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3N-EPIC (Etude Epidfhiologique aupr de femmes de l'Education Nationale) cohort study. <i>Journal of Diabetes</i> , 2018 , 10, 665-674	3.8	7
185	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
184	Soda Intake Is Directly Associated with Serum C-Reactive Protein Concentration in Mexican Women. Journal of Nutrition, 2018 , 148, 117-124	4.1	9
183	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3N-EPIC study. International Journal of Cancer, 2018, 143, 1678-1687	7.5	7
182	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018 , 67, 1200-1205	0.9	13
181	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018 , 61, 1325-1332	10.3	14
180	Determinants of folate and vitamin B12 plasma levels in the French E3N-EPIC cohort. <i>European Journal of Nutrition</i> , 2018 , 57, 751-760	5.2	10
179	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408	5.2	42
178	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. <i>Clinical Nutrition</i> , 2018 , 37, 1625-1630	5.9	18
177	Nonlinear associations between dietary exposures to perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) and type 2 diabetes risk in women: Findings from the E3N cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 1054-1060	6.9	25

176	Determinants of 20-year non-progression to Type 2 diabetes in women at very high risk: the E3N cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 1716-1721	3.5	1
175	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018 , 10,	6.7	15
174	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. <i>Journal of Medical Internet Research</i> , 2018 , 20, e227	7.6	10
173	Diet and risk of diabetic retinopathy: a systematic review. <i>European Journal of Epidemiology</i> , 2018 , 33, 141-156	12.1	47
172	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
171	Life course evolution of body size and breast cancer survival in the E3N cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1542-1553	7.5	6
170	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. <i>Public Health Nutrition</i> , 2018 , 21, 740-755	3.3	6
169	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. <i>Diabetologia</i> , 2018 , 61, 308-316	10.3	45
168	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 1157-1168	5.2	14
167	Dietary antioxidant capacity and all-cause and cause-specific mortality in the E3N/EPIC cohort study. <i>European Journal of Nutrition</i> , 2017 , 56, 1233-1243	5.2	35
166	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 51-58	4.5	17
165	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-9	00 4	6
164	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36
163	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. <i>Nutrition Research</i> , 2017 , 44, 9-17	4	4
162	Sepsis risk factors in infants with congenital diaphragmatic hernia. <i>Annals of Intensive Care</i> , 2017 , 7, 32	8.9	8
161	Socio-economic factors associated with a healthy diet: results from the E3N study. <i>Public Health Nutrition</i> , 2017 , 20, 1574-1583	3.3	6
160	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39
159	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30

158	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. <i>BMC Nephrology</i> , 2017 , 18, 297	2.7	8
157	Use of Bisphosphonates and Risk of Breast Cancer in a French Cohort of Postmenopausal Women. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3230-3239	2.2	12
156	Cross-sectional association of coffee and caffeine consumption with sex hormone-binding globulin in healthy nondiabetic women. <i>Clinical Endocrinology</i> , 2017 , 87, 475-483	3.4	4
155	Transmission of Type 2 diabetes to sons and daughters: the D.E.S.I.R. cohort. <i>Diabetic Medicine</i> , 2017 , 34, 1615-1622	3.5	2
154	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
153	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118	7.5	6
152	Associations between serum lipids and breast cancer incidence and survival in the E3N prospective cohort study. <i>Cancer Causes and Control</i> , 2017 , 28, 77-88	2.8	21
151	An International Study on the Determinants of Poor Sleep Amongst 15,000 Users of Connected Devices. <i>Journal of Medical Internet Research</i> , 2017 , 19, e363	7.6	18
150	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
149	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-	39 .8	16
148	Longitudinal association of antidepressant medication use with metabolic syndrome: Results of a 9-year follow-up of the D.E.S.I.R. cohort study. <i>Psychoneuroendocrinology</i> , 2016 , 74, 34-45	5	8
147	Postmenopausal breast cancer risk and interactions between body mass index, menopausal hormone therapy use, and vitamin D supplementation: Evidence from the E3N cohort. <i>International Journal of Cancer</i> , 2016 , 139, 2193-200	7.5	9
146	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51
145	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
144	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
143	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 51-60	12.1	29
142	Functional gastrointestinal disorders and incidence of type 2 diabetes: Evidence from the E3N-EPIC cohort study. <i>Diabetes and Metabolism</i> , 2016 , 42, 178-83	5.4	5
141	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34

(2015-2016)

140	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
139	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. Diabetes Care 2015;38:e199. <i>Diabetes Care</i> , 2016 , 39, e47	14.6	
138	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
137	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58
136	Home and Work Physical Activity Environments: Associations with Cardiorespiratory Fitness and Physical Activity Level in French Women. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
135	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002094	11.6	116
134	Proportion of premenopausal and postmenopausal breast cancers attributable to known risk factors: Estimates from the E3N-EPIC cohort. <i>International Journal of Cancer</i> , 2016 , 138, 2415-27	7.5	29
133	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
132	Prediagnostic body size and breast cancer survival in the E3N cohort study. <i>International Journal of Cancer</i> , 2016 , 139, 1053-64	7.5	6
131	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude EpidBniologique auprE des femmes de la Mutuelle GBFale de l'Education Nationale) prospective cohort study. <i>British Journal of Nutrition</i> , 2016 , 1-9	3.6	10
130	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
129	Vitamin C supplement intake and postmenopausal breast cancer risk: interaction with dietary vitamin C. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 228-34	7	13
128	Flavonoid intake and incident hypertension in women. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1091-8	7	57
127	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
126	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8	7	20
125	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
124	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
123	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37

122	A comparison between different prediction models for invasive breast cancer occurrence in the French E3N cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 415-26	4.4	5
121	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
120	Alcohol consumption and breast cancer risk subtypes in the E3N-EPIC cohort. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 209-14	2	28
119	The association of body shape trajectories over the life course with type 2 diabetes risk in adulthood: a group-based modeling approach. <i>Annals of Epidemiology</i> , 2015 , 25, 785-7	6.4	11
118	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28	7·5	23
117	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
116	Interaction between current vitamin D supplementation and menopausal hormone therapy use on breast cancer risk: evidence from the E3N cohort. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 966-	73	8
115	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61	5.2	27
114	Egg and cholesterol intake and incident type 2 diabetes among French women. <i>British Journal of Nutrition</i> , 2015 , 114, 1667-73	3.6	26
113	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
112	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
111	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 1953-66	7.5	19
110	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206	3.7	24
109	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 646-57	7.5	57
108	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39	8.7	16
107	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
106	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 302	8636	79
105	Association Between Handedness and Type 2 Diabetes: The E3N Study. <i>Diabetes Care</i> , 2015 , 38, e199	14.6	6

104	ABO and Rhesus blood groups and risk of type 2 diabetes: evidence from the large E3N cohort study. <i>Diabetologia</i> , 2015 , 58, 519-22	10.3	44
103	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-21	7	219
102	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
101	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 367	9.7	22
100	C-reactive protein and postmenopausal breast cancer risk: results from the E3N cohort study. <i>Cancer Causes and Control</i> , 2014 , 25, 533-9	2.8	47
99	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
98	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-5	52 ·5	35
97	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014 , 22, E127-34	8	16
96	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
95	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
94	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
93	Processed and unprocessed red meat consumption and hypertension in women. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 948-52	7	45
92	Body-size throughout life and risk of depression in postmenopausal women: findings from the E3N cohort. <i>Obesity</i> , 2014 , 22, 1926-34	8	5
91	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014 , 38, 528-37	2.8	10
90	Alcohol consumption and survival after a breast cancer diagnosis: a literature-based meta-analysis and collaborative analysis of data for 29,239 cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 934-45	4	29
89	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 810-8	18.1	330
88	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7·5	109
87	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25

86	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
85	Anthropometry, silhouette trajectory, and risk of breast cancer in Mexican women. <i>American Journal of Preventive Medicine</i> , 2014 , 46, S52-64	6.1	24
84	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 19-29	18.1	99
83	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
82	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
81	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
8o	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
79	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
78	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
77	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
76	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2504-11	7.5	29
75	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
74	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41
73	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
72	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
71	Wine consumption throughout life is inversely associated with type 2 diabetes risk, but only in overweight individuals: results from a large female French cohort study. <i>European Journal of Epidemiology</i> , 2014 , 29, 831-9	12.1	21
70	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
69	Body mass index, diabetes, and mortality in French women: explaining away a "paradox". <i>Epidemiology</i> , 2014 , 25, 10-4	3.1	57

68	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014 , 66, 14-28	2.8	20
67	Association between five lifestyle habits and cancer risk: results from the E3N cohort. <i>Cancer Prevention Research</i> , 2014 , 7, 516-25	3.2	35
66	Adherence to predefined dietary patterns and incident type 2 diabetes in European populations: EPIC-InterAct Study. <i>Diabetologia</i> , 2014 , 57, 321-33	10.3	59
65	Dietary acid load and risk of type 2 diabetes: the E3N-EPIC cohort study. <i>Diabetologia</i> , 2014 , 57, 313-20	10.3	91
64	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
63	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
62	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 60-9	10.3	158
61	Associations entre les mesures anthropomEriques et le risque de dBression chez la femme post-mBopausB. <i>European Psychiatry</i> , 2013 , 28, 30-30	6	
60	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-76	4.4	44
59	Childhood and adult secondhand smoke and type 2 diabetes in women. <i>Diabetes Care</i> , 2013 , 36, 2720-5	14.6	25
58	Anthropometrics, body shape over 12 years and risk of cancer events in pre- and post-menopausal women. <i>International Journal of Cancer</i> , 2013 , 133, 740-8	7.5	6
57	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 177	2 ⁷ -90	96
56	Corpulence au cours de la vie et risque de dBression chez la femme post-mBopausB : rBultats de la cohorte E3N. <i>European Psychiatry</i> , 2013 , 28, 29-30	6	
55	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1486-92	6.9	15
54	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
53	Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. <i>Diabetologia</i> , 2013 , 56, 1520-30	10.3	188
52	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013 , 24, 427-38	2.8	19
51	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-88	12.1	13

50	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 110, 1500-11	3.6	74
49	Body shape throughout life and the risk for breast cancer at adulthood in the French E3N cohort. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 29-37	2	39
48	Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidemiologique aupres des femmes de la Mutuelle Generale de l'Education Nationale-European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal</i>	7	178
47	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20	7	123
46	Reply to HC Stevens and C La Vecchia. American Journal of Clinical Nutrition, 2013, 98, 250-1	7	
45	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , 2013 , 178, 570-81	3.8	29
44	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 109, 1498-507	3.6	102
43	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
42	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
41	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
40	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013 , 24, 543-553	10.3	79
39	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
38	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
37	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
36	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
35	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
34	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947	3.7	12
33	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14

32	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 13	398-408	71
31	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82
30	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910	3.7	44
29	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
28	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 932-41	5.2	94
27	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , 2012 , 55, 1944-52	10.3	61
26	Hip circumference is associated with the risk of premenopausal ER-/PR- breast cancer. <i>International Journal of Obesity</i> , 2012 , 36, 431-9	5.5	41
25	Height, sitting height, and leg length in relation with breast cancer risk in the E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1171-5	4	17
24	Processed and unprocessed red meat consumption and incident type 2 diabetes among French women. <i>Diabetes Care</i> , 2012 , 35, 128-30	14.6	43
23	Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1285-95		156
23		7	156 65
	Meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8	7 5.2	
22	Meta-analysis. Archives of Internal Medicine, 2012, 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-53 Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis.		65
22	Meta-analysis. Archives of Internal Medicine, 2012, 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-53 Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-92 The association of education with long-term weight change in the EPIC-PANACEA cohort. European	5.2	65
22 21 20	Meta-analysis. Archives of Internal Medicine, 2012, 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-53 Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-92 The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-63 Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition	5.2	65 195 13
22 21 20	Meta-analysis. Archives of Internal Medicine, 2012, 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-53 Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-92 The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-63 Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2012, 108, 1095-108 Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated	5.2 5.2 3.6	65 195 13 81
22 21 20 19	Meta-analysis. Archives of Internal Medicine, 2012, 172, 1285-95 The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-53 Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-92 The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-63 Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2012, 108, 1095-108 Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. American Journal of Clinical Nutrition, 2012, 95, 1172-81 Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study.	5.25.23.67	65 195 13 81 48

14	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
13	Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2250-61	4	57
12	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
11	No association between coffee, tea or caffeine consumption and breast cancer risk in a prospective cohort study. <i>Public Health Nutrition</i> , 2011 , 14, 1315-20	3.3	37
10	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
9	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
8	Joint effects of dietary vitamin D and sun exposure on breast cancer risk: results from the French E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 187-98	4	54
7	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1002-12	7	64
6	Serum 25(OH) vitamin D and risk of breast cancer: a nested case-control study from the French E3N cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2341-50	4	102
5	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
4	Serum cholesterol level, use of a cholesterol-lowering drug, and breast cancer: results from the prospective E3N cohort. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 120-5	2	26
3	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010 , 10, 563	4.8	5
2	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
1	Digital Health Strategies to Fight COVID-19 Worldwide: Challenges, Recommendations, and a Call for Papers (Preprint)		6