

Bruce W Melville

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1617891/bruce-w-melville-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

3,734
citations

31
h-index

58
g-index

140
ext. papers

4,426
ext. citations

2.5
avg, IF

5.79
L-index

#	Paper	IF	Citations
131	Experimental investigation of the effects of contraction on tsunami-induced forces and pressures on a box section bridge. <i>Journal of Hydro-Environment Research</i> , 2022 , 40, 116-130	2.3	1
130	Countermeasures for local scour at offshore wind turbine monopile foundations: A review. <i>Water Science and Engineering</i> , 2022 , 15, 15-15	4	2
129	Improving the Summer Power Generation of a Hydropower Reservoir Using the Modified Multi-Step Ahead Time-Varying Hedging Rule. <i>Water Resources Management</i> , 2022 , 36, 853	3.7	1
128	The effect of inlet width on the performance of sediment retention ponds in thermally induced flows. <i>Journal of Hydrology</i> , 2022 , 606, 127377	6	0
127	Waves Generated by Discrete and Sustained Gas Eruptions With Implications for Submarine Volcanic Tsunamis. <i>Geophysical Research Letters</i> , 2021 , 48, e2021GL094539	4.9	1
126	Dynamic morphology in a bridge-contracted compound channel during extreme floods: Effects of abutments, bed-forms and scour countermeasures. <i>Journal of Hydrology</i> , 2021 , 594, 125930	6	5
125	Hydrodynamics, Sediment Transport and Morphological Features at the Confluence Between the Yangtze River and the Poyang Lake. <i>Water Resources Research</i> , 2021 , 57, e2020WR028284	5.4	19
124	Flow Redistribution at Bridge Contractions in Compound Channel for Extreme Hydrological Events and Implications for Sediment Scour. <i>Journal of Hydraulic Engineering</i> , 2021 , 147, 04021005	1.8	2
123	Effects of Streamwise Abutment Length on Scour at Riprap Apron-Protected Setback Abutments in Compound Channels. <i>Journal of Hydraulic Engineering</i> , 2021 , 147, 04021003	1.8	4
122	Experimental investigation of tsunami bore-induced forces and pressures on skewed box section bridges. <i>Ocean Engineering</i> , 2021 , 224, 108730	3.9	6
121	Tsunami loads on slab bridges. <i>Coastal Engineering</i> , 2021 , 165, 103853	4.8	5
120	Mitigation of tsunami bore impact on a vertical wall behind a barrier. <i>Coastal Engineering</i> , 2021 , 164, 103833	4.8	5
119	Assessment of the Myitnge River flow responses in Myanmar under changes in land use and climate. <i>Modeling Earth Systems and Environment</i> , 2021 , 7, 1393-1415	3.2	2
118	Projection of future extreme precipitation: a robust assessment of downscaled daily precipitation. <i>Natural Hazards</i> , 2021 , 107, 311-329	3	3
117	Experimental Investigation of Tsunami Bore-Induced Forces on Skewed Deck Girder Section Bridges. <i>Journal of Hydraulic Engineering</i> , 2021 , 147, 04021027	1.8	1
116	Experimental study on local scour at complex bridge piers under steady currents with bed-form migration. <i>Ocean Engineering</i> , 2021 , 234, 109329	3.9	2
115	Experimental study on local scour at complex bridge pier under combined waves and current. <i>Coastal Engineering</i> , 2020 , 160, 103730	4.8	11

114	Temporal Evolution of Clear-Water Local Scour at Aligned and Skewed Complex Bridge Piers. <i>Journal of Hydraulic Engineering</i> , 2020 , 146, 04020026	1.8	14
113	Impacts of Bridge Piers on Scour at Downstream River Training Structures: Submerged Weir as an Example. <i>Water Resources Research</i> , 2020 , 56, e2019WR026720	5.4	6
112	Stability of Composite Breakwaters under Tsunami Attack. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2020 , 146, 04020011	1.7	2
111	Temporal Evolution of Clear-Water Scour Depth at Submerged Weirs. <i>Journal of Hydraulic Engineering</i> , 2020 , 146, 06020001	1.8	7
110	Numerical Simulation of Turbidity Current in Approach Channels with a Closed End. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2020 , 146, 04020036	1.7	2
109	Stream Temperature Modeling and Fiber Optic Temperature Sensing to Characterize Groundwater Discharge. <i>Ground Water</i> , 2020 , 58, 661-673	2.4	2
108	Local Scour at Complex Bridge Piers in Close Proximity under Clear-Water and Live-Bed Flow Regime. <i>Water (Switzerland)</i> , 2019 , 11, 1530	3	11
107	Scour Estimation Downstream of Submerged Weirs. <i>Journal of Hydraulic Engineering</i> , 2019 , 145, 06019016	1.8	9
106	Live-Bed Scour at Wide and Long-Skewed Bridge Piers in Comparatively Shallow Water. <i>Journal of Hydraulic Engineering</i> , 2019 , 145, 06019005	1.8	10
105	Hydraulic investigation of the impact of retrofitting floating treatment wetlands in retention ponds. <i>Water Science and Technology</i> , 2019 , 80, 1476-1484	2.2	3
104	Current-induced scour at monopile foundations subjected to lateral vibrations. <i>Coastal Engineering</i> , 2019 , 144, 15-21	4.8	22
103	Evaluating the determinants of high-rise apartment water demand through integration of water consumption, land use and demographic data. <i>Water Policy</i> , 2018 , 20, 966-981	1.6	3
102	An Experimental Investigation of Tsunami Bore Impacts on a Coastal Bridge Model with Different Contraction Ratios. <i>Journal of Coastal Research</i> , 2018 , 342, 460-469	0.6	15
101	Instant tsunami bore pressure and force on a cylindrical structure. <i>Journal of Hydro-Environment Research</i> , 2018 , 19, 28-40	2.3	4
100	Investigations of Reduction Effect of Vertical Wall on Dam-Break-Simulated Tsunami Surge Exerted on Wharf Piles. <i>Journal of Earthquake and Tsunami</i> , 2018 , 12, 1840006	1.1	5
99	Estimation of maximum scour depths at upstream of front and rear piers for two in-line circular columns. <i>Environmental Fluid Mechanics</i> , 2018 , 18, 537-550	2.2	24
98	Effects of Upstream Weir Slope on Local Scour at Submerged Weirs. <i>Journal of Hydraulic Engineering</i> , 2018 , 144, 04018002	1.8	19
97	Clear-Water Local Scour at Skewed Complex Bridge Piers. <i>Journal of Hydraulic Engineering</i> , 2018 , 144, 04018019	1.8	20

96	Scour geometry at long skewed bridge piers under shallow water flows. <i>Water Management</i> , 2018 , 171, 241-252	1	1
95	A wavelet based approach for combining the outputs of different rainfall-runoff models. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018 , 32, 155-168	3.5	13
94	A Comparative Study of Various Hybrid Wavelet Feedforward Neural Network Models for Runoff Forecasting. <i>Water Resources Management</i> , 2018 , 32, 83-103	3.7	24
93	Evaluating spatial and seasonal determinants of residential water demand across different housing types through data integration. <i>Water International</i> , 2018 , 43, 926-942	2.4	1
92	Experimental investigation of the effect of temperature differentials on hydraulic performance and flow pattern of a sediment retention pond. <i>Water Science and Technology</i> , 2018 , 77, 2896-2906	2.2	4
91	Effects of a downstream submerged weir on local scour at bridge piers. <i>Journal of Hydro-Environment Research</i> , 2018 , 20, 101-109	2.3	16
90	Book Review - Experimental Hydraulics: Methods, Instrumentation, Data Processing and Management. Marian Muste (Editor in Chief). IAHR Monographs, two volumes, CRC Press, 2017. 906 pp. ISBN: 9781138027534. £190.00.. <i>Journal of Fluid Mechanics</i> , 2018 , 855, 1238-1241	3.7	
89	Local Scour at Downstream Sloped Submerged Weirs. <i>Journal of Hydraulic Engineering</i> , 2018 , 144, 04018034	3.4	27
88	Clear-water scour at long skewed bridge piers 2017 , 40, 10-18		5
87	Flow-Field Complexity and Design Estimation of Pier-Scour Depth: Sixty Years since Laursen and Toch. <i>Journal of Hydraulic Engineering</i> , 2017 , 143, 03117006	1.8	49
86	A Multi-Scale Analysis of Single-Unit Housing Water Demand Through Integration of Water Consumption, Land Use and Demographic Data. <i>Water Resources Management</i> , 2017 , 31, 2173-2186	3.7	10
85	Future implications of urban intensification on residential water demand. <i>Journal of Environmental Planning and Management</i> , 2017 , 60, 1809-1824	2.8	8
84	Effect of baffles on the hydraulic performance of sediment retention ponds. <i>Water Science and Technology</i> , 2017 , 75, 1991-1996	2.2	2
83	Scour at wind turbine tripod foundation under steady flow. <i>Ocean Engineering</i> , 2017 , 141, 277-282	3.9	16
82	Mitigation Effect of Vertical Walls on a Wharf Model Subjected to Tsunami Bores. <i>Journal of Earthquake and Tsunami</i> , 2017 , 11, 1750004	1.1	5
81	Hybrid Wavelet Neuro-Fuzzy Approach for Rainfall-Runoff Modeling. <i>Journal of Computing in Civil Engineering</i> , 2016 , 30, 04014125	5	13
80	Experimental study of uplift loads due to tsunami bore impact on a wharf model. <i>Coastal Engineering</i> , 2016 , 117, 126-137	4.8	19
79	Experimental investigation of tsunami-borne debris impact force on structures: Factors affecting impulse-momentum formula. <i>Ocean Engineering</i> , 2016 , 127, 158-169	3.9	11

78	Experimental investigation of tsunami bore impact force and pressure on a square prism. <i>Coastal Engineering</i> , 2016 , 110, 1-16	4.8	57
77	Local scour at submerged weirs in sand-bed channels. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2016 , 54, 172-184	1.9	35
76	Hybrid Wavelet Neural Network Approach. <i>Studies in Computational Intelligence</i> , 2016 , 127-143	0.8	4
75	A comparison between wavelet based static and dynamic neural network approaches for runoff prediction. <i>Journal of Hydrology</i> , 2016 , 535, 211-225	6	59
74	Estimation of the effects of price on apartment water demand using cointegration and error correction techniques. <i>Applied Economics</i> , 2016 , 48, 461-470	1.6	7
73	A Multi-Scale Analysis of Low-Rise Apartment Water Demand through Integration of Water Consumption, Land Use, and Demographic Data. <i>Journal of the American Water Resources Association</i> , 2016 , 52, 1056-1067	2.1	5
72	Measurements of tsunami-borne debris impact on structures using an embedded accelerometer. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2016 , 54, 435-449	1.9	22
71	Live-Bed Scour at Submerged Weirs. <i>Journal of Hydraulic Engineering</i> , 2015 , 141, 04014071	1.8	45
70	Stratification of NWP Forecasts for Medium-Range Ensemble Streamflow Forecasting. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04014076	1.8	5
69	Evaluation of hydraulic performance indices for retention ponds. <i>Water Science and Technology</i> , 2015 , 72, 10-21	2.2	6
68	The effect of different baffles on hydraulic performance of a sediment retention pond. <i>Ecological Engineering</i> , 2015 , 81, 228-232	3.9	12
67	Runoff forecasting using hybrid Wavelet Gene Expression Programming (WGEP) approach. <i>Journal of Hydrology</i> , 2015 , 527, 326-344	6	57
66	Assessment of Climate Change Impact on Water Balance of Forested and Farmed Catchments. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04015009	1.8	3
65	Impact of Ensemble Size on TIGGE Precipitation Forecasts: An End-User Perspective. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04014046	1.8	3
64	Estimation of soil hydraulic properties and their uncertainty through the Beerkan infiltration experiment. <i>Hydrological Processes</i> , 2015 , 29, 3699-3713	3.3	3
63	Flow Patterns and Turbulence Structures in a Scour Hole Downstream of a Submerged Weir. <i>Journal of Hydraulic Engineering</i> , 2014 , 140, 68-76	1.8	59
62	Local scour at piled bridge piers including an examination of the superposition method. <i>Canadian Journal of Civil Engineering</i> , 2014 , 41, 461-471	1.3	32
61	Comparative study of different wavelet based neural network models for rainfall-runoff modeling. <i>Journal of Hydrology</i> , 2014 , 515, 47-58	6	88

60	A preliminary study on scour at submerged weirs in live bed conditions 2014 , 1401-1406		
59	Impact of Ensemble Size on Forecasting Occurrence of Rainfall Using TIGGE Precipitation Forecasts. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 732-738	1.8	5
58	Statistical Properties of Partial Duration Series and Its Implication on Regional Frequency Analysis. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 1471-1480	1.8	5
57	Knowledge Extraction From Artificial Neural Networks for Rainfall-Runoff Model Combination Systems. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 1422-1429	1.8	13
56	Statistical Properties of Partial Duration Series: Case Study of North Island, New Zealand. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 807-815	1.8	12
55	Scour Caused by 2D Horizontal Jets. <i>Journal of Hydraulic Engineering</i> , 2014 , 140, 149-155	1.8	21
54	Three-dimensional analysis of coherent turbulent flow structure around a single circular bridge pier. <i>Environmental Fluid Mechanics</i> , 2014 , 14, 821-847	2.2	33
53	Statistically downscaled probabilistic multi-model ensemble projections of precipitation change in a watershed. <i>Hydrological Processes</i> , 2013 , 27, 1021-1032	3.3	13
52	Closure to Clear-Water Local Scour around Pile Groups in Shallow-Water Flow by Ata Amini, Bruce W. Melville, Thamer M. Ali, and Abdul H. Ghazali. <i>Journal of Hydraulic Engineering</i> , 2013 , 139, 680-681	1.8	3
51	Design of Storm-Water Retention Ponds with Floating Treatment Wetlands. <i>Journal of Environmental Engineering, ASCE</i> , 2013 , 139, 1343-1349	2	19
50	Investigation of Flow Patterns in Storm Water Retention Ponds using CFD. <i>Journal of Environmental Engineering, ASCE</i> , 2013 , 139, 61-69	2	11
49	Role of Turbulence and Particle Exposure on Entrainment of Large Spherical Particles in Flows with Low Relative Submergence. <i>Journal of Hydraulic Engineering</i> , 2012 , 138, 1022-1030	1.8	8
48	Clear-Water Local Scour around Pile Groups in Shallow-Water Flow. <i>Journal of Hydraulic Engineering</i> , 2012 , 138, 177-185	1.8	85
47	Flow structures and hydrodynamic force during sediment entrainment. <i>Water Resources Research</i> , 2011 , 47,	5.4	48
46	Statistical downscaling of watershed precipitation using Gene Expression Programming (GEP). <i>Environmental Modelling and Software</i> , 2011 , 26, 1639-1646	5.2	64
45	Analysis of hydrodynamic lift on a bed sediment particle. <i>Journal of Geophysical Research</i> , 2011 , 116,		19
44	Comparison of SDSM and LARS-WG for simulation and downscaling of extreme precipitation events in a watershed. <i>Stochastic Environmental Research and Risk Assessment</i> , 2011 , 25, 475-484	3.5	133
43	Retrofitting a stormwater retention pond using a deflector island. <i>Water Science and Technology</i> , 2011 , 63, 2867-72	2.2	12

42	Hydrodynamic Forces Generated on a Spherical Sediment Particle during Entrainment. <i>Journal of Hydraulic Engineering</i> , 2010 , 136, 756-769	1.8	52
41	Drag force on a sediment particle from point velocity measurements: A spectral approach. <i>Water Resources Research</i> , 2010 , 46,	5.4	18
40	Low-Cost Autonomous 3-D Monitoring Systems for Hydraulic Engineering Environments and Applications With Limited Accuracy Requirements. <i>IEEE Sensors Journal</i> , 2010 , 10, 331-339	4	3
39	Bridge-Scour Prevention and Countermeasures 2008 , 543-577		3
38	SWAT.nz: New-Zeland-based Band Waves and Turbulence Experimental programme. <i>Acta Geophysica</i> , 2008 , 56, 417-439	2.2	7
37	Flow Measurement Using Flying ADV Probes. <i>Journal of Hydraulic Engineering</i> , 2007 , 133, 1345-1355	1.8	7
36	Bayesian neural networks for prediction of equilibrium and time-dependent scour depth around bridge piers. <i>Advances in Engineering Software</i> , 2007 , 38, 102-111	3.6	55
35	2007 ,		7
34	Riprap Size Selection at Wing-Wall Abutments. <i>Journal of Hydraulic Engineering</i> , 2007 , 133, 1265-1269	1.8	14
33	Local Scour at Complex Piers 2006 , 1		1
32	Countermeasure Toe Protection at Spill-Through Abutments. <i>Journal of Hydraulic Engineering</i> , 2006 , 132, 235-245	1.8	21
31	Flow-Induced Failure of Cable-Tied Blocks. <i>Journal of Hydraulic Engineering</i> , 2006 , 132, 324-327	1.8	4
30	Implementation Aspects and Offline Digital Signal Processing of a Smart Pebble for River Bed Sediment Transport Monitoring 2006 ,		6
29	Scour Countermeasures for Wing-Wall Abutments. <i>Journal of Hydraulic Engineering</i> , 2006 , 132, 563-574	1.8	21
28	Closure to Fluvial Entrainment of Protruding Fractured Rock by Stephen E. Coleman, Bruce W. Melville, and Lance Gore. <i>Journal of Hydraulic Engineering</i> , 2005 , 131, 143-144	1.8	
27	Clear-water scour development at bridge abutments. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2003 , 41, 521-531	1.9	101
26	Fluvial Entrainment of Protruding Fractured Rock. <i>Journal of Hydraulic Engineering</i> , 2003 , 129, 872-884	1.8	22
25	Case Study: New Zealand Bridge Scour Experiences. <i>Journal of Hydraulic Engineering</i> , 2001 , 127, 535-546	1.8	26

24	Riprap Protection at Bridge Piers. <i>Journal of Hydraulic Engineering</i> , 2001 , 127, 412-418	1.8	106
23	Closure to Time Scale for Local Scour at Bridge Piers by Bruce W. Melville and Yee-Meng Chiew. <i>Journal of Hydraulic Engineering</i> , 2000 , 126, 794-794	1.8	1
22	Riprap Protection of Bridge Abutments under Clear Water Conditions 2000 , 1		3
21	Time Scale for Local Scour at Bridge Piers. <i>Journal of Hydraulic Engineering</i> , 1999 , 125, 59-65	1.8	442
20	Use of Sacrificial Piles as Pier Scour Countermeasures. <i>Journal of Hydraulic Engineering</i> , 1999 , 125, 1221-1224	1.8	54
19	Scale Effect in Pier-Scour Experiments. <i>Journal of Hydraulic Engineering</i> , 1999 , 125, 894-895	1.8	2
18	Scale Effect in Pier-Scour Experiments. <i>Journal of Hydraulic Engineering</i> , 1998 , 124, 639-642	1.8	142
17	Discussions and Closure: Pier and Abutment Scour: Integrated Approach. <i>Journal of Hydraulic Engineering</i> , 1998 , 124, 769-774	1.8	6
16	Pier and Abutment Scour: Integrated Approach. <i>Journal of Hydraulic Engineering</i> , 1997 , 123, 125-136	1.8	365
15	Effects of Foundation Geometry on Bridge Pier Scour. <i>Journal of Hydraulic Engineering</i> , 1996 , 122, 203-208	1.8	89
14	Initiation of Bed Forms on a Flat Sand Bed. <i>Journal of Hydraulic Engineering</i> , 1996 , 122, 301-310	1.8	110
13	Sediment Control at Water Intakes. <i>Journal of Hydraulic Engineering</i> , 1996 , 122, 353-356	1.8	42
12	Bridge Abutment Scour in Compound Channels. <i>Journal of Hydraulic Engineering</i> , 1995 , 121, 863-868	1.8	32
11	Closure to Bridge Pier Scour with Debris Accumulation by Bruce W. Melville and D. M. Dongol (September, 1992, Vol. 118, No. 9). <i>Journal of Hydraulic Engineering</i> , 1994 , 120, 523-524	1.8	2
10	Local scour and flow measurements at bridge abutments. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1994 , 32, 661-673	1.9	68
9	Bed-Form Development. <i>Journal of Hydraulic Engineering</i> , 1994 , 120, 544-560	1.8	101
8	Discussion of Effects of Footing Location on Bridge Pier Scour by J. Sterling Jones, Roger T. Kilgore, and Mark P. Mistichelli (February, 1992, Vol. 118, No. 2). <i>Journal of Hydraulic Engineering</i> , 1993 , 119, 296-298	1.8	1
7	Closure to Local Scour at Bridge Abutments by B. W. Melville (April, 1992, Vol. 118, No. 4). <i>Journal of Hydraulic Engineering</i> , 1993 , 119, 1071-1073	1.8	2

6	Discussion of Study of Time-Dependent Local Scour Around Bridge Piers by A. Melih Yanmaz and H. Dogan Altmbilek (October, 1991, Vol. 117, No. 10). <i>Journal of Hydraulic Engineering</i> , 1992 , 118, 1593-1595	1.8	85
5	Bridge Pier Scour with Debris Accumulation. <i>Journal of Hydraulic Engineering</i> , 1992 , 118, 1306-1310	1.8	88
4	Live-bed Scour at Bridge Piers. <i>Journal of Hydraulic Engineering</i> , 1984 , 110, 1234-1247	1.8	55
3	FLOW CHARACTERISTICS IN LOCAL SCOUR AT BRIDGE PIERS. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1977 , 15, 373-380	1.9	169
2	Pickup rate of non-cohesive sediments in low-velocity flows. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1-11	1.9	4
1	Characteristics of the flow field within a developing scour hole at a submerged weir. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1-12	1.9	0