

# Juan Merlo

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1619291/juan-merlo-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219  
papers

9,604  
citations

50  
h-index

92  
g-index

228  
ext. papers

10,787  
ext. citations

4.4  
avg, IF

6.51  
L-index

#	Paper	IF	Citations
219	A brief conceptual tutorial of multilevel analysis in social epidemiology: using measures of clustering in multilevel logistic regression to investigate contextual phenomena. <i>Journal of Epidemiology and Community Health</i> , <b>2006</b> , 60, 290-7	5.1	960
218	Appropriate assessment of neighborhood effects on individual health: integrating random and fixed effects in multilevel logistic regression. <i>American Journal of Epidemiology</i> , <b>2005</b> , 161, 81-8	3.8	631
217	A brief conceptual tutorial of multilevel analysis in social epidemiology: linking the statistical concept of clustering to the idea of contextual phenomenon. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 443-9	5.1	360
216	Social capital and health: does egalitarianism matter? A literature review. <i>International Journal for Equity in Health</i> , <b>2006</b> , 5, 3	4.6	343
215	The validity of obesity based on self-reported weight and height: Implications for population studies. <i>Obesity</i> , <b>2007</b> , 15, 197-208	8	295
214	Intermediate and advanced topics in multilevel logistic regression analysis. <i>Statistics in Medicine</i> , <b>2017</b> , 36, 3257-3277	2.3	238
213	Socioeconomic inequality in exposure to bullying during adolescence: a comparative, cross-sectional, multilevel study in 35 countries. <i>American Journal of Public Health</i> , <b>2009</b> , 99, 907-14	5.1	237
212	A brief conceptual tutorial on multilevel analysis in social epidemiology: investigating contextual phenomena in different groups of people. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 729-36	5.1	221
211	An interactive mapping tool to assess individual mobility patterns in neighborhood studies. <i>American Journal of Preventive Medicine</i> , <b>2012</b> , 43, 440-50	6.1	186
210	Neighbourhoods in eco-epidemiologic research: delimiting personal exposure areas. A response to Riva, Gauvin, Apparicio and Brodeur. <i>Social Science and Medicine</i> , <b>2009</b> , 69, 1306-10	5.1	160
209	Inequity in access to dental care services explains current socioeconomic disparities in oral health: the Swedish National Surveys of Public Health 2004-2005. <i>Journal of Epidemiology and Community Health</i> , <b>2006</b> , 60, 1027-33	5.1	143
208	A brief conceptual tutorial on multilevel analysis in social epidemiology: interpreting neighbourhood differences and the effect of neighbourhood characteristics on individual health. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 1022-8	5.1	143
207	Comparison of a spatial perspective with the multilevel analytical approach in neighborhood studies: the case of mental and behavioral disorders due to psychoactive substance use in Malmo, Sweden, 2001. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 171-82	3.8	139
206	Intimate partner violence against women and the Nordic paradox. <i>Social Science and Medicine</i> , <b>2016</b> , 157, 27-30	5.1	138
205	Comparison of a spatial approach with the multilevel approach for investigating place effects on health: the example of healthcare utilisation in France. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 517-26	5.1	123
204	An Original Stepwise Multilevel Logistic Regression Analysis of Discriminatory Accuracy: The Case of Neighbourhoods and Health. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153778	3.7	115
203	Children's exposure to nitrogen dioxide in Sweden: investigating environmental injustice in an egalitarian country. <i>Journal of Epidemiology and Community Health</i> , <b>2006</b> , 60, 234-41	5.1	108

202	Comparison of dose standard units for drug utilisation studies. <i>European Journal of Clinical Pharmacology</i> , <b>1996</b> , 50, 27-30	2.8	106
201	Comparison of different procedures to identify probable cases of myocardial infarction and stroke in two Swedish prospective cohort studies using local and national routine registers. <i>European Journal of Epidemiology</i> , <b>2000</b> , 16, 235-43	12.1	100
200	Individual and collective bodies: using measures of variance and association in contextual epidemiology. <i>Journal of Epidemiology and Community Health</i> , <b>2009</b> , 63, 1043-8	5.1	99
199	Atrial fibrillation and its association with type 2 diabetes and hypertension in a Swedish community. <i>Diabetes, Obesity and Metabolism</i> , <b>2004</b> , 6, 367-74	6.7	92
198	Social capital and leisure time physical activity: a population based multilevel analysis in Malmö Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2003</b> , 57, 23-8	5.1	87
197	Socioeconomic position, macroeconomic environment and overweight among adolescents in 35 countries. <i>International Journal of Obesity</i> , <b>2009</b> , 33, 1084-93	5.5	86
196	Individual and neighbourhood determinants of social participation and social capital: a multilevel analysis of the city of Malmö Sweden. <i>Social Science and Medicine</i> , <b>2002</b> , 54, 1779-91	5.1	86
195	Socioeconomic disadvantage and primary non-adherence with medication in Sweden. <i>International Journal for Quality in Health Care</i> , <b>2007</b> , 19, 134-40	1.9	84
194	Increasing prevalence of overweight, obesity and physical inactivity: two population-based studies 1986 and 1994. <i>European Journal of Public Health</i> , <b>2003</b> , 13, 306-12	2.1	84
193	Perceived discrimination, socioeconomic disadvantage and refraining from seeking medical treatment in Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2007</b> , 61, 409-15	5.1	83
192	Gender and power: Nurses and doctors in Canada. <i>International Journal for Equity in Health</i> , <b>2003</b> , 2, 1	4.6	82
191	Representativity of a postal public health questionnaire survey in Sweden, with special reference to ethnic differences in participation. <i>Scandinavian Journal of Public Health</i> , <b>2006</b> , 34, 132-9	3	80
190	Neighborhood socioeconomic deprivation and residential instability: effects on incidence of ischemic heart disease and survival after myocardial infarction. <i>Epidemiology</i> , <b>2007</b> , 18, 104-11	3.1	79
189	Measures of clustering and heterogeneity in multilevel Poisson regression analyses of rates/count data. <i>Statistics in Medicine</i> , <b>2018</b> , 37, 572-589	2.3	77
188	Associations of supermarket characteristics with weight status and body fat: a multilevel analysis of individuals within supermarkets (RECORD study). <i>PLoS ONE</i> , <b>2012</b> , 7, e32908	3.7	72
187	Multilevel analysis of individual heterogeneity and discriminatory accuracy (MAIHDA) within an intersectional framework. <i>Social Science and Medicine</i> , <b>2018</b> , 203, 74-80	5.1	71
186	Population effects on individual systolic blood pressure: a multilevel analysis of the World Health Organization MONICA Project. <i>American Journal of Epidemiology</i> , <b>2004</b> , 159, 1168-79	3.8	71
185	Disentangling contextual effects on cause-specific mortality in a longitudinal 23-year follow-up study: impact of population density or socioeconomic environment?. <i>International Journal of Epidemiology</i> , <b>2006</b> , 35, 633-43	7.8	69

184	Social capital and sense of insecurity in the neighbourhood: a population-based multilevel analysis in MalmöSweden. <i>Social Science and Medicine</i> , <b>2003</b> , 56, 1111-20	5.1	68
183	Individual self-reported health, social participation and neighbourhood: a multilevel analysis in MalmöSweden. <i>Preventive Medicine</i> , <b>2004</b> , 39, 135-41	4.3	65
182	Neighbourhood social interactions and risk of acute myocardial infarction. <i>Journal of Epidemiology and Community Health</i> , <b>2008</b> , 62, 62-8	5.1	63
181	Is victimization from bullying associated with medicine use among adolescents? A nationally representative cross-sectional survey in Denmark. <i>Pediatrics</i> , <b>2007</b> , 120, 110-7	7.4	62
180	Invited commentary: multilevel analysis of individual heterogeneity-a fundamental critique of the current probabilistic risk factor epidemiology. <i>American Journal of Epidemiology</i> , <b>2014</b> , 180, 208-12; discussion 213-4	3.8	59
179	Cohort profile: residential and non-residential environments, individual activity spaces and cardiovascular risk factors and diseases--the RECORD Cohort Study. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 1283-92	7.8	58
178	Spatial clustering of mental disorders and associated characteristics of the neighbourhood context in MalmöSweden, in 2001. <i>Journal of Epidemiology and Community Health</i> , <b>2006</b> , 60, 427-35	5.1	56
177	Prescriptions with potential drug interactions dispensed at Swedish pharmacies in January 1999: cross sectional study. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 427-8		54
176	Bringing the individual back to small-area variation studies: a multilevel analysis of all-cause mortality in Andalusia, Spain. <i>Social Science and Medicine</i> , <b>2012</b> , 75, 1477-87	5.1	53
175	Validity of registration of ICD codes and prescriptions in a research database in Swedish primary care: a cross-sectional study in Skaraborg primary care database. <i>BMC Medical Informatics and Decision Making</i> , <b>2010</b> , 10, 23	3.6	53
174	Social participation, social capital and daily tobacco smoking: a population-based multilevel analysis in MalmöSweden. <i>Scandinavian Journal of Public Health</i> , <b>2003</b> , 31, 444-50	3	53
173	The median hazard ratio: a useful measure of variance and general contextual effects in multilevel survival analysis. <i>Statistics in Medicine</i> , <b>2017</b> , 36, 928-938	2.3	52
172	Assessment of the magnitude of geographical variations and socioeconomic contextual effects on ischaemic heart disease mortality: a multilevel survival analysis of a large Swedish cohort. <i>Journal of Epidemiology and Community Health</i> , <b>2007</b> , 61, 349-55	5.1	51
171	Similar support for three different life course socioeconomic models on predicting premature cardiovascular mortality and all-cause mortality. <i>BMC Public Health</i> , <b>2006</b> , 6, 203	4.1	50
170	Recent increase of neighborhood socioeconomic effects on ischemic heart disease mortality: a multilevel survival analysis of two large Swedish cohorts. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 22-6	3.8	50
169	Social capital externalities and mortality in Sweden. <i>Economics and Human Biology</i> , <b>2008</b> , 6, 19-42	2.6	48
168	A GPS-Based Methodology to Analyze Environment-Health Associations at the Trip Level: Case-Crossover Analyses of Built Environments and Walking. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 570-578	3.8	47
167	Intersectionality and risk for ischemic heart disease in Sweden: Categorical and anti-categorical approaches. <i>Social Science and Medicine</i> , <b>2017</b> , 177, 213-222	5.1	43

166	Timing of surgery for hip fracture and in-hospital mortality: a retrospective population-based cohort study in the Spanish National Health System. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 15	2.9	43
165	Cord blood islet autoantibodies and seasonal association with the type 1 diabetes high-risk genotype. <i>Journal of Perinatology</i> , <b>2008</b> , 28, 211-7	3.1	43
164	Distribution and determinants of ischaemic heart disease in an urban population. A study from the myocardial infarction register in Malmö, Sweden. <i>Journal of Internal Medicine</i> , <b>2000</b> , 247, 588-96	10.8	42
163	Revisiting the effect of maternal smoking during pregnancy on offspring birthweight: a quasi-experimental sibling analysis in Sweden. <i>PLoS ONE</i> , <b>2013</b> , 8, e61734	3.7	41
162	The tyranny of the averages and the indiscriminate use of risk factors in public health: The case of coronary heart disease. <i>SSM - Population Health</i> , <b>2017</b> , 3, 684-698	3.8	40
161	Contextual Influences on the Individual Life Course: Building a Research Framework for Social Epidemiology. <i>Psychosocial Intervention</i> , <b>2011</b> , 20, 109-118	3.1	40
160	The association between socioeconomic position, use of revascularization procedures and five-year survival after recovery from acute myocardial infarction. <i>BMC Public Health</i> , <b>2008</b> , 8, 44	4.1	40
159	Effect of neighborhood social participation on individual use of hormone replacement therapy and antihypertensive medication: a multilevel analysis. <i>American Journal of Epidemiology</i> , <b>2003</b> , 157, 774-83	3.8	40
158	Hospital level of care and neonatal mortality in low- and high-risk deliveries: reassessing the question in Sweden by multilevel analysis. <i>Medical Care</i> , <b>2005</b> , 43, 1092-100	3.1	40
157	Survival after initial hospitalisation for heart failure: a multilevel analysis of patients in Swedish acute care hospitals. <i>Journal of Epidemiology and Community Health</i> , <b>2001</b> , 55, 323-9	5.1	40
156	Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity. <i>Journal of Epidemiology and Community Health</i> , <b>2001</b> , 55, 791-8	5.1	39
155	Perinatal risk factors increase the risk of being affected by both type 1 diabetes and coeliac disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2015</b> , 104, 178-84	3.1	38
154	Chronic Obstructive Pulmonary Disease in Sweden: An intersectional multilevel analysis of individual heterogeneity and discriminatory accuracy. <i>SSM - Population Health</i> , <b>2018</b> , 4, 334-346	3.8	38
153	Psychotropic drugs and falling accidents among the elderly: a nested case control study in the whole population of Scania, Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 440-6	5.1	38
152	Does it really matter where you live? A panel data multilevel analysis of Swedish municipality-level social capital on individual health-related quality of life. <i>Health Economics, Policy and Law</i> , <b>2006</b> , 1, 209-35	3.3	38
151	The relation between self-rated health, socioeconomic status, body mass index and disability pension among middle-aged men. <i>European Journal of Epidemiology</i> , <b>2001</b> , 17, 65-9	12.1	38
150	Hormonal contraception increases the risk of psychotropic drug use in adolescent girls but not in adults: A pharmacoepidemiological study on 800 000 Swedish women. <i>PLoS ONE</i> , <b>2018</b> , 13, e0194773	3.7	37
149	Action control and situational risks in the prevention of HIV and STIs: individual, dyadic, and social influences on consistent condom use in a university population. <i>AIDS Education and Prevention</i> , <b>2002</b> , 14, 515-31	2	37

148	Self-administered questionnaire compared with a personal diary for assessment of current use of hormone therapy: an analysis of 16,060 women. <i>American Journal of Epidemiology</i> , <b>2000</b> , 152, 788-92	3.8	35
147	Area-aggregated assessments of perceived environmental attributes may overcome single-source bias in studies of green environments and health: results from a cross-sectional survey in southern Sweden. <i>Environmental Health</i> , <b>2011</b> , 10, 4	6	34
146	Contemporary Epidemiology: A Review of Critical Discussions Within the Discipline and A Call for Further Dialogue with Social Theory. <i>Sociology Compass</i> , <b>2016</b> , 10, 153-171	1.9	32
145	Social capital, the miniaturisation of community, traditionalism and first time acute myocardial infarction: a prospective cohort study in southern Sweden. <i>Social Science and Medicine</i> , <b>2006</b> , 63, 2204-17	5.1	31
144	Antibiotic use among 8-month-old children in Malmö-Sweden--in relation to child characteristics and parental sociodemographic, psychosocial and lifestyle factors. <i>BMC Pediatrics</i> , <b>2009</b> , 9, 31	2.6	30
143	Commentary: Weighing up the dead and missing: reflections on inverse-probability weighting and principal stratification to address truncation by death. <i>Epidemiology</i> , <b>2012</b> , 23, 129-31; discussion 132-7	3.1	30
142	Incidence of myocardial infarction in elderly men being treated with antihypertensive drugs: population based cohort study. <i>BMJ: British Medical Journal</i> , <b>1996</b> , 313, 457-61		30
141	Complaints, complainants, and rulings regarding drug promotion in the United Kingdom and Sweden 2004-2012: a quantitative and qualitative study of pharmaceutical industry self-regulation. <i>PLoS Medicine</i> , <b>2015</b> , 12, e1001785	11.6	29
140	Country of birth, socioeconomic position, and healthcare expenditure: a multilevel analysis of Malmö-Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2004</b> , 58, 145-9	5.1	29
139	Low molecular weight heparin for repeated pregnancy loss: is it based on solid evidence?. <i>Journal of Thrombosis and Haemostasis</i> , <b>2005</b> , 3, 221-3	15.4	29
138	Short Term Survival after Admission for Heart Failure in Sweden: Applying Multilevel Analyses of Discriminatory Accuracy to Evaluate Institutional Performance. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148187	3.7	29
137	Gender differences in daily smoking prevalence in different age strata: a population-based study in southern Sweden. <i>Scandinavian Journal of Public Health</i> , <b>2009</b> , 37, 146-52	3	28
136	International differences in self-reported health measures in 33 major metropolitan areas in Europe. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 40-7	2.1	28
135	Validity of self-reported information on cancer: determinants of under- and over-reporting. <i>European Journal of Epidemiology</i> , <b>2004</b> , 19, 239-47	12.1	28
134	Association of outpatient utilisation of non-steroidal anti-inflammatory drugs and hospitalised heart failure in the entire Swedish population. <i>European Journal of Clinical Pharmacology</i> , <b>2001</b> , 57, 71-5	2.8	28
133	A simple multilevel approach for analysing geographical inequalities in public health reports: The case of municipality differences in obesity. <i>Health and Place</i> , <b>2019</b> , 58, 102145	4.6	26
132	Coeliac disease in children: a social epidemiological study in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2012</b> , 101, 185-91	3.1	26
131	Contribution of main causes of death to social inequalities in mortality in the whole population of Scania, Sweden. <i>BMC Public Health</i> , <b>2006</b> , 6, 79	4.1	25

130	Understanding the effects of a decentralized budget on physicians' compliance with guidelines for statin prescription--a multilevel methodological approach. <i>BMC Health Services Research</i> , <b>2007</b> , 7, 68	2.9	24
129	Individual characteristics, area social participation, and primary non-concordance with medication: a multilevel analysis. <i>BMC Public Health</i> , <b>2006</b> , 6, 52	4.1	24
128	General and specific contextual effects in multilevel regression analyses and their paradoxical relationship: A conceptual tutorial. <i>SSM - Population Health</i> , <b>2018</b> , 5, 33-37	3.8	24
127	The role country of birth plays in receiving disability pensions in relation to patterns of health care utilisation and socioeconomic differences: a multilevel analysis of Malmö, Sweden. <i>BMC Public Health</i> , <b>2006</b> , 6, 71	4.1	23
126	Revisiting causal neighborhood effects on individual ischemic heart disease risk: a quasi-experimental multilevel analysis among Swedish siblings. <i>Social Science and Medicine</i> , <b>2013</b> , 76, 39-46	5.1	22
125	Social inequalities in health- do they diminish with age? Revisiting the question in Sweden 1999. <i>International Journal for Equity in Health</i> , <b>2003</b> , 2, 2	4.6	22
124	The natural course of women with recurrent fetal loss. <i>Journal of Thrombosis and Haemostasis</i> , <b>2006</b> , 4, 896-7	15.4	21
123	Understanding adherence to official guidelines on statin prescribing in primary health care--a multi-level methodological approach. <i>European Journal of Clinical Pharmacology</i> , <b>2005</b> , 61, 657-65	2.8	21
122	An intersectional approach to multilevel analysis of individual heterogeneity (MAIH) and discriminatory accuracy. <i>Social Science and Medicine</i> , <b>2017</b> , 178, 217-219	5.1	20
121	Therapeutic traditions, patient socioeconomic characteristics and physicians' early new drug prescribing--a multilevel analysis of rosuvastatin prescription in south Sweden. <i>European Journal of Clinical Pharmacology</i> , <b>2009</b> , 65, 141-50	2.8	20
120	Anxiolytic-hypnotic drug use associated with trust, social participation, and the miniaturization of community: a multilevel analysis. <i>Social Science and Medicine</i> , <b>2006</b> , 62, 1205-14	5.1	20
119	Multilevel versus single-level regression for the analysis of multilevel information: The case of quantitative intersectional analysis. <i>Social Science and Medicine</i> , <b>2020</b> , 245, 112499	5.1	20
118	How are immigrant background and gender associated with the utilisation of psychiatric care among adolescents?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 693-9	4.5	19
117	Place effects for areas defined by administrative boundaries: a life course analysis of mortality and cause specific morbidity in Scania, Sweden. <i>Social Science and Medicine</i> , <b>2011</b> , 73, 1145-51	5.1	19
116	Neighbourhood effects and the real world beyond randomized community trials: a reply to Michael J Oakes. <i>International Journal of Epidemiology</i> , <b>2006</b> , 35, 1361-3	7.8	19
115	Increased risk of ischaemic heart disease mortality in elderly men using anxiolytics-hypnotics and analgesics. Results of the 10-year follow-up of the prospective population study "Men born in 1914", Malmö, Sweden. <i>European Journal of Clinical Pharmacology</i> , <b>1996</b> , 49, 261-5	2.8	19
114	Questioning the discriminatory accuracy of broad migrant categories in public health: self-rated health in Sweden. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 911-7	2.1	18
113	Social capital and administrative contextual determinants of lack of access to a regular doctor: a multilevel analysis in southern Sweden. <i>Health Policy</i> , <b>2006</b> , 79, 153-64	3.2	18

112	Utilisation of antibiotics in young children: opposite relationships to adult educational levels in Danish and Swedish counties. <i>European Journal of Clinical Pharmacology</i> , <b>2003</b> , 59, 331-5	2.8	18
111	Low adherence with antihypertensives in actual practice: the association with social participation--a multilevel analysis. <i>BMC Public Health</i> , <b>2005</b> , 5, 17	4.1	18
110	Performance evaluations and league tables: do they capture variation between organizational units? An analysis of 5 Swedish pharmacological performance indicators. <i>Medical Care</i> , <b>2011</b> , 49, 327-31	3.1	17
109	Income change at retirement, neighbourhood-based social support, and ischaemic heart disease: results from the prospective cohort study "Men born in 1914". <i>Social Science and Medicine</i> , <b>2007</b> , 64, 818-29	5.1	17
108	Intersectional inequalities and the U.S. opioid crisis: challenging dominant narratives and revealing heterogeneities. <i>Critical Public Health</i> , <b>2020</b> , 30, 398-414	2.6	17
107	Socioeconomic differences in body mass index in Spain: An intersectional multilevel analysis of individual heterogeneity and discriminatory accuracy. <i>PLoS ONE</i> , <b>2018</b> , 13, e0208624	3.7	17
106	Country of residence, gender equality and victim blaming attitudes about partner violence: a multilevel analysis in EU. <i>European Journal of Public Health</i> , <b>2018</b> , 28, 559-564	2.1	16
105	Testing the association between social capital and health over time: a family-based design. <i>BMC Public Health</i> , <b>2013</b> , 13, 665	4.1	16
104	Understanding adherence to therapeutic guidelines: a multilevel analysis of statin prescription in the Skaraborg Primary Care Database. <i>European Journal of Clinical Pharmacology</i> , <b>2011</b> , 67, 415-423	2.8	16
103	Prevalence of intimate partner violence against women in Sweden and Spain: A psychometric study of the Qlordic paradox. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217015	3.7	15
102	Socioeconomic position, comorbidity, and mortality in aortic aneurysms: a 13-year prospective cohort study. <i>Annals of Vascular Surgery</i> , <b>2012</b> , 26, 312-21	1.7	15
101	Social capital and neo-materialist contextual determinants of sense of insecurity in the neighbourhood: a multilevel analysis in Southern Sweden. <i>Health and Place</i> , <b>2006</b> , 12, 479-89	4.6	15
100	Adolescents' utilisation of psychiatric care, neighbourhoods and neighbourhood socioeconomic deprivation: a multilevel analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e81127	3.7	15
99	Understanding the complexity of socioeconomic disparities in type 2 diabetes risk: a study of 4.3 million people in Sweden. <i>BMJ Open Diabetes Research and Care</i> , <b>2019</b> , 7, e000749	4.5	15
98	Revising the link between proton-pump inhibitors and risk of acute myocardial infarction--a case-crossover analysis. <i>European Journal of Clinical Pharmacology</i> , <b>2015</b> , 71, 125-9	2.8	14
97	Socioeconomic factors and concomitant diseases are related to the risk for venous thromboembolism during long time follow-up. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2013</b> , 36, 58-64	5.1	14
96	Neighbourhood social participation and women's use of anxiolytic-hypnotic drugs: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , <b>2004</b> , 58, 59-64	5.1	14
95	Two-Thirds of Survey Respondents in Southern Sweden Used Complementary or Alternative Medicine in 2015. <i>Complementary Medicine Research</i> , <b>2017</b> , 24, 302-309	1.3	13



94	Measures of discriminatory accuracy and categorizations in public health: a response to Allan Krasnik's editorial. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 910	2.1	13
93	Does the Neighborhood Area of Residence Influence Non-Attendance in an Urban Mammography Screening Program? A Multilevel Study in a Swedish City. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140244	3.7	13
92	Does country-level gender equality explain individual risk of intimate partner violence against women? A multilevel analysis of individual heterogeneity and discriminatory accuracy (MAIHDA) in the European Union. <i>European Journal of Public Health</i> , <b>2020</b> , 30, 293-299	2.1	13
91	Revisiting the risk of celiac disease in children born small for gestational age: a sibling design perspective. <i>Scandinavian Journal of Gastroenterology</i> , <b>2012</b> , 47, 632-9	2.4	12
90	Socioeconomic position and secondary preventive therapy after an AMI. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 358-66	2.6	12
89	Multilevel analysis of systolic blood pressure and ACE gene I/D polymorphism in 438 Swedish families--a public health perspective. <i>BMC Medical Genetics</i> , <b>2006</b> , 7, 14	2.1	12
88	Female advantage in AMI mortality is reversed in patients with type 2 diabetes in the Skaraborg Project. <i>Diabetes Care</i> , <b>2005</b> , 28, 2246-8	14.6	12
87	Applying measures of discriminatory accuracy to revisit traditional risk factors for being small for gestational age in Sweden: a national cross-sectional study. <i>BMJ Open</i> , <b>2014</b> , 4, e005388	3	11
86	The effect of Swedish snuff (snus) on offspring birthweight: a sibling analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e65613	3.7	11
85	Is the physician's adherence to prescription guidelines associated with the patient's socio-economic position? An analysis of statin prescription in South Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 678-83	5.1	11
84	Auditing patient registration in the Swedish quality register for acute coronary syndrome. <i>Scandinavian Journal of Public Health</i> , <b>2010</b> , 38, 533-40	3	11
83	Mother's country of birth and prescription of psychotropic medication in Swedish adolescents: a life course approach. <i>BMJ Open</i> , <b>2012</b> , 2,	3	11
82	Survival in patients with hypertension treated in primary care. A population-based follow-up study in the Skaraborg Hypertension and Diabetes Project. <i>Scandinavian Journal of Primary Health Care</i> , <b>2004</b> , 22, 222-7	2.7	11
81	Changing analytical approaches in European epidemiology -- a short comment on a recent article. <i>European Journal of Epidemiology</i> , <b>2005</b> , 20, 737; author reply 738	12.1	11
80	Age standardisation of drug utilisation: comparisons of different methods using cardiovascular drug data from Sweden and Spain. <i>European Journal of Clinical Pharmacology</i> , <b>1994</b> , 46, 393-8	2.8	11
79	Does Maternal Country of Birth Matter for Understanding Offspring's Birthweight? A Multilevel Analysis of Individual Heterogeneity in Sweden. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129362	3.7	11
78	Precision public health: Mapping socioeconomic disparities in opioid dispensations at Swedish pharmacies by Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy (MAIHDA). <i>PLoS ONE</i> , <b>2019</b> , 14, e0220322	3.7	11
77	Is physician adherence to prescription guidelines a general trait of health care practices or dependent on drug type?--a multilevel logistic regression analysis in South Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2009</b> , 18, 682-90	2.6	10

76	Increased registration of hypertension and cancer diagnoses after the introduction of a new reimbursement system. <i>Scandinavian Journal of Primary Health Care</i> , <b>2012</b> , 30, 222-8	2.7	10
75	Overweight and all-cause mortality in a Swedish rural population: Skaraborg Hypertension and Diabetes Project. <i>Scandinavian Journal of Public Health</i> , <b>2005</b> , 33, 478-86	3	10
74	Categorical and anti-categorical approaches to US racial/ethnic groupings: revisiting the National 2009 H1N1 Flu Survey (NHFS). <i>Critical Public Health</i> , <b>2018</b> , 28, 177-189	2.6	10
73	Revisiting the discriminatory accuracy of traditional risk factors in preeclampsia screening. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178528	3.7	9
72	Psychotropic drug use in adolescents born with an orofacial cleft: a population-based study. <i>BMJ Open</i> , <b>2015</b> , 5, e005306	3	9
71	Multilevel survival analysis of health inequalities in life expectancy. <i>International Journal for Equity in Health</i> , <b>2009</b> , 8, 31	4.6	9
70	Individual and contextual determinants of self-reported poor psychological health: a population-based multilevel analysis in southern Sweden. <i>Scandinavian Journal of Public Health</i> , <b>2006</b> , 34, 397-405	3	9
69	Re: "Detecting patterns of occupational illness clustering with alternating logistic regressions applied to longitudinal data". <i>American Journal of Epidemiology</i> , <b>2004</b> , 160, 505-6; author reply 506-7	3.8	9
68	Partitioning variation in multilevel models for count data. <i>Psychological Methods</i> , <b>2020</b> , 25, 787-801	7.1	9
67	Low adherence to statin treatment during the 1st year after an acute myocardial infarction is associated with increased 2nd-year mortality risk-an inverse probability of treatment weighted study on 54 872 patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2021</b> , 7, 141-147	6.4	9
66	Sex differences in coeliac disease risk: a Swedish sibling design study. <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 909-13	3.3	8
65	Context and disease when disease risk is low: the case of type 1 diabetes in Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 789-95	5.1	8
64	Variation in plasma calcium analysis in primary care in Sweden--a multilevel analysis. <i>BMC Family Practice</i> , <b>2010</b> , 11, 43	2.6	8
63	Risk factors for diagnosed intentional self-injury: a total population-based study. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 286-91	2.1	7
62	Family Matters: Designing, Analysing and Understanding Family-based Studies in Life-course Epidemiology. Debbie A Lawlor, Gita D Mishra (eds).. <i>International Journal of Epidemiology</i> , <b>2010</b> , 39, 936-937	7.8	7
61	Congenital anomalies and childhood celiac disease in Sweden. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2012</b> , 55, 736-9	2.8	7
60	Research methods courses as a means of developing academic general practice. Fifteen years of experience from Sweden and Denmark. <i>Scandinavian Journal of Primary Health Care</i> , <b>2005</b> , 23, 132-6	2.7	7
59	An intersectional analysis providing more precise information on inequities in self-rated health. <i>International Journal for Equity in Health</i> , <b>2021</b> , 20, 54	4.6	7

58	Absolute rather than relative income is a better socioeconomic predictor of chronic obstructive pulmonary disease in Swedish adults. <i>International Journal for Equity in Health</i> , <b>2017</b> , 16, 70	4.6	6
57	Questioning the causal link between maternal smoking during pregnancy and offspring use of psychotropic medication: a sibling design analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e63420	3.7	6
56	The Danish effect on Swedish alcohol costs. An analysis based on hospitalization data from southern Sweden. <i>European Journal of Health Economics</i> , <b>2006</b> , 7, 46-54	3.6	6
55	Prostate cancer--prevalence-based healthcare costs. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2003</b> , 37, 371-5		6
54	Overuse of methylphenidate: an analysis of Swedish pharmacy dispensing data. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 1657-1665	5.9	6
53	Psychotropic drugs and accidents in Scania, Sweden. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 726-32	2.1	5
52	Residual risk for acute stroke in patients with type 2 diabetes and hypertension in primary care: Skaraborg Hypertension and Diabetes Project. <i>Diabetes, Obesity and Metabolism</i> , <b>2006</b> , 8, 492-500	6.7	5
51	Acknowledging the role of patient heterogeneity in hospital outcome reporting: Mortality after acute myocardial infarction in five European countries. <i>PLoS ONE</i> , <b>2020</b> , 15, e0228425	3.7	4
50	Neighborhood social participation, use of anxiolytic-hypnotic drugs, and women's propensity for disability pension: a multilevel analysis. <i>Scandinavian Journal of Public Health</i> , <b>2006</b> , 34, 41-8	3	4
49	Social epidemiology, intra-neighbourhood correlation, and generalised estimating equations. <i>Journal of Epidemiology and Community Health</i> , <b>2003</b> , 57, 914; author reply 914	5.1	4
48	Re: "Appropriate assessment of neighborhood effects on individual health: integrating random and fixed effects in multilevel logistic regression". <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 602-3; author reply 603	3.8	4
47	The role of the clinical departments for understanding patient heterogeneity in one-year mortality after a diagnosis of heart failure: A multilevel analysis of individual heterogeneity for profiling provider outcomes. <i>PLoS ONE</i> , <b>2017</b> , 12, e0189050	3.7	4
46	Appropriate assessment of ethnic differences in adolescent use of psychotropic medication: multilevel analysis of discriminatory accuracy. <i>Ethnicity and Health</i> , <b>2016</b> , 21, 578-95	2.2	4
45	Testosterone prescribing in the population-a short social epidemiological analysis in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 11-5	2.6	4
44	Sociodemographic patterns in pharmacy dispensing of medications for erectile dysfunction in Sweden. <i>European Journal of Clinical Pharmacology</i> , <b>2018</b> , 74, 209-218	2.8	4
43	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234041	3.7	3
42	Hospital differences in mortality rates after hip fracture surgery in Denmark. <i>Clinical Epidemiology</i> , <b>2019</b> , 11, 605-614	5.9	3
41	Is there important variation among health care institutions?. <i>Medical Care</i> , <b>2010</b> , 48, 757-8; author reply 758	3.1	3

40	Use of calcium channel blockers as antihypertensives in relation to mortality and cancer incidence: a population-based observational study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2002</b> , 11, 493-7	2.6	3
39	Utilization of cardiovascular drugs (blood pressure lowering drugs, lipid lowering drugs and nitrates) and mortality from ischaemic heart disease and stroke. An ecological analysis based on Sweden@ municipalities. <i>European Journal of Clinical Pharmacology</i> , <b>1999</b> , 55, 69-76	2.8	3
38	Complex sociodemographic inequalities in consultations for low back pain: lessons from multilevel intersectional analysis. <i>Pain</i> , <b>2021</b> , 162, 1135-1143	8	3
37	Small area influences on the individual unhealthy lifestyle behaviors: A multilevel analysis of discriminatory accuracy. <i>Health and Place</i> , <b>2021</b> , 67, 102506	4.6	3
36	Understanding the complexity of socioeconomic disparities in smoking prevalence in Sweden: a cross-sectional study applying intersectionality theory. <i>BMJ Open</i> , <b>2021</b> , 11, e042323	3	3
35	Albuminuria measurement in diabetic care: a multilevel analysis measuring the influence of accreditation on institutional performance. <i>BMJ Open Quality</i> , <b>2019</b> , 8, e000449	1.9	2
34	Health care utilisation and attitudes towards health care in subjects reporting environmental annoyance from electricity and chemicals. <i>Journal of Environmental and Public Health</i> , <b>2009</b> , 2009, 106389	3.6	2
33	Is there an interaction between self-rated health and medication with analgesics and hypnotics in the prediction of disability pension?. <i>Scandinavian Journal of Public Health</i> , <b>2002</b> , 30, 267-73	3	2
32	Incidence of cardiovascular disease, cancer and death in postmenopausal women affirming use of hormone replacement therapy. <i>Scandinavian Journal of Public Health</i> , <b>2002</b> , 30, 12-19	3	2
31	Psychotropic drug use as indicator of mental health in adolescents affected by a plexus injury at birth: A large population-based study in Sweden. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193635	3.7	2
30	Intimate Partner Violence against Women in the EU: A Multilevel Analysis of the Contextual and Individual Impact on Public Perceptions. <i>Women and Criminal Justice</i> , <b>2020</b> , 1-14	0.8	1
29	Ethnic differences in asthma treatment among Swedish adolescents: A multilevel analysis of individual heterogeneity. <i>Scandinavian Journal of Public Health</i> , <b>2016</b> , 44, 184-94	3	1
28	Comment to "Socioeconomic position and education in patients with coeliac disease". <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 707; author reply 708	3.3	1
27	Acculturation and celiac disease risk in second-generation immigrants: a nationwide cohort study in Sweden. <i>Scandinavian Journal of Gastroenterology</i> , <b>2012</b> , 47, 1174-80	2.4	1
26	Controlled withdrawal of selective serotonin reuptake inhibitors in elderly patients in nursing homes with no indication of depression--a commentary. <i>European Journal of Clinical Pharmacology</i> , <b>2005</b> , 61, 321-3; author reply 325-6	2.8	1
25	Pharmacological treatment of systolic heart failure. <i>Lancet, The</i> , <b>1999</b> , 354, 1471-2	40	1
24	Cross-classified Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy (MAIHDA) to evaluate hospital performance: the case of hospital differences in patient survival after acute myocardial infarction. <i>BMJ Open</i> , <b>2020</b> , 10, e036130	3	1
23	Population heterogeneity in associations between hormonal contraception and antidepressant use in Sweden: a prospective cohort study applying intersectional multilevel analysis of individual heterogeneity and discriminatory accuracy (MAIHDA). <i>BMJ Open</i> , <b>2021</b> , 11, e049553	3	1

22	Socio-economic disparities in the dispensation of antibiotics in Sweden 2016-2017: An intersectional analysis of individual heterogeneity and discriminatory accuracy. <i>Scandinavian Journal of Public Health</i> , <b>2021</b> , 1403494820981496	3	1
21	Blood pressure and mortality in elderly people. <i>Lancet, The</i> , <b>1995</b> , 345, 1433-1435	40	0
20	Mapping sociodemographic and geographical differences in human papillomavirus non-vaccination among young girls in Sweden.. <i>Scandinavian Journal of Public Health</i> , <b>2022</b> , 14034948221075410	3	0
19	Individual and Contextual Factors Associated With Hazardous Drinking in Spain: Evidence From a National Population-Based Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2020</b> , 44, 2247-2256	3.7	0
18	Geographical and sociodemographic differences in discontinuation of medication for Chronic Obstructive Pulmonary Disease - A Cross-Classified Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy (MAIHDA). <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 783-796	5.9	0
17	Antidepressant use in Sweden: an intersectional multilevel analysis of individual heterogeneity and discriminatory accuracy (MAIHDA). <i>Scandinavian Journal of Public Health</i> , <b>2021</b> , 1403494821993723	3	0
16	Multilevel analysis of birthplace effect on the proportion of C-Section in Colombia" .. <i>Colombia Medica</i> , <b>2021</b> , 52, e2044411	1.5	0
15	Physical and social environmental factors related to co-occurrence of unhealthy lifestyle behaviors.. <i>Health and Place</i> , <b>2022</b> , 75, 102804	4.6	0
14	Multilevel analyses in drug utilization research <b>2016</b> , 116-125		
13	Improving our knowledge on the risk of congenital malformations in families with celiac disease. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 615-6	6.9	
12	Re: How can we produce relevant information for decision makers from small area variation studies?. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 780-1; author reply 782-3	2.6	
11	Small-area variations in sales of TNF inhibitors in Sweden between 2000 and 2009: comments on the article by M Neovius et al. <i>Scandinavian Journal of Rheumatology</i> , <b>2011</b> , 40, 243-4	1.9	
10	Relevance of Motor Skill Problems in Victims of Bullying: In Reply. <i>Pediatrics</i> , <b>2007</b> , 120, 1227-1228	7.4	
9	Out-patient antihypertensive drug utilization and stroke mortalityAn ecological study. <i>European Journal of Public Health</i> , <b>1996</b> , 6, 113-117	2.1	
8	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden <b>2020</b> , 15, e0234041		
7	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden <b>2020</b> , 15, e0234041		
6	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden <b>2020</b> , 15, e0234041		
5	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden <b>2020</b> , 15, e0234041		

- 4 Acknowledging the role of patient heterogeneity in hospital outcome reporting: Mortality after acute myocardial infarction in five European countries **2020**, 15, e0228425
- 3 Acknowledging the role of patient heterogeneity in hospital outcome reporting: Mortality after acute myocardial infarction in five European countries **2020**, 15, e0228425
- 2 Acknowledging the role of patient heterogeneity in hospital outcome reporting: Mortality after acute myocardial infarction in five European countries **2020**, 15, e0228425
- 1 Acknowledging the role of patient heterogeneity in hospital outcome reporting: Mortality after acute myocardial infarction in five European countries **2020**, 15, e0228425