Li-Cun Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1619456/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Supramolecular heptanuclear Ln–Cu complexes involving nitronyl nitroxide biradicals: structure and magnetic behavior. Dalton Transactions, 2022, 51, 6955-6963. | 1.6 | 6 |
| 2 | Slow magnetic relaxation in a Dy ₃ triangle and a bistriangular Dy ₆ cluster. Dalton Transactions, 2022, 51, 9404-9411. | 1.6 | 8 |
| 3 | A metal-radical hetero-tri-spin SCM with methyl–pyrazole–nitronyl nitroxide bridges. Dalton Transactions, 2021, 50, 11992-11998. | 1.6 | 5 |
| 4 | Regulating Spin Dynamics of Nitronyl Nitroxide Biradical Lanthanide Complexes through Introducing Different Transition Metals. Chemistry - an Asian Journal, 2021, 16, 793-800. | 1.7 | 4 |
| 5 | Two-Dimensional Nitronyl Nitroxide–Cu Networks Based on Multi-Dentate Nitronyl Nitroxides: Structures and Magnetic Properties. Magnetochemistry, 2021, 7, 73. | 1.0 | 1 |
| 6 | Structures and magnetic properties of five lanthanide-radical complexes constructed by 8-methoxyquinoline substituted tridentate chelating nitronyl nitroxide radical. Journal of Solid State Chemistry, 2021, 298, 122115. | 1.4 | 3 |
| 7 | Modulating the magnetization dynamics in Ln–Cu-Rad hetero-tri-spin complexes through <i>cis</i> / <i>trans</i> coordination of nitronyl nitroxide radicals around the metal center. Dalton Transactions, 2021, 50, 3280-3288. | 1.6 | 7 |
| 8 | A seven-coordinated Dy ^{III} single-ion magnet with <i>C</i> _{2v} symmetry constructed by a multidentate Schiff-base ligand. CrystEngComm, 2021, 23, 1718-1722. | 1.3 | 3 |
| 9 | LnIII-NiII heterometallic compounds linked by nitronyl nitroxides: Structure and magnetism. Inorganic Chemistry Communication, 2021, 134, 108983. | 1.8 | 1 |
| 10 | Magnetic Relaxation in a Dysprosium–Copper Heterometallic Cluster Involving Nitronyl Nitroxide Biradicals. Crystal Growth and Design, 2021, 21, 7186-7193. | 1.4 | 3 |
| 11 | Slow magnetic relaxation in Co ^{II} –Ln ^{III} heterodinuclear complexes achieved through a functionalized nitronyl nitroxide biradical. Dalton Transactions, 2020, 49, 1089-1096. | 1.6 | 17 |
| 12 | Designing Multicoordinating Nitronyl Nitroxide Radical Toward Multinuclear Lanthanide Aggregates. Inorganic Chemistry, 2020, 59, 443-451. | 1.9 | 42 |
| 13 | Slow relaxation of magnetization in lanthanide–biradical complexes based on a functionalized nitronyl nitroxide biradical. Dalton Transactions, 2020, 49, 17414-17420. | 1.6 | 6 |
| 14 | Nitronyl Nitroxide Biradical-Based Binuclear Lanthanide Complexes: Structure and Magnetic Properties. Magnetochemistry, 2020, 6, 48. | 1.0 | 5 |
| 15 | Two Novel Lanthanide Metal–Organic Frameworks: Selective Luminescent Sensing for Nitrobenzene, Cu ²⁺ , and MnO ₄ [–] . Crystal Growth and Design, 2020, 20, 5225-5234. | 1.4 | 64 |
| 16 | Single-chain magnet behavior in a 2p–3d–4f spin array with a nitronyl nitroxide biradical. Inorganic Chemistry Frontiers, 2020, 7, 1949-1956. | 3.0 | 16 |
| 17 | Chain versus Discrete Assembly of Nitronyl Nitroxide Radical-Lanthanide Complexes: Regulating Magnetization Dynamics by Modifying Coordination Symmetry. Crystal Growth and Design, 2020, 20, 3785-3794. | 1.4 | 9 |
| 18 | The different magnetic relaxation behaviors in [Fe(CN) ₆] ^{3â^'} or [Co(CN) ₆] ^{3â^'} bridged 3d–4f heterometallic compounds. CrystEngComm, 2020, 22, 2998-3004. | 1.3 | 19 |

| # | Article | IF | CITATIONS |
|----|--|--------|-----------------------------|
| 19 | Slow relaxation of magnetization in unprecedented Cu–Ln-Rad hetero-tri-spin chains constructed from multidentate nitronyl nitroxide. Journal of Materials Chemistry C, 2019, 7, 9057-9064. | 2.7 | 19 |
| 20 | Heterometallic Ln–Cu complexes derived from a phenyl pyrimidyl substituted nitronyl nitroxide biradical. Dalton Transactions, 2019, 48, 14383-14389. | 1.6 | 10 |
| 21 | Enhancing the energy barrier of dysprosium(<scp>iii</scp>) single-molecule magnets by tuning the magnetic interactions through different <i>N</i> -oxide bridging ligands. CrystEngComm, 2019, 21, 6219-6225. | 1.3 | 11 |
| 22 | 2p-3d-4f Heterotrispin Chains and Ring–Chains Bridged by a Nitronyl Nitroxide Ligand: Structure and Magnetic Properties. Crystal Growth and Design, 2019, 19, 3576-3583. | 1.4 | 17 |
| 23 | Enhancing Magnetic Behaviors of Dysprosium Single-Molecule Magnets from Crystal Field Perturbation by Deprotonating Schiff-Base Ligand. Crystal Growth and Design, 2019, 19, 3365-3371. | 1.4 | 16 |
| 24 | Improved single-chain-magnet behavior in a biradical-based nitronyl nitroxide-Cu–Dy chain. Chemical Communications, 2019, 55, 3398-3401. | 2.2 | 47 |
| 25 | Slow magnetic relaxation in Cu-Ln heterometallic Schiff base complexes containing Ln(hfac)4â~' as counterions. Inorganica Chimica Acta, 2019, 490, 51-56. | 1.2 | 3 |
| 26 | Two-dimensional Co–Ln networks bridged by phenyl pyrimidyl substituted nitronyl nitroxides: structural and magnetic properties. Dalton Transactions, 2018, 47, 4672-4677. | 1.6 | 15 |
| 27 | Single-molecule magnet behavior in a Cu ^{II} -decorated {DyIII2} complex with nitronyl nitroxide biradicals. Journal of Materials Chemistry C, 2018, 6, 2060-2068. | 2.7 | 28 |
| 28 | Functionalized Nitronyl Nitroxide Biradicals for the Construction of 3d–4f Heterometallic Compounds. Inorganic Chemistry, 2018, 57, 9757-9765. | 1.9 | 41 |
| 29 | {[Ln(hfac) ₃] ₂ [Cu(hfac) ₂] ₃ (NITâ€Pyrim) ₂ (H <su (Ln^{III} = Cd, Ho, Er): Unique Nitronyl Nitroxide Bridged 3d–4f Heterometallic Clusters. European Journal of Inorganic Chemistry, 2018, 2018, 525-530.</su | b>21.0 | >O) _{2< 16} |
| 30 | A loop chain and a three-dimensional network assembled from a multi-dentate nitronyl nitroxide radical and M(hfac)2 (M = CoII, CuII). Dalton Transactions, 2018, 47, 14630-14635. | 1.6 | 14 |
| 31 | Magnetic relaxation in [Ln(hfac) ₄] ^{â^°} anions with [Cu(hfac)-radical] _n ⁿ⁺ cation chains as counterions. Dalton Transactions, 2018, 47, 8142-8148. | 1.6 | 14 |
| 32 | Construction and Magnetic Study of Oneâ€Đimensional Lanthanide–Radical Chains Involving Pyridinone‧ubstituted Nitronyl Nitroxide Radicals. European Journal of Inorganic Chemistry, 2018, 2018, 3241-3248. | 1.0 | 6 |
| 33 | New 2pâ€3dâ€4f Chain Compounds [<i>Ln</i> Zn(hfac) ₅ (NITâ€Pyrim) ₂] constructed from Pyrimidine based Nitronyl Nitroxides. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 827-832. | 0.6 | 2 |
| 34 | Lanthanide–Nitronyl Nitroxide Chains Derived from Multidentate Nitronyl Nitroxides. Inorganic Chemistry, 2018, 57, 7507-7511. | 1.9 | 32 |
| 35 | Single-molecule magnet behavior in a mononuclear dysprosium(<scp>iii</scp>) complex with 1-methylimidazole. RSC Advances, 2017, 7, 2766-2772. | 1.7 | 7 |
| 36 | Dinuclear lanthanide complexes based on amino alcoholate ligands: Structure, magnetic and fluorescent properties. Journal of Molecular Structure, 2017, 1135, 106-111. | 1.8 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Ln ^{III} –Co ^{II} heterometallic chains based on pyridine substituted nitronyl nitroxides. New Journal of Chemistry, 2017, 41, 2973-2979. | 1.4 | 13 |
| 38 | A novel nitronyl nitroxide radical containing thiophene and pyridine rings and its manganese(II) complex: synthesis, structure, and magnetic properties. Journal of Coordination Chemistry, 2017, 70, 1926-1935. | 0.8 | 3 |
| 39 | Slow Magnetic Relaxation in Ladder-Type and Single-Strand 2p–3d–4f Heterotrispin Chains. Inorganic Chemistry, 2017, 56, 13482-13490. | 1.9 | 35 |
| 40 | Unprecedented ferromagnetic Gdâ<⁻nitronyl nitroxide coupling through a hydrogen bonding bridge. Dalton Transactions, 2017, 46, 10189-10192. | 1.6 | 8 |
| 41 | Functionalized nitronyl nitroxide biradical bridged one-dimensional lanthanide chains: slow magnetic relaxation in the Tb and Dy analogues. New Journal of Chemistry, 2017, 41, 10181-10188. | 1.4 | 21 |
| 42 | Multi-Responsive Luminescent Sensors Based on Two-Dimensional Lanthanide–Metal Organic Frameworks for Highly Selective and Sensitive Detection of Cr(III) and Cr(VI) Ions and Benzaldehyde. Crystal Growth and Design, 2017, 17, 4326-4335. | 1.4 | 154 |
| 43 | A New Nitronyl Nitroxide Radical as Building Blocks for a Rare <i>S</i> = 13/2 High Spin Ground State 2p-3d Complex and a 2p-3d-4f Chain. Crystal Growth and Design, 2017, 17, 95-99. | 1.4 | 26 |
| 44 | Structural and Magnetic Properties of 2pâ€3dâ€4f Heteroâ€Triâ€Spin Chains Comprising [{Cu(hfac) ₂ â€Radical} ₂] Dimers and Ln(hfac) ₃ (hfac=hexafluoroacetylacetonate). Chemistry - an Asian Journal, 2016, 11, 1900-1905. | 1.7 | 12 |
| 45 | From Monomeric Species to One-Dimensional Chain: Enhancing Slow Magnetic Relaxation through Coupling Mononuclear Fragments in Ln-rad System. Crystal Growth and Design, 2016, 16, 7155-7162. | 1.4 | 25 |
| 46 | Cu–Ln compounds based on nitronyl nitroxide radicals: synthesis, structure, and magnetic and fluorescence properties. CrystEngComm, 2016, 18, 9345-9356. | 1.3 | 24 |
| 47 | 2p–3d–4f hetero-tri-spin molecule-based magnetic compounds. Inorganic Chemistry Frontiers, 2016, 3, 994-1003. | 3.0 | 54 |
| 48 | Slow Magnetic Relaxation Behavior in Rare Ln–Cu–Ln Linear Trinuclear Complexes. European Journal of Inorganic Chemistry, 2016, 2016, 1383-1388. | 1.0 | 7 |
| 49 | Thermal Magnetic Hysteresis in a Copper–Gadolinium–Radical Chain Compound. Inorganic Chemistry, 2016, 55, 2676-2678. | 1.9 | 20 |
| 50 | Tuning Magnetic Relaxation in a Tb-Nitronyl Nitroxide Complex by Using Cocrystalline Paramagnetic Complex. Inorganic Chemistry, 2015, 54, 11307-11313. | 1.9 | 34 |
| 51 | Slow magnetic relaxation and field-induced metamagnetism in nitronyl nitroxide-Dy(<scp>iii</scp>) magnetic chains. Dalton Transactions, 2015, 44, 4560-4567. | 1.6 | 40 |
| 52 | Slow Magnetic Relaxation in Pseudoâ€Oneâ€Dimensional 2pâ€4f Chains Involving π–π Interactions. European Journal of Inorganic Chemistry, 2015, 2015, 1368-1375. | 1.0 | 17 |
| 53 | Structural design and magnetic properties study on two nitronyl nitroxide radicals–MnII complexes with hetero chain or mononuclear tri-spin structures. Polyhedron, 2015, 89, 96-100. | 1.0 | 4 |
| 54 | Synthesis, crystal structure and magnetism of two cobalt(II) complexes with imino and nitronyl nitroxides. Transition Metal Chemistry, 2015, 40, 631-636. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Slow magnetic relaxation in two-dimensional 3d–4f complexes based on phenyl pyrimidyl substituted nitronyl nitroxide radicals. Dalton Transactions, 2015, 44, 9815-9822. | 1.6 | 26 |
| 56 | Synthesis, Crystal Structure, and Magnetic Properties of a Family of Undecanuclear [Cull9LnIII2] Nanoclusters. European Journal of Inorganic Chemistry, 2015, 2015, 2245-2253. | 1.0 | 19 |
| 57 | [(Cu-Radical) ₂ -Ln]: Structure and Magnetic Properties of a Hetero-tri-spin Chain of Rings (Ln = Y ^{III} , Gd ^{III} , Tb ^{III} , Dy ^{III}). Inorganic Chemistry, 2015, 54, 9664-9669. | 1.9 | 36 |
| 58 | Nitronyl nitroxide based 2p–3d–4f chains with the magnetocaloric effect and slow magnetic relaxation. Dalton Transactions, 2015, 44, 18411-18417. | 1.6 | 22 |
| 59 | Construction of Nitronyl Nitroxideâ€Based 3d–4f Clusters: Structure and Magnetism. Chemistry - an Asian Journal, 2015, 10, 325-328. | 1.7 | 37 |
| 60 | A new family of Ln–radical chains (Ln = Nd, Sm, Gd, Tb and Dy): synthesis, structure, and magnetic properties. Dalton Transactions, 2014, 43, 2234-2243. | 1.6 | 64 |
| 61 | Nitronyl nitroxide–metal complexes as metallo-ligands for the construction of hetero-tri-spin (2p–3d–4f) chains. Chemical Communications, 2014, 50, 1906. | 2.2 | 51 |
| 62 | A new D2d-symmetry Dylll mononuclear single-molecule magnet containing a monodentate N-heterocyclic donor ligand. CrystEngComm, 2014, 16, 2283-2289. | 1.3 | 25 |
| 63 | Magnetic relaxation in mononuclear Tb complex involving a nitronyl nitroxide ligand. New Journal of Chemistry, 2014, 38, 4716-4721. | 1.4 | 17 |
| 64 | Heteroâ€ŧriâ€spin [2pâ€3dâ€4f] Chain Compounds Based on Nitronyl Nitroxide Lanthanide Metallo‣igands: Synthesis, Structure, and Magnetic Properties. Chemistry - A European Journal, 2014, 20, 13356-13365. | 1.7 | 44 |
| 65 | Dinuclear lanthanide complexes bridged by nitronyl nitroxide radical ligands with 2-phenolate groups: structure and magnetic properties. New Journal of Chemistry, 2013, 37, 3620. | 1.4 | 16 |
| 66 | Unprecedented Nitronyl Nitroxide Bridged 3d–4f Complexes: Structure and Magnetic Properties. Inorganic Chemistry, 2013, 52, 12326-12328. | 1.9 | 44 |
| 67 | Lanthanide–radical linear chain compounds based on 2,4,4,5,5-pentamethylimidazoline-1-oxyl-3-oxide: Structure and magnetic properties. Inorganica Chimica Acta, 2013, 398, 136-140. | 1.2 | 18 |
| 68 | Magnetic Relaxation in Tb ^{III} Magnetic Chains with Nitronyl Nitroxide Radical Bridges That Undergo 3D Antiferromagnetic Ordering. European Journal of Inorganic Chemistry, 2013, 2013, 1320-1325. | 1.0 | 25 |
| 69 | Synthesis, Crystal Structures, and Magnetic Properties of Two Copper(II) Radical Heterospin Complexes. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2013, 639, 1015-1020. | 0.6 | 2 |
| 70 | Syntheses, Structures, and Magnetic and Luminescence Properties of a New Dy ^{III} -Based Single-Ion Magnet. Inorganic Chemistry, 2013, 52, 7380-7386. | 1.9 | 90 |
| 71 | Recombination of Coordination Bonds of a Mononuclear Precursor into a 3D dâ€d′ Heterometallic Coordination Polymer with Double Helices. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2013, 639, 928-933. | 0.6 | 7 |
| 72 | Ligand substitution effect on single-molecule magnet behavior in dinuclear dysprosium complexes with radical functionalized phenol as bridging ligands. Dalton Transactions, 2012, 41, 12139. | 1.6 | 67 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Modulating spin dynamics of cyclic LnIII-radical complexes (LnIII = Tb, Dy) by using phenyltrifluoroacetylacetonate coligand. Dalton Transactions, 2012, 41, 2904. | 1.6 | 77 |
| 74 | Ligand field-tuned single-molecule magnet behaviour of 2p–4f complexes. Dalton Transactions, 2012, 41, 505-511. | 1.6 | 87 |
| 75 | Two new lanthanide–radical complexes: synthesis, structure, and magnetic properties. Journal of Coordination Chemistry, 2012, 65, 2830-2838. | 0.8 | 10 |
| 76 | Slow magnetic relaxation and antiferromagnetic ordering in a one dimensional nitronyl nitroxide–Tb(iii) chain. New Journal of Chemistry, 2012, 36, 2088. | 1.4 | 26 |
| 77 | Linear chain and mononuclear tri-spin compounds based on the lanthanide-nitronyl nitroxide radicals: structural design and magnetic properties. CrystEngComm, 2012, 14, 235-239. | 1.3 | 25 |
| 78 | A family of lanthanide–nitronyl nitroxide complexes: syntheses, crystal structures and magnetic properties. CrystEngComm, 2012, 14, 4706. | 1.3 | 42 |
| 79 | One-dimensional lanthanide complexes bridged by nitronyl nitroxide radical ligands with non-chelating nitrogen donors: Structure and magnetic characterization. Science China Chemistry, 2012, 55, 997-1003. | 4.2 | 5 |
| 80 | Smooth transition between SMM and SCM-type slow relaxing dynamics for a 1-D assemblage of {Dy(nitronyl nitroxide)2} units. Chemical Communications, 2010, 46, 2566. | 2.2 | 135 |
| 81 | 1D Chains Constructed from Oxido entered [Mn ₃ 0] Units Exhibiting Single hain Magnet Behavior. European Journal of Inorganic Chemistry, 2010, 2010, 1689-1695. | 1.0 | 24 |
| 82 | Syntheses, structures, and magnetic properties of two 1-D dicyanamide manganese(III) complexes with Schiff-base ligands. Journal of Coordination Chemistry, 2010, 63, 1538-1545. | 0.8 | 4 |
| 83 | Dynamic magnetic behavior and magnetic ordering in one-dimensional Tb-nitronyl nitroxide radical chain. Dalton Transactions, 2010, 39, 3321. | 1.6 | 72 |
| 84 | Slow Magnetic Relaxation in Lanthanide Complexes with Chelating Nitronyl Nitroxide Radical. Inorganic Chemistry, 2010, 49, 4735-4737. | 1.9 | 153 |
| 85 | Magnetic Slow Relaxation in Cyclic Tb ^{III} â€Nitronyl Nitroxide Radical Complexes. European Journal of Inorganic Chemistry, 2009, 2009, 4498-4502. | 1.0 | 73 |
| 86 | Syntheses and Crystal Structures of Two Novel 1D Complexes of Zinc(II) with Terephthalato-bridge. Journal of Chemical Crystallography, 2009, 39, 55-59. | 0.5 | 2 |
| 87 | From discrete [Mn4] cluster to 1D complex: Two new mixed-valence manganese complexes with slow magnetization relaxation. Science in China Series B: Chemistry, 2009, 52, 1463-1469. | 0.8 | 2 |
| 88 | Syntheses, Crystal Structures, and Magnetic Properties of Two Cyclic Clusters Comprising Six Iron(III)/Manganese(III) Ions and Entrapping Sodium Ions. Crystal Growth and Design, 2009, 9, 4064-4069. | 1.4 | 9 |
| 89 | A monometallic tri-spin single-molecule magnet based on rare earth radicals. Dalton Transactions, 2009, , 8489. | 1.6 | 101 |
| 90 | Structural diversity of lanthanide coordination polymers with 2,2′-biquinoline-4,4′-dicarboxylate. CrystEngComm, 2009, 11, 2640. | 1.3 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|---------------------|
| 91 | Four New Lanthanideâ^'Nitronyl Nitroxide (Ln ^{III} = Pr ^{III} , Sm ^{III} ,) Tj ETQq1 1 G Single-Molecule Magnet Behavior. Inorganic Chemistry, 2009, 48, 8890-8896. |).784314 1.9 | rgBT /Overlo 132 |
| 92 | Structural and Magnetic Properties of Two Copper(II) Complexes Based on Dinuclear Copper(II) Metallacyclophane. European Journal of Inorganic Chemistry, 2008, 2008, 1287-1292. | 1.0 | 8 |
| 93 | Synthesis and Characterization of a Ladderâ€Like Coordination Polymer Composed of Trimanganese Clusters Formed and Linked by Isophthalato Ligands. European Journal of Inorganic Chemistry, 2008, 2008, 1865-1870. | 1.0 | 27 |
| 94 | A new double asymmetric μ _{1,1} -azido bridged binuclear copper(II) complex: crystal structure and magnetic properties. Journal of Coordination Chemistry, 2008, 61, 900-906. | 0.8 | 7 |
| 95 | Structural diversity and properties of M(ii) 4-carboxyl phenoxyacetate complexes with 0D-, 1D-, 2D- and 3D M-cpoa framework. CrystEngComm, 2007, 9, 653. | 1.3 | 56 |
| 96 | Synthesis, Upconversion Luminescence and Magnetic Properties of New Lanthanide–Organic Frameworks with (43)2(46,66,83) Topology. European Journal of Inorganic Chemistry, 2007, 2007, 3410-3415. | 1.0 | 63 |
| 97 | Metal–radical complexes [M(NITm-Py)2(N3)2(DMSO)2] [M=Cu(II), Ni(II), Co(II)]: Syntheses, crystal structures and magnetic properties. Polyhedron, 2007, 26, 741-747. | 1.0 | 18 |
| 98 | New Spin-Transition-Like Copper(II)â^'Nitroxide Species. Inorganic Chemistry, 2007, 46, 7545-7552. | 1.9 | 36 |
| 99 | A novel three-dimensional malonate-bridged complex {[Cu4(4,4′-) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf | 50,422 T 1.0 | d (bpy)8(ma |
| 100 | Synthesis, Crystal Structure and Spectral Properties of [Fe3(2,2′-bipy)6(ox)3]·12.25H2O Complex. Journal of Chemical Crystallography, 2007, 37, 651-654. | 0.5 | 2 |
| 101 | An Unprecedented Asymmetric End-On Azido-Bridged Copper(II) Imino Nitroxide Complex: Structure, Magnetic Properties, and Density Functional Theory Analysis. Inorganic Chemistry, 2006, 45, 7665-7670. | 1.9 | 43 |
| 102 | Multiple Regulated Assembly, Crystal Structures and Magnetic Properties of Porous Coordination Polymers with Flexible Ligands. European Journal of Inorganic Chemistry, 2005, 2005, 4150-4159. | 1.0 | 82 |
| 103 | Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M2Au4] (M = Ni, Zn) with Aurophilic Interactions: Structure, Magnetic, and Spectral Studies. Helvetica Chimica Acta, 2005, 88, 3000-3010. | 1.0 | 5 |
| 104 | A novel one-dimensional copper(II) imino nitroxide polymer. Journal of Coordination Chemistry, 2005, 58, 1713-1717. | 0.8 | 1 |
| 105 | Synthesis, Structural Characterizations and Magnetic Properties of a Series of Mono-, Di- and Polynuclear Manganese Pyridinecarboxylate Compounds. European Journal of Inorganic Chemistry, 2004, 2004, 1454-1464. | 1.0 | 66 |
| 106 | Synthesis, Structure and Magnetic Properties of a Series of Novel Isophthalate-Bridged Manganese(II) Polymers with Double-Layer or Double-Chain Structures. European Journal of Inorganic Chemistry, 2004, 2004, 3316-3325. | 1.0 | 45 |
| 107 | Molecular, One- and Two-Dimensional Systems Built from Manganese(II) and Phthalate/Diimine Ligands: Syntheses, Crystal Structures and Magnetic Properties. European Journal of Inorganic Chemistry, 2004, 2004, 3522-3532. | 1.0 | 64 |
| 108 | Synthesis and crystal structure of a new copper(II) binuclear complex bridged by the reduced derivative of a nitronyl nitroxide biradical. Journal of Coordination Chemistry, 2004, 57, 843-848. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|------------|-----------|
| 109 | Syntheses and crystal structures of two 2D coordination polymers of cobalt(II) and nickel(II) with the Malonate Dianion Ligand. Journal of Coordination Chemistry, 2004, 57, 1577-1585. | 0.8 | 6 |
| 110 | Title is missing!. Journal of Chemical Crystallography, 2003, 33, 257-262. | 0.5 | 4 |
| 111 | Great Framework Variation of Polymers in the Manganese(II) Maleate(α,α′-Diimine System: Syntheses, Structures, and Magneto-Structural Correlation. European Journal of Inorganic Chemistry, 2003, 2003, 2872-2879. | 1.0 | 28 |
| 112 | Unique Magnetic Behavior in a One-Dimensional Coordination Polymer [Co(tmpyim)2(tp)]. European Journal of Inorganic Chemistry, 2003, 2003, 62-65. | 1.0 | 36 |
| 113 | The First Structurally Characterized Trinuclear Dipicolinato Manganese Complex and its Conversion into a Mononuclear Species by Ligand Substitution. European Journal of Inorganic Chemistry, 2003, 2003, 1227-1231. | 1.0 | 54 |
| 114 | A novel heterospin polynuclear complex containing both macrocyclic and imino nitroxide radical ligands: {[CuL(H2O)](CuL)Mn(IM-2Py)}{[CuL(MeOH)](CuL)Mn(IM-2Py)}(ClO4)4·MeOH. New Journal of Chemistry, 2003, 27, 583-587. | 1.4 | 14 |
| 115 | Crystal Structure and Magnetic Properties of A One-Dimensional Polymer [Mn(im2-py)(tp)(H2O)2]A·1.25H2O. Journal of Coordination Chemistry, 2003, 56, 383-388. | 0.8 | 2 |
| 116 | The first one-dimensional copper(ii)-radical system with alternating double end-on and end-to-end azido bridges. New Journal of Chemistry, 2003, 27, 752-755. | 1.4 | 30 |
| 117 | Structural transformation mediated by o-, m-, and p-phthalates from two to three dimensions for manganese/phthalate/4,4′-bpy complexes (4,4′-bpy = 4,4′-bipyridine). New Journal of Chemistry, 890-894. | , 2003, 27 | , 95 |
| 118 | Manganese(II)-phenanthroline-azide compounds: Versatile Precursors as Ligands in Designing Heteropolymetallic Systems. Journal of Coordination Chemistry, 2002, 55, 1263-1270. | 0.8 | 9 |
| 119 | Ferromagnetic Coupling in a Ladder-Type Copper(II) Complex with Single End-to-End Azido Bridges. Inorganic Chemistry, 2002, 41, 1019-1021. | 1.9 | 53 |
| 120 | A 3-D Polymer, Mn(NITpPy)2(tp)(H2O)2:Â Crystal Structure and Magnetic Properties. Inorganic Chemistry, 2002, 41, 421-424. | 1.9 | 56 |
| 121 | A novel two-dimensional copper(ii)–radical complex [Cu(NITmPy)2(N3)2]n: structure and magnetic propertiesDedicated to the memory of Professor Olivier Kahn Dalton Transactions RSC, 2002, , 1350-1353. | 2.3 | 33 |
| 122 | Synthesis and crystal structure of a nickel(II) complex involving imino nitroxide radicals. Journal of Chemical Crystallography, 2002, 32, 251-254. | 0.5 | 1 |
| 123 | Title is missing!. Transition Metal Chemistry, 2001, 26, 598-601. | 0.7 | 3 |
| 124 | Title is missing!. Transition Metal Chemistry, 2000, 25, 630-634. | 0.7 | 38 |
| 125 | Copper(II)â€lanthanoid(III)â€copper(II) trinuclear complexes with <i>N,N′</i> â€bis(2â€aminopropyl)â€oxamido ligand. Chinese Journal of Chemistry, 1991, 9, 410-414. | 2.6 | 5 |