

# Sabrina Bajwah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/161953/publications.pdf>

Version: 2024-02-01

60  
papers

1,903  
citations

279701

23  
h-index

276775

41  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1749  
citing authors

#	ARTICLE	IF	CITATIONS
1	Palliative care in interstitial lung disease: living well. <i>Lancet Respiratory Medicine</i> , 2017, 5, 968-980.	5.2	185
2	The palliative care needs for fibrotic interstitial lung disease: A qualitative study of patients, informal caregivers and health professionals. <i>Palliative Medicine</i> , 2013, 27, 869-876.	1.3	131
3	One evidence base; three stories: do opioids relieve chronic breathlessness?. <i>Thorax</i> , 2018, 73, 88-90.	2.7	98
4	Palliative care for patients with advanced fibrotic lung disease: a randomised controlled phase II and feasibility trial of a community case conference intervention. <i>Thorax</i> , 2015, 70, 830-839.	2.7	97
5	Holistic services for people with advanced disease and chronic breathlessness: a systematic review and meta-analysis. <i>Thorax</i> , 2019, 74, 270-281.	2.7	96
6	Managing the supportive care needs of those affected by COVID-19. <i>European Respiratory Journal</i> , 2020, 55, 2000815.	3.1	95
7	Specialist Palliative Care is More Than Drugs: A Retrospective Study of ILD Patients. <i>Lung</i> , 2012, 190, 215-220.	1.4	94
8	Interventions to improve symptoms and quality of life of patients with fibrotic interstitial lung disease: a systematic review of the literature. <i>Thorax</i> , 2013, 68, 867-879.	2.7	86
9	"I wish I knew more ..." the end-of-life planning and information needs for end-stage fibrotic interstitial lung disease: views of patients, carers and health professionals: Table 1. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, 84-90.	0.8	71
10	"Necessity is the mother of invention": Specialist palliative care service innovation and practice change in response to COVID-19. Results from a multinational survey (CovPall). <i>Palliative Medicine</i> , 2021, 35, 814-829.	1.3	67
11	Symptom prevalence of patients with fibrotic interstitial lung disease: a systematic literature review. <i>BMC Pulmonary Medicine</i> , 2018, 18, 78.	0.8	62
12	The effectiveness and cost-effectiveness of hospital-based specialist palliative care for adults with advanced illness and their caregivers. <i>The Cochrane Library</i> , 2020, 2020, CD012780.	1.5	61
13	The Challenges of Caring for People Dying From COVID-19: A Multinational, Observational Study (CovPall). <i>Journal of Pain and Symptom Management</i> , 2021, 62, 460-470.	0.6	57
14	Service Delivery Models to Maximize Quality of Life for Older People at the End of Life: A Rapid Review. <i>Milbank Quarterly</i> , 2019, 97, 113-175.	2.1	55
15	Which patients with advanced respiratory disease die in hospital? A 14-year population-based study of trends and associated factors. <i>BMC Medicine</i> , 2017, 15, 19.	2.3	47
16	Safety of benzodiazepines and opioids in interstitial lung disease: a national prospective study. <i>European Respiratory Journal</i> , 2018, 52, 1801278.	3.1	47
17	Patient-centered Outcomes Research in Interstitial Lung Disease: An Official American Thoracic Society Research Statement. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 204, e3-e23.	2.5	41
18	The minimal important difference of the King's Brief Interstitial Lung Disease Questionnaire (K-BILD) and forced vital capacity in interstitial lung disease. <i>Respiratory Medicine</i> , 2013, 107, 1438-1443.	1.3	39

#	ARTICLE	IF	CITATIONS
19	Understanding and addressing challenges for advance care planning in the COVID-19 pandemic: An analysis of the UK CovPall survey data from specialist palliative care services. <i>Palliative Medicine</i> , 2021, 35, 1225-1237.	1.3	34
20	The King's Brief Interstitial Lung Disease (KBILD) questionnaire: an updated minimal clinically important difference. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000363.	1.2	30
21	The Adaptation, Face, and Content Validation of a Needs Assessment Tool: Progressive Disease for People with Interstitial Lung Disease. <i>Journal of Palliative Medicine</i> , 2016, 19, 549-555.	0.6	28
22	Control and Context Are Central for People With Advanced Illness Experiencing Breathlessness: A Systematic Review and Thematic Synthesis. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 140-155.e2.	0.6	26
23	Effect of Short-term Integrated Palliative Care on Patient-Reported Outcomes Among Patients Severely Affected With Long-term Neurological Conditions. <i>JAMA Network Open</i> , 2020, 3, e2015061.	2.8	26
24	Experiences of staff providing specialist palliative care during COVID-19: a multiple qualitative case study. <i>Journal of the Royal Society of Medicine</i> , 2022, 115, 220-230.	1.1	22
25	Invited Editorials. <i>Palliative Medicine</i> , 2021, 35, 810-813.	1.3	21
26	Specialist palliative care services response to ethnic minority groups with COVID-19: equal but inequitable—an observational study. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003083.	0.8	21
27	Use of mirtazapine in patients with chronic breathlessness: A case series. <i>Palliative Medicine</i> , 2018, 32, 1518-1521.	1.3	20
28	Implementation of the Needs Assessment Tool for patients with interstitial lung disease (NAT:ILD): facilitators and barriers. <i>Thorax</i> , 2017, 72, 1049-1051.	2.7	17
29	General practitioners' use and experiences of palliative care services: a survey in south east England. <i>BMC Palliative Care</i> , 2008, 7, 18.	0.8	16
30	Change in Activity of Palliative Care Services during the Covid-19 Pandemic: A Multinational Survey (CovPall). <i>Journal of Palliative Medicine</i> , 2022, 25, 465-471.	0.6	16
31	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018, 73, 880-883.	2.7	15
32	The impact of COVID-19 on palliative care for people with Parkinson's and response to future pandemics. <i>Expert Review of Neurotherapeutics</i> , 2021, 21, 615-623.	1.4	15
33	Understanding the impact of the Covid-19 pandemic on delivery of rehabilitation in specialist palliative care services: An analysis of the CovPall-Rehab survey data. <i>Palliative Medicine</i> , 2022, 36, 319-331.	1.3	14
34	Recommendations for services for people living with chronic breathlessness in advanced disease: Results of a transparent expert consultation. <i>Chronic Respiratory Disease</i> , 2019, 16, 147997311881644.	1.0	13
35	Prohibit, Protect, or Adapt? The Changing Role of Volunteers in Palliative and Hospice Care Services During the COVID-19 Pandemic. A Multinational Survey (Covpall). <i>International Journal of Health Policy and Management</i> , 2021, , .	0.5	12
36	Palliative care and interstitial lung disease. <i>Current Opinion in Supportive and Palliative Care</i> , 2017, 11, 141-146.	0.5	11

#	ARTICLE	IF	CITATIONS
37	Rasch analysis and impact factor methods both yield valid and comparable measures of health status in interstitial lung disease. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1019-1027.	2.4	10
38	Primary care contacts, continuity, identification of palliative care needs, and hospital use: a population-based cohort study in people dying with dementia. <i>British Journal of General Practice</i> , 2022, 72, e684-e692.	0.7	9
39	To What Extent Do the NRS and CRQ Capture Change in Patients' Experience of Breathlessness in Advanced Disease? Findings From a Mixed-Methods Double-Blind Randomized Feasibility Trial. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 369-381.e7.	0.6	8
40	Predicting outcomes following holistic breathlessness services: A pooled analysis of individual patient data. <i>Palliative Medicine</i> , 2019, 33, 462-466.	1.3	8
41	Holistic services for people with advanced disease and chronic or refractory breathlessness: a mixed-methods evidence synthesis. <i>Health Services and Delivery Research</i> , 2019, 7, 1-104.	1.4	8
42	The impact of and response to the COVID-19 pandemic on a hospital palliative care team. <i>Future Healthcare Journal</i> , 2021, 8, 62-64.	0.6	5
43	Common elements of service delivery models that optimise quality of life and health service use among older people with advanced progressive conditions: a tertiary systematic review. <i>BMJ Open</i> , 2021, 11, e048417.	0.8	5
44	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers. <i>The Cochrane Library</i> , 2017, . .	1.5	4
45	The association between ethnicity, socioeconomic deprivation and receipt of hospital-based palliative care for people with Covid-19: A dual centre service evaluation. <i>Palliative Medicine</i> , 2021, 35, 1514-1518.	1.3	4
46	Professionals's™, patients's™ and families's™ views on the use of opioids for chronic breathlessness: A systematic review using the framework method and pillar process. <i>Palliative Medicine</i> , 2021, 35, 1421-1433.	1.3	4
47	Pharmacological and nonpharmacological interventions to improve symptom control, functional exercise capacity and quality of life in interstitial lung disease: an evidence synthesis. <i>ERJ Open Research</i> , 2021, 7, 00107-2020.	1.1	4
48	Immediate versus delayed short-term integrated palliative care for advanced long-term neurological conditions: the OPTCARE Neuro RCT. <i>Health Services and Delivery Research</i> , 2020, 8, 1-80.	1.4	4
49	Indications and patterns of use of benzodiazepines and opioids in severe interstitial lung disease: a population-based longitudinal study. <i>ERJ Open Research</i> , 2021, 7, 00716-2020.	1.1	4
50	Randomised, double-blind, multicentre, mixed-methods, dose-escalation feasibility trial of mirtazapine for better treatment of severe breathlessness in advanced lung disease (BETTER-B feasibility). <i>Thorax</i> , 2020, 75, 176-179.	2.7	4
51	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians. <i>BMC Pulmonary Medicine</i> , 2022, 22, 41.	0.8	3
52	Symptom Control and Survival for People Severely ill With COVID: A Multicentre Cohort Study (CovPall-Symptom). <i>Journal of Pain and Symptom Management</i> , 2022, 64, 377-390.	0.6	3
53	Letters to the editor: Management of phenytoin toxicity in palliative care. <i>Palliative Medicine</i> , 2007, 21, 63-63.	1.3	2
54	Incident opioid drug use and adverse respiratory outcomes among older adults with COPD. <i>European Respiratory Journal</i> , 2017, 49, 1602311.	3.1	2

#	ARTICLE	IF	CITATIONS
55	Hospital-based specialist palliative care compared with usual care for adults with advanced illness and their caregivers: a systematic review. Health Services and Delivery Research, 2021, 9, 1-218.	1.4	2
56	Maternity provision, contract status, and likelihood of returning to work: Evidence from research intensive universities in the UK. Gender, Work and Organization, 2022, 29, 1495-1510.	3.1	2
57	A comparison of two scoring methods for the King's brief interstitial lung disease questionnaire. , 2015, , .		1
58	The need for palliative care. , 0, , 21-34.		1
59	O-2â€...â€™Going against the grain of all we doâ€™™: hospice staff experiences of moral distress during COVID-19. , 2021, , .		0
60	Intersectional effects of gender and ethnicity? A quantitative analysis of bonus pay gap data for Shelford Hospital consultants. BMJ Leader, 0, , leader-2021-000507.	0.8	0