Andreas Kappel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1621874/publications.pdf

Version: 2024-02-01

687363 610901 28 578 13 24 citations h-index g-index papers 30 30 30 676 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Faster recovery without the use of a tourniquet in total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 422-426.	3.3	130
2	The Mark Coventry Award: Patellofemoral Arthroplasty Results in Better Range of Movement and Early Patient-reported Outcomes Than TKA. Clinical Orthopaedics and Related Research, 2018, 476, 87-100.	1.5	78
3	Can Machine-learning Algorithms Predict Early Revision TKA in the Danish Knee Arthroplasty Registry?. Clinical Orthopaedics and Related Research, 2020, 478, 2088-2101.	1.5	35
4	Increased risk of early and medium-term revision after post-fracture total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 263-268.	3.3	34
5	Revision Risk for Total Knee Arthroplasty Converted from Medial Unicompartmental Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2019, 101, 1999-2006.	3.0	33
6	Tourniquet induced ischemia and changes in metabolism during TKA: a randomized study using microdialysis. BMC Musculoskeletal Disorders, 2015, 16, 326.	1.9	32
7	Prior High Tibial Osteotomy Does Not Affect the Survival of Total Knee Arthroplasties: Results From the Danish Knee Arthroplasty Registry. Journal of Arthroplasty, 2018, 33, 2131-2135.e1.	3.1	29
8	The Dislocating Hip Replacement – Revision with a Dual Mobility Cup in 56 Consecutive Patients. The Open Orthopaedics Journal, 2014, 8, 268-271.	0.2	27
9	Presurgical Comorbidities as Risk Factors For Chronic Postsurgical Pain Following Total Knee Replacement. Clinical Journal of Pain, 2019, 35, 577-582.	1.9	25
10	Which Preoperative Factors are Associated with Not Attaining Acceptable Levels of Pain and Function After TKA? Findings from an International Multicenter Study. Clinical Orthopaedics and Related Research, 2020, 478, 1019-1028.	1.5	25
11	Reduced survival of total knee arthroplasty after previous unicompartmental knee arthroplasty compared with previous high tibial osteotomy: a propensity-score weighted mid-term cohort study based on 2,133 observations from the Danish Knee Arthroplasty Registry. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 177-183.	3.3	25
12	Differential Contributions of Specimen Types, Culturing, and $16S$ rRNA Sequencing in Diagnosis of Prosthetic Joint Infections. Journal of Clinical Microbiology, $2018, 56, .$	3.9	22
13	Relationship between outcome scores and knee laxity following total knee arthroplasty: a systematic review. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 46-52.	3.3	20
14	Reliability of stress radiography in the assessment of coronal laxity following total knee arthroplasty. Knee, 2020, 27, 221-228.	1.6	10
15	No Clinically Important Differences Between Patellofemoral Arthroplasty and TKA in Range of Motion or Patient-reported Outcomes After 6 Years: A Randomized Trial. Clinical Orthopaedics and Related Research, 2022, 480, 1707-1718.	1.5	10
16	Regional differences between the US, Scandinavia, and South Korea in patient demographics and patient-reported outcomes for primary total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 93-108.	2.4	7
17	Do Knee Osteoarthritis Patterns Affect Patient-Reported Outcomes in Total Knee Arthroplasty? Results From an International Multicenter Prospective Study With 3-Year Follow-Up. Journal of Arthroplasty, 2021, 36, 507-513.	3.1	6
18	Multidisciplinary Diagnostic Algorithm for Evaluation of Patients Presenting with a Prosthetic Problem in the Hip or Knee: A Prospective Study. Diagnostics, 2020, 10, 98.	2.6	5

#	Article	IF	CITATIONS
19	The Role of Nuclear Medicine Imaging with 18F-FDG PET/CT, Combined 111In-WBC/99mTc-Nanocoll, and 99mTc-HDP SPECT/CT in the Evaluation of Patients with Chronic Problems after TKA or THA in a Prospective Study. Diagnostics, 2022, 12, 681.	2.6	5
20	72 revision surgeries for aseptic failure after hip or knee arthroplasty: a prospective study with an extended diagnostic algorithm. BMC Musculoskeletal Disorders, 2019, 20, 600.	1.9	4
21	The Rosenberg view and coronal stress radiographs give similar measurements of articular cartilage height in knees with osteoarthritis. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 2349-2360.	2.4	4
22	A mechanism-based proof of concept study on the effects of duloxetine in patients with painful knee osteoarthritis. Trials, 2021, 22, 958.	1.6	4
23	Randomized clinical trial of medial unicompartmentel versus total knee arthroplasty for anteromedial tibio-femoral osteoarthritis. The study-protocol. BMC Musculoskeletal Disorders, 2019, 20, 119.	1.9	3
24	Patients With High Chronic Postoperative Knee Pain 5 Years After Total Knee Replacement Demonstrate Low-grad Inflammation, Impairment of Function, and High Levels of Pain Catastrophizing. Clinical Journal of Pain, 2021, 37, 161-167.	1.9	3
25	MRi of the knee compared to specialized radiography for measurements of articular cartilage height in knees with osteoarthritis. Journal of Orthopaedics, 2021, 25, 191-198.	1.3	1
26	The use of tourniquet in primary total knee arthroplasty does not increase the risk of venous thromboembolism within 90Âdays of surgery: a Danish nationwide cohort study of 19,804 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 883-891.	4.2	1
27	Custom-made asymmetric polyethylene liner to correct tibial component malposition in total knee arthroplasty $\hat{a} \in \mathcal{C}$ a case report. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 187-189.	3.3	0
28	1-stage total knee arthroplasty and proximal tibial non-union correction using 3-D planning and custom-made cutting guide. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 452-454.	3.3	0