

# Andreas Kappel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1621874/publications.pdf>

Version: 2024-02-01

28  
papers

578  
citations

687363

13  
h-index

610901

24  
g-index

30  
all docs

30  
docs citations

30  
times ranked

676  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The use of tourniquet in primary total knee arthroplasty does not increase the risk of venous thromboembolism within 90 days of surgery: a Danish nationwide cohort study of 19,804 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 883-891.   | 4.2 | 1         |
| 2  | The Rosenberg view and coronal stress radiographs give similar measurements of articular cartilage height in knees with osteoarthritis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2349-2360.  | 2.4 | 4         |
| 3  | The Role of Nuclear Medicine Imaging with 18F-FDG PET/CT, Combined 111In-WBC/99mTc-Nanocoll, and 99mTc-HDP SPECT/CT in the Evaluation of Patients with Chronic Problems after TKA or THA in a Prospective Study. <i>Diagnostics</i> , 2022, 12, 681.   | 2.6 | 5         |
| 4  | No Clinically Important Differences Between Patellofemoral Arthroplasty and TKA in Range of Motion or Patient-reported Outcomes After 6 Years: A Randomized Trial. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 1707-1718.   | 1.5 | 10        |
| 5  | Do Knee Osteoarthritis Patterns Affect Patient-Reported Outcomes in Total Knee Arthroplasty? Results From an International Multicenter Prospective Study With 3-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2021, 36, 507-513.  | 3.1 | 6         |
| 6  | 1-stage total knee arthroplasty and proximal tibial non-union correction using 3-D planning and custom-made cutting guide. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 452-454.  | 3.3 | 0         |
| 7  | MRI of the knee compared to specialized radiography for measurements of articular cartilage height in knees with osteoarthritis. <i>Journal of Orthopaedics</i> , 2021, 25, 191-198.   | 1.3 | 1         |
| 8  | Patients With High Chronic Postoperative Knee Pain 5 Years After Total Knee Replacement Demonstrate Low-grade Inflammation, Impairment of Function, and High Levels of Pain Catastrophizing. <i>Clinical Journal of Pain</i> , 2021, 37, 161-167.  | 1.9 | 3         |
| 9  | A mechanism-based proof of concept study on the effects of duloxetine in patients with painful knee osteoarthritis. <i>Trials</i> , 2021, 22, 958.   | 1.6 | 4         |
| 10 | Regional differences between the US, Scandinavia, and South Korea in patient demographics and patient-reported outcomes for primary total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 93-108.  | 2.4 | 7         |
| 11 | Reliability of stress radiography in the assessment of coronal laxity following total knee arthroplasty. <i>Knee</i> , 2020, 27, 221-228.  | 1.6 | 10        |
| 12 | Can Machine-learning Algorithms Predict Early Revision TKA in the Danish Knee Arthroplasty Registry?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 2088-2101.  | 1.5 | 35        |
| 13 | Which Preoperative Factors are Associated with Not Attaining Acceptable Levels of Pain and Function After TKA? Findings from an International Multicenter Study. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1019-1028.   | 1.5 | 25        |
| 14 | Multidisciplinary Diagnostic Algorithm for Evaluation of Patients Presenting with a Prosthetic Problem in the Hip or Knee: A Prospective Study. <i>Diagnostics</i> , 2020, 10, 98.   | 2.6 | 5         |
| 15 | Reduced survival of total knee arthroplasty after previous unicompartmental knee arthroplasty compared with previous high tibial osteotomy: a propensity-score weighted mid-term cohort study based on 2,133 observations from the Danish Knee Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 177-183. | 3.3 | 25        |
| 16 | Randomized clinical trial of medial unicompartmental versus total knee arthroplasty for anteromedial tibio-femoral osteoarthritis. The study-protocol. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 119.   | 1.9 | 3         |
| 17 | Custom-made asymmetric polyethylene liner to correct tibial component malposition in total knee arthroplasty – a case report. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 187-189.   | 3.3 | 0         |
| 18 | 72 revision surgeries for aseptic failure after hip or knee arthroplasty: a prospective study with an extended diagnostic algorithm. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 600.   | 1.9 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Presurgical Comorbidities as Risk Factors For Chronic Postsurgical Pain Following Total Knee Replacement. <i>Clinical Journal of Pain</i> , 2019, 35, 577-582.  | 1.9 | 25        |
| 20 | Revision Risk for Total Knee Arthroplasty Converted from Medial Unicompartmental Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1999-2006.                               | 3.0 | 33        |
| 21 | Relationship between outcome scores and knee laxity following total knee arthroplasty: a systematic review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 46-52.              | 3.3 | 20        |
| 22 | Prior High Tibial Osteotomy Does Not Affect the Survival of Total Knee Arthroplasties: Results From the Danish Knee Arthroplasty Registry. <i>Journal of Arthroplasty</i> , 2018, 33, 2131-2135.e1.           | 3.1 | 29        |
| 23 | Differential Contributions of Specimen Types, Culturing, and 16S rRNA Sequencing in Diagnosis of Prosthetic Joint Infections. <i>Journal of Clinical Microbiology</i> , 2018, 56, .                           | 3.9 | 22        |
| 24 | The Mark Coventry Award: Patellofemoral Arthroplasty Results in Better Range of Movement and Early Patient-reported Outcomes Than TKA. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 87-100. | 1.5 | 78        |
| 25 | Increased risk of early and medium-term revision after post-fracture total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 263-268.                          | 3.3 | 34        |
| 26 | Tourniquet induced ischemia and changes in metabolism during TKA: a randomized study using microdialysis. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 326.   | 1.9 | 32        |
| 27 | Faster recovery without the use of a tourniquet in total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 422-426.  | 3.3 | 130       |
| 28 | The Dislocating Hip Replacement â€“ Revision with a Dual Mobility Cup in 56 Consecutive Patients. <i>The Open Orthopaedics Journal</i> , 2014, 8, 268-271.  | 0.2 | 27        |