Wei-Guo Zhu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1622026/wei-guo-zhu-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13,620 158 115 44 h-index g-index citations papers 15,966 8.9 164 5.84 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
158	Intervening pyruvate carboxylase stunts tumor growth by strengthening anti-tumor actions of tumor-associated macrophages <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 34	21	O
157	Biological function and regulation of histone 4 lysine 20 methylation in DNA damage response. <i>Genome Instability & Disease</i> , 2022 , 3, 33	2.3	
156	Loss of function of GATA3 induces basal-like mammary tumors <i>Theranostics</i> , 2022 , 12, 720-733	12.1	0
155	G9a/GLP catalyzes H3K14me1 and H3K14me2 in vivo and in vitro Science China Life Sciences, 2022, 1	8.5	
154	Loss of function of BRCA1 promotes EMT in mammary tumors through activation of TGFR2 signaling pathway <i>Cell Death and Disease</i> , 2022 , 13, 195	9.8	O
153	1H NMR-based assay for lysine demethylase LSD1 and its application to inhibitor screening. <i>Genome Instability & Disease</i> , 2021 , 2, 302	2.3	
152	An unexpected role for p53 in regulating cancer cell-intrinsic PD-1 by acetylation. <i>Science Advances</i> , 2021 , 7,	14.3	8
151	RNF8-ubiquitinated KMT5A is required for RNF168-induced H2A ubiquitination in response to DNA damage. <i>FASEB Journal</i> , 2021 , 35, e21326	0.9	4
150	FOXO1 controls protein synthesis and transcript abundance of mutant polyglutamine proteins, preventing protein aggregation. <i>Human Molecular Genetics</i> , 2021 , 30, 996-1005	5.6	1
149	SIRT7: a sentinel of genome stability. <i>Open Biology</i> , 2021 , 11, 210047	7	5
148	SETD2-mediated H3K14 trimethylation promotes ATR activation and stalled replication fork restart in response to DNA replication stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	5
147	USP37 regulates DNA damage response through stabilizing and deubiquitinating BLM. <i>Nucleic Acids Research</i> , 2021 , 49, 11224-11240	20.1	O
146	GATA3 functions downstream of BRCA1 to suppress EMT in breast cancer. <i>Theranostics</i> , 2021 , 11, 8218	-8233	4
145	Histone lysine modifying enzymes and their critical roles in DNA double-strand break repair. <i>DNA Repair</i> , 2021 , 107, 103206	4.3	4
144	PDGFR[is an essential therapeutic target for BRCA1-deficient mammary tumors. <i>Breast Cancer Research</i> , 2021 , 23, 10	8.3	3
143	Catalyst-free, visible-light-induced direct radical cross-coupling perfluoroalkylation of the imidazo[1,2-a]pyridines with perfluoroalkyl iodides. <i>New Journal of Chemistry</i> , 2021 , 45, 4925-4929	3.6	5
142	Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). <i>Autophagy</i> , 2021 , 17, 1-382	10.2	440

(2019-2020)

141	SIRT7 activates p53 by enhancing PCAF-mediated MDM2 degradation to arrest the cell cycle. <i>Oncogene</i> , 2020 , 39, 4650-4665	9.2	15	
140	SIRT7 Deacetylates STRAP to Regulate p53 Activity and Stability. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3	
139	WDFY2 Potentiates Hepatic Insulin Sensitivity and Controls Endosomal Localization of the Insulin Receptor and IRS1/2. <i>Diabetes</i> , 2020 , 69, 1887-1902	0.9	5	
138	UNG2 deacetylation confers cancer cell resistance to hydrogen peroxide-induced cytotoxicity. <i>Free Radical Biology and Medicine</i> , 2020 , 160, 403-417	7.8	7	
137	IKK[phosphorylates kindlin-2 to induce invadopodia formation and promote colorectal cancer metastasis. <i>Theranostics</i> , 2020 , 10, 2358-2373	12.1	9	
136	HDAC8 cooperates with SMAD3/4 complex to suppress SIRT7 and promote cell survival and migration. <i>Nucleic Acids Research</i> , 2020 , 48, 2912-2923	20.1	26	
135	SIRT6 coordinates with CHD4 to promote chromatin relaxation and DNA repair. <i>Nucleic Acids Research</i> , 2020 , 48, 2982-3000	20.1	21	
134	Synergy between SIRT1 and SIRT6 helps recognize DNA breaks and potentiates the DNA damage response and repair in humans and mice. <i>ELife</i> , 2020 , 9,	8.9	17	
133	Regulation of DNA damage-induced ATM activation by histone modifications. <i>Genome Instability & Disease</i> , 2020 , 1, 20-33	2.3	3	
132	CBP mediated DOT1L acetylation confers DOT1L stability and promotes cancer metastasis. <i>Theranostics</i> , 2020 , 10, 1758-1776	12.1	16	
131	CDK5 Inhibition Abrogates TNBC Stem-Cell Property and Enhances Anti-PD-1 Therapy. <i>Advanced Science</i> , 2020 , 7, 2001417	13.6	6	
130	The Roles of Histone Deacetylases and Their Inhibitors in Cancer Therapy. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 576946	5.7	44	
129	TIP60 recruits SUV39H1 to chromatin to maintain heterochromatin genome stability and resist hydrogen peroxide-induced cytotoxicity. <i>Genome Instability & Disease</i> , 2020 , 1, 339-355	2.3	3	
128	Deacetylation of HSD17B10 by SIRT3 regulates cell growth and cell resistance under oxidative and starvation stresses. <i>Cell Death and Disease</i> , 2020 , 11, 563	9.8	3	
127	MIB1-mediated degradation of WRN promotes cellular senescence in response to camptothecin treatment. <i>FASEB Journal</i> , 2020 , 34, 11488-11497	0.9	6	
126	The EZH2-PHACTR2-AS1-Ribosome Axis induces Genomic Instability and Promotes Growth and Metastasis in Breast Cancer. <i>Cancer Research</i> , 2020 , 80, 2737-2750	10.1	21	
125	A specific assay for JmjC domain-containing lysine demethylase and its application to inhibitor screening. <i>Science China Life Sciences</i> , 2019 , 62, 1404-1408	8.5	1	
124	SIRT3 regulates cancer cell proliferation through deacetylation of PYCR1 in proline metabolism. <i>Neoplasia</i> , 2019 , 21, 665-675	6.4	25	

123	Acetylation of PHF5A Modulates Stress Responses and Colorectal Carcinogenesis through Alternative Splicing-Mediated Upregulation of KDM3A. <i>Molecular Cell</i> , 2019 , 74, 1250-1263.e6	17.6	25
122	Lamin A buffers CK2 kinase activity to modulate aging in a progeria mouse model. <i>Science Advances</i> , 2019 , 5, eaav5078	14.3	13
121	SIRT7-mediated ATM deacetylation is essential for its deactivation and DNA damage repair. <i>Science Advances</i> , 2019 , 5, eaav1118	14.3	54
120	Glucose-derived acetate and ACSS2 as key players in cisplatin resistance in bladder cancer. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2019 , 1864, 413-421	5	17
119	ULK1 phosphorylates Mad1 to regulate spindle assembly checkpoint. <i>Nucleic Acids Research</i> , 2019 , 47, 8096-8110	20.1	11
118	C1QBP Promotes Homologous Recombination by Stabilizing MRE11 and Controlling the Assembly and Activation of MRE11/RAD50/NBS1 Complex. <i>Molecular Cell</i> , 2019 , 75, 1299-1314.e6	17.6	29
117	GLP-catalyzed H4K16me1 promotes 53BP1 recruitment to permit DNA damage repair and cell survival. <i>Nucleic Acids Research</i> , 2019 , 47, 10977-10993	20.1	16
116	Molecular Mechanisms of Epigenetic Regulators as Activatable Targets in Cancer Theranostics. <i>Current Medicinal Chemistry</i> , 2019 , 26, 1328-1350	4.3	8
115	MRE11 UFMylation promotes ATM activation. <i>Nucleic Acids Research</i> , 2019 , 47, 4124-4135	20.1	45
114	SIRT4 regulates PTEN stability through IDE in response to cellular stresses. FASEB Journal, 2019, 33, 553	3 5. 554	7 17
113	MDM2-mediated degradation of WRN promotes cellular senescence in a p53-independent manner. <i>Oncogene</i> , 2019 , 38, 2501-2515	9.2	14
112	PKCIPhosphorylates SIRT6 to Mediate Fatty Acid EOxidation in Colon Cancer Cells. <i>Neoplasia</i> , 2019 , 21, 61-73	6.4	10
		,	
111	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. <i>Nucleic Acids Research</i> , 2018 , 46, 689-703	20.1	29
111	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. <i>Nucleic Acids Research</i> ,	20.1	29 37
	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. <i>Nucleic Acids Research</i> , 2018 , 46, 689-703	20.1 63.15	
110	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. <i>Nucleic Acids Research</i> , 2018 , 46, 689-703 A SIRT1-centered circuitry regulates breast cancer stemness and metastasis. <i>Oncogene</i> , 2018 , 37, 6299-64. Histone H1 acetylation at lysine 85 regulates chromatin condensation and genome stability upon	20.1 63.15	37
110	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. <i>Nucleic Acids Research</i> , 2018 , 46, 689-703 A SIRT1-centered circuitry regulates breast cancer stemness and metastasis. <i>Oncogene</i> , 2018 , 37, 6299-64 Histone H1 acetylation at lysine 85 regulates chromatin condensation and genome stability upon DNA damage. <i>Nucleic Acids Research</i> , 2018 , 46, 7716-7730 Autophagy-deficient tumor cells rely on extracellular amino acids to survive upon glutamine	20.1	37 35 6

(2017-2018)

105	Advances in Cellular Characterization of the Sirtuin Isoform, SIRT7. <i>Frontiers in Endocrinology</i> , 2018 , 9, 652	5.7	38
104	p53 cooperates with SIRT6 to regulate cardiolipin de novo biosynthesis. <i>Cell Death and Disease</i> , 2018 , 9, 941	9.8	19
103	Sirtuin 7-mediated deacetylation of WD repeat domain 77 (WDR77) suppresses cancer cell growth by reducing WDR77/PRMT5 transmethylase complex activity. <i>Journal of Biological Chemistry</i> , 2018 , 293, 17769-17779	5.4	14
102	Destabilization of linker histone H1.2 is essential for ATM activation and DNA damage repair. <i>Cell Research</i> , 2018 , 28, 756-770	24.7	37
101	Increased Amino Acid Uptake Supports Autophagy-Deficient Cell Survival upon Glutamine Deprivation. <i>Cell Reports</i> , 2018 , 23, 3006-3020	10.6	28
100	PTK2-mediated degradation of ATG3 impedes cancer cells susceptible to DNA damage treatment. <i>Autophagy</i> , 2017 , 13, 579-591	10.2	11
99	Serine/Threonine Kinase Unc-51-like Kinase-1 (Ulk1) Phosphorylates the Co-chaperone Cell Division Cycle Protein 37 (Cdc37) and Thereby Disrupts the Stability of Cdc37 Client Proteins. <i>Journal of Biological Chemistry</i> , 2017 , 292, 2830-2841	5.4	11
98	Regulation of p53 acetylation. Science China Life Sciences, 2017, 60, 321-323	8.5	3
97	5-Fluorouracil targets histone acetyltransferases p300/CBP in the treatment of colorectal cancer. <i>Cancer Letters</i> , 2017 , 400, 183-193	9.9	37
96	Individualized dual antiplatelet therapy based on platelet function testing in patients undergoing percutaneous coronary intervention: a meta-analysis of randomized controlled trials. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 157	2.3	11
95	Quantitative proteome-based systematic identification of SIRT7 substrates. <i>Proteomics</i> , 2017 , 17, 1600	3.45	14
94	Loss of FOXO1 Cooperates with TMPRSS2-ERG Overexpression to Promote Prostate Tumorigenesis and Cell Invasion. <i>Cancer Research</i> , 2017 , 77, 6524-6537	10.1	34
93	SIRT7 antagonizes TGF-Bignaling and inhibits breast cancer metastasis. <i>Nature Communications</i> , 2017 , 8, 318	17.4	111
92	Linker Histone in Diseases. International Journal of Biological Sciences, 2017, 13, 1008-1018	11.2	6
91	PCAF/GCN5-Mediated Acetylation of RPA1 Promotes Nucleotide Excision Repair. <i>Cell Reports</i> , 2017 , 20, 1997-2009	10.6	42
90	Ubiquitin-like modifications in the DNA damage response. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2017 , 803-805, 56-75	3.3	32
89	Polo-like kinase 1 (PLK1)-dependent phosphorylation of methylenetetrahydrofolate reductase (MTHFR) regulates replication via histone methylation. <i>Cell Cycle</i> , 2017 , 16, 1933-1942	4.7	7
88	G9a coordinates with the RPA complex to promote DNA damage repair and cell survival. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E6054-E606.	3 ^{11.5}	42

87	Identifying Human SIRT1 Substrates by Integrating Heterogeneous Information from Various Sources. <i>Scientific Reports</i> , 2017 , 7, 4614	4.9	9
86	Ubiquitin-specific peptidase 7 (USP7)-mediated deubiquitination of the histone deacetylase SIRT7 regulates gluconeogenesis. <i>Journal of Biological Chemistry</i> , 2017 , 292, 13296-13311	5.4	34
85	Autophagy substrate SQSTM1/p62 regulates chromatin ubiquitination during the DNA damage response. <i>Autophagy</i> , 2017 , 13, 212-213	10.2	34
84	A novel acridine derivative, LS-1-10 inhibits autophagic degradation and triggers apoptosis in colon cancer cells. <i>Cell Death and Disease</i> , 2017 , 8, e3086	9.8	9
83	Downregulation of SIRT7 by 5-fluorouracil induces radiosensitivity in human colorectal cancer. <i>Theranostics</i> , 2017 , 7, 1346-1359	12.1	44
82	Sirtuins in glucose and lipid metabolism. <i>Oncotarget</i> , 2017 , 8, 1845-1859	3.3	103
81	ATM-mediated KDM2A phosphorylation is required for the DNA damage repair. <i>Oncogene</i> , 2016 , 35, 301-13	9.2	47
80	Acetylation-regulated interaction between p53 and SET reveals a widespread regulatory mode. <i>Nature</i> , 2016 , 538, 118-122	50.4	110
79	Autophagy regulates DNA repair by modulating histone ubiquitination. <i>Molecular and Cellular Oncology</i> , 2016 , 3, e1214772	1.2	2
78	Epigenetic modification of PKMI escues aging-related cognitive impairment. <i>Scientific Reports</i> , 2016 , 6, 22096	4.9	16
77	Autophagy Regulates Chromatin Ubiquitination in DNA Damage Response through Elimination of SQSTM1/p62. <i>Molecular Cell</i> , 2016 , 63, 34-48	17.6	135
76	Xiaoxianggou attenuates atherosclerotic plaque formation in endogenous high Ang II ApoE(-/-) mice via the inhibition of miR-203 on the expression of Ets-2 in endothelial cells. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 82, 173-9	7.5	4
75	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
74	Tracking the Correlation Between CpG Island Methylator Phenotype and Other Molecular Features and Clinicopathological Features in Human Colorectal Cancers: A Systematic Review and Meta-Analysis. <i>Clinical and Translational Gastroenterology</i> , 2016 , 7, e151	4.2	24
73	Histone modifications in DNA damage response. Science China Life Sciences, 2016, 59, 257-70	8.5	31
72	Reduced expression of SET7/9, a histone mono-methyltransferase, is associated with gastric cancer progression. <i>Oncotarget</i> , 2016 , 7, 3966-83	3.3	27
71	Biological function and regulation of histone and non-histone lysine methylation in response to DNA damage. <i>Acta Biochimica Et Biophysica Sinica</i> , 2016 , 48, 603-16	2.8	30
70	PCAF-mediated acetylation of transcriptional factor HOXB9 suppresses lung adenocarcinoma progression by targeting oncogenic protein JMJD6. <i>Nucleic Acids Research</i> , 2016 , 44, 10662-10675	20.1	50

(2013-2015)

SIRT5, functions in cellular metabolism with a multiple enzymatic activities. <i>Science China Life Sciences</i> , 2015 , 58, 912-4	8.5	10
SET7/9 regulates cancer cell proliferation by influencing Etatenin stability. <i>FASEB Journal</i> , 2015 , 29, 4313-23	0.9	40
DNA Methylation in the Exon 1 Region and Complex Regulation of Twist1 Expression in Gastric Cancer Cells. <i>PLoS ONE</i> , 2015 , 10, e0145630	3.7	20
Epigenetic regulation of autophagy by the methyltransferase EZH2 through an MTOR-dependent pathway. <i>Autophagy</i> , 2015 , 11, 2309-22	10.2	99
The transcription factor c-Fos coordinates with histone lysine-specific demethylase 2A to activate the expression of cyclooxygenase-2. <i>Oncotarget</i> , 2015 , 6, 34704-17	3.3	6
Reply to Leithner et al.: Focus on phopshoenolpyruvate carboxykinase (PEPCK): a target of the p53-SIRT6-FoxO1 axis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4395	11.5	1
Cocaine- and amphetamine-regulated transcript facilitates the neurite outgrowth in cortical neurons after oxygen and glucose deprivation through PTN-dependent pathway. <i>Neuroscience</i> , 2014 , 277, 103-10	3.9	9
Tumor suppressor p53 cooperates with SIRT6 to regulate gluconeogenesis by promoting FoxO1 nuclear exclusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 10684-9	11.5	163
The Batten disease gene CLN3 confers resistance to endoplasmic reticulum stress induced by tunicamycin. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 447, 115-20	3.4	9
The expression of chemokine receptors CXCR3 and CXCR4 in predicting postoperative tumour progression in stages I-II colon cancer: a retrospective study. <i>BMJ Open</i> , 2014 , 4, e005012	3	13
Targeting histone deacetylases for cancer therapy: from molecular mechanisms to clinical implications. <i>International Journal of Biological Sciences</i> , 2014 , 10, 757-70	11.2	104
Regulation of histone acetyltransferase TIP60 function by histone deacetylase 3. <i>Journal of Biological Chemistry</i> , 2014 , 289, 33878-86	5.4	23
Social learning and amygdala disruptions in Nf1 mice are rescued by blocking p21-activated kinase. <i>Nature Neuroscience</i> , 2014 , 17, 1583-90	25.5	82
Systematic identification of Class I HDAC substrates. <i>Briefings in Bioinformatics</i> , 2014 , 15, 963-72	13.4	12
Sirtuins: nodes connecting aging, metabolism and tumorigenesis. <i>Current Pharmaceutical Design</i> , 2014 , 20, 1614-24	3.3	17
High-efficiency saturated red emission from binuclear cyclo-metalated platinum complex containing 5-(4-octyloxyphenyl)-1,3,4-oxadiazole-2-thiol ancillary ligand in PLED. <i>Science China Chemistry</i> , 2013 , 56, 1137-1142	7.9	10
XBP-1u suppresses autophagy by promoting the degradation of FoxO1 in cancer cells. <i>Cell Research</i> , 2013 , 23, 491-507	24.7	78
Phosphate-induced autophagy counteracts vascular calcification by reducing matrix vesicle release. <i>Kidney International</i> , 2013 , 83, 1042-51	9.9	141
	SET7/9 regulates cancer cell proliferation by influencing Izatenin stability. FASEB Journal, 2015, 29, 4313-23 DNA Methylation in the Exon 1 Region and Complex Regulation of Twist1 Expression in Gastric Cancer Cells. PLoS ONE, 2015, 10, e0145630 Epigenetic regulation of autophagy by the methyltransferase EZH2 through an MTOR-dependent pathway. Autophagy, 2015, 11, 2309-22 The transcription factor c-Fos coordinates with histone lysine-specific demethylase 2A to activate the expression of cyclooxygenase-2. Oncotarget, 2015, 6, 34704-17 Reply to Leithner et al.: Focus on phopshoenolpyruvate carboxykinase (PEPCK): a target of the p53-SIRT6-FoxO1 axis. Proceedings of the National Academy of Sciences of the United States of America, 2014, 11, E4395 Cocaine- and amphetamine-regulated transcript facilitates the neurite outgrowth in cortical neurons after oxygen and glucose deprivation through PTN-dependent pathway. Neuroscience, 2014, 277, 103-10 Tumor suppressor p53 cooperates with SIRT6 to regulate gluconeogenesis by promoting FoxO1 nuclear exclusion. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10684-9 The Batten disease gene CLN3 confers resistance to endoplasmic reticulum stress induced by tunicamycin. Biochemical and Biophysical Research Communications, 2014, 447, 115-20 The expression of chemokine receptors CXCR3 and CXCR4 in predicting postoperative tumour progression in stages I-II colon cancer: a retrospective study. BMJ Open, 2014, 4, e005012 Targeting histone deacetylases for cancer therapy: from molecular mechanisms to clinical implications. International Journal of Biological Sciences, 2014, 10, 757-70 Regulation of histone acetyltransferase TIP60 function by histone deacetylase 3. Journal of Biological Chemistry, 2014, 289, 33878-86 Social learning and amygdala disruptions in NF1 mice are rescued by blocking p21-activated kinase. Nature Neuroscience, 2014, 17, 1583-90 Systematic identification of Class I HDAC substrates. Briefings in Bioinformati	SETT/9 regulates cancer cell proliferation by influencing Extenin stability. FASEB Journal, 2015, 29, 4313-23 DNA Methylation in the Exon 1 Region and Complex Regulation of Twist1 Expression in Gastric Cancer Cells. PLoS ONE, 2015, 10, e0145630 Epigenetic regulation of autophayp by the methyltransferase EZH2 through an MTOR-dependent pathway. Autophagy, 2015, 11, 2309-22 The transcription factor c-Fos coordinates with histone lysine-specific demethylase 2A to activate the expression of cyclooxygenase-2. Oncotarget, 2015, 6, 34704-17 Reply to Leithner et al.: Focus on phopshoenolpyruvate carboxykinase (PEPCK): a target of the p33-SIRT6-FoxO1 axis. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E4395. Cocaine- and amphetamine-regulated transcript facilitates the neurite outgrowth in cortical neurons after oxygen and glucose deprivation through PTN-dependent pathway. Neuroscience, 2014, 277, 103-10 Tumor suppressor p53 cooperates with SIRT6 to regulate gluconeogenesis by promoting FoxO1 nuclear exclusion. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 115-20 34 The Batten disease gene CLN3 confers resistance to endoplasmic reticulum stress induced by tunicamycin. Biochemical and Biophysical Research Communications, 2014, 447, 115-20 34 The expression of chemokine receptors CXCR3 and CXCR4 in predicting postoperative tumour progression in stages I-II colon cancer: a retrospective study. BMJ Open, 2014, 4, e005012 Targeting histone deacetylases for cancer therapy: from molecular mechanisms to clinical implications. International Journal of Biological Sciences, 2014, 10, 757-70 Regulation of histone acetyltransferase TIP60 function by histone deacetylase 3. Journal of Biological Chemistry, 2014, 289, 33878-36 Systematic identification of Class I HDAC substrates. Briefings in Bioinformatics, 2014, 15, 963-72 33 Systematic identification of Class I HDAC substrates. Briefings in Bioinformatics, 2014, 15, 963-72 434

51	Methylation of SUV39H1 by SET7/9 results in heterochromatin relaxation and genome instability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 5516-21	11.5	83
50	The axis of MAPK1/3-XBP1u-FOXO1 controls autophagic dynamics in cancer cells. <i>Autophagy</i> , 2013 , 9, 794-6	10.2	19
49	The regulation of the autophagic network and its implications for human disease. <i>International Journal of Biological Sciences</i> , 2013 , 9, 1121-33	11.2	27
48	Angiotensin II reduces cardiac AdipoR1 expression through AT1 receptor/ROS/ERK1/2/c-Myc pathway. <i>PLoS ONE</i> , 2013 , 8, e49915	3.7	11
47	The HDAC inhibitor depsipeptide transactivates the p53/p21 pathway by inducing DNA damage. <i>DNA Repair</i> , 2012 , 11, 146-56	4.3	44
46	FOXO3 induces FOXO1-dependent autophagy by activating the AKT1 signaling pathway. <i>Autophagy</i> , 2012 , 8, 1712-23	10.2	116
45	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-	5 46 .2	2783
44	Surf the post-translational modification network of p53 regulation. <i>International Journal of Biological Sciences</i> , 2012 , 8, 672-84	11.2	159
43	Characterization and prediction of lysine (K)-acetyl-transferase specific acetylation sites. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, M111.011080	7.6	44
42	Methylation of FoxO3 regulates neuronal cell death. <i>Acta Pharmacologica Sinica</i> , 2012 , 33, 577	8	3
41	5-Aza-2Tdeoxycytidine reactivates gene expression via degradation of pRb pocket proteins. <i>FASEB Journal</i> , 2012 , 26, 449-59	0.9	23
40	Kindlin 2 forms a transcriptional complex with Eatenin and TCF4 to enhance Wnt signalling. <i>EMBO Reports</i> , 2012 , 13, 750-8	6.5	78
39	Differential gene expression of neonatal and adult DRG neurons correlates with the differential sensitization of TRPV1 responses to nerve growth factor. <i>Neuroscience Letters</i> , 2011 , 500, 192-6	3.3	29
38	Deficiency of hepatocystin induces autophagy through an mTOR-dependent pathway. <i>Autophagy</i> , 2011 , 7, 748-59	10.2	20
37	Autophagy process is associated with anti-neoplastic function. <i>Acta Biochimica Et Biophysica Sinica</i> , 2011 , 43, 425-32	2.8	18
36	Methyltransferase Set7/9 regulates p53 activity by interacting with Sirtuin 1 (SIRT1). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1925-30	11.5	97
35	Applications of post-translational modifications of FoxO family proteins in biological functions. Journal of Molecular Cell Biology, 2011 , 3, 276-82	6.3	136
34	Structural changes in exon 11 of MEF2A are not related to sporadic coronary artery disease in Han Chinese population. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 669-77	4.6	10

(2004-2010)

33	Transcription-independent ARF regulation in oncogenic stress-mediated p53 responses. <i>Nature</i> , 2010 , 464, 624-7	50.4	114
32	Cytosolic FoxO1 is essential for the induction of autophagy and tumour suppressor activity. <i>Nature Cell Biology</i> , 2010 , 12, 665-75	23.4	435
31	Anti-neoplastic activity of the cytosolic FoxO1 results from autophagic cell death. <i>Autophagy</i> , 2010 , 6, 988-90	10.2	35
30	Proliferating cell nuclear antigen is protected from degradation by forming a complex with MutT Homolog2. <i>Journal of Biological Chemistry</i> , 2009 , 284, 19310-20	5.4	41
29	The changing face of HDAC inhibitor depsipeptide. Current Cancer Drug Targets, 2009, 9, 91-100	2.8	20
28	The comet assay: a sensitive method for detecting DNA damage in individual cells. <i>Methods</i> , 2009 , 48, 46-53	4.6	216
27	Acetylation of FoxO1 activates Bim expression to induce apoptosis in response to histone deacetylase inhibitor depsipeptide treatment. <i>Neoplasia</i> , 2009 , 11, 313-24	6.4	84
26	Histone deacetylase inhibitor depsipeptide activates silenced genes through decreasing both CpG and H3K9 methylation on the promoter. <i>Molecular and Cellular Biology</i> , 2008 , 28, 3219-35	4.8	104
25	An ATM- and Rad3-related (ATR) signaling pathway and a phosphorylation-acetylation cascade are involved in activation of p53/p21Waf1/Cip1 in response to 5-aza-2Tdeoxycytidine treatment. <i>Journal of Biological Chemistry</i> , 2008 , 283, 2564-74	5.4	46
24	HDAC inhibitors act with 5-aza-2Tdeoxycytidine to inhibit cell proliferation by suppressing removal of incorporated abases in lung cancer cells. <i>PLoS ONE</i> , 2008 , 3, e2445	3.7	61
23	Phosphorylation of Pirh2 by calmodulin-dependent kinase II impairs its ability to ubiquitinate p53. <i>EMBO Journal</i> , 2007 , 26, 3062-74	13	40
22	Activin acutely sensitizes dorsal root ganglion neurons and induces hyperalgesia via PKC-mediated potentiation of transient receptor potential vanilloid I. <i>Journal of Neuroscience</i> , 2007 , 27, 13770-80	6.6	42
21	Phosphoinositide-3-kinase and mitogen activated protein kinase signaling pathways mediate acute NGF sensitization of TRPV1. <i>Molecular and Cellular Neurosciences</i> , 2007 , 34, 689-700	4.8	122
20	p21Waf1/Cip1 plays a critical role in modulating senescence through changes of DNA methylation. <i>Journal of Cellular Biochemistry</i> , 2006 , 98, 1230-48	4.7	53
19	Novel link between E2F1 and Smac/DIABLO: proapoptotic Smac/DIABLO is transcriptionally upregulated by E2F1. <i>Nucleic Acids Research</i> , 2006 , 34, 2046-55	20.1	39
18	Acetylation of p53 at lysine 373/382 by the histone deacetylase inhibitor depsipeptide induces expression of p21(Waf1/Cip1). <i>Molecular and Cellular Biology</i> , 2006 , 26, 2782-90	4.8	236
17	ZD6474 induces growth arrest and apoptosis of GIST-T1 cells, which is enhanced by concomitant use of sunitinib. <i>Cancer Science</i> , 2006 , 97, 1404-9	6.9	15
16	5-aza-2Tdeoxycytidine activates the p53/p21Waf1/Cip1 pathway to inhibit cell proliferation. <i>Journal of Biological Chemistry</i> , 2004 , 279, 15161-6	5.4	123

15	Expression of Pirh2, a newly identified ubiquitin protein ligase, in lung cancer. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1718-21	9.7	79
14	Bone morphogenetic protein 3B silencing in non-small-cell lung cancer. <i>Oncogene</i> , 2004 , 23, 3521-9	9.2	44
13	A developmental switch in acute sensitization of small dorsal root ganglion (DRG) neurons to capsaicin or noxious heating by NGF. <i>Journal of Neurophysiology</i> , 2004 , 92, 3148-52	3.2	59
12	The interaction of histone deacetylase inhibitors and DNA methyltransferase inhibitors in the treatment of human cancer cells. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2003 , 3, 187-99		171
11	P21 response to DNA damage induced by genistein and etoposide in human lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 305, 950-6	3.4	28
10	A comprehensive search for DNA amplification in lung cancer identifies inhibitors of apoptosis cIAP1 and cIAP2 as candidate oncogenes. <i>Human Molecular Genetics</i> , 2003 , 12, 791-801	5.6	126
9	Methylation of adjacent CpG sites affects Sp1/Sp3 binding and activity in the p21(Cip1) promoter. <i>Molecular and Cellular Biology</i> , 2003 , 23, 4056-65	4.8	225
8	Lung-specific expression of human mutant p53-273H is associated with a high frequency of lung adenocarcinoma in transgenic mice. <i>Oncogene</i> , 2002 , 21, 7831-8	9.2	22
7	Increased expression of unmethylated CDKN2D by 5-aza-2Tdeoxycytidine in human lung cancer cells. <i>Oncogene</i> , 2001 , 20, 7787-96	9.2	101
6	Global methylation profiling of lung cancer identifies novel methylated genes. <i>Neoplasia</i> , 2001 , 3, 314-	236.4	60
5	Heat-induced modulation of lamin B content in two different cell lines. <i>Journal of Cellular Biochemistry</i> , 1999 , 75, 620-628	4.7	8
4	Lamin B is a prompt heat shock protein. <i>Journal of Cellular Physiology</i> , 1999 , 178, 28-34	7	15
3	Long-term tumor resistance induced by laser photo-immunotherapy. <i>International Journal of Cancer</i> , 1999 , 81, 808-12	7·5	62
2	Dependence of Induction of Interphase Death of Chinese Hamster Ovary Cells Exposed to Accelerated Heavy Ions on Linear Energy Transfer. <i>Radiation Research</i> , 1997 , 148, 449	3.1	16
1	Promotion of heat-induced apoptosis in FM3A cells by protease inhibitors. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 225, 924-31	3.4	12