Greet M Hermans

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/162605/greet-m-hermans-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

12,117
35
h-index

89
g-index

89
ext. papers

25.86
ext. papers

26.86
ext. papers

27.86
ext. citations

28.86
ext. citations

#	Paper	IF	Citations
83	RBC Transfusion in Venovenous Extracorporeal Membrane Oxygenation: A Multicenter Cohort Study <i>Critical Care Medicine</i> , 2022 , 50, 224-234	1.4	1
82	High-Intensity Inspiratory Muscle Training Improves Scalene and Sternocleidomastoid Muscle Oxygenation Parameters in Patients With Weaning Difficulties: A Randomized Controlled Trial <i>Frontiers in Physiology</i> , 2022 , 13, 786575	4.6	О
81	Prospective longitudinal evaluation of hospitalised COVID-19 survivors 3 and 12 months after discharge <i>ERJ Open Research</i> , 2022 , 8,	3.5	4
80	Aerobic exercise capacity in long-term survivors of critical illness: secondary analysis of the post-EPaNIC follow-up study. <i>Intensive Care Medicine</i> , 2021 , 47, 1462-1471	14.5	О
79	Atypical response to bacterial co-infection and persistent neutrophilic broncho-alveolar inflammation distinguish critical COVID-19 from influenza. <i>JCI Insight</i> , 2021 ,	9.9	7
78	Clinical practices underlie COVID-19 patient respiratory microbiome composition and its interactions with the host. <i>Nature Communications</i> , 2021 , 12, 6243	17.4	9
77	Impact of COVID-19: urging a need for multi-domain assessment of COVID-19 inpatients. <i>European Geriatric Medicine</i> , 2021 , 12, 741-748	3	6
76	Five-year outcome of respiratory muscle weakness at intensive care unit discharge: secondary analysis of a prospective cohort study. <i>Thorax</i> , 2021 , 76, 561-567	7.3	2
75	Extracorporeal Membrane Oxygenation in Patients With COVID-19: An International Multicenter Cohort Study. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 910-917	3.3	4
74	Posaconazole for prevention of invasive pulmonary aspergillosis in critically ill influenza patients (POSA-FLU): a randomised, open-label, proof-of-concept trial. <i>Intensive Care Medicine</i> , 2021 , 47, 674-686	6 ^{14.5}	18
73	Secondary sclerosing cholangitis: an emerging complication in critically ill COVID-19 patients. <i>Intensive Care Medicine</i> , 2021 , 47, 1037-1040	14.5	7
72	Weakness in the ICU: the right weight on the right scale. <i>Intensive Care Medicine</i> , 2021 , 47, 137-138	14.5	4
71	Early neuromuscular electrical stimulation reduces the loss of muscle mass in critically ill patients - A within subject randomized controlled trial. <i>Journal of Critical Care</i> , 2021 , 62, 65-71	4	1
70	Measurement validity of an electronic training device to assess breathing characteristics during inspiratory muscle training in patients with weaning difficulties. <i>PLoS ONE</i> , 2021 , 16, e0255431	3.7	1
69	COVID-19 recovery: benefits of multidisciplinary respiratory rehabilitation. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	4
68	Discriminating mild from critical COVID-19 by innate and adaptive immune single-cell profiling of bronchoalveolar lavages. <i>Cell Research</i> , 2021 , 31, 272-290	24.7	102
67	Kinetics of peripheral blood neutrophils in severe coronavirus disease 2019. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1271	6.8	14

(2015-2021)

66	Persisting neuroendocrine abnormalities and their association with physical impairment 5lyears after critical illness <i>Critical Care</i> , 2021 , 25, 430	10.8	О
65	Five-year impact of ICU-acquired neuromuscular complications: a prospective, observational study. <i>Intensive Care Medicine</i> , 2020 , 46, 1184-1193	14.5	41
64	Critical Illness Neuromyopathy: Clinical, Electrophysiological, and Histological Diagnosis. <i>Lessons From the ICU</i> , 2020 , 43-59	0.1	O
63	Intensive care unit acquired muscle weakness in COVID-19 patients. <i>Intensive Care Medicine</i> , 2020 , 46, 2083-2085	14.5	46
62	Early mobilization in clinical practice: the reliability and feasibility of the Totart To MoveTProtocol. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-11	1.5	O
61	Five-year mortality and morbidity impact of prolonged versus brief ICU stay: a propensity score matched cohort study. <i>Thorax</i> , 2019 , 74, 1037-1045	7-3	22
60	The soluble mannose receptor (sMR/sCD206) in critically ill patients with invasive fungal infections, bacterial infections or non-infectious inflammation: a secondary analysis of the EPaNIC RCT. <i>Critical Care</i> , 2019 , 23, 270	10.8	3
59	The GH Axis in Relation to Accepting an Early Macronutrient Deficit and Outcome of Critically Ill Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5507-5518	5.6	3
58	Cerebral cortex and respiratory muscles perfusion during spontaneous breathing attempts in ventilated patients and its relation to weaning outcomes: a protocol for a prospective observational study. <i>BMJ Open</i> , 2019 , 9, e031072	3	
57	Potentially modifiable respiratory variables contributing to outcome in ICU patients without ARDS: a secondary analysis of PRoVENT. <i>Annals of Intensive Care</i> , 2018 , 8, 39	8.9	15
56	Can inspiratory muscle training improve weaning outcomes in difficult to wean patients? A protocol for a randomised controlled trial (IMweanT study). <i>BMJ Open</i> , 2018 , 8, e021091	3	12
55	The ICM research agenda on intensive care unit-acquired weakness. <i>Intensive Care Medicine</i> , 2017 , 43, 1270-1281	14.5	95
54	Premorbid obesity, but not nutrition, prevents critical illness-induced muscle wasting and weakness. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 89-101	10.3	32
53	Prolonged Glucocorticoid Treatment in ARDS: Impact on Intensive Care Unit-Acquired Weakness. <i>Frontiers in Pediatrics</i> , 2016 , 4, 69	3.4	12
52	Epidemiological characteristics, practice of ventilation, and clinical outcome in patients at risk of acute respiratory distress syndrome in intensive care units from 16 countries (PRoVENT): an international, multicentre, prospective study. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 882-893	35.1	94
51	The Sick and the Weak: Neuropathies/Myopathies in the Critically Ill. <i>Physiological Reviews</i> , 2015 , 95, 1025-109	47.9	166
50	Clinical review: intensive care unit acquired weakness. <i>Critical Care</i> , 2015 , 19, 274	10.8	260
49	Predictive value for weakness and 1-year mortality of screening electrophysiology tests in the ICU. <i>Intensive Care Medicine</i> , 2015 , 41, 2138-48	14.5	28

48	Targeted temperature management and neuroprognostication after cardiac arrest: A survey in Belgium. <i>Resuscitation</i> , 2015 , 96, e1-2	4	5
47	Assessment of quadriceps muscle mass with ultrasound in critically ill patients: intra- and inter-observer agreement and sensitivity. <i>Intensive Care Medicine</i> , 2015 , 41, 562-3	14.5	26
46	Interventions for preventing critical illness polyneuropathy and critical illness myopathy. <i>The Cochrane Library</i> , 2014 , CD006832	5.2	70
45	Lectin pathway of complement activation and relation with clinical complications in critically ill children. <i>Pediatric Research</i> , 2014 , 75, 99-108	3.2	18
44	Feasibility of neuromuscular electrical stimulation in critically ill patients. <i>Journal of Critical Care</i> , 2014 , 29, 1082-8	4	67
43	Acute outcomes and 1-year mortality of intensive care unit-acquired weakness. A cohort study and propensity-matched analysis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 410-	-2 ^{10.2}	275
42	Assessment of limb muscle strength in critically ill patients: a systematic review. <i>Critical Care Medicine</i> , 2014 , 42, 701-11	1.4	90
41	Effects of controlled mechanical ventilation on sepsis-induced diaphragm dysfunction in rats. <i>Critical Care Medicine</i> , 2014 , 42, e772-82	1.4	42
40	Critical illness induces nutrient-independent adipogenesis and accumulation of alternatively activated tissue macrophages. <i>Critical Care</i> , 2013 , 17, R193	10.8	13
39	The influence of continuous venovenous renal replacement therapy on the plasma disappearance rate of indocyanine green. <i>Intensive Care Medicine</i> , 2013 , 39, 2231-2	14.5	3
38	Role of disease and macronutrient dose in the randomized controlled EPaNIC trial: a post hoc analysis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 247-55	10.2	169
37	The assessment of inspiratory muscle fatigue in healthy individuals: a systematic review. <i>Respiratory Medicine</i> , 2013 , 107, 331-46	4.6	38
36	Recurrent high gastrointestinal bleeds after Belsey Mark IV antireflux procedure. <i>Annals of Vascular Surgery</i> , 2013 , 27, 354.e1-4	1.7	1
35	Effect of tolerating macronutrient deficit on the development of intensive-care unit acquired weakness: a subanalysis of the EPaNIC trial. <i>Lancet Respiratory Medicine, the</i> , 2013 , 1, 621-629	35.1	190
34	Greater diaphragm fatigability in individuals with recurrent low back pain. <i>Respiratory Physiology and Neurobiology</i> , 2013 , 188, 119-23	2.8	29
33	Extracorporeal albumin dialysis with the molecular adsorbent recirculating system in acute-on-chronic liver failure: the RELIEF trial. <i>Hepatology</i> , 2013 , 57, 1153-62	11.2	342
32	Invasive pulmonary aspergillosis in the ICU: reply to Wichmann et al. <i>Intensive Care Medicine</i> , 2013 , 39, 791	14.5	
31	Impact of early parenteral nutrition on metabolism and kidney injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 995-1005	12.7	61

(2009-2012)

30	Interobserver agreement of Medical Research Council sum-score and handgrip strength in the intensive care unit. <i>Muscle and Nerve</i> , 2012 , 45, 18-25	3.4	152
29	Invasive pulmonary aspergillosis is a frequent complication of critically ill H1N1 patients: a retrospective study. <i>Intensive Care Medicine</i> , 2012 , 38, 1761-8	14.5	169
28	Neurocognitive development of children 4 years after critical illness and treatment with tight glucose control: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1641-50	27.4	102
27	Relationship between Abdominal Pressure, Pulmonary Compliance, and Cardiac Preload in a Porcine Model. <i>Critical Care Research and Practice</i> , 2012 , 2012, 763181	1.5	23
26	ICU-based rehabilitation and its appropriate metrics. Current Opinion in Critical Care, 2012, 18, 533-9	3.5	17
25	Muscle atrophy and preferential loss of myosin in prolonged critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 79-89	1.4	86
24	Should we abandon manual muscle strength testing in the ICU?. Critical Care, 2011, 15, 127	10.8	9
23	The interobserver agreement of handheld dynamometry for muscle strength assessment in critically ill patients. <i>Critical Care Medicine</i> , 2011 , 39, 1929-34	1.4	62
22	Impact of early parenteral nutrition completing enteral nutrition in adult critically ill patients (EPaNIC trial): a study protocol and statistical analysis plan for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 21	2.8	61
21	Early versus late parenteral nutrition in critically ill adults. <i>New England Journal of Medicine</i> , 2011 , 365, 506-17	59.2	2076
20	Alterations in adipose tissue during critical illness: An adaptive and protective response?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 182, 507-16	10.2	50
19	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force: a prospective observational study. <i>Critical Care</i> , 2010 , 14, R127	10.8	165
18	Clinical review: Intensive insulin therapy in critically ill patients: NICE-SUGAR or Leuven blood glucose target?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3163-70	5.6	196
17	Early exercise in critically ill patients enhances short-term functional recovery. <i>Critical Care Medicine</i> , 2009 , 37, 2499-505	1.4	691
16	Pharmacokinetics of caspofungin and voriconazole in critically ill patients during extracorporeal membrane oxygenation. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 63, 767-70	5.1	96
15	Benefits of intensive insulin therapy on neuromuscular complications in routine daily critical care practice: a retrospective study. <i>Critical Care</i> , 2009 , 13, R5	10.8	39
14	Interventions for preventing critical illness polyneuropathy and critical illness myopathy. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006832		50
13	Metabolic aspects of critical illness polyneuromyopathy. <i>Critical Care Medicine</i> , 2009 , 37, S391-7	1.4	18

12	Galactomannan in bronchoalveolar lavage fluid: a tool for diagnosing aspergillosis in intensive care unit patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 27-34	10.2	352
11	Clinical review: Critical illness polyneuropathy and myopathy. <i>Critical Care</i> , 2008 , 12, 238	10.8	185
10	Tight glucose control in critically ill adults. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2725; author reply 2726-7	27.4	7
9	Usefulness of FDG-PET to diagnose intravascular lymphoma with encephalopathy and renal involvement. <i>Acta Clinica Belgica</i> , 2008 , 63, 185-9	1.8	14
8	Endogenous carbon monoxide production: a rare and detrimental complication of extracorporeal membrane oxygenation. <i>ASAIO Journal</i> , 2008 , 54, 633-5	3.6	6
7	Effect of insulin therapy on coagulation and fibrinolysis in medical intensive care patients. <i>Critical Care Medicine</i> , 2008 , 36, 1475-80	1.4	25
6	Impact of intensive insulin therapy on neuromuscular complications and ventilator dependency in the medical intensive care unit. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 480-9	10.2	807
5	pH 48 h after onset of extracorporeal membrane oxygenation is an independent predictor of survival in patients with respiratory failure. <i>Artificial Organs</i> , 2007 , 31, 384-9	2.6	6
4	Extracorporeal membrane oxygenation: experience in an adult medical ICU. <i>Thoracic and Cardiovascular Surgeon</i> , 2007 , 55, 223-8	1.6	5
3	Acute intracardiac right-to-left shunt in a patient with acute respiratory distress syndrome and shock successfully treated with nitric oxide. <i>British Journal of Anaesthesia</i> , 2006 , 96, 268-9	5.4	3
2	Intensive insulin therapy in the medical ICU. New England Journal of Medicine, 2006, 354, 449-61	59.2	4168
1	The Molecular Adsorbent Recirculating System in patients with severe liver failure: clinical results at the K.U. Leuven. <i>Liver</i> , 2002 , 22 Suppl 2, 52-5		14