

# H Askin Akpulat, Hseyin Askn Akpulat

## List of Publications by Citations

**Source:**

<https://exaly.com/author-pdf/1626105/h-askin-akpulat-huseyin-askin-akpulat-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32  
papers

1,811  
citations

16  
h-index

32  
g-index

32  
ext. papers

1,971  
ext. citations

3.9  
avg, IF

4.12  
L-index

#	Paper	IF	Citations
32	Antioxidant and antimicrobial activity of the essential oil and methanol extracts of <i>Achillea millefolium</i> subsp. <i>millefolium</i> Afan. (Asteraceae). <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 87, 215-20	5	376
31	The in vitro antimicrobial and antioxidant activities of the essential oils and methanol extracts of endemic <i>Thymus spathulifolius</i> . <i>Food Control</i> , <b>2004</b> , 15, 627-634	6.2	242
30	Screening of the antioxidant potentials of six <i>Salvia</i> species from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 95, 200-204	204	215
29	In vitro antioxidant, antimicrobial, and antiviral activities of the essential oil and various extracts from herbal parts and callus cultures of <i>Origanum acutidens</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 3309-12	5.7	183
28	Antioxidative activity of the essential oils of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> and <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>rosulans</i> . <i>Journal of Food Engineering</i> , <b>2005</b> , 66, 447-454	6	121
27	Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of <i>Salvia verticillata</i> (L.) subsp. <i>verticillata</i> and <i>S. verticillata</i> (L.) subsp. <i>amasiaca</i> (Freyn & Bornm.) Bornm. <i>Food Chemistry</i> , <b>2007</b> , 100, 985-989	8.5	81
26	Screening of the antioxidative and antimicrobial properties of the essential oils of <i>Pimpinella anisetum</i> and <i>Pimpinella flabellifolia</i> from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 97, 719-724	8.5	80
25	The in vitro antioxidant and antimicrobial activities of the essential oil and methanol extracts of <i>Achillea biebersteini</i> Afan. (Asteraceae). <i>Phytotherapy Research</i> , <b>2004</b> , 18, 451-6	6.7	75
24	In vitro antioxidant activities of the methanol extracts of five <i>Allium</i> species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 92, 89-92	8.5	74
23	In vitro antioxidant activities of the methanol extracts of four <i>Helichrysum</i> species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 90, 685-689	8.5	62
22	The in vitro antioxidative properties of the essential oils and methanol extracts of <i>Satureja spicigera</i> (K. Koch.) Boiss. and <i>Satureja cuneifolia</i> ten. <i>Food Chemistry</i> , <b>2007</b> , 100, 339-343	8.5	60
21	Screening of antioxidative properties of the methanolic extracts of <i>Pelargonium endlicherianum</i> Fenzl., <i>Verbascum wiedemannianum</i> Fisch. & Mey., <i>Sideritis libanotica</i> Labill. subsp. <i>linearis</i> (Bentham) Borm., <i>Centaurea mucronifera</i> DC. and <i>Hieracium cappadocicum</i> Freyn from Turkish flora. <i>Food Chemistry</i> , <b>2006</b> , 98, 9-13	8.5	56
20	Composition of the essential oils of <i>Tanacetum argyrophyllum</i> (C. Koch) Tzvel. var. <i>argyrophyllum</i> and <i>Tanacetum parthenium</i> (L.) Schultz Bip. (Asteraceae) from Turkey. <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 511-516	1.4	32
19	Chemical composition and in vitro cytotoxic, genotoxic effects of essential oil from <i>Urtica dioica</i> L. <i>Bulletin of Environmental Contamination and Toxicology</i> , <b>2012</b> , 88, 666-71	2.7	30
18	In vitro amoebicidal activity of four <i>Peucedanum</i> species on <i>Acanthamoeba castellanii</i> cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 167-74	2.4	28
17	In Vitro Evaluation of Antioxidant, Anti-Inflammatory, Antimicrobial and Wound Healing Potential of Boiss. Subsp. (Borbis). <i>Molecules</i> , <b>2019</b> , 24,	4.8	21
16	Flora of gypsum areas in Sivas in the eastern part of Cappadocia in Central Anatolia, Turkey. <i>Journal of Arid Environments</i> , <b>2005</b> , 61, 27-46	2.5	13

15	In vitro antioxidant assessment, screening of enzyme inhibitory activities of methanol and water extracts and gene expression in <i>Hypericum lydium</i> . <i>Molecular Biology Reports</i> , <b>2019</b> , 46, 2121-2129	2.8	12
14	Phenolic acid contents, essential oil compositions and antioxidant activities of two varieties of <i>Salvia euphratica</i> from Turkey. <i>Natural Product Research</i> , <b>2012</b> , 26, 1848-51	2.3	8
13	<i>Achillea sivasica</i> (Asteraceae: sect. Babounya (DC.) O. Hoffm.), a new species from Inner Anatolia, Turkey. <i>Kew Bulletin</i> , <b>2008</b> , 63, 485-489	0.5	7
12	Antitumoral effects of <i>Allium sivasicum</i> on breast cancer in vitro and in vivo. <i>Molecular Biology Reports</i> , <b>2013</b> , 40, 597-604	2.8	6
11	<i>Rhabdosciadium urusakii</i> sp. nov. (Apiaceae) from east Anatolia (Turkey). <i>Nordic Journal of Botany</i> , <b>2012</b> , 30, 560-564	1.1	5
10	Chromosome numbers, karyotypes and 4C DNA contents of <i>Achillea sipikorensis</i> Hausskn. and Bornm. and <i>Achillea sintenisii</i> Hub.-Mor. (Asteraceae). <i>Caryologia</i> , <b>2004</b> , 57, 244-249		5
9	A new species of <i>Physoptychis</i> (Brassicaceae) from central Anatolia, Turkey. <i>Botanical Journal of the Linnean Society</i> , <b>2007</b> , 154, 393-396	2.2	4
8	<i>Peucedanum ozhatayiorum</i> (Apiaceae), a New Species from NE Turkey. <i>Annales Botanici Fennici</i> , <b>2010</b> , 47, 59-62	0.3	3
7	A new subspecies of <i>Astragalus</i> (Section Caprini DC. Fabaceae) from Turkey. <i>Botanical Journal of the Linnean Society</i> , <b>2007</b> , 155, 227-230	2.2	3
6	A new record for the flora of Turkey: <i>Sorbus caucasica</i> var. <i>caucasica</i> (Rosaceae)		3
5	<i>Iris celikii</i> (Iridaceae), a new species from north-eastern Turkey. <i>Nordic Journal of Botany</i> , <b>2004</b> , 24, 207-210		2
4	Anti-coccidiosis Effect of <i>Thymus serpyllum</i> in Rabbits: Oocyst Shedding and Body Weight Changes. <i>Kafkas Universitesi Veteriner Fakultesi Dergisi</i> , <b>2009</b> ,	1.2	2
3	Fruit morphology of the genus <i>Pimpinella</i> (Apiaceae) in Turkey. <i>Anales Del Jardin Botanico De Madrid</i> , <b>2018</b> , 75, 072	0.3	1
2	Evaluation of Various Biological Activities of Endemic <i>Sideritis libanotica</i> Extracts. <i>Notulae Scientia Biologicae</i> , <b>2019</b> , 11, 210-217	0.4	1
1	<i>Peucedanum akalinae</i> (Apiaceae), a new species from Southern Turkey. <i>Phytotaxa</i> , <b>2019</b> , 425, 145-153	0.7	