

Koji Hara

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1626291/koji-hara-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 papers	821 citations	14 h-index	28 g-index
28 ext. papers	898 ext. citations	3.6 avg, IF	3.96 L-index

#	Paper	IF	Citations
26	Analgesic potency of intrathecally administered punicalagin in rat neuropathic and inflammatory pain models. <i>Journal of Natural Medicines</i> , 2021 , 1	3.3	2
25	Inhibitory effect of intrathecally administered AM404, an endocannabinoid reuptake inhibitor, on neuropathic pain in a rat chronic constriction injury model. <i>Pharmacological Reports</i> , 2021 , 73, 820-827	3.9	2
24	Effects of a low-intensity resistance exercise program on serum miR-630, miR-5703, and Fractalkine/CX3CL1 expressions in subjects with No exercise habits: A preliminary study. <i>Hepatology Research</i> , 2021 , 51, 823-833	5.1	4
23	Antihyperalgesic effects of intrathecal perospirone in a rat model of neuropathic pain. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 195, 172964	3.9	3
22	Intrathecally administered perampanel alleviates neuropathic and inflammatory pain in rats. <i>European Journal of Pharmacology</i> , 2020 , 872, 172949	5.3	8
21	Sevoflurane-associated torsade de pointes in a patient with congenital long QT syndrome genotype 2. <i>Journal of Clinical Anesthesia</i> , 2016 , 33, 81-5	1.9	11
20	Antinociceptive effect of intracerebroventricular administration of glycine transporter-2 inhibitor ALX1393 in rat models of inflammatory and neuropathic pain. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 130, 46-52	3.9	9
19	Effects of intrathecal and intracerebroventricular administration of luteolin in a rat neuropathic pain model. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 125, 78-84	3.9	28
18	Chlorogenic acid administered intrathecally alleviates mechanical and cold hyperalgesia in a rat neuropathic pain model. <i>European Journal of Pharmacology</i> , 2014 , 723, 459-64	5.3	28
17	The antinociceptive effect of SNAP5114, a gamma-aminobutyric acid transporter-3 inhibitor, in rat experimental pain models. <i>Anesthesia and Analgesia</i> , 2013 , 116, 1162-1169	3.9	19
16	Antinociceptive effect of intrathecal administration of hypotaurine in rat models of inflammatory and neuropathic pain. <i>Amino Acids</i> , 2012 , 43, 397-404	3.5	21
15	Antinociceptive effect of intrathecal administration of taurine in rat models of neuropathic pain. <i>Canadian Journal of Anaesthesia</i> , 2011 , 58, 630-637	3	30
14	The antinociceptive effect of intrathecal administration of glycine transporter-2 inhibitor ALX1393 in a rat acute pain model. <i>Anesthesia and Analgesia</i> , 2010 , 110, 615-21	3.9	46
13	Considerations for epidural anesthesia in a patient with type 1 von Willebrand disease. <i>Journal of Anesthesia</i> , 2009 , 23, 597-600	2.2	4
12	The effects of the local anesthetics lidocaine and procaine on glycine and gamma-aminobutyric acid receptors expressed in <i>Xenopus</i> oocytes. <i>Anesthesia and Analgesia</i> , 2007 , 104, 1434-9, table of contents	3.9	33
11	The effects of anesthetics and ethanol on alpha2 adrenoceptor subtypes expressed with G protein-coupled inwardly rectifying potassium channels in <i>Xenopus</i> oocytes. <i>Anesthesia and Analgesia</i> , 2005 , 101, 1381-1388	3.9	7
10	The effects of tramadol and its metabolite on glycine, gamma-aminobutyric acidA, and N-methyl-D-aspartate receptors expressed in <i>Xenopus</i> oocytes. <i>Anesthesia and Analgesia</i> , 2005 , 100, 1400-1405	3.9	93

9	Anesthetic management for cardioverter-defibrillator implantation in a patient with Kearns-Sayre syndrome. <i>Journal of Clinical Anesthesia</i> , 2004 , 16, 539-41	1.9	15
8	Up-regulation of noradrenaline transporter in response to prolonged exposure to ketamine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002 , 365, 406-12	3.4	14
7	Nonhalogenated alkanes cyclopropane and butane affect neurotransmitter-gated ion channel and G-protein-coupled receptors: differential actions on GABAA and glycine receptors. <i>Anesthesiology</i> , 2002 , 97, 1512-20	4.3	23
6	The anesthetic mechanism of urethane: the effects on neurotransmitter-gated ion channels. <i>Anesthesia and Analgesia</i> , 2002 , 94, 313-8, table of contents	3.9	335
5	Dual phases of functional change in norepinephrine transporter in cultured bovine adrenal medullary cells by long-term treatment with clozapine. <i>Journal of Neurochemistry</i> , 2001 , 77, 1018-26	6	13
4	Does Acetaldehyde Mediate Ethanol Action in the Central Nervous System?. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 1570-1575	3.7	15
3	The prolonged effect of a muscle relaxant in a patient with chronic inflammatory demyelinating polyradiculoneuropathy. <i>Anesthesia and Analgesia</i> , 2000 , 90, 224-6	3.9	12
2	Ketamine interacts with the noradrenaline transporter at a site partly overlapping the desipramine binding site. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1998 , 358, 328-33	3.4	45
1	General anesthesia for progressive external ophthalmoplegia syndrome. <i>Journal of Anesthesia</i> , 1995 , 9, 283-284	2.2	