

Yenn-Jiang Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1626513/publications.pdf>

Version: 2024-02-01

265
papers

6,641
citations

66234

42
h-index

85405

71
g-index

270
all docs

270
docs citations

270
times ranked

6925
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A Deep Learning-Enabled Electrocardiogram Model for the Identification of a Rare Inherited Arrhythmia: Brugada Syndrome. Canadian Journal of Cardiology, 2022, 38, 152-159. | 0.8 | 21 |
| 2 | Identification of Circumferential Pulmonary Vein Isolation Gaps and Critical Atrial Substrate From HD Grid Maps in Atrial Fibrillation Patients: Insights From Omnipolar Technology. Circulation: Arrhythmia and Electrophysiology, 2022, 15, CIRCEP121010424. | 2.1 | 3 |
| 3 | Using QRS loop descriptors to characterize the risk of sudden cardiac death in patients with structurally normal hearts. PLoS ONE, 2022, 17, e0263894. | 1.1 | 0 |
| 4 | Application of Ensite LiveView function for identification of scar-related ventricular tachycardia isthmus. Journal of Cardiovascular Electrophysiology, 2022, , . | 0.8 | 0 |
| 5 | Low voltage zones detected by omnipolar Vmax map accurately identifies the potential atrial substrate and predicts the AF ablation outcome after PV isolation. International Journal of Cardiology, 2022, 351, 42-47. | 0.8 | 4 |
| 6 | Rhythm Control Better Prevents Dementia than Rate Control Strategies in Patients with Atrial Fibrillation—A Nationwide Cohort Study. Journal of Personalized Medicine, 2022, 12, 572. | 1.1 | 6 |
| 7 | Long-term mortality and cardiovascular outcomes in patients with atrial flutter after catheter ablation. Europace, 2022, 24, 970-978. | 0.7 | 7 |
| 8 | Long-term outcome of patients with long-standing persistent atrial fibrillation undergoing ablation guided by a novel high-density panoramic mapping system: A propensity score matching study. Heart Rhythm O2, 2022, 3, 269-278. | 0.6 | 6 |
| 9 | Application of dynamic display technology to identify gaps after pulmonary vein isolation in catheter ablation of atrial fibrillation. Journal of Cardiology, 2022, , . | 0.8 | 0 |
| 10 | Efficacy of Cryoballoon Ablation for Atrial Fibrillation and Recurrence Predictors in an Asian Cohort. Journal of Personalized Medicine, 2022, 12, 732. | 1.1 | 1 |
| 11 | Dynamic changes in signal-averaged P wave after catheter ablation of atrial fibrillation. Journal of the Chinese Medical Association, 2022, 85, 549-553. | 0.6 | 0 |
| 12 | A High-Precision Deep Learning Algorithm to Localize Idiopathic Ventricular Arrhythmias. Journal of Personalized Medicine, 2022, 12, 764. | 1.1 | 3 |
| 13 | Clinical Significance of Structural Remodeling Concerning Substrate Characteristics and Outcomes in Arrhythmogenic Right Ventricular Cardiomyopathy. Heart Rhythm O2, 2022, , . | 0.6 | 0 |
| 14 | Decreased Expression of Plakophilin-2 and β -T-Catenin in Arrhythmogenic Right Ventricular Cardiomyopathy: Potential Markers for Diagnosis. International Journal of Molecular Sciences, 2022, 23, 5529. | 1.8 | 1 |
| 15 | Sinus Node Dysfunction after Successful Atrial Flutter Ablation during Follow-Up: Clinical Characteristics and Predictors. Journal of Clinical Medicine, 2022, 11, 3212. | 1.0 | 0 |
| 16 | Catheter ablation of complex atrial tachyarrhythmias in adult patients with cor triatriatum. Journal of Interventional Cardiac Electrophysiology, 2021, 62, 277-283. | 0.6 | 2 |
| 17 | Rhodiola crenulata reduces ventricular arrhythmia through mitigating the activation of IL-17 and inhibiting the MAPK signaling pathway. Cardiovascular Drugs and Therapy, 2021, 35, 889-900. | 1.3 | 19 |
| 18 | Left Ventricular Electromechanical Remodeling Detected by Acoustic Cardiography in Paroxysmal Atrial Fibrillation. Journal of Cardiovascular Translational Research, 2021, 14, 348-354. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Delayed association of acute particulate matter 2.5 air pollution exposure with loss of complexity in cardiac rhythm dynamics: insight from detrended fluctuation analysis. <i>Environmental Science and Pollution Research</i> , 2021, 28, 10931-10939. | 2.7 | 3 |
| 20 | Spatiotemporal differences in precordial electrocardiographic amplitude before and after flecainide provocation are associated with a history of unstable ventricular arrhythmia in Brugada syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 758-765. | 0.8 | 0 |
| 21 | Non-Vitamin K Antagonist Oral Anticoagulants in Elderly (>85 years) Patients With Newly Diagnosed Atrial Fibrillation. <i>Mayo Clinic Proceedings</i> , 2021, 96, 52-65. | 1.4 | 21 |
| 22 | Clinical significance of J waves with respect to substrate characteristics and ablation outcomes in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Europace</i> , 2021, 23, 1418-1427. | 0.7 | 3 |
| 23 | The isthmus characteristics of scar-related macroreentrant atrial tachycardia in patients with and without cardiac surgery. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1921-1930. | 0.8 | 5 |
| 24 | Efficacy of Patient-Specific Strategy: Catheter Ablation Strategy of Persistent Atrial Fibrillation Based on Morphological Repetitiveness by Periodicity and Similarity. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009719. | 2.1 | 2 |
| 25 | Case series on stereotactic body radiation therapy in non-ischemic cardiomyopathy patients with recurrent ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1085-1093. | 0.5 | 7 |
| 26 | Optimal substrate modification strategies using catheter ablation in patients with persistent atrial fibrillation: 3-year follow-up outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1561-1571. | 0.8 | 3 |
| 27 | Mechanism of Atypical Atrial Flutter With Alternating Tachycardia Cycle Lengths. <i>Heart Lung and Circulation</i> , 2021, 30, e76-e77. | 0.2 | 2 |
| 28 | Enhanced detection of cardiac arrhythmias utilizing 14-day continuous ECG patch monitoring. <i>International Journal of Cardiology</i> , 2021, 332, 78-84. | 0.8 | 25 |
| 29 | Novel model-based point scoring system for predicting stroke risk in atrial fibrillation patients: Results from a nationwide cohort study with validation. <i>IJC Heart and Vasculature</i> , 2021, 34, 100787. | 0.6 | 1 |
| 30 | Virtual reality-based preprocedural education increases preparedness and satisfaction of patients about the catheter ablation of atrial fibrillation. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 690-697. | 0.6 | 8 |
| 31 | Generation of IBMS-iPSC-015, -016, -017 human induced pluripotent stem cells (IBMSi013-A, IBMSi014-A). <i>Tj ETQq</i> 1 0.784314 rgBT 0.3 2 | 0.3 | 2 |
| 32 | Deep Sedation with Intravenous Anesthesia Is Associated with Outcome in Patients Undergoing Cryoablation for Paroxysmal Atrial Fibrillation. <i>International Heart Journal</i> , 2021, 62, 779-785. | 0.5 | 2 |
| 33 | Optimal blood pressure for patients with end-stage renal disease following coronary interventions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1622-1630. | 1.0 | 1 |
| 34 | Generation of IBMS-iPSC-021, -022, -023 human induced pluripotent stem cells (IBMSi016-A, IBMSi017-A). <i>Tj ETQq</i> 0 0 0 rgBT /Overlock 102416. 0.3 1 | 0.3 | 1 |
| 35 | Clinical Significance of Ventricular Tachyarrhythmias in Patients Undergoing Valve Replacement: A Nationwide Population-Based Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 676897. | 1.1 | 1 |
| 36 | Comparison of lesion characteristics between conventional and high-power short-duration ablation using contact force-sensing catheter in patients with paroxysmal atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 387. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The impact of height on recurrence after index catheter ablation of paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, , 1. | 0.6 | 0 |
| 38 | Prediction of Recurrent Atrial Tachyarrhythmia After Receiving Atrial Flutter Ablation in Patients With Prior Cardiac Surgery for Valvular Heart Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 741377. | 1.1 | 2 |
| 39 | Distribution of triggers foci and outcomes of catheter ablation in atrial fibrillation patients in different age groups. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1724-1732. | 0.5 | 3 |
| 40 | Mechanism of angiotensin receptor-neprilysin inhibitor in suppression of ventricular arrhythmia. <i>Journal of Cardiology</i> , 2021, 78, 275-284. | 0.8 | 5 |
| 41 | Association between phosphate and long-term outcome in CAD patients underwent coronary intervention. <i>Scientific Reports</i> , 2021, 11, 20080. | 1.6 | 3 |
| 42 | Virtual reality informative aids increase residents' atrial fibrillation ablation procedures-related knowledge and patients' satisfaction. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 25-32. | 0.6 | 10 |
| 43 | EHRA/HRS/APHRS/LAHS expert consensus on risk assessment in cardiac arrhythmias: Authors' reply. <i>Europace</i> , 2021, 23, 649-649. | 0.7 | 1 |
| 44 | Arrhythmogenic right ventricular cardiomyopathy: diverse substrate characteristics and ablation outcome. <i>Reviews in Cardiovascular Medicine</i> , 2021, 22, 1295. | 0.5 | 3 |
| 45 | Evidence of Ventricular Arrhythmogenicity and Cardiac Sympathetic Hyperinnervation in Early Cirrhotic Cardiomyopathy. <i>Frontiers in Physiology</i> , 2021, 12, 719883. | 1.3 | 2 |
| 46 | Long-Term Outcomes of Bioprosthetic or Mechanical Valve Replacement in End-Stage Renal Disease: A Nationwide Population-Based Retrospective Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 745370. | 1.1 | 2 |
| 47 | Utilization of Amplitude-Integrated Electroencephalography to Predict Neurologic Function after Resuscitation in Adults with Cardiogenic Cardiac Arrest. <i>Acta Cardiologica Sinica</i> , 2021, 37, 632-642. | 0.1 | 0 |
| 48 | Dynamic unipolar voltage criteria of right ventricular septum for identifying left ventricular septal scar. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 353-359. | 0.6 | 0 |
| 49 | Pan-Asia United States PrEvention of Sudden Cardiac Death Catheter Ablation Trial (PAUSE-SCD): rationale and study design. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 271-278. | 0.6 | 7 |
| 50 | Catheter ablation of atrial fibrillation reduces the risk of dementia and hospitalization during a very long-term follow-up. <i>International Journal of Cardiology</i> , 2020, 304, 75-81. | 0.8 | 27 |
| 51 | Outcome of rescue ablation in patients with refractory ventricular electrical storm requiring mechanical circulation support. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 9-17. | 0.8 | 4 |
| 52 | Application of noninvasive signal-averaged electrocardiogram analysis in predicting the requirement of epicardial ablation in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Heart Rhythm</i> , 2020, 17, 584-591. | 0.3 | 3 |
| 53 | The Clinical Application of the Deep Learning Technique for Predicting Trigger Origins in Patients With Paroxysmal Atrial Fibrillation With Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008518. | 2.1 | 24 |
| 54 | Disease-Specific Care certification program of acute myocardial infarction: Bring owls to Athens?. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 517-517. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The application of novel segmentation software to create left atrial geometry for atrial fibrillation ablation: The implication of spatial resolution. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 830-837. | 0.6 | 2 |
| 56 | Wide QRS complex tachycardia with alternating right bundle branch block morphologies: What is the mechanism?. <i>HeartRhythm Case Reports</i> , 2020, 6, 564-567. | 0.2 | 0 |
| 57 | Risk Assessment in Cardiac Arrhythmias. <i>European Heart Journal</i> , 2020, 41, 4455-4457. | 1.0 | 0 |
| 58 | Positron emission tomography/magnetic resonance imaging in ventricular arrhythmia. <i>Europace</i> , 2020, 22, 1269-1269. | 0.7 | 0 |
| 59 | Probing age-related changes in cardio-respiratory dynamics by multimodal coupling assessment. <i>Chaos</i> , 2020, 30, 033118. | 1.0 | 4 |
| 60 | Association between Preoperative Nutritional Status and Clinical Outcomes of Patients with Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Nutrients</i> , 2020, 12, 1295. | 1.7 | 30 |
| 61 | Association of Ischemic Stroke, Major Bleeding, and Other Adverse Events With Warfarin Use vs Non-vitamin K Antagonist Oral Anticoagulant Use in Patients With Atrial Fibrillation With a History of Intracranial Hemorrhage. <i>JAMA Network Open</i> , 2020, 3, e206424. | 2.8 | 37 |
| 62 | Autonomic modulation before and after paroxysmal atrial fibrillation events in patients with ischemic heart disease. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12767. | 0.5 | 3 |
| 63 | Automated extraction of left atrial volumes from two-dimensional computer tomography images using a deep learning technique. <i>International Journal of Cardiology</i> , 2020, 316, 272-278. | 0.8 | 22 |
| 64 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Europace</i> , 2020, 22, 1147-1148. | 0.7 | 62 |
| 65 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Heart Rhythm</i> , 2020, 17, e269-e316. | 0.3 | 15 |
| 66 | Risks and outcomes of gastrointestinal malignancies in anticoagulated atrial fibrillation patients experiencing gastrointestinal bleeding: A nationwide cohort study. <i>Heart Rhythm</i> , 2020, 17, 1745-1751. | 0.3 | 11 |
| 67 | Resistin as a Biomarker for the Prediction of Left Atrial Substrate and Recurrence in Patients with Drug-Refractory Atrial Fibrillation Undergoing Catheter Ablation. <i>International Heart Journal</i> , 2020, 61, 517-523. | 0.5 | 6 |
| 68 | Clinical features and diagnosis of new malignancy in patients with acute pulmonary embolism and without a history of cancer. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 245-250. | 0.6 | 6 |
| 69 | Applying the CHA2DS2-VASc score to predict the risk of future acute coronary syndrome in patients receiving catheter ablation for atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2020, 29, 100567. | 0.6 | 2 |
| 70 | Circadian rhythm dynamics on multiscale entropy identifies autonomic dysfunction associated with risk of ventricular arrhythmias and near syncope in chronic kidney disease. <i>Journal of Cardiology</i> , 2020, 76, 542-548. | 0.8 | 5 |
| 71 | Extremely late recurrences (≥3 years) of atrioventricular nodal reentrant tachycardia: Electrophysiological characteristics of the index and repeat ablation procedures. <i>International Journal of Cardiology</i> , 2020, 305, 70-75. | 0.8 | 5 |
| 72 | Association of variability in uric acid and future clinical outcomes of patient with coronary artery disease undergoing percutaneous coronary intervention. <i>Atherosclerosis</i> , 2020, 297, 40-46. | 0.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Ventricular divergence correlates with epicardial wavebreaks and predicts ventricular arrhythmia in isolated rabbit hearts during therapeutic hypothermia. PLoS ONE, 2020, 15, e0228818. | 1.1 | 1 |
| 74 | Outcomes of catheter ablation of ventricular arrhythmia originating from the left ventricular summit: A multicenter study. Heart Rhythm, 2020, 17, 1077-1083. | 0.3 | 31 |
| 75 | The presence of ectopic atrial rhythm predicts adverse cardiovascular outcomes in a large hospital-based population. Heart Rhythm, 2020, 17, 967-974. | 0.3 | 3 |
| 76 | Renal denervation ameliorates the risk of ventricular fibrillation in overweight and heart failure. Europace, 2020, 22, 657-666. | 0.7 | 13 |
| 77 | Identification of critical isthmus using coherent mapping in patients with scar-related atrial tachycardia. Journal of Cardiovascular Electrophysiology, 2020, 31, 1436-1447. | 0.8 | 26 |
| 78 | Management of Atrial Fibrillation in COVID-19 Pandemic. Circulation Journal, 2020, 84, 1679-1685. | 0.7 | 18 |
| 79 | Precordial T-Wave Inversions in Patients with Arrhythmogenic Right Ventricular Cardiomyopathy Who Present with the Initial Features of Right Ventricular Outflow Tract Arrhythmia. Acta Cardiologica Sinica, 2020, 36, 464-474. | 0.1 | 0 |
| 80 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 81 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 82 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 83 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 84 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 85 | Title is missing!. , 2020, 15, e0228818. | | 0 |
| 86 | Comparison of phase mapping and electrogram-based driver mapping for catheter ablation in atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 216-223. | 0.5 | 13 |
| 87 | Low-Dose Rivaroxaban and Risks of Adverse Events in Patients With Atrial Fibrillation. Stroke, 2019, 50, 2574-2577. | 1.0 | 41 |
| 88 | Clinical efficacy of open-irrigated electrode cooled with half-normal saline for initially failed radiofrequency ablation of idiopathic outflow tract ventricular arrhythmias. Journal of Cardiovascular Electrophysiology, 2019, 30, 1508-1516. | 0.8 | 16 |
| 89 | Gastroesophageal reflux disease and atrial fibrillation: Insight from autonomic cardiogastric neural interaction. Journal of Cardiovascular Electrophysiology, 2019, 30, 2262-2270. | 0.8 | 7 |
| 90 | Risk and predictors of subsequent cancers of patients with newly-diagnosed atrial fibrillation â A nationwide population-based study. International Journal of Cardiology, 2019, 296, 81-86. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Characteristics of recurrent ventricular tachyarrhythmia after catheter ablation in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 582-592. | 0.8 | 15 |
| 92 | The Accuracy and Clinical Applicability of a Sensor Based Electromagnetic Non-fluoroscopic Catheter Tracking System. <i>Korean Circulation Journal</i> , 2019, 49, 84. | 0.7 | 6 |
| 93 | Shorter Leukocyte Telomere Length Is Associated With Atrial Remodeling and Predicts Recurrence in Younger Patients With Paroxysmal Atrial Fibrillation After Radiofrequency Ablation. <i>Circulation Journal</i> , 2019, 83, 1449-1455. | 0.7 | 12 |
| 94 | Long-term efficacy and safety of adjunctive ethanol infusion into the vein of Marshall during catheter ablation for nonparoxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1215-1228. | 0.8 | 27 |
| 95 | Can hybrid procedure eliminate the gaps of experience in surgical ablation for atrial fibrillation and improve the sinus rhythm maintenance?. <i>Journal of Thoracic Disease</i> , 2019, 11, S437-S439. | 0.6 | 0 |
| 96 | Ultra-rapid high-density mapping system with the phase singularity technique is feasible in identifying rotors and focal sources and predicting AF termination. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 952-963. | 0.8 | 2 |
| 97 | Early detection of electromechanical dysfunction in patients with idiopathic premature ventricular contractions. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 637-645. | 0.5 | 7 |
| 98 | Incident Co-Morbidities in Patients with Atrial Fibrillation Initially with a CHA ₂ DS ₂ -VASc Score of 0 (Males) or 1 (Females): Implications for Reassessment of Stroke Risk in Initially "Low-Risk"™ Patients. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1162-1170. | 1.8 | 67 |
| 99 | Can Genetic Risk Scoring Predict Atrial Fibrillation Ablation Outcomes?. <i>Korean Circulation Journal</i> , 2019, 49, 350. | 0.7 | 0 |
| 100 | Electrophysiological and clinical characteristics of catheter ablation for isolated left side atrial tachycardia over a 10-year period. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1013-1025. | 0.8 | 3 |
| 101 | Ten-year ablation outcomes of patients with paroxysmal atrial fibrillation undergoing pulmonary vein isolation. <i>Heart Rhythm</i> , 2019, 16, 1327-1333. | 0.3 | 21 |
| 102 | Role of catheter ablation in patients with ischemic ventricular tachycardia. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 609-615. | 0.6 | 2 |
| 103 | Pitfall in the anticoagulant therapy in patients with paroxysmal atrial fibrillation and heart failure. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 743-744. | 0.6 | 0 |
| 104 | Uninterrupted non-vitamin K antagonist oral anticoagulants during implantation of cardiac implantable electronic devices in patients with atrial fibrillation. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 256-259. | 0.6 | 7 |
| 105 | A link between bilirubin levels and atrial fibrillation recurrence after catheter ablation. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 175-178. | 0.6 | 14 |
| 106 | Is it the time to use wrist devices for health diagnosis in clinical practice?. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 675-676. | 0.6 | 0 |
| 107 | The importance of extrapulmonary vein triggers and atypical atrial flutter in atrial fibrillation recurrence after cryoablation: Insights from repeat ablation procedures. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 16-24. | 0.8 | 17 |
| 108 | Clinical significance of J wave in prediction of ventricular arrhythmia in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2019, 73, 351-357. | 0.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Age threshold for the use of non-vitamin K antagonist oral anticoagulants for stroke prevention in patients with atrial fibrillation: insights into the optimal assessment of age and incident comorbidities. <i>European Heart Journal</i> , 2019, 40, 1504-1514. | 1.0 | 64 |
| 110 | Ambient fine particulate matter (PM2.5) exposure is associated with idiopathic ventricular premature complexes burden: A cohort study with consecutive Holter recordings. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 487-492. | 0.8 | 9 |
| 111 | Bleeding and New-Onset Cancers in Patients With Atrial Fibrillation Receiving Nonvitamin K Antagonist Oral Anticoagulants. <i>American Journal of Cardiology</i> , 2019, 123, 782-786. | 0.7 | 5 |
| 112 | Outcomes of Catheter Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy Without Background Implantable Cardioverter Defibrillator Therapy. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 55-65. | 1.3 | 15 |
| 113 | Diurnal cardiac sympathetic hyperactivity after exposure to acute particulate matter 2.5 air pollution. <i>Journal of Electrocardiology</i> , 2019, 52, 112-116. | 0.4 | 14 |
| 114 | A Novel and Simple Algorithm Using Surface Electrocardiogram That Localizes Accessory Conduction Pathway in Wolff-Parkinson-White Syndrome in Pediatric Patients. <i>Acta Cardiologica Sinica</i> , 2019, 35, 493-500. | 0.1 | 2 |
| 115 | Incident Risk Factors and Major Bleeding in Patients with Atrial Fibrillation Treated with Oral Anticoagulants: A Comparison of Baseline, Follow-up and Delta HAS-BLED Scores with an Approach Focused on Modifiable Bleeding Risk Factors. <i>Thrombosis and Haemostasis</i> , 2018, 47, 768-777. | 1.8 | 123 |
| 116 | The autonomic neural mechanism of right ventricular outflow tract tachycardia. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 212, 10-16. | 1.4 | 10 |
| 117 | Vasovagal responses during cryoballoon pulmonary vein isolation in paroxysmal atrial fibrillation predict favorable mid-term outcomes. <i>International Journal of Cardiology</i> , 2018, 258, 115-120. | 0.8 | 12 |
| 118 | Major bleeding and intracranial hemorrhage risk prediction in patients with atrial fibrillation: Attention to modifiable bleeding risk factors or use of a bleeding risk stratification score? A nationwide cohort study. <i>International Journal of Cardiology</i> , 2018, 254, 157-161. | 0.8 | 62 |
| 119 | Cigarette smoking causes a worse long-term outcome in persistent atrial fibrillation following catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 699-706. | 0.8 | 23 |
| 120 | Circulating microRNAs in arrhythmogenic right ventricular cardiomyopathy with ventricular arrhythmia. <i>Europace</i> , 2018, 20, f37-f45. | 0.7 | 23 |
| 121 | Impact of Renal Denervation on Atrial Arrhythmogenic Substrate in Ischemic Model of Heart Failure. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 27 |
| 122 | Relationship of Aging and Incident Comorbidities to Stroke Risk in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2018, 71, 122-132. | 1.2 | 147 |
| 123 | Ventricular arrhythmias originating from the cardiac crux and the basal inferior segment of the interventricular septum in the patients with structural heart diseases: characteristics, mapping, and electrophysiological properties. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 52, 225-236. | 0.6 | 1 |
| 124 | Heterogeneous distribution of substrates between the endocardium and epicardium promotes ventricular fibrillation in arrhythmogenic right ventricular dysplasia/cardiomyopathy. <i>Europace</i> , 2018, 20, 501-511. | 0.7 | 20 |
| 125 | Radiofrequency ablation of accessory pathways in patients with the Wolff-Parkinson-White syndrome: long-term risk of mortality and coronary events. <i>Europace</i> , 2018, 20, 1035-1042. | 0.7 | 5 |
| 126 | Novel electrophysiological criteria for septal ventricular outflow tract tachycardias requiring a sequential bilateral ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 298-307. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Electrocardiographic features of failed and recurrent right ventricular outflow tract catheter ablation of idiopathic ventricular arrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 127-137. | 0.8 | 9 |
| 128 | Ablation of persistent atrial fibrillation and beyond. <i>Current Opinion in Cardiology</i> , 2018, Publish Ahead of Print, 16-22. | 0.8 | 1 |
| 129 | Catheter Ablation of Ventricular Tachycardia in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy. <i>Korean Circulation Journal</i> , 2018, 48, 890. | 0.7 | 3 |
| 130 | Evolving Changes of the Use of Oral Anticoagulants and Outcomes in Patients With Newly Diagnosed Atrial Fibrillation in Taiwan. <i>Circulation</i> , 2018, 138, 1485-1487. | 1.6 | 65 |
| 131 | Usefulness of the CHA2DS2-VASc Score to Predict the Risk of Sudden Cardiac Death and Ventricular Arrhythmias in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2018, 122, 2049-2054. | 0.7 | 9 |
| 132 | Oral anticoagulant use for stroke prevention in atrial fibrillation patients with difficult scenarios. <i>IJC Heart and Vasculature</i> , 2018, 20, 56-62. | 0.6 | 34 |
| 133 | Seasonal variation in the risk of ischemic stroke in patients with atrial fibrillation: A nationwide cohort study. <i>Heart Rhythm</i> , 2018, 15, 1611-1616. | 0.3 | 12 |
| 134 | Electrocardiographic characteristics for predicting idiopathic right ventricular outflow tract premature ventricular complex-induced cardiomyopathy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 175-185. | 0.6 | 4 |
| 135 | Interleukin-17 enhances cardiac ventricular remodeling via activating MAPK pathway in ischemic heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 122, 69-79. | 0.9 | 56 |
| 136 | The prevalence and characteristics of coexisted atrioventricular nodal reentrant tachycardia and idiopathic left fascicular ventricular tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1096-1103. | 0.8 | 4 |
| 137 | Endo/epicardial mapping issues: Authors' reply. <i>Europace</i> , 2018, 20, 1561-1562. | 0.7 | 1 |
| 138 | Intermediate Pause at Daytime Is Associated With Increased Cardiovascular Risk and Mortality: An 8-Year Cohort Study. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 3 |
| 139 | High-resolution mapping of pulmonary vein potentials improved the successful pulmonary vein isolation using small electrodes and inter-electrode spacing catheter. <i>International Journal of Cardiology</i> , 2018, 272, 90-96. | 0.8 | 16 |
| 140 | Safety and Efficacy of Epicardial Ablation of Ventricular Tachyarrhythmias: Experience from a Tertiary Referral Center in Taiwan. <i>Acta Cardiologica Sinica</i> , 2018, 34, 49-58. | 0.1 | 18 |
| 141 | Reappraisal of the Worldwide Prevalence of Brugada Syndrome and Brugada Phenotype: From the Old to the New Diagnostic Criteria. <i>Acta Cardiologica Sinica</i> , 2018, 34, 278-279. | 0.1 | 2 |
| 142 | The application of signal average ECG in the prediction of recurrences after catheter ablation of ventricular arrhythmias in arrhythmogenic right ventricular dysplasia/cardiomyopathy. <i>International Journal of Cardiology</i> , 2017, 236, 168-173. | 0.8 | 7 |
| 143 | A novel method to enhance phenotype, epicardial functional substrates, and ventricular tachyarrhythmias in Brugada syndrome. <i>Heart Rhythm</i> , 2017, 14, 508-517. | 0.3 | 46 |
| 144 | Beneficial Effect of Renal Denervation on Ventricular Premature Complex Induced Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Atrial fibrillation originating from superior vena cava with atrial flutter—electrocardiogram pattern. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 754-761. | 0.5 | 1 |
| 146 | Characteristics and long-term catheter ablation outcome in long-standing persistent atrial fibrillation patients with non-pulmonary vein triggers. <i>International Journal of Cardiology</i> , 2017, 241, 205-211. | 0.8 | 32 |
| 147 | Gender differences in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy: Clinical manifestations, electrophysiological properties, substrate characteristics, and prognosis of radiofrequency catheter ablation. <i>International Journal of Cardiology</i> , 2017, 227, 930-937. | 0.8 | 26 |
| 148 | Renal denervation regulates the atrial arrhythmogenic substrates through reverse structural remodeling in heart failure rabbit model. <i>International Journal of Cardiology</i> , 2017, 235, 105-113. | 0.8 | 25 |
| 149 | The roles of alcohol dehydrogenase in patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1446-1453. | 0.5 | 2 |
| 150 | Characteristics of diurnal ventricular premature complex variation in right ventricular outflow tract arrhythmias after catheter ablation. <i>Medicine (United States)</i> , 2017, 96, e6516. | 0.4 | 7 |
| 151 | Beyond Pulmonary Vein Isolation: the Role of Additional Sites in Catheter Ablation of Atrial Fibrillation. <i>Current Cardiology Reports</i> , 2017, 19, 86. | 1.3 | 8 |
| 152 | Risk of Stroke in Patients With Short-Run Atrial Tachyarrhythmia. <i>Stroke</i> , 2017, 48, 3232-3238. | 1.0 | 16 |
| 153 | Liver Cirrhosis in Patients With Atrial Fibrillation: Would Oral Anticoagulation Have a Net Clinical Benefit for Stroke Prevention?. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 80 |
| 154 | Novel electrocardiogram and electrophysiological findings for differentiating idiopathic left posterior papillary muscle and left posterior fascicular ventricular arrhythmias. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 291-297. | 0.6 | 6 |
| 155 | Different directions of conduction of fascicular potential and ventricular potential during left posterior fascicular ventricular tachycardia ablation: what is the mechanism?. <i>Europace</i> , 2017, 19, 118. | 0.7 | 2 |
| 156 | Left Atrial Size and Left Ventricular End-Systolic Dimension Predict the Progression of Paroxysmal Atrial Fibrillation After Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 23-30. | 0.8 | 32 |
| 157 | European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLAECE). <i>Europace</i> , 2017, 19, 465-511. | 0.7 | 118 |
| 158 | Impact of aortic encroachment to left atrium on non-pulmonary vein triggers of atrial fibrillation. <i>International Journal of Cardiology</i> , 2017, 227, 650-655. | 0.8 | 8 |
| 159 | Increased risk of ventricular tachycardia in patients with sarcoidosis during the very long term follow-up. <i>International Journal of Cardiology</i> , 2017, 228, 68-73. | 0.8 | 24 |
| 160 | Predicting the Origin of Ventricular Arrhythmia Using Acoustic Cardiography. <i>Scientific Reports</i> , 2017, 7, 15490. | 1.6 | 0 |
| 161 | Catheter Ablation of Ventricular Tachycardia/Fibrillation in a Patient with Right Ventricular Amyloidosis with Initial Manifestations Mimicking Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy. <i>Korean Circulation Journal</i> , 2017, 47, 282. | 0.7 | 8 |
| 162 | Atrial Arrhythmia Ablation in Adult Congenital Heart Disease with a Persistent Left-side Superior Vena Cava. <i>Internal Medicine</i> , 2017, 56, 3051-3055. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Seeing is believing: visualization of pulmonary vein gaps using ultra-high resolution electroanatomic mapping. <i>Journal of Thoracic Disease</i> , 2017, 9, 4205-4207. | 0.6 | 0 |
| 164 | The use of a novel signal analysis to identify the origin of idiopathic right ventricular outflow tract ventricular tachycardia during sinus rhythm: Simultaneous amplitude frequency electrogram transformation mapping. <i>PLoS ONE</i> , 2017, 12, e0173189. | 1.1 | 7 |
| 165 | A novel noninvasive surface ECG analysis using interlead QRS dispersion in arrhythmogenic right ventricular cardiomyopathy. <i>PLoS ONE</i> , 2017, 12, e0182364. | 1.1 | 8 |
| 166 | Potential Screening for Cardiologist?. <i>Acta Cardiologica Sinica</i> , 2017, 33, 301-302. | 0.1 | 0 |
| 167 | Ablation of Ventricular Tachycardia Arising from the Great Cardiac Vein - A Rare Cause of Coronary Artery Injury. <i>Acta Cardiologica Sinica</i> , 2017, 33, 553-555. | 0.1 | 5 |
| 168 | Long-Term Outcome of Non-Sustained Ventricular Tachycardia in Structurally Normal Hearts. <i>PLoS ONE</i> , 2016, 11, e0160181. | 1.1 | 33 |
| 169 | 2016 Guidelines of the Taiwan Heart Rhythm Society and the Taiwan Society of Cardiology for the management of atrial fibrillation. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 893-952. | 0.8 | 113 |
| 170 | Pleiotropic Effects of Myocardial MMP-9 Inhibition to Prevent Ventricular Arrhythmia. <i>Scientific Reports</i> , 2016, 6, 38894. | 1.6 | 20 |
| 171 | Periesophageal vagal plexus injury is a favorable outcome predictor after catheter ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2016, 13, 1786-1793. | 0.3 | 3 |
| 172 | When Atrial Fibrillation Co-Exists with Coronary Artery Disease in Patients with Prior Coronary Intervention - Does Ablation Benefit?. <i>Heart Lung and Circulation</i> , 2016, 25, 538-550. | 0.2 | 12 |
| 173 | Simultaneous Amplitude Frequency Electrogram Transformation (SAFE-T) Mapping to Identify Ventricular Tachycardia Arrhythmogenic Potentials in Sinus Rhythm. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 459-470. | 1.3 | 21 |
| 174 | Impact on Outcomes of Changing Treatment Guideline Recommendations for Stroke Prevention in Atrial Fibrillation: A Nationwide Cohort Study. <i>Mayo Clinic Proceedings</i> , 2016, 91, 567-574. | 1.4 | 25 |
| 175 | Is an Oral Anticoagulant Necessary for Young Atrial Fibrillation Patients With a CHA ₂ DS ₂ -VASc Score of 1 (Men) or 2 (Women)?. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 18 |
| 176 | Temporary Suppression of Cardiac Ganglionated Plexi Leads to Long-Term Suppression of Atrial Fibrillation: Evidence of Early Autonomic Intervention to Break the Vicious Cycle of "AF Begets AF". <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 31 |
| 177 | Response by Chao et al to Letters Regarding Article, "Use of Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation Who Have a History of Intracranial Hemorrhage". <i>Circulation</i> , 2016, 134, e230-1. | 1.6 | 0 |
| 178 | Validation of a Modified CHA ₂ DS ₂ -VASc Score for Stroke Risk Stratification in Asian Patients With Atrial Fibrillation. <i>Stroke</i> , 2016, 47, 2462-2469. | 1.0 | 78 |
| 179 | Benefits of Atrial Substrate Modification Guided by Electrogram Similarity and Phase Mapping Techniques to Eliminate Rotors and Focal Sources Versus Conventional Defragmentation in Persistent Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 667-678. | 1.3 | 50 |
| 180 | Effect of vagotomy on the activity of cardiac autonomic ganglia: Insight from left atrial high density frequency mapping. <i>International Journal of Cardiology</i> , 2016, 220, 435-439. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | European Society of Cardiology Guideline-Adherent Antithrombotic Treatment and Risk of Mortality in Asian Patients with Atrial Fibrillation. <i>Scientific Reports</i> , 2016, 6, 30734. | 1.6 | 14 |
| 182 | Ablation of ventricular arrhythmia originating at the papillary muscle using an automatic pacemapping module. <i>Heart Rhythm</i> , 2016, 13, 1431-1440. | 0.3 | 10 |
| 183 | The Application of Ambulatory Electrocardiographically-Based T-Wave Alternans in Patients with Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1355.e15-1355.e22. | 0.8 | 4 |
| 184 | Novel usage of the cryoballoon catheter to achieve large area atrial substrate modification in persistent and long-standing persistent atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 46, 275-285. | 0.6 | 28 |
| 185 | Use of Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation Who Have a History of Intracranial Hemorrhage. <i>Circulation</i> , 2016, 133, 1540-1547. | 1.6 | 103 |
| 186 | Novel electrophysiological characteristics of atrioventricular nodal continuous conduction curves in atrioventricular nodal re-entrant tachycardia with concomitant cavotricuspid isthmus-dependent atrial flutter. <i>Europace</i> , 2016, 18, 1259-1264. | 0.7 | 4 |
| 187 | Irregular wide QRS complex tachycardia in a patient with pulmonary hypertension: What is the mechanism?. <i>HeartRhythm Case Reports</i> , 2016, 2, 63-66. | 0.2 | 2 |
| 188 | Radiofrequency catheter ablation of ventricular arrhythmias originating from the continuum between the aortic sinus of Valsalva and the left ventricular summit: Electrocardiographic characteristics and correlative anatomy. <i>Heart Rhythm</i> , 2016, 13, 111-121. | 0.3 | 47 |
| 189 | Comparisons of CHADS2 and CHA2DS2-VASc scores for stroke risk stratification in atrial fibrillation: Which scoring system should be used for Asians?. <i>Heart Rhythm</i> , 2016, 13, 46-53. | 0.3 | 72 |
| 190 | Association of Single Nucleotide Polymorphisms with Atrial Fibrillation and the Outcome after Catheter Ablation. <i>Acta Cardiologica Sinica</i> , 2016, 32, 523-531. | 0.1 | 8 |
| 191 | Focal atrial fibrillation presenting in the origin of atrial tachycardia. <i>HeartRhythm Case Reports</i> , 2015, 1, 18-21. | 0.2 | 0 |
| 192 | Predictors and Characteristics of Multiple (More Than 2) Catheter Ablation Procedures for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1048-1056. | 0.8 | 44 |
| 193 | Intra-isthmus Reentry Flutter Localizing at Pouch of Cavotricuspid Isthmus. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1383-1384. | 0.8 | 3 |
| 194 | Intramural Reentrant Ventricular Tachycardia in a Patient with Severe Hypertensive Left Ventricular Hypertrophy. <i>Korean Circulation Journal</i> , 2015, 45, 526. | 0.7 | 1 |
| 195 | The Impact of Diabetes Mellitus and Corresponding HbA1c Levels on the Future Risks of Cardiovascular Disease and Mortality: A Representative Cohort Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0123116. | 1.1 | 32 |
| 196 | The Different Substrate Characteristics of Arrhythmogenic Triggers in Idiopathic Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia: New Insight from Noncontact Mapping. <i>PLoS ONE</i> , 2015, 10, e0140167. | 1.1 | 7 |
| 197 | Current and state of the art on the electrophysiologic characteristics and catheter ablation of arrhythmogenic right ventricular dysplasia/cardiomyopathy. <i>Journal of Cardiology</i> , 2015, 65, 441-450. | 0.8 | 15 |
| 198 | Factors predisposing to ventricular proarrhythmia during antiarrhythmic drug therapy for atrial fibrillation in patients with structurally normal heart. <i>Heart Rhythm</i> , 2015, 12, 1490-1500. | 0.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Prognostic Significance of Premature Atrial Complexes Burden in Prediction of Long-Term Outcome. <i>Journal of the American Heart Association</i> , 2015, 4, e002192. | 1.6 | 41 |
| 200 | Should Atrial Fibrillation Patients With Additional Risk Factor of the CHA ₂ DS ₂ -VASc Score (Beyond) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.2 | 222 |
| 201 | Inflammation and the pathogenesis of atrial fibrillation. <i>Nature Reviews Cardiology</i> , 2015, 12, 230-243. | 6.1 | 688 |
| 202 | Risk and prediction of dementia in patients with atrial fibrillation – A nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2015, 199, 25-30. | 0.8 | 87 |
| 203 | Early repolarization of surface ECG predicts fatal ventricular arrhythmias in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy and symptomatic ventricular arrhythmias. <i>International Journal of Cardiology</i> , 2015, 197, 300-305. | 0.8 | 14 |
| 204 | History of hyperthyroidism and long-term outcome of catheter ablation of drug-refractory atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 1956-1962. | 0.3 | 24 |
| 205 | Incidence and risk factors for new-onset atrial fibrillation among patients with end-stage renal disease undergoing renal replacement therapy. <i>Kidney International</i> , 2015, 87, 1209-1215. | 2.6 | 71 |
| 206 | Age Threshold for Increased Stroke Risk Among Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2015, 66, 1339-1347. | 1.2 | 104 |
| 207 | Statins and the risk of dementia in patients with atrial fibrillation: A nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2015, 196, 91-97. | 0.8 | 31 |
| 208 | Rate-Control Treatment and Mortality in Atrial Fibrillation. <i>Circulation</i> , 2015, 132, 1604-1612. | 1.6 | 110 |
| 209 | Long-term outcome of multiform premature ventricular complexes in structurally normal heart. <i>International Journal of Cardiology</i> , 2015, 180, 80-85. | 0.8 | 62 |
| 210 | Can oral anticoagulants be stopped safely after a successful atrial fibrillation ablation?. <i>Journal of Thoracic Disease</i> , 2015, 7, 172-7. | 0.6 | 15 |
| 211 | Long-Term Follow-Up of Catheter Ablation of Ventricular Arrhythmias: Experiences from a Tertiary Referral Center in Taiwan. <i>Acta Cardiologica Sinica</i> , 2015, 31, 8-17. | 0.1 | 18 |
| 212 | The Electrical Characteristics and Clinical Significance of the Effect of Adenosine on Dissociated Activity after Circumferential Venous Isolation in Patients with Atrial Fibrillation. <i>Acta Cardiologica Sinica</i> , 2015, 31, 317-24. | 0.1 | 0 |
| 213 | Preventing Phrenic Nerve Stimulation by a Patch Insulation in an Intact Swine Heart Model. <i>PLoS ONE</i> , 2014, 9, e102608. | 1.1 | 0 |
| 214 | Unipolar Peak-Negative Voltage as an Endocardial Electrographic Characteristic to Predict Overlying Abnormal Epicardial Substrates in Patients with Right Epicardial Ventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1343-1349. | 0.8 | 6 |
| 215 | The Use of Signal Analyses of Ventricular Tachycardia Electrograms to Predict the Response of Antitachycardia Pacing in Patients with Implantable Cardioverter-Defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 411-417. | 0.8 | 8 |
| 216 | Does Digoxin Increase the Risk of Ischemic Stroke and Mortality in Atrial Fibrillation? A Nationwide Population-Based Cohort Study. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1190-1195. | 0.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Hyperuricemia and the risk of ischemic stroke in patients with atrial fibrillation – Could it refine clinical risk stratification in AF?. <i>International Journal of Cardiology</i> , 2014, 170, 344-349. | 0.8 | 47 |
| 218 | Risk stratification of arrhythmogenic right ventricular cardiomyopathy based on signal averaged electrocardiograms. <i>International Journal of Cardiology</i> , 2014, 174, 628-633. | 0.8 | 20 |
| 219 | R2CHADS2 Score and Thromboembolic Events After Catheter Ablation of Atrial Fibrillation in Comparison With the CHA2DS2-VASc Score. <i>Canadian Journal of Cardiology</i> , 2014, 30, 405-412. | 0.8 | 20 |
| 220 | A Prospective and Randomized Comparison of Limited Versus Extensive Atrial Substrate Modification After Circumferential Pulmonary Vein Isolation in Nonparoxysmal Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 803-812. | 0.8 | 27 |
| 221 | Acute myocardial infarction in patients with atrial fibrillation with a CHA2DS2-VASc score of 0 or 1: A nationwide cohort study. <i>Heart Rhythm</i> , 2014, 11, 1941-1947. | 0.3 | 58 |
| 222 | The impact of anatomical remodeling of the left atrium and pulmonary vein on the recurrence of paroxysmal atrial fibrillation after catheter ablation. <i>International Journal of Cardiology</i> , 2014, 176, 1173-1175. | 0.8 | 2 |
| 223 | Colchicine suppresses atrial fibrillation in failing heart. <i>International Journal of Cardiology</i> , 2014, 176, 651-660. | 0.8 | 24 |
| 224 | Using the CHA2DS2-VASc Score for Refining Stroke Risk Stratification in –Low-Risk™ Asian Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1658-1665. | 1.2 | 157 |
| 225 | Different characteristics and electrophysiological properties between early and late recurrences after acute successful catheter ablation of idiopathic right ventricular outflow tract arrhythmias during long-term follow-up. <i>Heart Rhythm</i> , 2014, 11, 1760-1769. | 0.3 | 17 |
| 226 | Incidence and prediction of ischemic stroke among atrial fibrillation patients with end-stage renal disease requiring dialysis. <i>Heart Rhythm</i> , 2014, 11, 1752-1759. | 0.3 | 74 |
| 227 | Long-term Prognosis of Patients Older Than Ninety Years After Permanent Pacemaker Implantation: Does the Procedure Save the Patients?. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1196-1201. | 0.8 | 12 |
| 228 | Atrial fibrillation influences survival in patients with hepatocellular carcinoma: Experience from a single center in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2014, 77, 117-121. | 0.6 | 4 |
| 229 | The Association between Atrium Electromechanical Interval and Pericardial Fat. <i>PLoS ONE</i> , 2014, 9, e97472. | 1.1 | 3 |
| 230 | Long-Term Prognosis in Recipients of Implantable Cardioverter-Defibrillators for Secondary Preventions in Taiwan - A Multicenter Registry Study. <i>Acta Cardiologica Sinica</i> , 2014, 30, 22-8. | 0.1 | 3 |
| 231 | The Connection between Cardiac and Mental Disorder: Atrial Fibrillation in Patients with Psychiatric Disorder. <i>Acta Cardiologica Sinica</i> , 2014, 30, 53-5. | 0.1 | 1 |
| 232 | Prevalence, Characteristics, Mapping, and Catheter Ablation of Potential Rotors in Nonparoxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 851-858. | 2.1 | 71 |
| 233 | Successful catheter ablation reduces the risk of cardiovascular events in atrial fibrillation patients with CHA2DS2-VASc risk score of 1 and higher. <i>Europace</i> , 2013, 15, 676-684. | 0.7 | 64 |
| 234 | Nonlinear Analysis of Fibrillatory Electrogram Similarity to Optimize the Detection of Complex Fractionated Electrograms During Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 280-289. | 0.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Gender Difference in Idiopathic Right Ventricular Outflow Tract-Ventricular Tachycardia. <i>Acta Cardiologica Sinica</i> , 2013, 29, 304-10. | 0.1 | 6 |
| 236 | How Long Should Prophylactic Antibiotics be Prescribed for Permanent Pacemaker Implantations? One Day versus Three Days. <i>Acta Cardiologica Sinica</i> , 2013, 29, 341-6. | 0.1 | 7 |
| 237 | Clinical Outcome of Catheter Ablation in Patients With Nonparoxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 514-520. | 2.1 | 106 |
| 238 | Novel Assessment of Temporal Variation in Fractionated Electrograms Using Histogram Analysis of Local Fractionation Interval in Patients With Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 949-956. | 2.1 | 6 |
| 239 | The clinical and electroanatomical characteristics of paroxysmal lone atrial fibrillation. <i>Journal of Arrhythmia</i> , 2012, 28, 182-186. | 0.5 | 0 |
| 240 | A Prospective, Randomized Comparison of Modified Pulmonary Vein Isolation Versus Conventional Pulmonary Vein Isolation in Patients with Paroxysmal Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1155-1162. | 0.8 | 16 |
| 241 | Risk stratification and clinical outcomes in patients with acute pulmonary embolism. <i>Clinical Biochemistry</i> , 2011, 44, 1110-1115. | 0.8 | 21 |
| 242 | Differentiating Macroreentrant from Focal Atrial Tachycardias Occurred After Circumferential Pulmonary Vein Isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 748-755. | 0.8 | 34 |
| 243 | The distance between the vein and lesions predicts the requirement of carina ablation in circumferential pulmonary vein isolation. <i>Europace</i> , 2011, 13, 376-382. | 0.7 | 42 |
| 244 | Prognostic Implications of the High-Sensitive C-Reactive Protein in the Catheter Ablation of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2010, 105, 495-501. | 0.7 | 85 |
| 245 | Role of high dominant frequency sites in nonparoxysmal atrial fibrillation patients: Insights from high-density frequency and fractionation mapping. <i>Heart Rhythm</i> , 2010, 7, 1255-1262. | 0.3 | 64 |
| 246 | Spatiotemporal Organization of the Left Atrial Substrate After Circumferential Pulmonary Vein Isolation of Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009, 2, 233-241. | 2.1 | 83 |
| 247 | Induced Atrial Tachycardia After Circumferential Pulmonary Vein Isolation of Paroxysmal Atrial Fibrillation: Electrophysiological Characteristics and Impact of Catheter Ablation on the Follow-up Results. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 388-394. | 0.8 | 54 |
| 248 | Efficacy of Additional Ablation of Complex Fractionated Atrial Electrograms for Catheter Ablation of Nonparoxysmal Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 607-615. | 0.8 | 106 |
| 249 | Role of the right atrial substrate in different types of atrial arrhythmias. <i>Heart Rhythm</i> , 2009, 6, 592-598. | 0.3 | 23 |
| 250 | Spectral analysis during sinus rhythm predicts an abnormal atrial substrate in patients with paroxysmal atrial fibrillation. <i>Heart Rhythm</i> , 2008, 5, 968-974. | 0.3 | 29 |
| 251 | Consistency of complex fractionated atrial electrograms during atrial fibrillation. <i>Heart Rhythm</i> , 2008, 5, 406-412. | 0.3 | 119 |
| 252 | Optimal Electrogram Voltage Recording Technique for Detecting the Acute Ablative Tissue Injury in the Human Right Atrium. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 617-622. | 0.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Validation of the Frequency Spectra Obtained from the Noncontact Unipolar Electrograms During Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 1147-1153. | 0.8 | 26 |
| 254 | Biatrial Substrate Properties in Patients with Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 1134-1139. | 0.8 | 109 |
| 255 | Frequency Analysis in Different Types of Paroxysmal Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1401-1407. | 1.2 | 117 |
| 256 | Substrate Mapping to Detect Abnormal Atrial Endocardium With Slow Conduction in Patients With Atypical Right Atrial Flutter. <i>Journal of the American College of Cardiology</i> , 2006, 48, 492-498. | 1.2 | 39 |
| 257 | Can Mapping and Ablation of Atrial Fibrillation Be Guided by Frequency Analysis of Fibrillatory Waves?. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, S44-S49. | 0.8 | 8 |
| 258 | Characterization of Right Atrial Substrate in Patients with Supraventricular Tachyarrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 173-180. | 0.8 | 48 |
| 259 | Electrophysiological Characteristics and Catheter Ablation in Patients With Paroxysmal Right Atrial Fibrillation. <i>Circulation</i> , 2005, 112, 1692-1700. | 1.6 | 96 |
| 260 | Focal Atrial Tachycardia. <i>Circulation</i> , 2004, 109, 84-91. | 1.6 | 139 |
| 261 | Electrophysiological Mechanisms and Catheter Ablation of Complex Atrial Arrhythmias from Crista Terminalis: Insight from Three-Dimensional Noncontact Mapping. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004, 27, 1231-1239. | 0.5 | 28 |
| 262 | Mechanism of Repolarization Change During Initiation of Supraventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 1233-1237. | 0.8 | 7 |
| 263 | Characteristics of virtual unipolar electrograms for detecting isthmus block during radiofrequency ablation of typical atrial flutter. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2300-2304. | 1.2 | 36 |
| 264 | Unusual Phenomenon of Spontaneous Termination of Atrioventricular Nodal Reentrant Tachycardia with 2:1 Atrioventricular Block. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 437-438. | 0.8 | 6 |
| 265 | Sodium-Glucose Cotransporter 2 Inhibitors in Cardiovascular and Renal Outcomes in Patients With Diabetes but Without Established Cardiovascular Disease: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 0, , . | 4.3 | 1 |