Nils T Milman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1627410/publications.pdf

Version: 2024-02-01

76 papers

2,586 citations

201385 27 h-index 205818 48 g-index

78 all docs 78 docs citations

78 times ranked 2334 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Differentiation of idiopathic pulmonary hemosiderosis from rheumatologic and autoimmune diseases causing diffuse alveolar hemorrhage: establishing a diagnostic approach. Clinical Rheumatology, 2022, 41, 325-336. | 1.0 | 11 |
| 2 | Prevalence of autoantibodies in pediatric patients with idiopathic pulmonary hemosiderosis: a scoping review of the literature in the period 1980–2021. Clinical Rheumatology, 2022, 41, 977-990. | 1.0 | 10 |
| 3 | Comparative Analysis of Adult Patients With Idiopathic Pulmonary Hemosiderosis and Lane-Hamilton Syndrome: A Systematic Review of the Literature in the Period 1971-2022. Cureus, 2022, 14, e23482. | 0.2 | 3 |
| 4 | The Spectrum of Autoantibodies in Adult Patients With Idiopathic Pulmonary Hemosiderosis: A Brief Review of the Literature. Cureus, 2022, 14, e24169. | 0.2 | 0 |
| 5 | Liposteroid Therapy for Idiopathic Pulmonary Hemosiderosis: A Scoping Review of the Literature. Prague Medical Report, 2022, 123, 65-81. | 0.4 | 1 |
| 6 | Idiopathic pulmonary hemosiderosis: a review of the treatments used during the past 30Âyears and future directions. Clinical Rheumatology, 2021, 40, 2547-2557. | 1.0 | 26 |
| 7 | Short Review of Liposteroid: A Novel Targeted Glucocorticoid Preparation for Treatment of Autoimmune and Inflammatory Diseases. Prague Medical Report, 2021, 122, 257-268. | 0.4 | 9 |
| 8 | A Review of Nutrients and Compounds, Which Promote or Inhibit Intestinal Iron Absorption: Making a Platform for Dietary Measures That Can Reduce Iron Uptake in Patients with Genetic Haemochromatosis. Journal of Nutrition and Metabolism, 2020, 2020, 1-15. | 0.7 | 44 |
| 9 | Dietary Iron Intake in Pregnant Women in Europe: A Review of 24 Studies from 14 Countries in the Period 1991–2014. Journal of Nutrition and Metabolism, 2020, 2020, 1-11. | 0.7 | 22 |
| 10 | Dietary Iron Intake in Women of Reproductive Age in Europe: A Review of 49 Studies from 29 Countries in the Period 1993–2015. Journal of Nutrition and Metabolism, 2019, 2019, 1-13. | 0.7 | 26 |
| 11 | Iron status in pregnant women and women of reproductive age in Europe. American Journal of Clinical Nutrition, 2017, 106, 1655S-1662S. | 2.2 | 127 |
| 12 | Supplementation during pregnancy: beliefs and science. Gynecological Endocrinology, 2016, 32, 509-516. | 0.7 | 52 |
| 13 | Ferrous bisglycinate 25 mg iron is as effective as ferrous sulfate 50 mg iron in the prophylaxis of iron deficiency and anemia during pregnancy in a randomized trial. Journal of Perinatal Medicine, 2014, 42, 197-206. | 0.6 | 41 |
| 14 | Vitamin D status during normal pregnancy and postpartum. A longitudinal study in 141 Danish women. Journal of Perinatal Medicine, 2012, 40, 57-61. | 0.6 | 42 |
| 15 | Effect of the TNFâ€Î± inhibitor adalimumab in patients with recalcitrant sarcoidosis: a prospective observational study using FDGâ€PET. Clinical Respiratory Journal, 2012, 6, 238-247. | 0.6 | 58 |
| 16 | The <i>BTNL2</i> A allele variant is frequent in Danish patients with sarcoidosis. Clinical Respiratory Journal, 2011, 5, 105-111. | 0.6 | 17 |
| 17 | Erythrocyte Glucose-6-Phosphate Dehydrogenase in Chronic Renal Failure and after Renal Transplantation. Scandinavian Journal of Haematology, 2009, 24, 307-314. | 0.0 | 4 |
| 18 | Frequencies of the haemochromatosis gene (HFE) variants C282Y, H63D and S65C in 6,020 ethnic Danish men. Annals of Hematology, 2008, 87, 735-740. | 0.8 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prepartum anaemia: prevention and treatment. Annals of Hematology, 2008, 87, 949-959. | 0.8 | 153 |
| 20 | Hemoglobin concentrations in 358 apparently healthy 80-year-old Danish men and women. Should the reference interval be adjusted for age?. Aging Clinical and Experimental Research, 2008, 20, 8-14. | 1.4 | 29 |
| 21 | CARD15 Single Nucleotide Polymorphisms 8, 12 and 13 Are Not Increased in Ethnic Danes with Sarcoidosis. Respiration, 2007, 74, 76-79. | 1.2 | 27 |
| 22 | Does tumour necrosis factor- \hat{l}_{\pm} inhibitor infliximab induce histological resolution of pulmonary sarcoid granulomas?. Clinical Respiratory Journal, 2007, 1, 106-113. | 0.6 | 7 |
| 23 | Blau syndromeâ€associated mutations in exon 4 of the caspase activating recruitment domain 15 (⟨i⟩CARD 15⟨ i⟩) gene are not found in ethnic Danes with sarcoidosis. Clinical Respiratory Journal, 2007, 1, 74-79. | 0.6 | 6 |
| 24 | Reference intervals for haematological variables during normal pregnancy and postpartum in 434 healthy Danish women. European Journal of Haematology, 2007, 79, 39-46. | 1.1 | 118 |
| 25 | Favourable effect of TNF- $\hat{l}\pm$ inhibitor (infliximab) on Blau syndrome in monozygotic twins with ade novoCARD15mutation. Apmis, 2006, 114, 912-919. | 0.9 | 106 |
| 26 | Rubidium content in autopsy liver tissue samples from Greenlandic Inuit and Danes measured by X-ray fluorescence spectrometry. Journal of Trace Elements in Medicine and Biology, 2006, 20, 227-232. | 1.5 | 14 |
| 27 | Iron and pregnancy—a delicate balance. Annals of Hematology, 2006, 85, 559-565. | 0.8 | 197 |
| 28 | Body iron and individual iron prophylaxis in pregnancyâ€"should the iron dose be adjusted according to serum ferritin?. Annals of Hematology, 2006, 85, 567-573. | 0.8 | 62 |
| 29 | Iron prophylaxis in pregnancy—general or individual and in which dose?. Annals of Hematology, 2006, 85, 821-828. | 0.8 | 87 |
| 30 | Erythrocyte folate, plasma folate and plasma homocysteine during normal pregnancy and postpartum: a longitudinal study comprising 404 Danish women. European Journal of Haematology, 2006, 76, 200-205. | 1.1 | 53 |
| 31 | Cobalamin status during normal pregnancy and postpartum: a longitudinal study comprising 406 Danish women. European Journal of Haematology, 2006, 76, 521-525. | 1.1 | 57 |
| 32 | Side Effects of Oral Iron Prophylaxis in Pregnancy – Myth or Reality?. Acta Haematologica, 2006, 115, 53-57. | 0.7 | 46 |
| 33 | Iron prophylaxis during pregnancy - How much iron is needed? A randomized dose- response study of 20-80â€∫mg ferrous iron daily in pregnant women. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 238-247. | 1.3 | 96 |
| 34 | Frequency of the hemochromatosis HFE mutations C282Y, H63D, and S65C in blood donors in the Faroe Islands. Annals of Hematology, 2005, 84, 146-149. | 0.8 | 20 |
| 35 | Iron prophylaxis during pregnancy - How much iron is needed? A randomized dose- response study of 20-80 mg ferrous iron daily in pregnant women. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 238-247. | 1.3 | 25 |
| 36 | Lung transplantation for end-stage pulmonary sarcoidosis: outcome in a series of seven consecutive patients. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2005, 22, 222-8. | 0.2 | 11 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Lead content in autopsy liver tissue in samples from Greenlandic Inuit and Danes. International Journal of Circumpolar Health, 2004, 63, 314-321. | 0.5 | 3 |
| 38 | Iron status in 358 apparently healthy 80-year-old Danish men and women: relation to food composition and dietary and supplemental iron intake. Annals of Hematology, 2004, 83, 423-429. | 0.8 | 47 |
| 39 | Frequency of the C282Y and H63D mutations of the hemochromatosis gene (HFE) in 2501 ethnic Danes. Annals of Hematology, 2004, 83, 654-7. | 0.8 | 44 |
| 40 | Elements in autopsy liver tissue samples from Greenlandic inuit and Danes. V. Selenium measured by X-ray fluorescence spectrometry. Journal of Trace Elements in Medicine and Biology, 2004, 17, 301-306. | 1.5 | 9 |
| 41 | Prolonged culture for mycobacteria in mediastinal lymph nodes from patients with pulmonary sarcoidosis. A negative study. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2004, 21, 25-8. | 0.2 | 26 |
| 42 | Frequencies of the Hereditary Hemochromatosis Allele in Different Populations. Comparison of Previous Phenotypic Methods and Novel Genotypic Methods. International Journal of Hematology, 2003, 77, 48-54. | 0.7 | 11 |
| 43 | Iron status in Danish women, 1984-1994: a cohort comparison of changes in iron stores and the prevalence of iron deficiency and iron overload. European Journal of Haematology, 2003, 71, 51-61. | 1.1 | 65 |
| 44 | Frequency of the HFE C282Y and H63D mutations in Danish patients with clinical haemochromatosis initially diagnosed by phenotypic methods. European Journal of Haematology, 2003, 71, 403-407. | 1.1 | 14 |
| 45 | Indigenous Greenlanders have a higher sero-prevalence of IgG antibodies to Helicobacter pylori than Danes. International Journal of Circumpolar Health, 2003, 62, 54-60. | 0.5 | 9 |
| 46 | Fluorodeoxyglucose PET Scan in Pulmonary Sarcoidosis during Treatment with Inhaled and Oral Corticosteroids. Respiration, 2003, 70, 408-413. | 1.2 | 26 |
| 47 | Iron status in Danish men 1984-94: a cohort comparison of changes in iron stores and the prevalence of iron deficiency and iron overload. European Journal of Haematology, 2002, 68, 332-340. | 1.1 | 39 |
| 48 | Haemoglobin concentrations appear to be lower in indigenous Greenlanders than in Danes: assessment of haemoglobin in 234 Greenlanders and in 2804 Danes. European Journal of Haematology, 2001, 67, 23-29. | 1.1 | 35 |
| 49 | Hemoglobin and erythrocyte indices during normal pregnancy and postpartum in 206 women with and without iron supplementation. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 89-98. | 1.3 | 89 |
| 50 | Iron status in young Danes. Evaluation by serum ferritin and haemoglobin in a population survey of 634 individuals aged 14–23 yr. European Journal of Haematology, 1997, 58, 160-166. | 1.1 | 15 |
| 51 | Prevalence and Prognostic Significance of Proteinuria in Patients with Lung Cancer. Acta Oncol \tilde{A}^3 gica, 1996, 35, 691-695. | 0.8 | 19 |
| 52 | Relationship between dietary iron intake, corrected for diet reporting error, and serum ferritin in Danish women aged 35–65 years. British Journal of Nutrition, 1996, 75, 905-913. | 1.2 | 19 |
| 53 | <i>Haemophilus influenzae</i> release histamine and enhance histamine release from human bronchoalveolar cells. Apmis, 1995, 103, 806-812. | 0.9 | 13 |
| 54 | Bilateral Pulmonary Abscesses Caused by Streptococcus Pyogenes: Diagnostic importance of fiberoptic bronchoscopy. Scandinavian Journal of Infectious Diseases, 1994, 26, 755-757. | 1.5 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Iron status markers and serum erythropoietin in 120 mothers and newborn infants: Effect of iron supplementation in normal pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 1994, 73, 200-204. | 1.3 | 92 |
| 56 | Serum ferritin in children and adolescents. Results from population surveys in 1979 and 1986 comprising 1312 individuals. European Journal of Haematology, 1994, 53, 16-20. | 1.1 | 20 |
| 57 | Iron status in Danish women aged 35–65 years. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 601-605. | 1.3 | 55 |
| 58 | An HLA study in 74 Danish haemochromatosis patients and in 21 of their families. Clinical Genetics, 1992, 41, 6-11. | 1.0 | 10 |
| 59 | Bronchoalveolar lavage is a safe and informative procedure in haematologic patients with nonresolving pneumonia. European Journal of Haematology, 1992, 49, 280-281. | 1.1 | 3 |
| 60 | Influence of blood donation on iron stores assessed by serum ferritin and haemoglobin in a population survey of 1433 Danish males. European Journal of Haematology, 1991, 47, 134-139. | 1.1 | 48 |
| 61 | Iron status markers in hereditary haemochromatosis: Distinction between individuals being homozygous and heterozygous for the haemochromatosis allele. European Journal of Haematology, 1991, 47, 292-298. | 1.1 | 22 |
| 62 | Comparison of alveolar macrophage and blood monocyte oxidative burst response in pulmonary sarcoidosis. Apmis, 1990, 98, 401-406. | 0.9 | 11 |
| 63 | HLA determinants in 70 Danish patients with idiopathic haemochromatosis. Clinical Genetics, 1988, 33, 286-292. | 1.0 | 18 |
| 64 | Alcoholic Hepatitis in Females. Acta Medica Scandinavica, 1988, 223, 119-124. | 0.0 | 6 |
| 65 | Serum Ferritin in Nonâ€Dialysis Patients with Chronic Renal Failure: Relation to Bone Marrow Iron Stores. Scandinavian Journal of Haematology, 1983, 30, 337-344. | 0.0 | 16 |
| 66 | Iron Absorption in Patients with Chronic Uraemia. Scandinavian Journal of Haematology, 1982, 29, 5-17. | 0.0 | 2 |
| 67 | Serum Vitamin B ₁₂ and Erythrocyte Folate in Chronic Uraemia and after Renal Transplantation. Scandinavian Journal of Haematology, 1981, 25, 151-157. | 0.0 | 4 |
| 68 | Diagnostic Efficiency of Various Laboratory Tests in the Assessment of Bone Marrow Iron Stores in Patients with Chronic Uraemia. Scandinavian Journal of Haematology, 1981, 26, 257-264. | 0.0 | 10 |
| 69 | Serum Ferritin and Bone Marrow Iron in Nonâ€Dialysis, Peritoneal Dialysis and Hemodialysis Patients with Chronic Renal Failure. Acta Medica Scandinavica, 1980, 207, 201-205. | 0.0 | 23 |
| 70 | Iron Absorption and Iron Status in Patients with Chronic Uremia on Regular Peritoneal Dialysis. Acta Medica Scandinavica, 1979, 205, 629-635. | 0.0 | 13 |
| 71 | Iron Absorption in Patients with Chronic Uremia Undergoing Regular Hemodialysis. Acta Medica Scandinavica, 1976, 199, 113-120. | 0.0 | 19 |
| 72 | Iron Absorption after Renal Transplantation. Acta Medica Scandinavica, 1976, 200, 25-30. | 0.0 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Normal Iron Absorption Determined by Means of Whole Body Counting and Red Cell Incorporation of ⁵⁹ Fe. Acta Medica Scandinavica, 1975, 198, 271-274. | 0.0 | 43 |
| 74 | Iron Absorption in Patients with Chronic Renal Failure not Requiring Dialytic Therapy. Acta Medica Scandinavica, 1975, 198, 511-517. | 0.0 | 10 |
| 75 | RENAL FAILURE ASSOCIATED WITH GENTAMICIN THERAPY. Acta Medica Scandinavica, 1974, 196, 87-91. | 0.0 | 25 |
| 76 | BLOOD TRANSFUSION REQUIREMENTS BEFORE AND AFTER BILATERAL NEPHRECTOMY IN PATIENTS UNDERGOING CHRONIC HEMODIALYSIS. Acta Medica Scandinavica, 1974, 195, 479-483. | 0.0 | 6 |