

Teresa M Silva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1630192/publications.pdf>

Version: 2024-02-01

49
papers

1,662
citations

257450

24
h-index

289244

40
g-index

50
all docs

50
docs citations

50
times ranked

2335
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailored 3D Foams Decorated with Nanostructured Manganese Oxide for Asymmetric Electrochemical Capacitors. <i>Journal of the Electrochemical Society</i> , 2022, 169, 020511.	2.9	2
2	Simulation of the Electrochemical Response of Cobalt Hydroxide Electrodes for Energy Storage. <i>Batteries</i> , 2022, 8, 37.	4.5	1
3	From manganese oxide to manganese sulphide: Synthesis and its effect on electrochemical energy storage performance. <i>Electrochimica Acta</i> , 2021, 389, 138711.	5.2	9
4	On the growth and mechanical properties of nanostructured cobalt foams by dynamic hydrogen bubble template electrodeposition. <i>Materials Characterization</i> , 2020, 169, 110598.	4.4	9
5	Direct electrodeposition of hydrogenated reduced graphene oxide from unsonicated solution and its electrochemical response. <i>Diamond and Related Materials</i> , 2020, 104, 107740.	3.9	8
6	In-Situ Localized pH, pNa and Dissolved O ₂ Measurements During Charge-Discharge of Mixed Ni-Co Hydroxide Electrodes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 080511.	2.9	5
7	From Bench-Scale to Prototype: Case Study on a Nickel Hydroxide-Activated Carbon Hybrid Energy Storage Device. <i>Batteries</i> , 2019, 5, 65.	4.5	2
8	Pseudocapacitive behaviour of FeS _x grown on stainless steel up to 1.8 V in aqueous electrolyte. <i>Journal of Energy Storage</i> , 2019, 26, 100949.	8.1	12
9	Electrochemical response of a high-power asymmetric supercapacitor based on tailored MnO _x /Ni foam and carbon cloth in neutral and alkaline electrolytes. <i>Journal of Energy Storage</i> , 2019, 22, 345-353.	8.1	23
10	Nickel-cobalt oxide modified with reduced graphene oxide: Performance and degradation for energy storage applications. <i>Journal of Power Sources</i> , 2019, 419, 12-26.	7.8	28
11	Electrodeposited Manganese Oxide on Tailored 3D Bimetallic Nanofoams for Energy Storage Applications. <i>Energy Technology</i> , 2019, 7, 1801139.	3.8	10
12	3D nickel foams with controlled morphologies for hydrogen evolution reaction in highly alkaline media. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 1701-1709.	7.1	63
13	Application of the Mott-Schottky model to select potentials for EIS studies on electrodes for electrochemical charge storage. <i>Electrochimica Acta</i> , 2018, 289, 47-55.	5.2	53
14	Electrochemical performance of MnO _x ·nH ₂ O@Ni composite foam electrodes for energy storage in KOH media. <i>Electrochimica Acta</i> , 2018, 281, 39-47.	5.2	9
15	Capacitance response in an aqueous electrolyte of Nb ₂ O ₅ nanochannel layers anodically grown in pure molten o-H ₃ PO ₄ . <i>Electrochimica Acta</i> , 2018, 281, 725-737.	5.2	17
16	Pseudocapacitive response of hydrothermally grown MoS ₂ crumpled nanosheet on carbon fiber. <i>Materials Chemistry and Physics</i> , 2018, 216, 413-420.	4.0	11
17	On the Supercapacitive Behaviour of Anodic Porous WO ₃ -Based Negative Electrodes. <i>Electrochimica Acta</i> , 2017, 232, 192-201.	5.2	55
18	Enhancement of the Ni-Co hydroxide response as Energy Storage Material by Electrochemically Reduced Graphene Oxide. <i>Electrochimica Acta</i> , 2017, 240, 323-340.	5.2	39

#	ARTICLE	IF	CITATIONS
19	Electrodeposited MoO _x films as negative electrode materials for redox supercapacitors. <i>Electrochimica Acta</i> , 2017, 225, 19-28.	5.2	37
20	Electrodeposition: a versatile, efficient, binder-free and room temperature one-step process to produce MnO ₂ electrochemical capacitor electrodes. <i>RSC Advances</i> , 2017, 7, 32038-32043.	3.6	24
21	Copper-cobalt foams as active and stable catalysts for hydrogen release by hydrolysis of sodium borohydride. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 8438-8448.	7.1	41
22	Hydrothermally grown Ni _{0.7} Zn _{0.3} O directly on carbon fiber paper substrate as an electrode material for energy storage applications. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 9876-9884.	7.1	9
23	Convergence time to equilibrium distributions of autonomous and periodic non-autonomous graphs. <i>Linear Algebra and Its Applications</i> , 2016, 488, 199-215.	0.9	0
24	Electrodeposited reduced-graphene oxide/cobalt oxide electrodes for charge storage applications. <i>Applied Surface Science</i> , 2016, 382, 34-40.	6.1	22
25	One-step process to form a nickel-based/carbon nanofoam composite supercapacitor electrode using Na ₂ SO ₄ as an eco-friendly electrolyte. <i>RSC Advances</i> , 2016, 6, 15920-15928.	3.6	21
26	ELECTROCHEMICAL RESPONSE OF 70Co/30Ni HIGHLY BRANCHED 3D-DENDRITIC STRUCTURES FOR CHARGE STORAGE ELECTRODES. <i>Electrochimica Acta</i> , 2015, 167, 13-19.	5.2	13
27	Hybrid nickel manganese oxide nanosheet/3D metallic dendrite percolation network electrodes for high-rate electrochemical energy storage. <i>Nanoscale</i> , 2015, 7, 12452-12459.	5.6	34
28	±-Co(OH) ₂ /carbon nanofoam composite as electrochemical capacitor electrode operating at 2ÅV in aqueous medium. <i>Journal of Power Sources</i> , 2015, 288, 234-242.	7.8	40
29	in-vitro-corrosion behaviour of the magnesium alloy with Al and Zn (AZ31) protected with a biodegradable polycaprolactone coating loaded with hydroxyapatite and cephalixin. <i>Electrochimica Acta</i> , 2015, 179, 431-440.	5.2	59
30	Hydrogen evolution on nanostructured Ni/Cu foams. <i>RSC Advances</i> , 2015, 5, 43456-43461.	3.6	39
31	Fabrication of electrochemically reduced graphene oxide/cobalt oxide composite for charge storage electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2015, 755, 151-157.	3.8	13
32	Biofunctional composite coating architectures based on polycaprolactone and nanohydroxyapatite for controlled corrosion activity and enhanced biocompatibility of magnesium AZ31 alloy. <i>Materials Science and Engineering C</i> , 2015, 48, 434-443.	7.3	57
33	Characterisation and electrochemical behaviour of electrodeposited Cu/Fe foams applied as pseudocapacitor electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2015, 737, 85-92.	3.8	23
34	Electrodeposition and characterization of nickel/copper metallic foams for application as electrodes for supercapacitors. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 455-465.	2.9	86
35	Equilibrium distributions of discrete non-autonomous graphs. <i>Journal of Difference Equations and Applications</i> , 2014, 20, 1190-1200.	1.1	1
36	Corrosion resistance of a composite polymeric coating applied on biodegradable AZ31 magnesium alloy. <i>Acta Biomaterialia</i> , 2013, 9, 8660-8670.	8.3	136

#	ARTICLE	IF	CITATIONS
37	Anti-corrosion performance of a new silane coating for corrosion protection of AZ31 magnesium alloy in Hank's solution. <i>Surface and Coatings Technology</i> , 2012, 206, 4368-4375.	4.8	103
38	Fabrication of Three-Dimensional Dendritic Ni-Co Films By Electrodeposition on Stainless Steel Substrates. <i>Journal of Physical Chemistry C</i> , 2012, 116, 22425-22431.	3.1	47
39	Polyaniline coatings on aluminium alloy 6061-T6: Electrosynthesis and characterization. <i>Electrochimica Acta</i> , 2010, 55, 3580-3588.	5.2	45
40	Corrosion behaviour of NiTi alloy. <i>Electrochimica Acta</i> , 2009, 54, 921-926.	5.2	162
41	Electrodeposition and characterization of polypyrrole films on aluminium alloy 6061-T6. <i>Electrochimica Acta</i> , 2008, 53, 4754-4763.	5.2	86
42	Semiconductor electrochemistry approach to passivity and stress corrosion cracking susceptibility of stainless steels. <i>Electrochimica Acta</i> , 2005, 50, 5076-5082.	5.2	50
43	Capacitance and photoelectrochemical studies for the assessment of anodic oxide films on aluminium. <i>Electrochimica Acta</i> , 2004, 49, 4701-4707.	5.2	60
44	Electrochemical characterisation of oxide films formed on Ti-6Al-4V alloy implanted with Ir for bioengineering applications. <i>Electrochimica Acta</i> , 1998, 43, 203-211.	5.2	26
45	Electronic structure of iridium oxide films formed in neutral phosphate buffer solution. <i>Journal of Electroanalytical Chemistry</i> , 1998, 441, 5-12.	3.8	34
46	Electrochemical response of iridium oxide for implanted neural stimulating electrodes. <i>Journal of Materials Science: Materials in Medicine</i> , 1996, 7, 261-264.	3.6	6
47	Enhanced control of electrochemical response in metallic materials in neural stimulation electrode applications. , 1996, , .		0
48	Corrosion behaviour of aisi 316l stainless-steel alloys in diabetic serum. <i>Clinical Materials</i> , 1993, 12, 103-106.	0.5	4
49	Electrochemical and Laser Raman Spectroscopy Studies of Stainless Steel in 0.15M NaCl Solution. <i>Journal of the Electrochemical Society</i> , 1992, 139, 3146-3151.	2.9	28