

# Bartolo Lanuzza

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1630907/publications.pdf>

Version: 2024-02-01

42  
papers

2,910  
citations

236612

25  
h-index

264894

42  
g-index

43  
all docs

43  
docs citations

43  
times ranked

3096  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced Intracortical Facilitation to TMS in Both Isolated REM Sleep Behavior Disorder (RBD) and Early Parkinson's Disease with RBD. <i>Journal of Clinical Medicine</i> , 2022, 11, 2291.	1.0	8
2	Facilitatory/inhibitory intracortical imbalance in REM sleep behavior disorder: early electrophysiological marker of neurodegeneration?. <i>Sleep</i> , 2020, 43, .	0.6	26
3	Response to Stefani et al.: A comprehensive consideration of all available data is needed to define the prodromal phase of REM sleep behavior disorder. <i>Sleep</i> , 2019, 42, .	0.6	2
4	Clinical and electrophysiological impact of repetitive low-frequency transcranial magnetic stimulation on the sensory-motor network in patients with restless legs syndrome. <i>Therapeutic Advances in Neurological Disorders</i> , 2018, 11, 175628641875997.	1.5	59
5	Impaired short-term plasticity in restless legs syndrome: a pilot rTMS study. <i>Sleep Medicine</i> , 2018, 46, 1-4.	0.8	46
6	REM sleep without atonia with REM sleep-related motor events: broadening the spectrum of REM sleep behavior disorder. <i>Sleep</i> , 2018, 41, .	0.6	18
7	Short-interval leg movements during sleep entail greater cardiac activation than periodic leg movements during sleep in restless legs syndrome patients. <i>Journal of Sleep Research</i> , 2017, 26, 602-605.	1.7	24
8	Response to the letter to the editor "Cortical excitability in restless legs syndrome". <i>Sleep Medicine</i> , 2016, 21, 175.	0.8	10
9	Silent Cerebral Small Vessel Disease in Restless Legs Syndrome. <i>Sleep</i> , 2016, 39, 1371-1377.	0.6	31
10	Direct comparison of cortical excitability to transcranial magnetic stimulation in obstructive sleep apnea syndrome and restless legs syndrome. <i>Sleep Medicine</i> , 2015, 16, 138-142.	0.8	44
11	Distinctive patterns of cortical excitability to transcranial magnetic stimulation in obstructive sleep apnea syndrome, restless legs syndrome, insomnia, and sleep deprivation. <i>Sleep Medicine Reviews</i> , 2015, 19, 39-50.	3.8	85
12	Effects of repetitive transcranial magnetic stimulation in performing eye-hand integration tasks: Four preliminary studies with children showing low-functioning autism. <i>Autism</i> , 2014, 18, 638-650.	2.4	30
13	Video-polysomnographic study of a patient with Morvan's Fibrillary Chorea. <i>Sleep Medicine</i> , 2012, 13, 550-553.	0.8	5
14	Absence of cardiovascular disease risk factors in restless legs syndrome. <i>Acta Neurologica Scandinavica</i> , 2012, 125, 319-325.	1.0	19
15	Reactivity of Cortical Alpha Rhythms to Eye Opening in Mild Cognitive Impairment and Alzheimer's Disease: an EEG Study. <i>Journal of Alzheimer's Disease</i> , 2011, 22, 1047-1064.	1.2	66
16	Behavioural and Neurophysiologic Features of State Dissociation: A Brief Review of the Literature and Three Descriptive Case Studies. <i>Behavioural Neurology</i> , 2010, 22, 91-99.	1.1	12
17	Directionality of EEG synchronization in Alzheimer's disease subjects. <i>Neurobiology of Aging</i> , 2009, 30, 93-102.	1.5	132
18	Subclinical abnormal EMG activation of the gastrocnemii during gait analysis in restless legs syndrome: A preliminary report in 13 patients. <i>Sleep Medicine</i> , 2009, 10, 312-316.	0.8	15

#	ARTICLE	IF	CITATIONS
19	Age-related changes in periodic leg movements during sleep in patients with restless legs syndrome. <i>Sleep Medicine</i> , 2008, 9, 790-798.	0.8	86
20	The APOE $\epsilon$ 4 allele increases the risk of impaired spatial working memory in obstructive sleep apnea. <i>Sleep Medicine</i> , 2008, 9, 831-839.	0.8	76
21	Distractibility and Alzheimer Disease: The "Neglected" Phenomenon. <i>Journal of Alzheimer's Disease</i> , 2008, 15, 1-10.	1.2	10
22	Homocysteine and electroencephalographic rhythms in Alzheimer disease: A multicentric study. <i>Neuroscience</i> , 2007, 145, 942-954.	1.1	34
23	Low total cholesterol predicts mortality in the nondemented oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2007, 44, 381-384.	1.4	12
24	Resting EEG sources correlate with attentional span in mild cognitive impairment and Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2007, 25, 3742-3757.	1.2	101
25	A single question for the rapid screening of restless legs syndrome in the neurological clinical practice. <i>European Journal of Neurology</i> , 2007, 14, 1016-1021.	1.7	108
26	Donepezil effects on sources of cortical rhythms in mild Alzheimer's disease: Responders vs. Non-Responders. <i>NeuroImage</i> , 2006, 31, 1650-1665.	2.1	97
27	Sources of cortical rhythms change as a function of cognitive impairment in pathological aging: a multicenter study. <i>Clinical Neurophysiology</i> , 2006, 117, 252-268.	0.7	260
28	Fronto-parietal coupling of brain rhythms in mild cognitive impairment: A multicentric EEG study. <i>Brain Research Bulletin</i> , 2006, 69, 63-73.	1.4	159
29	The neurophysiology of the alternating leg muscle activation (ALMA) during sleep: Study of one patient before and after treatment with pramipexole. <i>Sleep Medicine</i> , 2006, 7, 63-71.	0.8	32
30	Sources of cortical rhythms in adults during physiological aging: A multicentric EEG study. <i>Human Brain Mapping</i> , 2006, 27, 162-172.	1.9	253
31	Agrypnia excitata in a patient with progeroid short stature and pigmented Nevi (Mulvihill-Smith) Tj ETQq1 1 0.784314 rgBT /Qverlock 1.7 27		
32	Abnormal fronto-parietal coupling of brain rhythms in mild Alzheimer's disease: a multicentric EEG study. <i>European Journal of Neuroscience</i> , 2004, 19, 2583-2590.	1.2	137
33	Isolated monolateral neurosensory hearing loss as a rare sign of neuroborreliosis. <i>Neurological Sciences</i> , 2004, 25, 30-33.	0.9	15
34	ISCHEMIC STROKE AND FIBRINOGEN IN THE ELDERLY. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 403-406.	1.4	10
35	Individual analysis of EEG frequency and band power in mild Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2004, 115, 299-308.	0.7	311
36	Different EEG frequency band synchronization during nocturnal frontal lobe seizures. <i>Clinical Neurophysiology</i> , 2004, 115, 1202-1211.	0.7	35

#	ARTICLE	IF	CITATIONS
37	Mapping distributed sources of cortical rhythms in mild Alzheimer's disease. A multicentric EEG study. <i>NeuroImage</i> , 2004, 22, 57-67.	2.1	253
38	The mismatch negativity and the P3a components of the auditory event-related potentials in autistic low-functioning subjects. <i>Clinical Neurophysiology</i> , 2003, 114, 1671-1680.	0.7	182
39	Twenty-four-hour urinary cortisol levels in alzheimer disease and in dysthymia. <i>Archives of Gerontology and Geriatrics</i> , 2002, 35, 353-358.	1.4	2
40	Scalp Topographic Distribution of Beta and Gamma Ratios During Sleep. <i>Journal of Psychophysiology</i> , 2002, 16, 107-113.	0.3	3
41	Normotensive Offspring with Non-Dipper Hypertensive Parents Have Abnormal Sleep Pattern. <i>Blood Pressure</i> , 1998, 7, 76-80.	0.7	11
42	Sleep Structure in Essential Hypertensive Patients: Differences between Dippers and Non-Dippers. <i>Blood Pressure</i> , 1995, 4, 232-237.	0.7	60