Vittorio Bini

List of Publications by Citations

Source: https://exaly.com/author-pdf/1630977/vittorio-bini-publications-by-citations.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204 papers

4,423 citations

39 h-index 56 g-index

257 ext. papers

5,081 ext. citations

avg, IF

5.01 L-index

#	Paper	IF	Citations
204	Serum isoform [-2]proPSA derivatives significantly improve prediction of prostate cancer at initial biopsy in a total PSA range of 2-10 ng/ml: a multicentric European study. <i>European Urology</i> , 2013 , 63, 986-94	10.2	149
203	Prostate-specific antigen (PSA) isoform p2PSA significantly improves the prediction of prostate cancer at initial extended prostate biopsies in patients with total PSA between 2.0 and 10 ng/ml: results of a prospective study in a clinical setting. <i>European Urology</i> , 2011 , 60, 214-22	10.2	138
202	Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. <i>European Urology</i> , 2007 , 52, 1481-90	10.2	134
201	Intravesical resiniferatoxin versus botulinum-A toxin injections for neurogenic detrusor overactivity: a prospective randomized study. <i>Journal of Urology</i> , 2004 , 172, 240-3	2.5	121
200	Botulinum-A toxin injections into the detrusor muscle decrease nerve growth factor bladder tissue levels in patients with neurogenic detrusor overactivity. <i>Journal of Urology</i> , 2006 , 175, 2341-4	2.5	119
199	Botulinum A toxin intravesical injections in the treatment of painful bladder syndrome: a pilot study. <i>European Urology</i> , 2006 , 49, 704-9	10.2	106
198	Preoperative prostate-specific antigen isoform p2PSA and its derivatives, %p2PSA and prostate health index, predict pathologic outcomes in patients undergoing radical prostatectomy for prostate cancer. <i>European Urology</i> , 2012 , 61, 455-66	10.2	90
197	Contemporary management of the painful bladder: a systematic review. <i>European Urology</i> , 2012 , 61, 29-53	10.2	89
196	Uterus preservation in surgical correction of urogenital prolapse. <i>European Urology</i> , 2005 , 48, 642-9	10.2	81
195	Clinical performance of serum prostate-specific antigen isoform [-2]proPSA (p2PSA) and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study, the PROMEtheuS project. <i>BJU International</i> ,	5.6	75
194	2013 , 112, 313-21 Head-to-head comparison of prostate health index and urinary PCA3 for predicting cancer at initial or repeat biopsy. <i>Journal of Urology</i> , 2013 , 190, 496-501	2.5	72
193	Italian addison network study: update of diagnostic criteria for the etiological classification of primary adrenal insufficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 1598-604	5.6	72
192	Cardiovascular disease risk burden in primary Sj\(\bar{g}\)ren's syndrome: results of a population-based multicentre cohort study. <i>Journal of Internal Medicine</i> , 2015 , 278, 185-92	10.8	71
191	Assessment of bladder and urethral sphincter function before and after radical retropubic prostatectomy. <i>Journal of Urology</i> , 2004 , 171, 1563-6	2.5	71
190	Laparoscopic Versus Abdominal Sacrocolpopexy: A Randomized, Controlled Trial. <i>Journal of Urology</i> , 2016 , 196, 159-65	2.5	66
189	Multicenter European external validation of a prostate health index-based nomogram for predicting prostate cancer at extended biopsy. <i>European Urology</i> , 2014 , 66, 906-12	10.2	65
188	Bladder and urethral sphincter function after radical retropubic prostatectomy: a prospective long-term study. <i>European Urology</i> , 2008 , 54, 657-64	10.2	65

(2005-2003)

187	Epidemiology of overweight and obesity among school children and adolescents in three provinces of central Italy, 1993-2001: study of potential influencing variables. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1045-51	5.2	65
186	Indoleamine 2,3-dioxygenase 1 (IDO1) is up-regulated in thyroid carcinoma and drives the development of an immunosuppressant tumor microenvironment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E832-40	5.6	63
185	Uroflowmetry in female voiding disturbances. <i>Neurourology and Urodynamics</i> , 2003 , 22, 569-73	2.3	60
184	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , 2015 ,	10.2	56
183	Does cold loop hysteroscopic myomectomy reduce intrauterine adhesions? A retrospective study. <i>Fertility and Sterility</i> , 2014 , 101, 294-298.e3	4.8	50
182	Varicocele and fertility: relationship between testicular volume and seminal parameters before and after treatment. <i>Journal of Andrology</i> , 2006 , 27, 548-51		50
181	Development and internal validation of a Prostate Health Index based nomogram for predicting prostate cancer at extended biopsy. <i>Journal of Urology</i> , 2012 , 188, 1144-50	2.5	49
180	Changes in female sexual function after pelvic organ prolapse repair: role of hysterectomy. <i>International Urogynecology Journal</i> , 2013 , 24, 1481-7	2	48
179	Primary ovarian insufficiency due to steroidogenic cell autoimmunity is associated with a preserved pool of functioning follicles. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3816-23	5.6	48
178	Burch colposuspension does not provide any additional benefit to pelvic organ prolapse repair in patients with urinary incontinence: a randomized surgical trial. <i>Journal of Urology</i> , 2008 , 180, 1007-12	2.5	48
177	Body mass index in children and adolescents according to age and pubertal stage. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 214-8	5.2	48
176	Serum index test %[-2]proPSA and Prostate Health Index are more accurate than prostate specific antigen and %fPSA in predicting a positive repeat prostate biopsy. <i>Journal of Urology</i> , 2012 , 188, 1137-	4 3 .5	46
175	Pelvic organ prolapse repair with and without prophylactic concomitant Burch colposuspension in continent women: a randomized, controlled trial with 8-year followup. <i>Journal of Urology</i> , 2011 , 185, 2236-40	2.5	46
174	Visually directed transrectal high intensity focused ultrasound for the treatment of prostate cancer: a preliminary report on the Italian experience. <i>Journal of Urology</i> , 2009 , 181, 105-11; discussion 111-2	2.5	46
173	Anti-cyclic citrullinated peptide antibody titer predicts time to rheumatoid arthritis onset in patients with undifferentiated arthritis: results from a 2-year prospective study. <i>Arthritis Research and Therapy</i> , 2013 , 15, R16	5.7	44
172	Leptin serum levels in normal weight and obese children and adolescents: relationship with age, sex, pubertal development, body mass index and insulin. <i>International Journal of Obesity</i> , 1997 , 21, 881-	-9 ⁵ 0 ⁵	44
171	Bacillus Calmette-Guffin versus gemcitabine for intravesical therapy in high-risk superficial bladder cancer: a randomised prospective study. <i>Urologia Internationalis</i> , 2010 , 84, 23-7	1.9	43
170	Circulating acylated and total ghrelin and galanin in children with insulin-treated type 1 diabetes: relationship to insulin therapy, metabolic control and pubertal development. <i>Clinical Endocrinology</i> , 2005 , 63, 139-45	3.4	43

Testosterone levels in benign prostatic hypertrophy and prostate cancer. <i>Urologia Internationalis</i> , 2008 , 80, 134-40	1.9	42
High serum inhibin concentration discriminates autoimmune oophoritis from other forms of primary ovarian insufficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1263-9	5.6	42
Ultrasound-guided interstitial laser ablation for thyroid nodules is effective only at high total amounts of energy: results from a three-year pilot study. <i>Surgical Innovation</i> , 2013 , 20, 345-50	2	41
Inflammatory adipokines, high molecular weight adiponectin, and insulin resistance: a population-based survey in prepubertal schoolchildren. <i>PLoS ONE</i> , 2011 , 6, e17264	3.7	41
Preoperative Valsalva leak point pressure may not predict outcome of mid-urethral slings. Analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2008, 34, 73-81;	2	38
In vitro immunomodulatory effects of microencapsulated umbilical cord Wharton jelly-derived mesenchymal stem cells in primary Sjgren's syndrome. <i>Rheumatology</i> , 2015 , 54, 163-8	3.9	37
Low serum testosterone levels are predictive of prostate cancer. <i>World Journal of Urology</i> , 2013 , 31, 247-52	4	37
Serum levels of type I procollagen C-terminal propeptide, insulin-like growth factor-I (IGF-I), and IGF binding protein-3 in obese children and adolescents: relationship to gender, pubertal development, growth, insulin, and nutritional status. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 862-71	12.7	37
Contribution of MHC class I chain-related A (MICA) gene polymorphism to genetic susceptibility for systemic lupus erythematosus. <i>British Journal of Rheumatology</i> , 2005 , 44, 287-92		36
BCII polymorphism of the glucocorticoid receptor gene is associated with increased obesity, impaired glucose metabolism and dyslipidaemia in patients with Addison's disease. <i>Clinical Endocrinology</i> , 2012 , 77, 863-70	3.4	34
Must colposuspension be associated with sacropexy to prevent postoperative urinary incontinence?. <i>European Urology</i> , 2007 , 51, 788-94	10.2	34
Recombinant versus urinary follicle-stimulating hormone in intrauterine insemination cycles: a prospective, randomized analysis of cost effectiveness. <i>Fertility and Sterility</i> , 2004 , 82, 573-8	4.8	34
Cytotoxic T lymphocyte antigen-4 Ala17 polymorphism is a genetic marker of autoimmune adrenal insufficiency: Italian association study and meta-analysis of European studies. <i>European Journal of Endocrinology</i> , 2010 , 162, 361-9	6.5	33
Pregnancy outcome in women aged 40 years or more. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1260-3	2	33
Long-term efficacy of the trans-obturator and retropubic mid-urethral slings for stress urinary incontinence: update from a randomized clinical trial. <i>World Journal of Urology</i> , 2016 , 34, 585-93	4	32
Clinical and urodynamic features of intrinsic sphincter deficiency. <i>Neurourology and Urodynamics</i> , 2003 , 22, 264-8	2.3	32
Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , 2014 , 83, 606-12	1.6	31
Treatment of varicocele: randomized prospective study on open surgery versus Tauber antegrade sclerotherapy. <i>Journal of Andrology</i> , 2005 , 26, 328-32		31
	High serum inhibin concentration discriminates autoimmune oophoritis from other forms of primary ovarian insufficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1263-9 Ultrasound-guided interstitial laser ablation for thyroid nodules is effective only at high total amounts of energy: results from a three-year pilot study. <i>Surgical Innovation</i> , 2013, 20, 345-50 Inflammatory adipokines, high molecular weight adiponectin, and insulin resistance: a population-based survey in prepubertal schoolchildren. <i>PLoS ONE</i> , 2011, 6, e17264 Preoperative Valsalva leak point pressure may not predict outcome of mid-urethral slings. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2008, 34, 73-81; discussion 341-31. In vitro immunomodulatory effects of microencapsulated umbilical cord Wharton jelly-derived mesenchymal stem cells in primary Sjigren's syndrome. <i>Rheumatology</i> , 2015, 54, 163-8. Low serum testosterone levels are predictive of prostate cancer. <i>World Journal of Urology</i> , 2013, 31, 247-52. Serum levels of type I procollagen C-terminal propeptide, insulin-like growth factor-I (ICF-I), and ICF binding protein-3 in obese children and adolescents: relationship to gender, pubertal development, growth, insulin, and nutritional status. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 862-71 Contribution of MHC class I chain-related A (MICA) gene polymorphism to genetic susceptibility for systemic lupus erythematosus. <i>British Journal of Rheumatology</i> , 2005, 44, 287-92 BCII polymorphism of the glucocorticoid receptor gene is associated with increased obesity, impaired glucose metabolism and dyslipidaemia in patients with Addison's disease. <i>Clinical Endocrinology</i> , 2012, 77, 863-70 Must colposuspension be associated with sacropexy to prevent postoperative urinary incontinence?. <i>European Urology</i> , 2007, 51, 788-94 Recombinant versus urinary folicice-stimulating hormone in intrauterine insemination cycles: a prospective, randomized analysis of cost effectivenes	High serum inhibin concentration discriminates autoimmune oophoritis from other forms of primary ovarian insufficiency. <i>Journal of Clinical Endocrinology and Metabolism,</i> 2008, 93, 1263-9 Ultrasound-guided interstitial laser ablation for thyroid nodules is effective only at high total amounts of energy: results from a three-year pilot study. <i>Surgical Innovation,</i> 2013, 20, 345-50 Inflammatory adipokines, high molecular weight adiponectin, and insulin resistance: a population-based survey in prepubertal schoolchildren. <i>PLoS ONE,</i> 2011, 6, e17264 Preoperative Valsalva leak point pressure may not predict outcome of mid-urethral slings. Analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. Analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. International <i>Braz J Urol: Official Journal of the Brazilian Society of Urology,</i> 2008, 34, 73-81; the analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. In vitro immonomodulatory effects of microencapsulated umbilical cord wharton jelly-derived mesenchymal stem cells in primary Sj\u00e4res syndrome. <i>Rheumatology,</i> 2015, 54, 163-8 39 Low serum testosterone levels are predictive of prostate cancer. <i>World Journal of Urology,</i> 2013, 31, 247-52 Serum levels of type I procollagen C-terminal propeptide, insulin-like growth factor-I (IGF-I), and IGF binding protein-3 in obese children and adolescents: relationship to gender, pubertal development, growth, insulin, and nutritional status. <i>Metabolism: Clinical and Experimental,</i> 1997, 46, 862-71 Contribution of MHC class I chain-related A (MICA) gene polymorphism to genetic susceptibility for systemic lupus erythematosus. <i>British Journal of Rheumatology,</i> 2005, 44, 287-92 BCIJ polymorphism of the glucocorticoid receptor gene is associated with increased obesity, impaired glucose metabolism and dyslipidaemia in patients with Addison's disease. <i>Clinical Endocrinology,</i> 2012, 77, 8

(2014-2015)

151	Predicting success of single step hysteroscopic myomectomy: A single centre large cohort study of single myomas. <i>International Journal of Surgery</i> , 2015 , 22, 10-4	7.5	30	
150	Repeated white light transurethral resection of the bladder in nonmuscle-invasive urothelial bladder cancers: systematic review and meta-analysis. <i>Journal of Endourology</i> , 2011 , 25, 1703-12	2.7	30	
149	Circulating adipocytokines in non-diabetic and Type 1 diabetic children: relationship to insulin therapy, glycaemic control and pubertal development. <i>Diabetic Medicine</i> , 2006 , 23, 660-5	3.5	29	
148	Open-label, longitudinal study of tamsulosin for functional bladder outlet obstruction in women. <i>Urologia Internationalis</i> , 2009 , 83, 311-5	1.9	28	
147	Five-year outcome of uterus sparing surgery for pelvic organ prolapse repair: a single-center experience. <i>International Urogynecology Journal</i> , 2011 , 22, 287-92	2	27	
146	Adalimumab Dose Tapering in Psoriasis: Predictive Factors for Maintenance of Complete Clearance. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 346-350	2.2	26	
145	Clinical performance of serum isoform [-2]proPSA (p2PSA), and its derivatives %p2PSA and the Prostate Health Index, in men aged . <i>BJU International</i> , 2015 , 115, 913-20	5.6	25	
144	Robot-assisted Vs Laparoscopic Sacrocolpopexy for High-stage Pelvic Organ Prolapse: A Prospective, Randomized, Single-center Study. <i>Urology</i> , 2019 , 134, 116-123	1.6	23	
143	Partial breast irradiation with interstitial multi-catheter high-dose-rate brachytherapy. Long-term results of a phase II prospective study. <i>Radiotherapy and Oncology</i> , 2017 , 124, 208-213	5.3	23	
142	Measuring adrenal autoantibody response: interlaboratory concordance in the first international serum exchange for the determination of 21-hydroxylase autoantibodies. <i>Clinical Immunology</i> , 2011 , 140, 291-9	9	23	
141	Insights in Behavior of Variably Formulated Alginate-Based Microcapsules for Cell Transplantation. <i>BioMed Research International</i> , 2015 , 2015, 965804	3	22	
140	Pediatric Ovarian Torsion and its Recurrence: A Multicenter Study. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2017 , 30, 413-417	2	21	
139	Urologic dysfunction and neurologic outcome in coma survivors after severe traumatic brain injury in the postacute and chronic phase. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1134-8	2.8	21	
138	Autoantibody responses in autoimmune ovarian insufficiency and in Addison's disease are IgG1 dominated and suggest a predominant, but not exclusive, Th1 type of response. <i>European Journal of Endocrinology</i> , 2010 , 163, 309-17	6.5	21	
137	Sensitivity and specificity of one-hour pad test as a predictive value for female urinary incontinence. <i>Urologia Internationalis</i> , 2008 , 81, 153-9	1.9	21	
136	Treatments of 1242 bulbar urethral strictures: multivariable statistical analysis of results. <i>World Journal of Urology</i> , 2019 , 37, 1165-1171	4	21	
135	Clinical performance of the Prostate Health Index (PHI) for the prediction of prostate cancer in obese men: data from the PROMEtheuS project, a multicentre European prospective study. <i>BJU International</i> , 2015 , 115, 537-45	5.6	20	
134	Pain in diagnostic hysteroscopy: a multivariate analysis after a randomized, controlled trial. <i>Fertility and Sterility</i> , 2014 , 102, 1398-403	4.8	20	

133	Pelvic Organ Prolapse Repair with and without Concomitant Burch Colposuspension in Incontinent Women: A Randomised Controlled Trial with at Least 5-Year Followup. <i>Obstetrics and Gynecology International</i> , 2012 , 2012, 967923	2	20
132	Retrovirus-like long-terminal repeat DQ-LTR13 and genetic susceptibility to type 1 diabetes and autoimmune Addison's disease. <i>Diabetes</i> , 2005 , 54, 900-5	0.9	20
131	Leptin serum concentrations predict the responsiveness of obese children and adolescents to weight excess reduction program. <i>International Journal of Obesity</i> , 2000 , 24, 1586-91	5.5	20
130	Fasting serum leptin levels in the analysis of body mass index cut-off values: are they useful for overweight screening in children and adolescents? A school population-based survey in three provinces of central Italy. <i>International Journal of Obesity</i> , 1998 , 22, 1197-208	5.5	20
129	Evaluation of prostate-specific antigen isoform p2PSA and its derivates, %p2PSA, prostate health index and prostate dimension-adjusted related index in the detection of prostate cancer at first biopsy: an exploratory, prospective study. <i>Urologia Internationalis</i> , 2014 , 93, 135-45	1.9	19
128	Restoration of t cell substes of patients with type 1 diabetes mellitus by microencapsulated human umbilical cord Wharton jelly-derived mesenchymal stem cells: An in vitro study. <i>Clinical Immunology</i> , 2016 , 163, 34-41	9	16
127	Outcome of a phase II prospective study on partial breast irradiation with interstitial multi-catheter high-dose-rate brachytherapy. <i>Radiotherapy and Oncology</i> , 2013 , 108, 236-41	5.3	16
126	The administration of anesthetic in the thyroid pericapsular region increases the possibility of side effects during percutaneous laser photocoagulation of thyroid nodules. <i>Lasers in Surgery and Medicine</i> , 2013 , 45, 34-7	3.6	16
125	Laparoscopic herniorrhaphy in the pediatric age group: what about the learning curve?. <i>Journal of Endourology</i> , 2013 , 27, 840-4	2.7	16
124	Female sexual dysfunction in urogenital prolapse surgery: colposacropexy vs. hysterocolposacropexy. <i>Journal of Sexual Medicine</i> , 2008 , 5, 139-45	1.1	16
123	Pelvic floor muscle behavior during Valsalva leak point pressure measurement in males and females affected by stress urinary incontinence. <i>Journal of Urology</i> , 2003 , 170, 485-9	2.5	16
122	The Aryl Hydrocarbon Receptor Is Expressed in Thyroid Carcinoma and Appears to Mediate Epithelial-Mesenchymal-Transition. <i>Cancers</i> , 2020 , 12,	6.6	15
121	Sacrocolpopexy for posthysterectomy vaginal vault prolapse: long-term follow-up. <i>International Urogynecology Journal</i> , 2016 , 27, 1563-9	2	15
120	Increased Urinary Cystatin-C Levels Correlate with Reduced Renal Volumes in Neonates with Intrauterine Growth Restriction. <i>Neonatology</i> , 2016 , 109, 154-60	4	15
119	Determination of 21-hydroxylase autoantibodies: inter-laboratory concordance in the Euradrenal International Serum Exchange Program. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1761-70	5.9	15
118	Expander/implant breast reconstruction before radiotherapy: outcomes in a single-institute cohort. <i>Strahlentherapie Und Onkologie</i> , 2012 , 188, 1074-9	4.3	15
117	Single indication of labor induction with prostaglandins: is advanced maternal age a risk factor for cesarean section? A matched retrospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 665-8	2	15
116	Relationships of serum leptin levels with biochemical markers of bone turnover and with growth factors in normal weight and overweight children. <i>Hormone Research in Paediatrics</i> , 2004 , 61, 170-5	3.3	15

(2013-1999)

Using obese-specific charts of height and height velocity for assessment of growth in obese children and adolescents during weight excess reduction. <i>European Journal of Clinical Nutrition</i> , 1999 , 53, 181-8	5.2	15	
Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 415.e13	3-9 ^{2.8}	15	
Thyroid nodule morphology affects the efficacy of ultrasound-guided interstitial laser ablation: a nested case-control study. <i>International Journal of Hyperthermia</i> , 2014 , 30, 486-9	3.7	14	
Dermatitis caused by arthropods in domestic environment: an Italian multicentre study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1526-1533	4.6	14	
Quality of life and cosmesis after breast cancer: whole breast radiotherapy vs partial breast high-dose-rate brachytherapy. <i>Tumori</i> , 2015 , 101, 161-7	1.7	14	
Preoperative MUCP and VLPP did not predict long-term (4-year) outcome after transobturator mid-urethral sling. <i>Urologia Internationalis</i> , 2009 , 83, 392-8	1.9	14	
Contact sensitivity to 2-hydroxyethyl methacrylate in consecutive patients: A 1-year multicentre SIDAPA study. <i>Contact Dermatitis</i> , 2019 , 81, 216-218	2.7	13	
Pain during diagnostic hysteroscopy: what is the role of the cervical canal? A pilot study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 183, 169-73	2.4	13	
Is there any clinical parameter able to predict prostate cancer after initial diagnosis of atypical small acinar proliferation?. <i>Urologia Internationalis</i> , 2008 , 81, 29-35	1.9	13	
Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2005 , 24, 106-10	2.3	13	
Late toxicity, evolving radiotherapy techniques, and quality of life in nasopharyngeal carcinoma. <i>Radiologia Medica</i> , 2017 , 122, 303-308	6.5	12	
Ethnic differences in the relationship between fasting leptin and BMI in children. <i>International Journal of Obesity</i> , 2004 , 28, 17-21	5.5	12	
Cost-effectiveness of recombinant follicle-stimulating hormone (FSH) versus human FSH in intrauterine insemination cycles: a statistical model-derived analysis. <i>Gynecological Endocrinology</i> , 2008 , 24, 18-23	2.4	11	
Botulinum Neurotoxin A Intravesical Injections in Interstitial Cystitis/Bladder Painful Syndrome: A Systematic Review with Meta-Analysis. <i>Toxins</i> , 2019 , 11,	4.9	10	
Thromboelastographic profiles of the premature infants with and without intracranial hemorrhage at birth: a pilot study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1779-83	2	10	
Non-Invasive Prenatal RHD Genotyping Using Cell-Free Fetal DNA from Maternal Plasma: An Italian Experience. <i>Transfusion Medicine and Hemotherapy</i> , 2015 , 42, 22-8	4.2	10	
Intraoperative Effect of Preoperative Gonadotropin-Releasing Hormone Analogue Administration in Women Undergoing Cold Loop Hysteroscopic Myomectomy: A Randomized Controlled Trial. <i>Journal of Minimally Invasive Gynecology</i> , 2018 , 25, 706-714	2.2	10	
Single indications of induction of labor with prostaglandins and risk of cesarean delivery: a retrospective cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 926-31	1.9	10	
	children and adolescents during weight excess reduction. European Journal of Clinical Nutrition, 1999, 53, 181-8 Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 415-e1: Thyroid nodule morphology affects the efficacy of ultrasound-guided interstitial laser ablation: a nested case-control study. International Journal of Hyperthermia, 2014, 30, 486-9 Dermatitis caused by arthropods in domestic environment: an Italian multicentre study. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1526-1533 Quality of life and cosmesis after breast cancer: whole breast radiotherapy vs partial breast high-dose-rate brachytherapy. Tumori, 2015, 101, 161-7 Preoperative MUCP and VLPP did not predict long-term (4-year) outcome after transobturator mid-urethral sling. Urologia Internationalis, 2009, 83, 392-8 Contact sensitivity to 2-hydroxyethyl methacrylate in consecutive patients: A 1-year multicentre SIDAPA study. Contact Dermatitis, 2019, 81, 216-218 Pain during diagnostic hysteroscopy: what is the role of the cervical canal? A pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 183, 169-73 Is there any clinical parameter able to predict prostate cancer after initial diagnosis of atypical small acinar proliferation?. Urologia Internationalis, 2008, 81, 29-35 Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. Neurourology and Urodynamics, 2005, 24, 106-10 Late toxicity, evolving radiotherapy techniques, and quality of life in nasopharyngeal carcinoma. Radiologia Medica, 2017, 122, 303-308 Ethnic differences in the relationship between fasting leptin and BMI in children. International Journal of Obssity, 2004, 28, 17-21 Cost-effectiveness of recombinant follicle-stimulating hormone (FSH) versus human FSH in intractrain insemination cycles: a statistical model-derived analys	children and adolescents during weight excess reduction. European Journal of Clinical Nutrition, 1999, 53, 181-8 Clinical performance of prostate health index in men with EPSA>10ng/ml: Results from a multicentric European study. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 415.e13-9 ⁻⁸ Thyroid nodule morphology affects the efficacy of ultrasound-guided interstitial laser ablation: a nested case-control study. International Journal of Hyperthermia, 2014, 30, 486-9 Dermatitis caused by arthropods in domestic environments an Italian multicentre study. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1526-1533 Quality of life and cosmesis after breast cancer: whole breast radiotherapy vs partial breast high-dose-rate brachytherapy. Tumori, 2015, 101, 161-7 Preoperative MUCP and VLPP did not predict long-term (4-year) outcome after transobturator mid-urethral sling. Urologia Internationals, 2009, 83, 392-8 Contact sensitivity to 2-hydroxyethyl methacrylate in consecutive patients: A 1-year multicentre SIDAPA study. Contact Dermatitis, 2019, 81, 216-218 Pain during diagnostic hysteroscopy: what is the role of the cervical canal? A pilot study. European Journal of Obstetrics, Cynecology and Reproductive Biology, 2014, 183, 169-73 Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. Neurourology and Urodynamics, 2005, 24, 106-10 Late toxicity, evolving radiotherapy techniques, and quality of life in nasopharyngeal carcinoma. Radiologia Medica, 2017, 122, 303-308 Ethnic differences in the relationship between fasting leptin and BMI in children. International Journal of Obesity, 2004, 28, 17-21 Cost-effectiveness of recombinant follicle-stimulating hormone (FSH) versus human FSH in Intrauterine insemination cycles: a statistical model-derived analysis. Gynecological Endocrinology, 2008, 24, 18-23 Botulinum Neurotoxin A Intravesical Injections in Interstitial Cystitis/Bladder Painful Syndrome: A Systematic Revie	children and adolescents during weight excess reduction. European Journal of Clinical Nutrition, 1999, 53, 181-8 Clinical performance of prostate health index in men with tPSA>10ng/mlc Results from a multicentric European study. Uralogic Oncology: Seminars and Original Investigations, 2016, 34, 415, e13-9 ⁷⁻⁸ Thyroid nodule morphology affects the efficacy of ultrasound-guided interstitial laser ablation: a nested case-control study. International Journal of Hyperthermia, 2014, 30, 486-9 Dermatitis caused by arthropods in domestic environment: an Italian multicentre study. Journal of the European Academy of Dermatology and Venerology, 2017, 31, 1526-1533 Quality of life and cosmesis after breast cancer: whole breast radiotherapy vs partial breast high-dose-rate brachytherapy. Tumori, 2015, 101, 161-7 Preoperative MUCP and VLPP did not predict long-term (4-year) outcome after transobturator mid-urethral sling. Uralogia Internationalis, 2009, 83, 392-8 Contact sensitivity to 2-hydroxyethyl methacrylate in consecutive patients: A 1-year multicentre SIDAPA study. Contact Dermatitis, 2019, 81, 216-218 Pain during diagnostic hysteroscopy, what is the role of the cervical canal? A pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 183, 169-73 Impact of different sized catheters on pressure-flow studies in women with lower urinary tract symptoms. Neurourology and Uradynamics, 2005, 24, 106-10 Late toxicity, evolving radiotherapy techniques, and quality of life in nasopharyngeal carcinoma. Radiologia Medica, 2017, 122, 303-308 Ethnic differences in the relationship between fasting leptin and BMI in children. International Journal of Obsetty, 2004, 28, 17-21 Cost-effectiveness of recombinant follicle-stimulating hormone (FSH) versus human FSH in intrauterine insemination cycles: a statistical model-derived analysis. Gynecological Endocrinology, 2014, 203, 18-23 Botulinum Neurotoxin A Intravesical Injections in Interstitial Cystitis/Bladder Painful Syndrome: A Systematic Re

97	Effect of epidural analgesia on labor and delivery: a retrospective study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 458-60	2	10
96	Individualized 3D-printed templates for high-dose-rate interstitial multicathether brachytherapy in patients with breast cancer. <i>Brachytherapy</i> , 2019 , 18, 57-62	2.4	10
95	Celiac Disease Prevalence is Increased in Primary Sjgren's Syndrome and Diffuse Systemic Sclerosis: Lessons from a Large Multi-Center Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
94	Anti-mullerian hormone concentration during the third trimester of pregnancy and puerperium: a longitudinal case-control study in normal and diabetic pregnancy. <i>Endocrine</i> , 2015 , 50, 250-5	4	9
93	Cerebral Sinovenous Thrombosis in the Asphyxiated Cooled Infants: A Prospective Observational Study. <i>Pediatric Neurology</i> , 2017 , 66, 63-68	2.9	9
92	Body mass index associated to rs2021966 ENPP1 polymorphism increases the risk for gestational diabetes mellitus. <i>Gynecological Endocrinology</i> , 2015 , 31, 83-6	2.4	9
91	Hypofractionated whole breast radiotherapy with or without hypofractionated boost in early stage breast cancer patients: a mono-institutional analysis of skin and subcutaneous toxicity. <i>Breast Cancer</i> , 2019 , 26, 290-304	3.4	9
90	Effect of Short Term Intensive Lifestyle Intervention on Hepatic Steatosis Indexes in Adults with Obesity and/or Type 2 Diabetes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
89	Recurrences and toxicity after adjuvant vaginal brachytherapy in Stage I-II endometrial cancer: A monoinstitutional experience. <i>Brachytherapy</i> , 2016 , 15, 177-84	2.4	8
88	Ultrasound revealing subclinical enthesopathy at the greater trochanter level in patients with spondyloarthritis. <i>Clinical Rheumatology</i> , 2012 , 31, 463-8	3.9	8
87	Four-corner colposuspension: clinical and functional results. <i>International Urogynecology Journal</i> , 2003 , 14, 113-8	2	8
86	Skin toxicity after chest wall/breast plus level III-IV lymph nodes treatment with helical tomotherapy. <i>Cancer Investigation</i> , 2018 , 36, 504-511	2.1	8
85	Fetuin-A, adiposity-linked insulin resistance and responsiveness to an educational-based weight excess reduction program: a population-based survey in prepubertal schoolchildren. <i>Endocrine</i> , 2017 , 56, 357-365	4	7
84	Intrapartum test for detection of Group B Streptococcus colonization during labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 3293-3300	2	7
83	Renal echo-3D and microalbuminuria in children of diabetic mothers: a preliminary study. <i>Journal of Developmental Origins of Health and Disease</i> , 2013 , 4, 285-9	2.4	7
82	Statins Protect Against Acute RT-related Rectal Toxicity in Patients with Prostate Cancer: An Observational Prospective Study. <i>Anticancer Research</i> , 2017 , 37, 1453-1457	2.3	7
81	Effects of Weekly Supplementation of Cholecalciferol and Calcifediol Among the Oldest-Old People: Findings From a Randomized Pragmatic Clinical Trial. <i>Nutrients</i> , 2019 , 11,	6.7	7
80	Acute Toxicity Profiles of Hypofractionated Adjuvant and Salvage Radiation Therapy After Radical Prostatectomy: Results of a Prospective Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 103, 105-111	4	7

79	Evaluation of quantitative fFn test in predicting the risk of preterm birth. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 91-98	2.7	6
78	Clinical efficacy and cost-effectiveness of HP-human FSH (Fostimon[]) versus rFSH (Gonal-F[]) in IVF-ICSI cycles: a meta-analysis. <i>Gynecological Endocrinology</i> , 2013 , 29, 520-9	2.4	6
77	External validation of nomogram predicting the probability of specimen-confined disease (pT2-3a, R0N0) in patients undergoing radical prostatectomy and pelvic lymph node dissection. <i>Urologia Internationalis</i> , 2014 , 93, 262-8	1.9	6
76	Identification of universal mRNA markers for noninvasive prenatal screening of trisomies. <i>Prenatal Diagnosis</i> , 2010 , 30, 764-70	3.2	6
75	Assessing outcome after a modified vaginal wall sling for stress incontinence with intrinsic sphincter deficiency. <i>International Urogynecology Journal</i> , 2005 , 16, 138-46; discussion 146	2	6
74	Overweight in Young Athletes: New Predictive Model of Overfat Condition. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
73	Urological dysfunction in young women: an inheritance of childhood?. BJU International, 2018, 121, 453	-4557	6
72	Induction of the apoptotic pathway by oxidative stress in spontaneous preterm birth: Single nucleotide polymorphisms, maternal lifestyle factors and health status. <i>Biomedical Reports</i> , 2018 , 9, 81-	. 8 ⁷ 9 ⁸	6
71	Right Diaphragmatic Peak Motion Velocities on Pulsed Wave Tissue Doppler Imaging in Neonates: Method, Reproducibility, and Reference Values. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 2695-2701	2.9	5
70	Urgency, detrusor overactivity and posterior vault prolapse in women who underwent pelvic organ prolapse repair. <i>Urologia Internationalis</i> , 2013 , 90, 168-73	1.9	5
69	Intermittent androgen suppression in prostate cancer: testosterone levels and its implication. Journal of Sexual Medicine, 2011 , 8, 1218-27	1.1	5
68	Continuous subcutaneous hydrocortisone infusion in a woman with secondary adrenal insufficiency. <i>Endocrine</i> , 2019 , 63, 398-400	4	5
67	Pulmonary function in stereotactic body radiotherapy with helical tomotherapy for primary and metastatic lung lesions. <i>Radiologia Medica</i> , 2021 , 126, 163-169	6.5	5
66	The S.A.C.S. (Satisfaction-Anatomy-Continence-Safety) score for evaluating pelvic organ prolapse surgery: a proposal for an outcome-based scoring system. <i>International Urogynecology Journal</i> , 2015 , 26, 1061-7	2	4
65	Helical tomotherapy re-irradiation for patients affected by local radiorecurrent prostate cancer. <i>Reports of Practical Oncology and Radiotherapy</i> , 2020 , 25, 157-162	1.5	4
64	Bladder and bowel dysfunction, adaptive behaviour and psychiatric profiles in adults affected by autism spectrum disorders. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1866-1873	2.3	4
63	Managing female urinary incontinence: a regional prospective analysis of cost-utility ratios (curs) and effectiveness. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 112-7	1.6	4
62	Evaluation of physical activity and dietary behaviors in young athletes: a pilot study. <i>Minerva Pediatrics</i> , 2017 , 69, 463-469	1.5	4

61	Integrated total body composition versus Body Mass Index in young athletes. <i>Minerva Pediatrica</i> , 2020 , 72, 163-169	1.6	4
60	Micronutrients in support to the one carbon cycle for the modulation of blood fasting homocysteine in PCOS women. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 779-786	5.2	4
59	Multicentre International Study for the Prevention with iAluRil of Radio-induced Cystitis (MISTIC): A Randomised Controlled Study. <i>European Urology Open Science</i> , 2021 , 26, 45-54	0.9	4
58	Risk factors analysis and a scoring system proposal for the prediction of retained placenta after vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 228, 180-18	₅ 2.4	4
57	Risk Factors for the Completion of the Cold Loop Hysteroscopic Myomectomy in a One-Step Procedure: A Post Hoc Analysis. <i>BioMed Research International</i> , 2018 , 2018, 8429047	3	4
56	Maternal smoking does not affect the amount of cell-free fetal DNA in maternal plasma during the 1st trimester of pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , 2015 , 35, 42-5	1.3	3
55	Xerostomia Quality of Life Scale (XeQoLS) questionnaire: validation of Italian version in head and neck cancer patients. <i>Radiologia Medica</i> , 2018 , 123, 44-47	6.5	3
54	Radiotherapy for early-stage prostate cancer in men under 70 years of age. <i>Tumori</i> , 2016 , 102, 209-16	1.7	3
53	Short-course radiotherapy with delayed surgery in unfit locally advanced rectal cancer patients. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 1233-4	3	3
52	Design of a Type-1 Diabetes Vaccine Candidate Using Edible Plants Expressing a Major Autoantigen. <i>Frontiers in Plant Science</i> , 2018 , 9, 572	6.2	3
51	Prulifloxacin vs fosfomycin for prophylaxis in female patients with recurrent UTIs: a non-inferiority trial. <i>International Urogynecology Journal</i> , 2014 , 25, 1173-8	2	3
50	Correlation between age and Chromogranin A determination in prostate diseases. <i>Cancer Biomarkers</i> , 2011 , 10, 117-23	3.8	3
49	Postpartum hysterectomy: a regional multicentre analysis in Italy. <i>Journal of Obstetrics and Gynaecology</i> , 2010 , 30, 829-32	1.3	3
48	The incontinence impact questionnaire: results in an Italian female population stratified by educational status. <i>Urologia Internationalis</i> , 2009 , 83, 187-92	1.9	3
47	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 273-279	4.4	3
46	Efficacy and safety of adalimumab after failure of other anti-TNF gents for plaque-type psoriasis: clinician behavior in real life clinical practice. <i>Journal of Dermatological Treatment</i> , 2019 , 30, 441-445	2.8	3
45	How to improve CPAP failure prediction in preterm infants with RDS: a pilot study. <i>European Journal of Pediatrics</i> , 2021 , 180, 709-716	4.1	3
44	Obstetric and psychosocial risk factors associated with maternity blues. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 1227-1232	2	3

43	The effect of prenatal exposure to music on fetal movements and fetal heart rate: a pilot study. Journal of Maternal-Fetal and Neonatal Medicine, 2021 , 34, 2274-2282	2	3
42	Salvage radiotherapy in patients affected by oligorecurrent pelvic nodal prostate cancer. <i>Clinical and Translational Oncology</i> , 2020 , 22, 2236-2243	3.6	2
41	Zinc-L-carnosine prevented dysphagia in breast cancer patients undergoing adjuvant radiotherapy: Results of a phase III randomized trial. <i>Breast Journal</i> , 2020 , 26, 1882-1884	1.2	2
40	Fractionated Stereotactic Sequential Boost in a Selected Cohort of Glioblastoma Patients: A Mono-institutional Analysis. <i>Anticancer Research</i> , 2020 , 40, 3387-3393	2.3	2
39	Radical prostatectomy in high-risk prostate cancer: incidence of specimen-confined disease (pT2-pT3a N0R0) and outcomes. <i>Urologia</i> , 2014 , 81, 125-32	1.2	2
38	Outcomes of radical prostatectomy in clinically locally advanced N0M0 prostate cancer. <i>Urologia Internationalis</i> , 2010 , 85, 166-72	1.9	2
37	Gestational diabetes: A link between OGTT, maternal-fetal outcomes and maternal glucose tolerance after childbirth. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2389-2397	4.5	2
36	The Impact of the Weight Status on Cardiovascular Parameters Related to Physical Effort in Young Athletes. <i>Sustainability</i> , 2020 , 12, 3964	3.6	1
35	Diabetes Type 2 and Physical Activity Program: Potential Application of Risk-Engine UKPDS Score in Out-Patient Context. <i>Journal of Functional Morphology and Kinesiology</i> , 2018 , 3, 3	2.4	1
34	Does ultrasound provide any added value in breast contouring for radiotherapy after conserving surgery for cancer?. <i>Radiation Oncology</i> , 2015 , 10, 179	4.2	1
33	Prostate cancer: contouring target and organs at risk by kilovoltage and megavoltage CT and MRI in patients with and without hip prostheses. <i>British Journal of Radiology</i> , 2015 , 88, 20150509	3.4	1
32	Diagnostic accuracy of non-invasive prenatal sex determination: a large-scale study. <i>Clinical Genetics</i> , 2011 , 80, 595-7	4	1
31	Reply from Authors re: Monique J. Roobol. Prostate Cancer Biomarkers to Improve Risk Stratification: Is Our Knowledge of Prostate Cancer Sufficient to Spare Prostate Biopsies Safely? Eur Urol 2011;60:223B and re: Carvell T. Nguyen, Michael W. Kattan. How to Tell If a New Marker	10.2	1
30	Patients of surgical educational course may have a poorer outcome for pelvic organ prolapse repair and higher complication rate: a case-control study in urogynecology. <i>International Urogynecology Journal</i> , 2010 , 21, 693-8	2	1
29	Pharmacoeconomy in ART: The importance of the gonadotrophin choice. <i>Middle East Fertility Society Journal</i> , 2010 , 15, 64-67	1.4	1
28	Recovery of sexual function after nerve-sparing radical retropubic prostatectomy: is cavernous nitric oxide level a prognostic index?. <i>International Journal of Impotence Research</i> , 2006 , 18, 198-200	2.3	1
27	BMI-conditional standard of leptin serum values in children: proposal of a statistical procedure for the analysis of influencing variables. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2005 , 18, 1399-	408	1
26	Modulation of Human Hydrogen Sulfide Metabolism by Micronutrients, Preliminary Data <i>Nutrition and Metabolic Insights</i> , 2022 , 15, 11786388211065372	1.9	1

25	The International Female Coital Incontinence Questionnaire (IFCI-Q): Development, Validation and Reliability Study. <i>Journal of Sexual Medicine</i> , 2021 ,	1.1	1
24	Soluble adhesion molecules: marker of pre-eclampsia and intrauterine growth restriction		1
23	Interplay of anti-SSA/SSB status and hypertension in determining cardiovascular risk in primary Sjgren's syndrome. <i>Journal of Internal Medicine</i> , 2020 , 287, 214-215	10.8	1
22	Likelihood of Accomplishing an In-Patient Hysteroscopic Myomectomy in a One-Step Procedure: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2020 , 2020, 4208497	3	1
21	Clinical characterization of glioblastoma patients living longer than 2 years: A retrospective analysis of two Italian institutions. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021 , 17, 273-279	1.9	1
20	MP16-07 SHOULD WE CONTINUE TO BIOPSY MEN WITH PI-RADS III AFTER PREVIOUS NEGATIVE BIOPSY?. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
19	Terlipressin-induced modifications of Doppler ultrasound signals of systemic arteries in preterm infants with vasoactive-resistant patent ductus arteriosus: A pilot study. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 202-208	1	1
18	Metabolic Profile and Myocardial Performance of Renal Transplant Recipients Participating in Unsupervised Physical Exercise as a Prescription Program. <i>Journal of Functional Morphology and Kinesiology</i> , 2018 , 3,	2.4	1
17	The ST segment depression pattern in asymptomatic peri-menopausal female athletes. <i>Heliyon</i> , 2020 , 6, e04738	3.6	0
16	Does epidural analgesia influence labor progress in women aged 35 or more?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-5	2	O
15	The potential usefulness of free fetal DNA in maternal blood for prenatal fetal gender determination in multiple pregnancies. <i>Twin Research and Human Genetics</i> , 2012 , 15, 143-8	2.2	0
14	Role of phytotherapy associated with antibiotic prophylaxis in female patients with recurrent urinary tract infections. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013 , 85, 197-9	1.6	O
13	Lifestyle and resulting body composition in young athletes. Minerva Pediatrics, 2021, 73, 391-397	1.5	0
12	Risk factors for non-adherent retained placenta after vaginal delivery: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 268	3.2	O
11	Impact of blood sampling technique on reproducibility of viscoelastic coagulation monitor (VCM) system test results in the neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2	0
10	Diagnostic Pathway and Clinical Significance of Premature Ventricular Beats (PVBs) in Trained Bicuspid Aortic Valve (BAV) Athletes. <i>Journal of Functional Morphology and Kinesiology</i> , 2019 , 4,	2.4	O
9	Patch testing with textile dye mix in Italy: A 2-year multicenter SIDAPA study. <i>Contact Dermatitis</i> , 2021 , 84, 265-268	2.7	О
8	Tomotherapy-based moderate hypofractionation for localized prostate cancer: a mono-institutional analysis <i>Reports of Practical Oncology and Radiotherapy</i> , 2022 , 27, 142-151	1.5	O

LIST OF PUBLICATIONS

7	Reply to Claus Riedla Letter to the Editor re: Antonella Giannantoni, Vittorio Bini, Roger Dmochowski, et al. Contemporary Management of the Painful Bladder: A Systematic Review. Eur Urol 2012;61:2983. <i>European Urology</i> , 2012 , 61, e50-e51	10.2
6	ESWL and Triple Fire Lithotripter. <i>Urologia</i> , 2009 , 76, 10-14	1.2
5	AUTHOR REPLY. <i>Urology</i> , 2019 , 134, 122-123	1.6
4	Radiotherapy as treatment option in biliary cancer patients: a national survey of AIRO (Italian Association of Radiation Oncology) Gastroenterology Group <i>Reports of Practical Oncology and Radiotherapy</i> , 2021 , 26, 869-882	1.5
3	Significance of anti-La/SSB antibodies in primary Sjgren's syndrome patients with combined positivity for anti-Ro/SSA and salivary gland biopsy. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 53-56	2.2
2	Integrated Sports Medicine: A First Investigation of Heart Performance in Opera Singers. <i>Journal of Functional Morphology and Kinesiology</i> , 2022 , 7, 36	2.4
1	Myocardial Fitness of Bicuspid Aortic Valve Athletes during COVID 19 Pandemic. <i>Journal of Functional Morphology and Kinesiology</i> , 2022 , 7, 37	2.4