## Lina Sabatino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/163382/publications.pdf Version: 2024-02-01



LINA SABATINO

#	Article	IF	CITATIONS
1	Polyphenols Extracts from Oil Production Waste Products (OPWPs) Reduce Cell Viability and Exert Anti-Inflammatory Activity via PPARÎ <sup>3</sup> Induction in Colorectal Cancer Cells. Antioxidants, 2022, 11, 624.	2.2	10
2	CXCR4/CXCL12 Activities in the Tumor Microenvironment and Implications for Tumor Immunotherapy. Cancers, 2022, 14, 2314.	1.7	27
3	CXCR4 engagement triggers CD47 internalization and antitumor immunization in a mouse model of mesothelioma. EMBO Molecular Medicine, 2021, 13, e12344.	3.3	11
4	Sample-Pooling Strategy for SARS-CoV-2 Detection among Students and Staff of the University of Sannio. Diagnostics, 2021, 11, 1166.	1.3	4
5	The miR-27a/FOXJ3 Axis Dysregulates Mitochondrial Homeostasis in Colorectal Cancer Cells. Cancers, 2021, 13, 4994.	1.7	5
6	miR-27a is a master regulator of metabolic reprogramming and chemoresistance in colorectal cancer. British Journal of Cancer, 2020, 122, 1354-1366.	2.9	38
7	The Pomace Extract Taurisolo Protects Rat Brain From Ischemia-Reperfusion Injury. Frontiers in Cellular Neuroscience, 2020, 14, 3.	1.8	23
8	Centrosome Linker–induced Tetraploid Segregation Errors Link Rhabdoid Phenotypes and Lethal Colorectal Cancers. Molecular Cancer Research, 2018, 16, 1385-1395.	1.5	13
9	Friend or foe?. Biochimica Et Biophysica Acta: Reviews on Cancer, 2017, 1867, 1-18.	3.3	54
10	Malvidin's Effects on Rat Pial Microvascular Permeability Changes Due to Hypoperfusion and Reperfusion Injury. Frontiers in Cellular Neuroscience, 2016, 10, 153.	1.8	12
11	Proteomic characterization of peroxisome proliferatorâ€activated receptorâ€Î³ (PPARγ) overexpressing or silenced colorectal cancer cells unveils a novel protein network associated with an aggressive phenotype. Molecular Oncology, 2016, 10, 1344-1362.	2.1	16
12	Deregulated expression of cryptochrome genes in human colorectal cancer. Molecular Cancer, 2016, 15, 6.	7.9	34
13	Analysis of clock gene-miRNA correlation networks reveals candidate drivers in colorectal cancer. Oncotarget, 2016, 7, 45444-45461.	0.8	25
14	Prognostic role of the <i><scp>CDNK</scp>1B</i> V109G polymorphism in multiple endocrine neoplasia type 1. Journal of Cellular and Molecular Medicine, 2015, 19, 1735-1741.	1.6	23
15	Effects of Citrus Flavonoids Against Microvascular Damage Induced by Hypoperfusion and Reperfusion in Rat Pial Circulation. Microcirculation, 2015, 22, 378-390.	1.0	19
16	Effects of Oleuropein and Pinoresinol on Microvascular Damage Induced by Hypoperfusion and Reperfusion in Rat Pial Circulation. Microcirculation, 2015, 22, 79-90.	1.0	21
17	Immune Escape Mechanisms in Colorectal Cancer Pathogenesis and Liver Metastasis. Journal of Immunology Research, 2014, 2014, 1-11.	0.9	86
18	Peroxisome proliferator-activated receptor γ-mediated induction of microRNA-145 opposes tumor phenotype in colorectal cancer. Biochimica Et Biophysica Acta - Molecular Cell Research, 2014, 1843, 1225-1236.	1.9	25

Lina Sabatino

#	Article	IF	CITATIONS
19	Emerging role of the β-catenin-PPARγ axis in the pathogenesis of colorectal cancer. World Journal of Gastroenterology, 2014, 20, 7137.	1.4	43
20	Right-sided rhabdoid colorectal tumors might be related to the Serrated Pathway. Diagnostic Pathology, 2013, 8, 31.	0.9	19
21	The chromatin remodelling component SMARCB1/INI1 influences the metastatic behavior of colorectal cancer through a gene signature mapping to chromosome 22. Journal of Translational Medicine, 2013, 11, 297.	1.8	22
22	MicroRNA-130b Promotes Tumor Development and Is Associated with Poor Prognosis in Colorectal Cancer. Neoplasia, 2013, 15, 1086-1099.	2.3	128
23	Ensemble of Gene Signatures Identifies Novel Biomarkers in Colorectal Cancer Activated through PPARÎ <sup>3</sup> and TNFα Signaling. PLoS ONE, 2013, 8, e72638.	1.1	33
24	<i>PPARG</i> Epigenetic Deregulation and Its Role in Colorectal Tumorigenesis. PPAR Research, 2012, 2012, 1-12.	1.1	29
25	Comparative genome-wide DNA methylation analysis of colorectal tumor and matched normal tissues. Epigenetics, 2012, 7, 1355-1367.	1.3	67
26	The Role of Peroxisome Proliferator-Activated Receptors in the Esophageal, Gastric, and Colorectal Cancer. PPAR Research, 2012, 2012, 1-9.	1.1	23
27	Lessons to be learned from the clinical management of a <scp>MEN</scp> 2 <scp>A</scp> patient bearing a novel 634/640/700 mutation of the <i><scp>RET</scp></i> protoâ€oncogene. Clinical Endocrinology, 2012, 77, 934-936.	1.2	30
28	A novel case of rhabdoid colon carcinoma associated with a positive CpG island methylator phenotype and BRAF mutation. Human Pathology, 2011, 42, 1047-1052.	1.1	29
29	Effects of propionyl-L-carnitine on ischemia–reperfusion injury in hamster cheek pouch microcirculation. Frontiers in Physiology, 2010, 1, 132.	1.3	4
30	Epigenetic Silencing of Peroxisome Proliferator-Activated Receptor Î <sup>3</sup> Is a Biomarker for Colorectal Cancer Progression and Adverse Patients' Outcome. PLoS ONE, 2010, 5, e14229.	1.1	69
31	Prognostic role of β-catenin and p53 expression in the metastatic progression of sporadic colorectal cancer. Human Pathology, 2010, 41, 867-876.	1.1	35
32	Transcriptional activity of the murine retinol-binding protein gene is regulated by a multiprotein complex containing HMGA1, p54nrb/NonO, protein-associated splicing factor (PSF) and steroidogenic factor 1 (SF1)/liver receptor homologue 1 (LRH-1). International Journal of Biochemistry and Cell Biology 2009, 41, 2189-2203	1.2	39
33	Reduced β-catenin and peroxisome proliferator–activated receptor–γ expression levels are associated with colorectal cancer metastatic progression: correlation with tumor-associated macrophages, cyclooxygenase 2, and patient outcome. Human Pathology, 2009, 40, 714-725.	1.1	55
34	A Novel Peroxisome Proliferator-activated Receptor Î <sup>3</sup> Isoform with Dominant Negative Activity Generated by Alternative Splicing. Journal of Biological Chemistry, 2005, 280, 26517-26525.	1.6	55
35	Variants of uncoupling protein-2 gene and obesity: interaction with peroxisome proliferator-activated receptorγ2. Clinical Endocrinology, 2003, 59, 817-822.	1.2	21
36	De novo expression of uncoupling protein 3 is associated to enhanced mitochondrial thioesterase-1 expression and fatty acid metabolism in liver of fenofibrate-treated rats. FEBS Letters, 2002, 525, 7-12.	1.3	36

#	Article	IF	CITATIONS
37	In Vivo and In Vitro Studies of Cytosolic Phospholipase A2 Expression in Helicobacter pyloriInfection. Infection and Immunity, 2001, 69, 5857-5863.	1.0	23