Emili Garca-Berthou

List of Publications by Citations

Source: https://exaly.com/author-pdf/1635122/emili-garcia-berthou-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

8,281
citations

43
p-index

9-index

4.7
ext. papers

4.7
ext. citations

#	Paper	IF	Citations
150	Impacts of biological invasions: what's what and the way forward. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 58-66	10.9	1694
149	Invasive species are a leading cause of animal extinctions. <i>Trends in Ecology and Evolution</i> , 2005 , 20, 110	10.9	883
148	On the misuse of residuals in ecology: testing regression residuals vs. the analysis of covariance. <i>Journal of Animal Ecology</i> , 2001 , 70, 708-711	4.7	406
147	Conservation biogeography of freshwater fishes: recent progress and future challenges. <i>Diversity and Distributions</i> , 2010 , 16, 496-513	5	246
146	Introduction pathways and establishment rates of invasive aquatic species in Europe. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2005 , 62, 453-463	2.4	207
145	Global hotspots and correlates of alien species richness across taxonomic groups. <i>Nature Ecology and Evolution</i> , 2017 , 1,	12.3	196
144	High levels of genetic variability and panmixia of the tambaqui Colossoma macropomum (Cuvier, 1816) in the main channel of the Amazon River. <i>Journal of Fish Biology</i> , 2007 , 71, 33-44	1.9	195
143	The characteristics of invasive fishes: what has been learned so far?. <i>Journal of Fish Biology</i> , 2007 , 71, 33-55	1.9	177
142	Non-natives: 141 scientists object. <i>Nature</i> , 2011 , 475, 36	50.4	142
141	Homogenization dynamics and introduction routes of invasive freshwater fish in the Iberian Peninsula 2006 , 16, 2313-24		141
140	Crossing Frontiers in Tackling Pathways of Biological Invasions. <i>BioScience</i> , 2015 , 65, 769-782	5.7	140
139	Voracious invader or benign feline? A review of the environmental biology of European catfish Silurus glanis in its native and introduced ranges*. <i>Fish and Fisheries</i> , 2009 , 10, 252-282	6	132
138	Life-history traits of invasive fish in small Mediterranean streams. <i>Biological Invasions</i> , 2005 , 7, 107-116	2.7	109
137	Response of community structure to sustained drought in Mediterranean rivers. <i>Journal of Hydrology</i> , 2010 , 383, 135-146	6	101
136	Salinity mediates the competitive interactions between invasive mosquitofish and an endangered fish. <i>Oecologia</i> , 2008 , 155, 205-13	2.9	98
135	Size- and depth-dependent variation in habitat and diet of the common carp (Cyprinus carpio) 2001 , 63, 466-476		97

(2007-2009)

133	Scientific uncertainty and the assessment of risks posed by non-native freshwater fishes. <i>Fish and Fisheries</i> , 2009 , 10, 88-97	6	94	
132	Incongruence between test statistics and P values in medical papers. <i>BMC Medical Research Methodology</i> , 2004 , 4, 13	4.7	93	
131	Assessing effects of water abstraction on fish assemblages in Mediterranean streams. <i>Freshwater Biology</i> , 2010 , 55, 628-642	3.1	91	
130	Trace metal concentration and fish size: variation among fish species in a Mediterranean river. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 107, 154-61	7	87	
129	Life history variation of invasive mosquitofish (Gambusia holbrooki) along a salinity gradient. <i>Biological Conservation</i> , 2007 , 139, 83-92	6.2	85	
128	Multivariate Analysis of Covariance in Morphometric Studies of the Reproductive Cycle. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1993 , 50, 1394-1399	2.4	82	
127	Gradients of life-history variation: an intercontinental comparison of fishes. <i>Reviews in Fish Biology and Fisheries</i> , 2002 , 12, 417-427	6	74	
126	Ontogenetic diet shifts and interrupted piscivoryin introduced largemouth bass (Micropterus salmoides). <i>International Review of Hydrobiology</i> , 2002 , 87, 353	2.3	67	
125	Profiling invasive fish species: the importance of phylogeny and human use. <i>Diversity and Distributions</i> , 2005 , 11, 289-298	5	64	
124	Introduction of exotic fish into a Mediterranean lake over a 90-year period. <i>Fundamental and Applied Limnology</i> , 2000 , 149, 271-284	1.9	64	
123	Freshwater fish introductions in mediterranean-climate regions: are there commonalities in the conservation problem?. <i>Diversity and Distributions</i> , 2010 , 16, 606-619	5	63	
122	The effects of limnological features on fish assemblages of 14 Spanish reservoirs. <i>Ecology of Freshwater Fish</i> , 2006 , 15, 66-77	2.1	63	
121	Origin and genetic diversity of mosquitofish (Gambusia holbrooki) introduced to Europe. <i>Biological Invasions</i> , 2010 , 12, 841-851	2.7	61	
120	Developing a list of invasive alien species likely to threaten biodiversity and ecosystems in the European Union. <i>Global Change Biology</i> , 2019 , 25, 1032-1048	11.4	60	
119	Growth and diet of European catfish (Silurus glanis) in early and late invasion stages. <i>Fundamental and Applied Limnology</i> , 2009 , 174, 317-328	1.9	58	
118	Patterns of mercury and methylmercury bioaccumulation in fish species downstream of a long-term mercury-contaminated site in the lower Ebro River (NE Spain). <i>Chemosphere</i> , 2011 , 84, 1642-9	8.4	56	
117	Life history and parasites of the invasive mosquitofish (Gambusia holbrooki) along a latitudinal gradient. <i>Biological Invasions</i> , 2009 , 11, 2265-2277	2.7	54	
116	Preliminary telemetry data on the movement patterns and habitat use of European catfish (Silurus glanis) in a reservoir of the River Ebro, Spain. <i>Ecology of Freshwater Fish</i> , 2007 , 16, 450-456	2.1	54	

115	Ecological impacts of small hydropower plants on headwater stream fish: from individual to community effects. <i>Ecology of Freshwater Fish</i> , 2016 , 25, 295-306	2.1	53
114	Comparing fish assemblages and trophic ecology of permanent and intermittent reaches in a Mediterranean stream. <i>Hydrobiologia</i> , 2010 , 657, 167-180	2.4	51
113	A global assessment of freshwater fish introductions in mediterranean-climate regions. <i>Hydrobiologia</i> , 2013 , 719, 317-329	2.4	50
112	Fish zonation in a Mediterranean stream: Effects of human disturbances 2002 , 64, 163-170		48
111	Food of an endangered cyprinodont (Aphanius iberus): ontogenetic diet shift and prey electivity. <i>Environmental Biology of Fishes</i> , 2007 , 78, 193-207	1.6	47
110	The aquarium trade as a potential source of fish introductions in southwestern Europe. <i>Biological Invasions</i> , 2013 , 15, 2707-2716	2.7	46
109	Temperature-specific competition between invasive mosquitofish and an endangered cyprinodontid fish. <i>PLoS ONE</i> , 2013 , 8, e54734	3.7	46
108	Assessing fish metrics and biotic indices in a Mediterranean stream: effects of uncertain native status of fish. <i>Hydrobiologia</i> , 2008 , 603, 197-210	2.4	44
107	Decreases in Condition and Fecundity of Freshwater Fishes in a Highly Polluted Reservoir. <i>Water, Air, and Soil Pollution</i> , 2010 , 210, 231-242	2.6	43
106	Development and evaluation of a fish-based index to assess biological integrity of Mediterranean streams. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011 , 21, 324-337	2.6	42
105	Body pigmentation pattern to assess introgression by hatchery stocks in native Salmo trutta from Mediterranean streams. <i>Journal of Fish Biology</i> , 2005 , 67, 931-949	1.9	42
104	Ecology, behaviour and management of the European catfish. <i>Reviews in Fish Biology and Fisheries</i> , 2018 , 28, 177-190	6	40
103	Seasonal variation in transcript abundance in cork tissue analyzed by real time RT-PCR. <i>Tree Physiology</i> , 2008 , 28, 743-51	4.2	39
102	Effective monitoring of freshwater fish. Fish and Fisheries, 2019, 20, 729	6	35
101	Patterning ecological risk of pesticide contamination at the river basin scale. <i>Science of the Total Environment</i> , 2010 , 408, 2319-26	10.2	35
100	Fish colonization of artificial reefs in a large neotropical reservoir: material type and successional changes 2011 , 21, 251-62		34
99	Age and growth of the European catfish (Silurus glanis) in a Turkish Reservoir and comparison with introduced populations. <i>Reviews in Fish Biology and Fisheries</i> , 2011 , 21, 283-294	6	34
98	Age and growth of an Iberian cyprinodont, Aphanius iberus (Cuv. & Val.), in its most northerly population. <i>Journal of Fish Biology</i> , 1992 , 40, 929-937	1.9	34

(2013-2018)

97	Cumulative ecological effects of a Neotropical reservoir cascade across multiple assemblages. <i>Hydrobiologia</i> , 2018 , 819, 77-91	2.4	32
96	Gillnet selectivity and its relationship with body shape for eight freshwater fish species. <i>Journal of Applied Ichthyology</i> , 2007 , 23, 654-660	0.9	31
95	Litter production in aQuercus suberforest of Montseny (NE Spain) and its relationship to meteorological conditions. <i>Annals of Forest Science</i> , 2006 , 63, 791-800	3.1	31
94	A new bathymetric map based on echo-sounding and morphometrical characterization of the Lake of Banyoles (NE-Spain). <i>Hydrobiologia</i> , 1989 , 185, 83-90	2.4	31
93	Non-indigenous animal species naturalized in Iberian inland waters 2007 , 123-140		30
92	A technical note on seasonal growth models. <i>Reviews in Fish Biology and Fisheries</i> , 2012 , 22, 635-640	6	29
91	Comparing latitudinal and upstreamflownstream gradients: life history traits of invasive mosquitofish. <i>Diversity and Distributions</i> , 2011 , 17, 214-224	5	28
90	Rudd (Scardinius erythrophthalmus) introduced to the Iberian peninsula: feeding ecology in Lake Banyoles. <i>Hydrobiologia</i> , 2000 , 436, 159-164	2.4	28
89	Analyzing the importance of top-down and bottom-up controls in food webs of Chinese lakes through structural equation modeling. <i>Aquatic Ecology</i> , 2015 , 49, 199-210	1.9	27
88	Nonnative Fish to ControlAedesMosquitoes: A Controversial, Harmful Tool. <i>BioScience</i> , 2017 , 67, 84-90	5.7	24
87	Efficacy of population size structure as a bioassessment tool in freshwaters. <i>Ecological Indicators</i> , 2013 , 34, 571-579	5.8	24
86	Global meta-analysis of native and nonindigenous trophic traits in aquatic ecosystems. <i>Global Change Biology</i> , 2017 , 23, 1861-1870	11.4	24
85	Fish catchability and comparison of four electrofishing crews in Mediterranean streams. <i>Fisheries Research</i> , 2012 , 123-124, 9-15	2.3	24
84	Spatial heterogeneity in roach (Rutilus rutilus) diet among contrasting basins within a lake. <i>Fundamental and Applied Limnology</i> , 1999 , 146, 239-256	1.9	23
83	Temperature and hydrologic alteration predict the spread of invasive Largemouth Bass (Micropterus salmoides). <i>Science of the Total Environment</i> , 2018 , 639, 58-66	10.2	23
82	Displacement and Local Extinction of Native and Endemic Species 2017 , 157-175		22
81	Behavioural and physical effects of arsenic exposure in fish are aggravated by aquatic algae. <i>Aquatic Toxicology</i> , 2014 , 156, 116-24	5.1	22
80	Gene flow and maintenance of genetic diversity in invasive mosquitofish (Gambusia holbrooki). <i>PLoS ONE</i> , 2013 , 8, e82501	3.7	22

79	A network-based approach to the analysis of ontogenetic diet shifts: An example with an endangered, small-sized fish. <i>Ecological Complexity</i> , 2011 , 8, 123-129	2.6	22
78	Ecological classification of a set of Mediterranean reservoirs applying the EU Water Framework Directive: A reasonable compromise between science and management. <i>Lake and Reservoir Management</i> , 2009 , 25, 364-376	1.3	22
77	Use of a flooded salt marsh habitat by an endangered cyprinodontid fish (Aphanius iberus). <i>Hydrobiologia</i> , 2008 , 600, 177-185	2.4	22
76	Consistency of impact assessment protocols for non-native species. <i>NeoBiota</i> , 2019 , 44, 1-25	4.2	21
75	Biofilm Responses to Flow Regulation by Dams in Mediterranean Rivers. <i>River Research and Applications</i> , 2015 , 31, 1003-1016	2.3	20
74	Misguided strategy for mosquito control. <i>Science</i> , 2016 , 351, 675	33.3	20
73	Global pressures, specific responses: effects of nutrient enrichment in streams from different biomes. <i>Environmental Research Letters</i> , 2013 , 8, 014002	6.2	19
72	A review of impact assessment protocols of non-native plants. <i>Biological Invasions</i> , 2019 , 21, 709-723	2.7	18
71	Natural abiotic factors more than anthropogenic perturbation shape the invasion of Eastern Mosquitofish (Gambusia holbrooki). <i>Freshwater Science</i> , 2015 , 34, 965-974	2	17
70	Could native predators help to control invasive fishes? Microcosm experiments with the Neotropical characid, Brycon orbignyanus. <i>Ecology of Freshwater Fish</i> , 2009 , 18, 491-499	2.1	17
69	Small Weirs, Big Effects: Disruption of Water Temperature Regimes with Hydrological Alteration in a Mediterranean Stream. <i>River Research and Applications</i> , 2016 , 32, 309-319	2.3	16
68	Brook Trout Removal as a Conservation Tool to Restore Eagle Lake Rainbow Trout. <i>North American Journal of Fisheries Management</i> , 2010 , 30, 1315-1323	1.1	16
67	Short-term Effects of a Partial Drawdown on Fish Condition in a Eutrophic Reservoir. <i>Water, Air, and Soil Pollution</i> , 2008 , 190, 3-11	2.6	16
66	Abundance of invasive peacock bass increases with water residence time of reservoirs in southeastern Brazil. <i>Hydrobiologia</i> , 2018 , 817, 155-166	2.4	16
65	Water diversion reduces abundance and survival of two Mediterranean cyprinids. <i>Ecology of Freshwater Fish</i> , 2018 , 27, 481-491	2.1	15
64	Experimental evidence for the use of artificial refugia to mitigate the impacts of invasive Gambusia holbrooki on an endangered fish. <i>Biological Invasions</i> , 2016 , 18, 873-882	2.7	15
63	Herbivory and seasonal changes in diet of a highly endemic cyprinodontid fish (Aphanius farsicus). <i>Environmental Biology of Fishes</i> , 2015 , 98, 1541-1554	1.6	15
62	The influence of water level and salinity on plant assemblages of a seasonally flooded Mediterranean wetland. <i>Plant Ecology</i> , 2007 , 189, 71-85	1.7	15

(2020-2017)

61	Relationship of fish indices with sampling effort and land use change in a large Mediterranean river. <i>Science of the Total Environment</i> , 2017 , 605-606, 1055-1063	10.2	14
60	Artificial macrophytes as fish habitat in a Mediterranean reservoir subjected to seasonal water level disturbances. <i>Aquatic Sciences</i> , 2011 , 73, 43-52	2.5	14
59	Sprouting of seedlings of three Quercus species in relation to repeated pruning and the cotyledonary node. <i>Australian Journal of Botany</i> , 2001 , 49, 67	1.2	14
58	Environmental and spatial correlates of hydrologic alteration in a large Mediterranean river catchment. <i>Science of the Total Environment</i> , 2018 , 639, 1138-1147	10.2	14
57	Effects of size and sex on swimming performance and metabolism of invasive mosquitofish Gambusia[holbrooki. <i>Ecology of Freshwater Fish</i> , 2017 , 26, 424-433	2.1	13
56	Environmental filtering governs the spatial distribution of alien fishes in a large, human-impacted Mediterranean river. <i>Diversity and Distributions</i> , 2019 , 25, 701-714	5	13
55	Influences of size and sex on invasive species aggression and native species vulnerability: a case for modern regression techniques. <i>Reviews in Fish Biology and Fisheries</i> , 2015 , 25, 537-549	6	13
54	Food of introduced pumpkinseed sunfish: ontogenetic diet shift and seasonal variation 2000 , 57, 29		13
53	Influence of submarine groundwater discharge on (210)Po and (210)Pb bioaccumulation in fish tissues. <i>Journal of Environmental Radioactivity</i> , 2016 , 155-156, 46-54	2.4	12
52	Factors explaining the patterns of benthic chlorophyll-a distribution in a large agricultural Iberian watershed (Guadiana river). <i>Ecological Indicators</i> , 2014 , 36, 463-469	5.8	12
51	Key factors explaining critical swimming speed in freshwater fish: a review and statistical analysis for Iberian species. <i>Scientific Reports</i> , 2020 , 10, 18947	4.9	12
50	Effects of water pollution and river fragmentation on population genetic structure of invasive mosquitofish. <i>Science of the Total Environment</i> , 2018 , 637-638, 1372-1382	10.2	12
49	Diel Cycle and Effects of Water Flow on Activity and Use of Depth by Common Carp. <i>Transactions of the American Fisheries Society</i> , 2015 , 144, 491-501	1.7	11
48	Co-occurring bighead and silver carps show similar food preference but different isotopic niche overlap in different lakes. <i>Environmental Biology of Fishes</i> , 2015 , 98, 1185-1199	1.6	11
47	Genetic divergence among invasive and native populations of the yellow peacock cichlid Cichla kelberi. <i>Journal of Fish Biology</i> , 2016 , 89, 2595-2606	1.9	11
46	Organochlorine compounds in European catfish (Silurus glanis) living in river areas under the influence of a chlor-alkali plant (Ebro River basin). <i>Science of the Total Environment</i> , 2016 , 540, 221-30	10.2	10
45	Food Webs and Trophic Interactions in Intermittent Rivers and Ephemeral Streams 2017, 323-347		10
44	Reliability analysis of fish traits reveals discrepancies among databases. <i>Freshwater Biology</i> , 2020 , 65, 863-877	3.1	10

43	Trace metal accumulation as complementary dietary information for the isotopic analysis of complex food webs. <i>Methods in Ecology and Evolution</i> , 2016 , 7, 910-918	7.7	10
42	Size-independent age effects on reproductive effort in a small, short-lived fish. <i>Freshwater Biology</i> , 2008 , 53, 865-871	3.1	9
41	The role of connectivity in the interplay between climate change and the spread of alien fish in a large Mediterranean river. <i>Global Change Biology</i> , 2020 , 26, 6383-6398	11.4	9
40	Size-related effects and the influence of metabolic traits and morphology on swimming performance in fish. <i>Environmental Epigenetics</i> , 2020 , 66, 493-503	2.4	8
39	A workflow for standardising and integrating alien species distribution data. <i>NeoBiota</i> , 2020 , 59, 39-59	4.2	8
38	Open minded and open access: introducing NeoBiota, a new peer-reviewed journal of biological invasions. <i>NeoBiota</i> , 2011 , 9, 1-12	4.2	8
37	Alien animal introductions in Iberian inland waters: An update and analysis. <i>Science of the Total Environment</i> , 2020 , 703, 134505	10.2	8
36	Water abstraction affects abundance, size-structure and growth of two threatened cyprinid fishes. <i>PLoS ONE</i> , 2017 , 12, e0175932	3.7	7
35	Interacting effects of spatial gradients and fishing gears on characterization of fish assemblages in large reservoirs. <i>Reviews in Fish Biology and Fisheries</i> , 2016 , 26, 71-81	6	7
34	When habitat complexity increases predation risk: experiments with invasive and neotropical native fishes. <i>Marine and Freshwater Research</i> , 2013 , 64, 752	2.2	7
33	Examining predictors of chemical toxicity in freshwater fish using the random forest technique. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 10172-10181	5.1	6
32	Quantifying seasonality along a latitudinal gradient: from stream temperature to growth of invasive mosquitofish. <i>Ecosphere</i> , 2014 , 5, art134	3.1	6
31	Experimental assessment of the effects of a Neotropical nocturnal piscivore on juvenile native and invasive fishes. <i>Neotropical Ichthyology</i> , 2012 , 10, 167-176	1.3	6
30	Combined effects of hydrologic alteration and cyprinid fish in mediating biogeochemical processes in a Mediterranean stream. <i>Science of the Total Environment</i> , 2017 , 601-602, 1217-1225	10.2	5
29	A generic method to assess species exploratory potential under climate change. <i>Ecological Indicators</i> , 2018 , 90, 615-623	5.8	5
28	Fish-Based Indices in Catalan Rivers: Intercalibration and Comparison of Approaches. <i>Handbook of Environmental Chemistry</i> , 2015 , 125-147	0.8	5
27	The invasion of an alien characiform fish and the decline of a native congener in a Neotropical river-floodplain system. <i>Hydrobiologia</i> , 2021 , 848, 2189-2201	2.4	5
26	Reconciliation ecology in Neotropical reservoirs: can fishing help to mitigate the impacts of invasive fishes on native populations?. <i>Hydrobiologia</i> , 2019 , 826, 183-193	2.4	4

(2011-2017)

25	Dietary traits of invasive bleak Alburnus alburnus (Actinopterygii, Cyprinidae) between contrasting habitats in Iberian fresh waters. <i>Hydrobiologia</i> , 2017 , 795, 23-33	2.4	4
24	Human impacts and the loss of Neotropical freshwater fish diversity. <i>Neotropical Ichthyology</i> , 2021 , 19,	1.3	4
23	Differences in swimming performance and energetic costs between an endangered native toothcarp (Aphanius iberus) and an invasive mosquitofish (Gambusia holbrooki). <i>Ecology of Freshwater Fish</i> , 2020 , 29, 230-240	2.1	4
22	Effects of reservoir cascades on diversity, distribution, and abundance of fish assemblages in three Neotropical basins. <i>Science of the Total Environment</i> , 2021 , 778, 146246	10.2	4
21	Ecological impacts of an invasive top predator fish across South America. <i>Science of the Total Environment</i> , 2021 , 761, 143296	10.2	4
20	RivFishTIME: A global database of fish time-series to study global change ecology in riverine systems. <i>Global Ecology and Biogeography</i> , 2021 , 30, 38-50	6.1	4
19	Water turbidity increases biotic resistance of native Neotropical piscivores to alien fish. <i>Hydrobiologia</i> , 2018 , 817, 293-305	2.4	3
18	Monitoring Biological Invasions in Freshwater Habitats 2010 , 91-100		3
17	The Effect of Multiple Stressors on Biological Communities in the Llobregat. <i>Handbook of Environmental Chemistry</i> , 2012 , 93-116	0.8	2
16	Invasion ecology fifty years after Elton book. <i>Biological Invasions</i> , 2010 , 12, 1941-1942	2.7	2
15	Ecological impact of inland fish introduced to the Iberian Peninsula. <i>Ecosistemas</i> , 2014 , 24, 36-42	1.7	2
14	When a freshwater invader meets the estuary: the peacock bass and fish assemblages in the SB JoB River, Brazil. <i>Biological Invasions</i> , 2021 , 23, 167-179	2.7	2
13	Alien fish in Neotropical reservoirs: Assessing multiple hypotheses in invasion biology. <i>Ecological Indicators</i> , 2021 , 121, 107034	5.8	2
12	The economic costs of biological invasions around the world. <i>NeoBiota</i> , 2021 , 67, 1-9	4.2	2
11	Policy-relevant indicators for invasive alien species assessment and reporting		2
10	Life-history traits of invasive fish in small Mediterranean streams 2005 , 107-116		2
9	Comparing fish assemblages and trophic ecology of permanent and intermittent reaches in a Mediterranean stream 2010 , 167-180		1
8	Open minded and open access: introducing NeoBiota, a new peer-reviewed journal of biological invasions. <i>NeoBiota</i> , 2011 , 9, 1-12	4.2	1

7	Prioritizing Sex Recognition Over Learned Species Recognition: Hierarchical Mate Recognition in an Invasive Fish. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1
6	Captive breeding conditions decrease metabolic rates and alter morphological traits in the endangered Spanish toothcarp, Aphanius iberus. <i>International Review of Hydrobiology</i> , 2020 , 105, 119	2.3	O
5	Assessing the short-term response of fish assemblages to damming of an Amazonian river <i>Journal of Environmental Management</i> , 2022 , 307, 114571	7.9	0
4	Interpopulation Variability in Dietary Traits of Invasive Bleak Alburnus alburnus (Actinopterygii, Cyprinidae) Across the Iberian Peninsula. <i>Water (Switzerland)</i> , 2020 , 12, 2200	3	O
3	Interspecific synchrony is related to body-length similarity in a fish community under prolonged drought conditions. <i>Science of the Total Environment</i> , 2021 , 781, 146721	10.2	0
2	Phylogenetic signal and evolutionary relationships among traits of inland fishes along elevational and longitudinal gradients. <i>Freshwater Biology</i> , 2022 , 67, 912-925	3.1	O
1	Fatty acid profiles of the topmouth culter (Culter alburnus Basilewsky, 1855) from five lakes located at different latitudes in China. <i>Journal of Applied Ichthyology</i> , 2017 , 33, 468-477	0.9	