
## Eun Hee Hong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1635346/publications.pdf Version: 2024-02-01



FUN HEE HONC

#	Article	IF	CITATIONS
1	Quantitative evaluation of hard exudates in diabetic macular edema after short-term intravitreal triamcinolone, dexamethasone implant or bevacizumab injections. BMC Ophthalmology, 2017, 17, 182.	1.4	25
2	Retinopathy of prematurity: a review of epidemiology and current treatment strategies. Clinical and Experimental Pediatrics, 2022, 65, 115-126.	2.2	25
3	Comparison of repeatability of swept-source and spectral-domain optical coherence tomography for measuring inner retinal thickness in retinal disease. PLoS ONE, 2019, 14, e0210729.	2.5	17
4	Nationwide incidence and treatment pattern of retinopathy of prematurity in South Korea using the 2007–2018 national health insurance claims data. Scientific Reports, 2021, 11, 1451.	3.3	17
5	The effect of oral acetazolamide on cystoid macular edema in hydroxychloroquine retinopathy: a case report. BMC Ophthalmology, 2017, 17, 124.	1.4	13
6	Wide scan imaging with swept-source optical coherent tomography for glaucoma diagnosis. PLoS ONE, 2018, 13, e0195040.	2.5	12
7	The Association between Female Reproductive Factors and Open-Angle Glaucoma in Korean Women: The Korean National Health and Nutrition Examination Survey V. Journal of Ophthalmology, 2018, 2018, 1-8.	1.3	10
8	Traumatic optic neuropathy-associated progressive thinning of the retinal nerve fiber layer and ganglion cell complex: two case reports. BMC Ophthalmology, 2019, 19, 216.	1.4	7
9	Incidence of Terson Syndrome in Treated Subarachnoid Hemorrhage in South Korea: a National Health Insurance Database Study. Scientific Reports, 2019, 9, 19048.	3.3	6
10	Ophthalmic complications in retinopathy of prematurity in the first decade of life in Korea using the national health insurance database. Scientific Reports, 2022, 12, 911.	3.3	5
11	Diagnostic Ability of Retinal Nerve Fiber Layer Thickness Deviation Map for Localized and Diffuse Retinal Nerve Fiber Layer Defects. Journal of Ophthalmology, 2017, 2017, 1-9.	1.3	3
12	ATPâ€binding cassette subfamily Aâ€1 (ABCA1) levels are increased in the aqueous humour of proliferative diabetic retinopathy patients. Acta Ophthalmologica, 2021, 99, e442-e443.	1.1	3
13	Corneal Endothelial Cell Loss after Phacoemulsification in Eyes with a Prior Acute Angle-closure Attack. Korean Journal of Ophthalmology: KJO, 2020, 34, 432-438.	1.1	2
14	Severe Retinopathy of Prematurity Associated With Neurodevelopmental Disorder in Children. Frontiers in Pediatrics, 2022, 10, 816409.	1.9	2
15	Comparison of Image Quality between Swept-Source and Spectral-Domain Optical Coherence Tomography According to Ocular Media Opacity. Journal of Korean Ophthalmological Society, 2016, 57, 248.	0.2	1
16	A Case of Bilateral Acute Angle Closure Attack Induced by Common Cold Medication. Journal of Korean Ophthalmological Society, 2016, 57, 334.	0.2	1
17	Leucine-rich G Protein-coupled Receptor-5 Is Significantly Increased in the Aqueous Humor of Human Eye with Proliferative Diabetic Retinopathy. Experimental Neurobiology, 2018, 27, 238-244.	1.6	1
18	Utility of Ultra-wide Fundus Photography in Patients with Acute Blunt Ocular Trauma. Journal of Korean Ophthalmological Society, 2019, 60, 428.	0.2	1

#	Article	IF	CITATIONS
19	Bilateral Fundus Excyclotorsion in Unilateral Superior Oblique Palsy Confirmed by MR Imaging. Journal of Clinical Medicine, 2020, 9, 1829.	2.4	1