

# Tae Hyun Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1635412/publications.pdf>

Version: 2024-02-01

247  
papers

8,056  
citations

53939

47  
h-index

75989

78  
g-index

250  
all docs

250  
docs citations

250  
times ranked

10247  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stereotactic ablative radiotherapy for pulmonary oligometastases from primary hepatocellular carcinoma: a multicenter and retrospective analysis (KROG 17-08). <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 616-622.	0.6	9
2	Better survival of patients with hepatitis B virus-related hepatocellular carcinoma in South Korea: Changes in 16-years cohorts. <i>PLoS ONE</i> , 2022, 17, e0265668.	1.1	9
3	Sorafenib combined with radiation therapy for advanced hepatocellular carcinoma with portal and hepatic vein invasion extending to the inferior vena cava: a complete response case according to modified RECIST criteria. <i>Journal of Liver Cancer</i> , 2022, 22, 63-68.	0.3	2
4	Role of adjuvant chemoradiotherapy and chemotherapy in patients with resected gallbladder carcinoma: a multi-institutional analysis (KROG 19-04). <i>Cancer Biology and Medicine</i> , 2022, 19, 1-14.	1.4	2
5	Active small bowel sparing in intracavitary brachytherapy for cervical cancer. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 266-273.	0.6	0
6	A Comparative Analysis of Photon versus Proton Beam Therapy in Neoadjuvant Concurrent Chemoradiotherapy for Intrathoracic Squamous Cell Carcinoma of the Esophagus at a Single Institute. <i>Cancers</i> , 2022, 14, 2033.	1.7	2
7	Dose Profile Modulation of Proton Minibeam for Clinical Application. <i>Cancers</i> , 2022, 14, 2888.	1.7	2
8	Impact of sarcopenia on survival of pancreatic cancer patients treated with concurrent chemoradiotherapy. <i>Tumori</i> , 2021, 107, 030089162093779.	0.6	5
9	Proton beam radiotherapy vs. radiofrequency ablation for recurrent hepatocellular carcinoma: A randomized phase III trial. <i>Journal of Hepatology</i> , 2021, 74, 603-612.	1.8	118
10	New brain metastases after whole-brain radiotherapy of initial brain metastases in breast cancer patients: the significance of molecular subtypes (KROG 16-12). <i>Breast Cancer Research and Treatment</i> , 2021, 186, 453-462.	1.1	5
11	Multi-Institutional Retrospective Study of Radiotherapy for Hepatocellular Carcinoma in the Caudate Lobe. <i>Frontiers in Oncology</i> , 2021, 11, 646473.	1.3	3
12	Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (Korean Radiation Oncology Group 1612).. <i>Journal of Clinical Oncology</i> , 2021, 39, e14008-e14008.	0.8	0
13	Photon Versus Proton Beam Therapy for T1-3 Squamous Cell Carcinoma of the Thoracic Esophagus Without Lymph Node Metastasis. <i>Frontiers in Oncology</i> , 2021, 11, 699172.	1.3	6
14	Prognosis of patients with axillary lymph node metastases from occult breast cancer: analysis of multicenter data. <i>Radiation Oncology Journal</i> , 2021, 39, 107-112.	0.7	8
15	Treatment outcomes of passive scattering proton beam therapy for stage I non-small cell lung cancer. <i>Radiation Oncology</i> , 2021, 16, 155.	1.2	4
16	Beam Angle Optimization for Double-Scattering Proton Delivery Technique Using an Eclipse Application Programming Interface and Convolutional Neural Network. <i>Frontiers in Oncology</i> , 2021, 11, 707464.	1.3	2
17	Role of adjuvant radiotherapy in extrahepatic bile duct cancer: A multicenter retrospective study (Korean Radiation Oncology Group 18-14). <i>European Journal of Cancer</i> , 2021, 157, 31-39.	1.3	5
18	Preclinical evaluation of radiation therapy of BRCA1-associated mammary tumors using a mouse model. <i>International Journal of Biological Sciences</i> , 2021, 17, 689-701.	2.6	2

#	ARTICLE	IF	CITATIONS
19	RRM1 Expression as a Prognostic Biomarker for Unresectable or Recurrent Biliary Tract Cancer Treated with Gemcitabine plus Cisplatin. <i>Journal of Clinical Medicine</i> , 2021, 10, 4652.	1.0	1
20	Clinical Effectiveness of Hypofractionated Proton Beam Therapy for Liver Metastasis From Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 783327.	1.3	7
21	Novel prognostic classification predicts overall survival of patients receiving salvage whole-brain radiotherapy for recurrent brain metastasis from breast cancer: A recursive partitioning analysis (KROG 16-12). <i>Breast</i> , 2021, 60, 272-278.	0.9	1
22	Dosimetric Comparisons between Proton Beam Therapy and Modern Photon Radiation Techniques for Stage I Non-Small Cell Lung Cancer According to Tumor Location. <i>Cancers</i> , 2021, 13, 6356.	1.7	5
23	Survival outcomes of breast cancer patients with brain metastases: A multicenter retrospective study in Korea (KROG 16-12). <i>Breast</i> , 2020, 49, 41-47.	0.9	16
24	Outcome of breast-conserving treatment for axillary lymph node metastasis from occult breast cancer with negative breast MRI. <i>Breast</i> , 2020, 49, 63-69.	0.9	18
25	Efficacy and feasibility of proton beam radiotherapy using the simultaneous integrated boost technique for locally advanced pancreatic cancer. <i>Scientific Reports</i> , 2020, 10, 21712.	1.6	12
26	Comparison of Dose Distribution in Regional Lymph Nodes in Whole-Breast Radiotherapy vs. Whole-Breast Plus Regional Lymph Node Irradiation: An In Silico Planning Study in Participating Institutions of the Phase III Randomized Trial (KROG 1701). <i>Cancers</i> , 2020, 12, 3261.	1.7	2
27	Phase II Study of Hypofractionated Proton Beam Therapy for Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 542.	1.3	22
28	Prognostic significance of smoking and alcohol history in young age oral cavity cancer. <i>Oral Diseases</i> , 2020, 26, 1440-1448.	1.5	10
29	Effectiveness and feasibility of external beam radiotherapy for hepatocellular carcinoma with inferior vena cava and/or right atrium involvement: a multicenter trial in Korea (KROG 17-10). <i>International Journal of Radiation Biology</i> , 2020, 96, 759-766.	1.0	12
30	Cervical Lymph Node Involvement above the Supraclavicular Fossa in Breast Cancer: Comparison with Stage IIIC (KROG 18-02). <i>Journal of Breast Cancer</i> , 2020, 23, 194.	0.8	9
31	Visual outcomes of proton beam therapy for choroidal melanoma at a single institute in the Republic of Korea. <i>PLoS ONE</i> , 2020, 15, e0242966.	1.1	6
32	Benefit of Adjuvant Chemoradiotherapy in Resected Gallbladder Carcinoma. <i>Scientific Reports</i> , 2019, 9, 11770.	1.6	19
33	Consensus Report From the Miami Liver Proton Therapy Conference. <i>Frontiers in Oncology</i> , 2019, 9, 457.	1.3	15
34	Mo1382 - Successful Establishment of Pancreatic Cancer Patient-Derived Orthotopic Xenograft Models Using Eus-Guided Fine-Needle Biopsy Samples. <i>Gastroenterology</i> , 2019, 156, S-758-S-759.	0.6	0
35	Predicting lymph node metastasis in pancreatobiliary cancer with magnetic resonance imaging: A prospective analysis. <i>European Journal of Radiology</i> , 2019, 116, 1-7.	1.2	14
36	The Characteristics of Local Recurrence After Breast-Conserving Surgery Alone for Malignant and Borderline Phyllodes Tumors of the Breast (KROG 16-08). <i>Clinical Breast Cancer</i> , 2019, 19, 345-353.e2.	1.1	13

#	ARTICLE	IF	CITATIONS
37	Does Risk-Adapted Proton Beam Therapy Have a Role as a Complementary or Alternative Therapeutic Option for Hepatocellular Carcinoma?. <i>Cancers</i> , 2019, 11, 230.	1.7	22
38	Comparative clinical evaluation of atlas and deep-learning-based auto-segmentation of organ structures in liver cancer. <i>Radiation Oncology</i> , 2019, 14, 213.	1.2	51
39	Cytopathological results of initial endoscopic ultrasound-guided fine needle aspiration for primary mass and prognosis in pancreatic cancer patients. <i>Cytopathology</i> , 2019, 30, 173-178.	0.4	1
40	Effect of Early Management on Pain and Depression in Patients with Pancreatobiliary Cancer: A Randomized Clinical Trial. <i>Cancers</i> , 2019, 11, 79.	1.7	6
41	Treatment Outcome after Fractionated Conformal Radiotherapy for Hepatocellular Carcinoma in Patients with Child-Pugh Classification B in Korea (KROG 16-05). <i>Cancer Research and Treatment</i> , 2019, 51, 1589-1599.	1.3	18
42	Comprehensive Cancer Panel Sequencing Defines Genetic Diversity and Changes in the Mutational Characteristics of Pancreatic Cancer Patients Receiving Neoadjuvant Treatment. <i>Gut and Liver</i> , 2019, 13, 683-689.	1.4	12
43	Tolerance design of patient-specific range QA using the DMAIC framework in proton therapy. <i>Medical Physics</i> , 2018, 45, 520-528.	1.6	1
44	Inhibition of AKT suppresses the initiation and progression of BRCA1-associated mammary tumors. <i>International Journal of Biological Sciences</i> , 2018, 14, 1769-1781.	2.6	11
45	Inhibition of Estrogen Signaling Reduces the Incidence of BRCA1-associated Mammary Tumor Formation. <i>International Journal of Biological Sciences</i> , 2018, 14, 1755-1768.	2.6	9
46	The Impact of Surgical Timing on Pathologic Tumor Response after Short Course and Long Course Preoperative Chemoradiation for Locally Advanced Rectal Adenocarcinoma. <i>Cancer Research and Treatment</i> , 2018, 50, 1039-1050.	1.3	11
47	Optimal time of tumour response evaluation and effectiveness of hypofractionated proton beam therapy for inoperable or recurrent hepatocellular carcinoma. <i>Oncotarget</i> , 2018, 9, 4034-4043.	0.8	19
48	Cyclin B1 stability is increased by interaction with BRCA1, and its overexpression suppresses the progression of BRCA1-associated mammary tumors. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-16.	3.2	16
49	Individualized metabolic profiling stratifies pancreatic and biliary tract cancer: a useful tool for innovative screening programs and predictive strategies in healthcare. <i>EPMA Journal</i> , 2018, 9, 287-297.	3.3	9
50	Malignant and borderline phyllodes tumors of the breast: a multicenter study of 362 patients (KROG Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.1	39
51	Analysis of unexplained carcinoembryonic antigen elevation after curative treatment of locally advanced rectal cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 924-929.	1.0	1
52	OC-0161: Patterns of Local Recurrence in Malignant and Borderline Phyllodes Tumors of the Breast (KROG 16-08). <i>Radiotherapy and Oncology</i> , 2018, 127, S82-S83.	0.3	0
53	Effectiveness and Safety of Simultaneous Integrated Boost-Proton Beam Therapy for Localized Pancreatic Cancer. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381878387.	0.8	15
54	Patterns of failure in rectal cancer with positive circumferential resection margin after surgery following preoperative chemoradiation: a propensity score matching analysis. <i>British Journal of Radiology</i> , 2018, 91, 20180143.	1.0	6

#	ARTICLE	IF	CITATIONS
55	Effectiveness and feasibility of concurrent chemoradiotherapy using simultaneous integrated boost-intensity modulated radiotherapy with and without induction chemotherapy for locally advanced pancreatic cancer. <i>Radiation Oncology Journal</i> , 2018, 36, 200-209.	0.7	10
56	Redefining the Positive Circumferential Resection Margin by Incorporating Preoperative Chemoradiotherapy Treatment Response in Locally Advanced Rectal Cancer: A Multicenter Validation Study. <i>Cancer Research and Treatment</i> , 2018, 50, 506-517.	1.3	3
57	Clinical Outcomes of Proton Beam Therapy for Choroidal Melanoma at a Single Institute in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 335-344.	1.3	10
58	Proximal Resection Margins: More Prognostic than Distal Resection Margins in Patients Undergoing Hilar Cholangiocarcinoma Resection. <i>Cancer Research and Treatment</i> , 2018, 50, 1106-1113.	1.3	13
59	Breast Conservation Therapy Versus Mastectomy in Patients with T1-2N1 Triple-Negative Breast Cancer: Pooled Analysis of KROG 14-18 and 14-23. <i>Cancer Research and Treatment</i> , 2018, 50, 1316-1323.	1.3	20
60	Strategic Distributional Cost-Effectiveness Analysis for Improving National Cancer Screening Uptake in Cervical Cancer: A Focus on Regional Inequality in South Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 212-221.	1.3	3
61	Radiotherapeutic strategies for hepatocellular carcinoma with portal vein tumour thrombosis in a hepatitis B endemic area. <i>Liver International</i> , 2017, 37, 90-100.	1.9	58
62	Risk-adapted simultaneous integrated boost-proton beam therapy (SIB-PBT) for advanced hepatocellular carcinoma with tumour vascular thrombosis. <i>Radiotherapy and Oncology</i> , 2017, 122, 122-129.	0.3	37
63	Response to Is radiotherapy the best option for treating hepatocellular carcinoma with <scp>PVTT</scp>?. <i>Liver International</i> , 2017, 37, 308-309.	1.9	1
64	CHK2 is involved in the p53-independent radiosensitizing effects of valproic acid. <i>Oncology Letters</i> , 2017, 13, 2591-2598.	0.8	5
65	All-treatment array of hepatocellular carcinoma from initial diagnosis to death: observation of cumulative treatments. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2327-2339.	1.2	12
66	Genome-wide association and expression quantitative trait loci studies identify multiple susceptibility loci for thyroid cancer. <i>Nature Communications</i> , 2017, 8, 15966.	5.8	64
67	A Multicenter Phase II Trial of Neoadjuvant Chemotherapy with Docetaxel and Gemcitabine in Locally Advanced Breast Cancer. <i>Journal of Breast Cancer</i> , 2017, 20, 340.	0.8	4
68	Selective Radiation Therapy for Ductal Carcinoma <i>in Situ</i> Following Breast-Conserving Surgery According to Age and Margin Width: Korean Radiation Oncology Group 11-04 and 16-02 Studies. <i>Journal of Breast Cancer</i> , 2017, 20, 327.	0.8	5
69	Prognostic group stratification and nomogram for predicting overall survival in patients who received radiotherapy for abdominal lymph node metastasis from hepatocellular carcinoma: a multi-institutional retrospective study (KROG 15-02). <i>Oncotarget</i> , 2017, 8, 94450-94461.	0.8	15
70	A phase II study of gemcitabine as adjuvant treatment for biliary tract cancer after surgical resection.. <i>Journal of Clinical Oncology</i> , 2017, 35, 330-330.	0.8	3
71	DCK expression, a potential predictive biomarker in the adjuvant gemcitabine chemotherapy for biliary tract cancer after surgical resection: results from a phase II study. <i>Oncotarget</i> , 2017, 8, 81394-81404.	0.8	14
72	Reduced levels of Nâ€™methyl-2-pyridone-5-carboxamide and lysophosphatidylcholine 16:0 in the serum of patients with intrahepatic cholangiocarcinoma, and the correlation with recurrence-free survival. <i>Oncotarget</i> , 2017, 8, 112598-112609.	0.8	12

#	ARTICLE	IF	CITATIONS
73	Treatment outcomes of extended-field radiation therapy for thoracic superficial esophageal cancer. <i>Radiation Oncology Journal</i> , 2017, 35, 241-248.	0.7	8
74	Clinical Practice Patterns of Radiotherapy in Patients with Hepatocellular Carcinoma: A Korean Radiation Oncology Group Study (KROG 14-07). <i>Cancer Research and Treatment</i> , 2017, 49, 61-69.	1.3	14
75	Effects of Postoperative Radiotherapy on Leptomeningeal Carcinomatosis or Dural Metastasis after Resection of Brain Metastases in Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2017, 49, 748-758.	1.3	9
76	Induction Chemotherapy with Gemcitabine and Cisplatin Followed by Simultaneous Integrated Boost Intensity Modulated Radiotherapy with Concurrent Gemcitabine for Locally Advanced Unresectable Pancreatic Cancer: Results from a Feasibility Study. <i>Cancer Research and Treatment</i> , 2017, 49, 1022-1032.	1.3	9
77	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). <i>Cancer Research and Treatment</i> , 2017, 49, 927-936.	1.3	11
78	Locoregional Recurrence by Tumor Biology in Breast Cancer Patients after Preoperative Chemotherapy and Breast Conservation Treatment. <i>Cancer Research and Treatment</i> , 2016, 48, 1363-1372.	1.3	40
79	Radiotherapy for Adrenal Metastasis from Hepatocellular Carcinoma: A Multi-Institutional Retrospective Study (KROG 13-05). <i>PLoS ONE</i> , 2016, 11, e0152642.	1.1	22
80	Caspase-3/7-mediated Cleavage of $\beta$ 2-spectrin is Required for Acetaminophen-induced Liver Damage. <i>International Journal of Biological Sciences</i> , 2016, 12, 172-183.	2.6	19
81	Radiation therapy for gastric mucosa-associated lymphoid tissue lymphoma: dose-volumetric analysis and its clinical implications. <i>Radiation Oncology Journal</i> , 2016, 34, 193-201.	0.7	8
82	Evaluation of quality of life using a tablet PC-based survey in cancer patients treated with radiotherapy: a multi-institutional prospective randomized crossover comparison of paper and tablet PC-based questionnaires (KROG 12-01). <i>Supportive Care in Cancer</i> , 2016, 24, 4399-4406.	1.0	10
83	Efficacy of pancreatic exocrine replacement therapy for patients with unresectable pancreatic cancer in a randomized trial. <i>Pancreatology</i> , 2016, 16, 1099-1105.	0.5	34
84	Is lateral pelvic node dissection necessary after preoperative chemoradiotherapy for rectal cancer patients with initially suspected lateral pelvic node?. <i>Surgery</i> , 2016, 160, 366-376.	1.0	40
85	Timely tumor response analysis after preoperative chemoradiotherapy and curative surgery in locally advanced rectal cancer: A multi-institutional study for optimal surgical timing in rectal cancer. <i>Radiotherapy and Oncology</i> , 2016, 119, 512-518.	0.3	35
86	Prophylactic irradiation of para-aortic lymph nodes for patients with locally advanced cervical cancers with and without high CA9 expression (KROG 07-01): A randomized, open-label, multicenter, phase 2 trial. <i>Radiotherapy and Oncology</i> , 2016, 120, 383-389.	0.3	23
87	Interobserver variability in gross tumor volume delineation for hepatocellular carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 714-721.	1.0	14
88	A treatment planning study of proton arc therapy for para-aortic lymph node tumors: dosimetric evaluation of conventional proton therapy, proton arc therapy, and intensity modulated radiotherapy. <i>Radiation Oncology</i> , 2016, 11, 140.	1.2	11
89	Ablative dose proton beam therapy for stage I and recurrent non-small cell lung carcinomas. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 649-657.	1.0	9
90	Significance of histologic tumor grade in rectal cancer treated with preoperative chemoradiotherapy followed by curative surgery: A multi-institutional retrospective study. <i>Radiotherapy and Oncology</i> , 2016, 118, 387-392.	0.3	14

#	ARTICLE	IF	CITATIONS
91	Factors Associated With Early Mortality in Patients Treated With Concurrent Chemoradiation Therapy for Locally Advanced Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 612-620.	0.4	49
92	Identification of Prognostic Risk Factors for Transient and Persistent Lymphedema after Multimodal Treatment for Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1330-1337.	1.3	45
93	Accelerated whole breast irradiation in early breast cancer patients with adverse prognostic features. <i>Oncotarget</i> , 2016, 7, 81888-81898.	0.8	1
94	Can chemoradiation allow for omission of lateral pelvic node dissection for locally advanced rectal cancer?. <i>Journal of Surgical Oncology</i> , 2015, 111, 459-464.	0.8	110
95	2014 Korean Liver Cancer Study Group-National Cancer Center Korea Practice Guideline for the Management of Hepatocellular Carcinoma. <i>Korean Journal of Radiology</i> , 2015, 16, 465.	1.5	168
96	Development of Manual Multi-Leaf Collimator for Proton Therapy in National Cancer Center. <i>Progress in Medical Physics</i> , 2015, 26, 250.	0.4	3
97	Postoperative CA19-9 Change Is a Useful Predictor of Intrahepatic Cholangiocarcinoma Survival following Liver Resection. <i>Disease Markers</i> , 2015, 2015, 1-7.	0.6	14
98	Identification of occult tumors by whole-specimen mapping in solitary papillary thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2015, 22, 679-686.	1.6	11
99	Cytidine Deaminase as a Molecular Predictor of Gemcitabine Response in Patients with Biliary Tract Cancer. <i>Oncology</i> , 2015, 89, 345-350.	0.9	14
100	The Role of Fibrinogen as a Predictor in Preoperative Chemoradiation for Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 209-215.	0.7	32
101	Su226 Efficacy of Pancreatic Enzyme Supplementation Therapy in Patients With Unresectable Pancreatic Cancer. <i>Gastroenterology</i> , 2015, 148, S-578.	0.6	0
102	2014 KLCSSG-NCC Korea Practice Guideline for the Management of Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2015, 9, 267-317.	1.4	167
103	Prognostic indicators for radiotherapy of abdominal lymph node metastases from hepatocellular carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 835-844.	1.0	10
104	Postoperative Simultaneous Integrated Boost-Intensity Modulated Radiation Therapy for Patients with Locoregionally Advanced Papillary Thyroid Carcinoma: Preliminary Results of a Phase II Trial and Propensity Score Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1009-1017.	1.8	15
105	Carcinoembryonic antigen has prognostic value for tumor downstaging and recurrence in rectal cancer after preoperative chemoradiotherapy and curative surgery: A multi-institutional and case-matched control study of KROG 14-12. <i>Radiotherapy and Oncology</i> , 2015, 116, 202-208.	0.3	25
106	Administration of Radioactive Iodine Therapy Within 1 Year After Total Thyroidectomy Does Not Affect Vocal Function. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1480-1486.	2.8	7
107	Nomogram prediction of survival in patients with brain metastases from hepatocellular carcinoma treated with whole-brain radiotherapy: a multicenter retrospective study. <i>Journal of Neuro-Oncology</i> , 2015, 125, 377-383.	1.4	19
108	Normal liver sparing by proton beam therapy for hepatocellular carcinoma: Comparison with helical intensity modulated radiotherapy and volumetric modulated arc therapy. <i>Acta Oncologica</i> , 2015, 54, 1827-1832.	0.8	26

#	ARTICLE	IF	CITATIONS
109	PR146 LOCOREGIONAL RECURRENCE BY TUMOR BIOLOGY IN BREAST CANCER PATIENTS AFTER PREOPERATIVE CHEMOTHERAPY AND BREAST CONSERVATION TREATMENT. <i>Breast</i> , 2015, 24, S72.	0.9	0
110	Radical prostatectomy versus external beam radiotherapy for localized prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 321-329.	1.0	19
111	Is Intermediate Radiation Dose Escalation With Concurrent Chemotherapy for Stage III Non-Small-Cell Lung Cancer Beneficial? A Multi-Institutional Propensity Score Matched Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 133-139.	0.4	17
112	Breast Cancer-Related Lymphedema after Neoadjuvant Chemotherapy. <i>Cancer Research and Treatment</i> , 2015, 47, 416-423.	1.3	29
113	The effect of tumor volume and its change on survival in stage III non-small cell lung cancer treated with definitive concurrent chemoradiotherapy. <i>Radiation Oncology</i> , 2014, 9, 283.	1.2	32
114	Loss of $\beta$ 2-spectrin prevents cardiomyocyte differentiation and heart development. <i>Cardiovascular Research</i> , 2014, 101, 39-47.	1.8	28
115	Dosimetric Evaluation of Magnetic Resonance Imaging-Based Intracavitary Brachytherapy for Cervical Cancer. <i>Technology in Cancer Research and Treatment</i> , 2014, 13, 243-251.	0.8	5
116	Feasibility study of using statistical process control to customized quality assurance in proton therapy. <i>Medical Physics</i> , 2014, 41, 092105.	1.6	16
117	Clinical outcomes of a cohort series of patients with hepatocellular carcinoma in a hepatitis B virus endemic area. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 820-829.	1.4	44
118	Prediction of pathologic staging with magnetic resonance imaging after preoperative chemoradiotherapy in rectal cancer: Pooled analysis of KROG 10-01 and 11-02. <i>Radiotherapy and Oncology</i> , 2014, 113, 18-23.	0.3	26
119	A Prospective Phase 2 Multicenter Study for the Efficacy of Radiation Therapy Following Incomplete Transarterial Chemoembolization in Unresectable Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 1051-1060.	0.4	32
120	Is elective inguinal radiotherapy necessary for locally advanced rectal adenocarcinoma invading anal canal?. <i>Radiation Oncology</i> , 2014, 9, 296.	1.2	12
121	Two-week course of preoperative chemoradiotherapy followed by delayed surgery for rectal cancer: A phase II multi-institutional clinical trial (KROG 11-02). <i>Radiotherapy and Oncology</i> , 2014, 110, 150-154.	0.3	21
122	The volumetric change and dose-response relationship following hypofractionated proton therapy for chordomas. <i>Acta Oncologica</i> , 2014, 53, 563-568.	0.8	8
123	Long-term outcomes of second treatment after initial transarterial chemoembolization in patients with hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 1278-1286.	1.9	7
124	Efficacy of argon plasma coagulation in the treatment of radiation-induced hemorrhagic gastroduodenal vascular ectasia. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 238-245.	0.6	6
125	Effectiveness and safety of proton beam therapy for advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 806-814.	1.0	75
126	Simultaneous integrated boost-intensity modulated radiation therapy for inoperable hepatocellular carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 882-890.	1.0	29



#	ARTICLE	IF	CITATIONS
127	Risk Factors for Recurrence After Therapeutic Lateral Neck Dissection for Primary Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 1884-1890.	0.7	48
128	Is Intermediate Radiation Dose Escalation With Concurrent Chemotherapy for Stage III Non-Small Cell Lung Cancer Beneficial?: A Multi-institutional Propensity-Score Matched Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, S654.	0.4	2
129	A Prospective Phase II Multicenter Study for the Efficacy of Radiotherapy Following Incomplete Transarterial Chemoembolization in Unresectable Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, S50-S51.	0.4	0
130	Multimodality Management for Barcelona Clinic Liver Cancer Stage C Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2014, 3, 405-416.	4.2	16
131	Multicenter Validation Study of a Prognostic Index for Portal Vein Tumor Thrombosis in Hepatocellular Carcinoma. <i>Cancer Research and Treatment</i> , 2014, 46, 348-357.	1.3	12
132	Carbohydrate Antigen 19-9 Levels Associated with Pathological Responses to Preoperative Chemoradiotherapy in Rectal Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 5383-5387.	0.5	6
133	Comparison of capecitabine and 5-fluorouracil in chemoradiotherapy for locally advanced pancreatic cancer. <i>Radiation Oncology</i> , 2013, 8, 160.	1.2	11
134	Patterns of failure in patients with locally advanced rectal cancer receiving pre-operative or post-operative chemoradiotherapy. <i>Radiation Oncology</i> , 2013, 8, 114.	1.2	27
135	A prospective observational study with dose volume parameters predicting rectosigmoidoscopic findings and late rectosigmoid bleeding in patients with uterine cervical cancer treated by definitive radiotherapy. <i>Radiation Oncology</i> , 2013, 8, 28.	1.2	14
136	Comparison of uncovered and covered stents for the treatment of malignant duodenal obstruction caused by pancreaticobiliary cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 2031-2039.	1.3	36
137	Prognostic Value of Gross Tumor Volume for Definitive Radiation Therapy in Patients With Locoregionally Recurrent Non-Small-Cell Lung Cancer After Surgical Resection. <i>Clinical Lung Cancer</i> , 2013, 14, 399-406.	1.1	18
138	Predicting Esophagitis After Chemoradiation Therapy for Non-Small Cell Lung Cancer: An Individual Patient Data Meta-Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, 690-696.	0.4	157
139	Outcomes of concurrent chemoradiotherapy versus chemotherapy alone for advanced-stage unresectable intrahepatic cholangiocarcinoma. <i>Radiation Oncology</i> , 2013, 8, 292.	1.2	57
140	Comparison of two preoperative chemoradiotherapy regimens for locally advanced rectal cancer: capecitabine alone versus capecitabine plus irinotecan. <i>Radiation Oncology</i> , 2013, 8, 258.	1.2	11
141	Lack of Either Estrogen or Progesterone Receptor Expression Is Associated with Poor Survival Outcome among Luminal A Breast Cancer Subtype. <i>Annals of Surgical Oncology</i> , 2013, 20, 1505-1513.	0.7	31
142	Appropriate indications of initial endoscopic ultrasound evaluation for detecting mural nodules in branch duct intraductal papillary mucinous neoplasms of the pancreas. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 610-616.	0.6	9
143	Predicting Esophagitis After Chemoradiation Therapy for Non-Small Cell Lung Cancer: An Individual Patient Data Meta-Analysis of >1000 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S3-S4.	0.4	0
144	Feasibility study of glass dosimeter for postal dose intercomparison of high-energy proton therapy beams. <i>Radiation Measurements</i> , 2013, 59, 66-72.	0.7	5

#	ARTICLE	IF	CITATIONS
145	Extent of thyroidectomy affects vocal and throat functions: A prospective observational study of lobectomy versus total thyroidectomy. <i>Surgery</i> , 2013, 154, 611-620.	1.0	72
146	Phase II trial of proton beam accelerated partial breast irradiation in breast cancer. <i>Radiotherapy and Oncology</i> , 2013, 108, 209-214.	0.3	56
147	A Model to Estimate the Risk of Breast Cancer-Related Lymphedema: Combinations of Treatment-Related Factors of the Number of Dissected Axillary Nodes, Adjuvant Chemotherapy, and Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 498-503.	0.4	82
148	Preoperative Short-Course Concurrent Chemoradiation Therapy Followed by Delayed Surgery for Locally Advanced Rectal Cancer: A Phase 2 Multicenter Study (KROG 10-01). <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 34-39.	0.4	39
149	Predicting Radiation Pneumonitis After Chemoradiation Therapy for Lung Cancer: An International Individual Patient Data Meta-analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 444-450.	0.4	545
150	A phase II study of hypofractionated proton therapy for prostate cancer. <i>Acta Oncologica</i> , 2013, 52, 477-485.	0.8	30
151	Gemcitabine plus Cisplatin versus Capecitabine plus Cisplatin as First-Line Chemotherapy for Advanced Biliary Tract Cancer: A Retrospective Cohort Study. <i>Chemotherapy</i> , 2013, 59, 232-238.	0.8	28
152	Compensation method for respiratory motion in proton treatment planning for mobile liver cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2013, 14, 102-114.	0.8	3
153	Risk of Pancreatic Cancer in Relation to ABO Blood Group and Hepatitis C Virus Infection in Korea: A Case-Control Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 247.	1.1	29
154	Combined Primary Tumor and Extracranial Metastasis Status as Constituent Factor of Prognostic Indices for Predicting the Overall Survival in Patients with Brain Metastases. <i>Journal of Korean Medical Science</i> , 2013, 28, 205.	1.1	4
155	Reappraisal of Pretreatment Carcinoembryonic Antigen in Patients with Rectal Cancer Receiving Preoperative Chemoradiotherapy. <i>Tumori</i> , 2013, 99, 93-99.	0.6	13
156	Reappraisal of pretreatment carcinoembryonic antigen in patients with rectal cancer receiving preoperative chemoradiotherapy. <i>Tumori</i> , 2013, 99, 93-9.	0.6	12
157	Association Between a Close Distal Resection Margin and Recurrence After a Sphincter-Saving Resection for T3 Mid- or Low-Rectal Cancer Without Radiotherapy. <i>Annals of Coloproctology</i> , 2013, 29, 231.	0.5	7
158	Volumetric Response Evaluation after Intensity Modulated Radiotherapy in Patients with Supratentorial Gliomas. <i>Technology in Cancer Research and Treatment</i> , 2012, 11, 41-48.	0.8	2
159	Stage-to-stage Comparison of Neoadjuvant Chemotherapy Versus Adjuvant Chemotherapy in Pathological Lymph Node Positive Breast Cancer Patients. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 995-1001.	0.6	4
160	Patterns of Initial Disease Recurrence after Resection of Biliary Tract Cancer. <i>Oncology</i> , 2012, 83, 83-90.	0.9	46
161	Capecitabine plus Cisplatin as First-Line Chemotherapy for Advanced Biliary Tract Cancer: A Retrospective Single-Center Study. <i>Chemotherapy</i> , 2012, 58, 225-232.	0.8	18
162	Clinical Significance of Portal-Superior Mesenteric Vein Resection in Pancreatoduodenectomy for Pancreatic Head Cancer. <i>Pancreas</i> , 2012, 41, 102-106.	0.5	47

#	ARTICLE	IF	CITATIONS
163	Multiple Primary Malignant Neoplasms in Pancreatic Cancer Patients. <i>Pancreas</i> , 2012, 41, 648-649.	0.5	3
164	Surgical outcome of pancreatic cancer using radical antegrade modular pancreatectomy procedure. <i>World Journal of Gastroenterology</i> , 2012, 18, 5595.	1.4	21
165	Stage-to-Stage Comparison of Preoperative and Postoperative Chemoradiotherapy for T3 Mid or Distal Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 856-862.	0.4	18
166	Tumor Volume Reduction Rate After Preoperative Chemoradiotherapy as a Prognostic Factor in Locally Advanced Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, e193-e199.	0.4	52
167	Phase 3 Trial of Postoperative Chemotherapy Alone Versus Chemoradiation Therapy in Stage III-IV Gastric Cancer Treated With R0 Gastrectomy and D2 Lymph Node Dissection. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e585-e592.	0.4	94
168	No correlation between pretreatment serum CEA levels and tumor volume in locally advanced rectal cancer patients. <i>Clinica Chimica Acta</i> , 2012, 413, 511-515.	0.5	4
169	T-category reflects the histopathologic characteristics of gallbladder cancer. <i>European Journal of Surgical Oncology</i> , 2012, 38, 537-542.	0.5	5
170	Lymph node ratio is an independent prognostic factor in patients with rectal cancer treated with preoperative chemoradiotherapy and curative resection. <i>European Journal of Surgical Oncology</i> , 2012, 38, 478-483.	0.5	30
171	Preoperative Serum Thyroglobulin as a Useful Predictive Marker to Differentiate Follicular Thyroid Cancer from Benign Nodules in Indeterminate Nodules. <i>Journal of Korean Medical Science</i> , 2012, 27, 1014.	1.1	63
172	Can the new American Joint Committee on Cancer staging system predict survival in rectal cancer patients treated with curative surgery following preoperative chemoradiotherapy?. <i>Cancer</i> , 2012, 118, 4961-4968.	2.0	25
173	CA 19-9 Level as Indicator of Early Distant Metastasis and Therapeutic Selection in Resected Pancreatic Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e743-e748.	0.4	32
174	Locoregional Recurrence of Breast Cancer in Patients Treated With Breast Conservation Surgery and Radiotherapy Following Neoadjuvant Chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e697-e705.	0.4	28
175	Role of Adjuvant Chemoradiotherapy for Resected Extrahepatic Biliary Tract Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e853-e859.	0.4	71
176	The Effect of a Contrast Agent on Proton Beam Range in Radiotherapy Planning Using Computed Tomography for Patients With Locoregionally Advanced Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e317-e324.	0.4	12
177	Pretreatment Carbohydrate Antigen 19-9 Level Indicates Tumor Response, Early Distant Metastasis, Overall Survival, and Therapeutic Selection in Localized and Unresectable Pancreatic Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e623-e630.	0.4	19
178	Survival of patients with advanced hepatocellular carcinoma: Sorafenib versus other treatments. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1612-1618.	1.4	28
179	Tetra-methoxystilbene modulates ductal growth of the developing murine mammary gland. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 779-789.	1.1	13
180	Clinical outcomes of chemoradiotherapy for locally recurrent rectal cancer. <i>Radiation Oncology</i> , 2011, 6, 51.	1.2	25

#	ARTICLE	IF	CITATIONS
181	Transforming growth factor- $\beta$ 2 adaptor, $\beta$ 2-spectrin, modulates cyclin dependent kinase 4 to reduce development of hepatocellular cancer. <i>Hepatology</i> , 2011, 53, 1676-1684.	3.6	49
182	In Vivo Radiobiological Characterization of Proton Beam at the National Cancer Center in Korea: Effect of the Chk2 Mutation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 559-562.	0.4	17
183	Pathologic Complete Response of Primary Tumor Following Preoperative Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgery</i> , 2010, 252, 998-1004.	2.1	164
184	Curative chemoradiotherapy for isolated retroperitoneal lymph node recurrence of colorectal cancer. <i>Radiotherapy and Oncology</i> , 2010, 97, 307-311.	0.3	27
185	Tumor Volume Reduction Rate Measured by Magnetic Resonance Volumetry Correlated With Pathologic Tumor Response of Preoperative Chemoradiotherapy for Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 164-171.	0.4	78
186	Adjuvant chemoradiation therapy in gallbladder cancer. <i>Journal of Surgical Oncology</i> , 2010, 102, 87-93.	0.8	55
187	The role of omental flap transposition in patients with locoregional recurrent rectal cancer treated with reirradiation. <i>Journal of Surgical Oncology</i> , 2010, 102, 789-795.	0.8	15
188	Pathologic Nodal Classification Is the Most Discriminating Prognostic Factor for Disease-Free Survival in Rectal Cancer Patients Treated With Preoperative Chemoradiotherapy and Curative Resection. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1158-1165.	0.4	86
189	Simultaneous Integrated Boost Intensity-Modulated Radiotherapy in Patients With High-Grade Gliomas. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 390-397.	0.4	54
190	Treatment-Related Pneumonitis and Acute Esophagitis in Non-Small-Cell Lung Cancer Patients Treated With Chemotherapy and Helical Tomotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 651-658.	0.4	74
191	The effect of external beam radiotherapy volume on locoregional control in patients with locoregionally advanced or recurrent nonanaplastic thyroid cancer. <i>Radiation Oncology</i> , 2010, 5, 69.	1.2	29
192	Whole-liver radiotherapy for end-stage colorectal cancer patients with massive liver metastases and advanced hepatic dysfunction. <i>Radiation Oncology</i> , 2010, 5, 97.	1.2	15
193	Local Excision Following Pre-operative Chemoradiotherapy-induced Downstaging for Selected cT3 Distal Rectal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 754-760.	0.6	22
194	Radiation Pneumonitis after Adjuvant Radiotherapy for Breast Cancer: A Volumetric Analysis Using CT Simulator. <i>Journal of Breast Cancer</i> , 2009, 12, 73.	0.8	4
195	Characteristics of Movement-Induced Dose Reduction in Target Volume: A Comparison Between Photon and Proton Beam Treatment. <i>Medical Dosimetry</i> , 2009, 34, 191-201.	0.4	10
196	A multicenter retrospective cohort study of practice patterns and clinical outcome on radiotherapy for hepatocellular carcinoma in Korea. <i>Liver International</i> , 2009, 29, 147-152.	1.9	65
197	Dosimetric comparison of four different external beam partial breast irradiation techniques: Three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, helical tomotherapy, and proton beam therapy. <i>Radiotherapy and Oncology</i> , 2009, 90, 66-73.	0.3	135
198	Carbonic anhydrase 9 (CA9) expression in tumor cells enhances sensitivity to tirapazamine. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 397-404.	1.2	5

#	ARTICLE	IF	CITATIONS
199	SMART (Simultaneous Modulated Accelerated RadioTherapy) for locally advanced nasopharyngeal carcinomas. <i>Head and Neck</i> , 2008, 30, 159-169.	0.9	22
200	Hepatocellular cancer arises from loss of transforming growth factor beta signaling adaptor protein embryonic liver fodrin through abnormal angiogenesis. <i>Hepatology</i> , 2008, 48, 1128-1137.	3.6	63
201	Influence of Lipiodol Agent on Proton Beam Range in Radiotherapy Planning Using Computed Tomography for Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 687-694.	0.4	10
202	In Reply to Dr. Cheng. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 961-962.	0.4	0
203	Lateral Lymph Node Metastasis Is a Major Cause of Locoregional Recurrence in Rectal Cancer Treated with Preoperative Chemoradiotherapy and Curative Resection. <i>Annals of Surgical Oncology</i> , 2008, 15, 729-737.	0.7	266
204	Survival analysis of 904 patients with hepatocellular carcinoma in a hepatitis B virus-endemic area. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 467-473.	1.4	109
205	Breast cancer subtypes and survival in patients with brain metastases. <i>Breast Cancer Research</i> , 2008, 10, R20.	2.2	193
206	Computerized tomography-based quality assurance tool for proton range compensators. <i>Medical Physics</i> , 2008, 35, 3511-3517.	1.6	11
207	The Current Status of Endoscopic Thyroidectomy in Korea. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008, 18, 231-235.	0.4	24
208	Radiobiological Characterization of Proton Beam at the National Cancer Center in Korea. <i>Journal of Radiation Research</i> , 2008, 49, 509-515.	0.8	19
209	Allogeneic Blood Transfusion Given Before Radiotherapy Is Associated with the Poor Clinical Outcome in Patients with Cervical Cancer. <i>Yonsei Medical Journal</i> , 2008, 49, 993.	0.9	11
210	Primary Malignant Teratoma with a Primitive Neuroectodermal Tumor Component in Thyroid Gland: A Case Report. <i>Journal of Korean Medical Science</i> , 2007, 22, 568.	1.1	21
211	Dose-volumetric parameters predicting radiation-induced hepatic toxicity in unresectable hepatocellular carcinoma patients treated with three-dimensional conformal radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 225-231.	0.4	138
212	Comparison of 5-fluorouracil/leucovorin and capecitabine in preoperative chemoradiotherapy for locally advanced rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 378-384.	0.4	90
213	Hepatitis B Virus Reactivation After Three-Dimensional Conformal Radiotherapy in Patients With Hepatitis B Virus-Related Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 813-819.	0.4	93
214	Clinical Parameters Predicting Pathologic Tumor Response After Preoperative Chemoradiotherapy for Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 1167-1172.	0.4	112
215	Lateral Lymph Node Metastasis Is a Major Cause of Locoregional Recurrence in Rectal Cancer Treated With Preoperative Chemoradiotherapy and Curative Resection. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S269.	0.4	0
216	Tumor carbonic anhydrase 9 expression is associated with the presence of lymph node metastases in uterine cervical cancer. <i>Cancer Science</i> , 2007, 98, 329-333.	1.7	50

#	ARTICLE	IF	CITATIONS
217	Intensity-modulated radiotherapy with a belly board for rectal cancer. <i>International Journal of Colorectal Disease</i> , 2007, 22, 373-379.	1.0	43
218	Optimized matching of film dosimetry with calculated doses for IMRT quality assurance. <i>Physica Medica</i> , 2007, 23, 49-57.	0.4	6
219	Dosimetric Verification of Dynamic Conformal Arc Radiotherapy using the Optimization Algorithm. , 2007, , 1804-1807.		0
220	A new index of the dose homogeneity for treatment planning. , 2007, , 2043-2046.		0
221	Pre-operative chemo-radiotherapy improves the sphincter preservation rate in patients with rectal cancer located within 3cm of the anal verge. <i>European Journal of Surgical Oncology</i> , 2006, 32, 162-167.	0.5	42
222	Three-Dimensional Conformal Radiotherapy of Unresectable Hepatocellular Carcinoma Patients for Whom Transcatheter Arterial Chemoembolization Was Ineffective or Unsuitable. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006, 29, 568-575.	0.6	105
223	A new evaluation method of target volume coverage and homogeneity for IMRT treatment planning. <i>Physica Medica</i> , 2006, 22, 43-51.	0.4	1
224	The Effect of Belly Board Location in Rectal Cancer Patients Treated with Preoperative Radiotherapy. <i>Clinical Oncology</i> , 2006, 18, 441-446.	0.6	15
225	CT-guided intracavitary radiotherapy for cervical cancer: Comparison of conventional point A plan with clinical target volume-based three-dimensional plan using dose-volume parameters. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 197-204.	0.4	86
226	Geometric shifting of the porta hepatis during posthepatectomy radiotherapy for biliary tract cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 212-216.	0.4	1
227	Preoperative Chemoradiotherapy with Concomitant Small Field Boost Irradiation for Locally Advanced Rectal Cancer: A Multi-Institutional Phase II Study (KROC 04-01). <i>Diseases of the Colon and Rectum</i> , 2006, 49, 1684-1691.	0.7	13
228	Tumor-associated carbonic anhydrases are linked to metastases in primary cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 302-308.	1.2	56
229	Clinical impact of FDG-PET imaging in post-therapy surveillance of uterine cervical cancer: From diagnosis to prognosis. <i>Gynecologic Oncology</i> , 2006, 103, 165-170.	0.6	65
230	Ionizing radiation induces astrocyte gliosis through microglia activation. <i>Neurobiology of Disease</i> , 2006, 21, 457-467.	2.1	179
231	Is T classification still correlated with lymph node status after preoperative chemoradiotherapy for rectal cancer?. <i>Cancer</i> , 2006, 106, 1694-1700.	2.0	75
232	Dominant-negative Rac increases both inherent and ionizing radiation-induced cell migration in C6 rat glioma cells. <i>International Journal of Cancer</i> , 2006, 118, 2056-2063.	2.3	37
233	Evaluation of Parotid Gland Function following Intensity Modulated Radiation Therapy for Head and Neck Cancer. <i>Cancer Research and Treatment</i> , 2006, 38, 84.	1.3	13
234	SU-FF-T-59: A Simple Scoring Method of Dose Homogeneity for IMRT Treatment Planning. <i>Medical Physics</i> , 2006, 33, 2062-2062.	1.6	0

#	ARTICLE	IF	CITATIONS
235	Usefulness of magnetic resonance volumetric evaluation in predicting response to preoperative concurrent chemoradiotherapy in patients with resectable rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 761-768.	0.4	106
236	Comparison of the belly board device method and the distended bladder method for reducing irradiated small bowel volumes in preoperative radiotherapy of rectal cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 769-775.	0.4	72
237	Dose-volumetric parameters of acute esophageal toxicity in patients with lung cancer treated with three-dimensional conformal radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 995-1002.	0.4	79
238	Three-dimensional conformal radiotherapy for portal vein thrombosis of hepatocellular carcinoma. <i>Cancer</i> , 2005, 103, 2419-2426.	2.0	172
239	Dosimetric parameters that predict late rectal complications after curative radiotherapy in patients with uterine cervical carcinoma. <i>Cancer</i> , 2005, 104, 1304-1311.	2.0	27
240	Comparative Analysis of the Effects of Belly Board and Bladder Distension in Postoperative Radiotherapy of Rectal Cancer Patients. <i>Strahlentherapie Und Onkologie</i> , 2005, 181, 601-605.	1.0	29
241	Dose-volumetric Parameters for Predicting Severe Radiation Pneumonitis after Three-dimensional Conformal Radiation Therapy for Lung Cancer. <i>Radiology</i> , 2005, 235, 208-215.	3.6	128
242	SU-FF-T-157: Optimal Matching of 3D Film Dosimetry with Calculated Dose for IMRT Quality Assurance. <i>Medical Physics</i> , 2005, 32, 1986-1986.	1.6	0
243	Use of the Rectal Retractor to Reduce the Rectal Dose in High Dose Rate Intracavitary Brachytherapy for a Carcinoma of the Uterine Cervix. <i>Yonsei Medical Journal</i> , 2004, 45, 113.	0.9	10
244	LY294002 inhibits interferon-gamma-stimulated inducible nitric oxide synthase expression in BV2 microglial cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 691-697.	1.0	26
245	Value of external irradiation for locally advanced papillary thyroid cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 55, 1006-1012.	0.4	73
246	Phase I Dose-Escalation Study of Proton Beam Therapy for Inoperable Hepatocellular Carcinoma. <i>Cancer Research and Treatment</i> , 1970, 47, 34-45.	1.3	54
247	Randomized multicenter phase II trial of prophylactic irradiation of para-aortic lymph nodes in advanced cervical cancer according to tumor hypoxia: Korean Radiation Oncology Group (KROG) 01-07. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 114-121.	1.7	14