

Abdelilah Alla Bedahnane

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1637456/abdelilah-alla-bedahnane-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	1,635 citations	25 h-index	37 g-index
68 ext. papers	1,730 ext. citations	4.2 avg, IF	4.33 L-index

#	Paper	IF	Citations
68	Cationic poly(butylene succinate) copolyesters. <i>European Polymer Journal</i> , 2016 , 75, 329-342	5.2	15
67	Poly(butylene succinate) ionomers and their use as compatibilizers in nanocomposites. <i>Polymer Composites</i> , 2016 , 37, 2603-2610	3	8
66	Poly(butylene succinate) Ionomers with Enhanced Hydrodegradability. <i>Polymers</i> , 2015 , 7, 1232-1247	4.5	18
65	Bio-based PBS copolyesters derived from a bicyclic D-glucitol. <i>RSC Advances</i> , 2015 , 5, 46395-46404	3.7	22
64	Copolyesters made from 1,4-butanediol, sebacic acid, and D-glucose by melt and enzymatic polycondensation. <i>Biomacromolecules</i> , 2015 , 16, 868-79	6.9	48
63	Carbohydrate-based PBT copolyesters from a cyclic diol derived from naturally occurring tartaric acid: a comparative study regarding melt polycondensation and solid-state modification. <i>Green Chemistry</i> , 2014 , 16, 1789-1798	10	26
62	Bio-based PBT copolyesters derived from D-glucose: influence of composition on properties. <i>Polymer Chemistry</i> , 2014 , 5, 3190-3202	4.9	48
61	Thermal behavior of long-chain alkanoylcholine soaps. <i>RSC Advances</i> , 2014 , 4, 10738-10750	3.7	5
60	Biodegradable Copolyesters of Poly(hexamethylene terephthalate) Containing Bicyclic 2,4:3,5-Di-O-methylene-d-Glucarate Units. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 2048-2059	2.6	7
59	Modification of properties of poly(butylene succinate) by copolymerization with tartaric acid-based monomers. <i>European Polymer Journal</i> , 2014 , 61, 263-273	5.2	25
58	Bio-based poly(ethylene terephthalate) copolyesters made from cyclic monomers derived from tartaric acid. <i>Polymer</i> , 2014 , 55, 2294-2304	3.9	26
57	Complexes of polyglutamic acid and long-chain alkanoylcholines: nanoparticle formation and drug release. <i>International Journal of Biological Macromolecules</i> , 2014 , 66, 346-53	7.9	6
56	The structure of poly(Eglutamic acid)/nanoclay hybrids compatibilized by alkylammonium surfactants. <i>European Polymer Journal</i> , 2013 , 49, 2596-2609	5.2	3
55	Bio-based poly(hexamethylene terephthalate) copolyesters containing cyclic acetalized tartrate units. <i>Polymer</i> , 2013 , 54, 1573-1582	3.9	18
54	Comblike Ionic Complexes of Poly(Eglutamic acid) and Alkanoylcholines Derived from Fatty Acids. <i>Macromolecules</i> , 2013 , 46, 1607-1617	5.5	11
53	Comb-like ionic complexes of hyaluronic acid with alkyltrimethylammonium surfactants. <i>Carbohydrate Polymers</i> , 2013 , 92, 691-6	10.3	11
52	High T(g) bio-based aliphatic polyesters from bicyclic D-mannitol. <i>Biomacromolecules</i> , 2013 , 14, 781-93	6.9	92

51	D-Glucose-derived PET copolyesters with enhanced Tg. <i>Polymer Chemistry</i> , 2013 , 4, 3524	4.9	46
50	PET copolyesters made from a D-mannitol-derived bicyclic diol. <i>Polymer Chemistry</i> , 2013 , 4, 282-289	4.9	56
49	Sulfonated poly(hexamethylene terephthalate) copolyesters: Enhanced thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 3527-3535	2.9	8
48	Carbohydrate-based polyurethanes: A comparative study of polymers made from isosorbide and 1,4-butanediol. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 986-994	2.9	41
47	Bio-based aromatic copolyesters made from 1,6-hexanediol and bicyclic diacetalized D-glucitol. <i>Polymer Chemistry</i> , 2012 , 3, 2092	4.9	33
46	Nanocomposites of comb-like ionic complexes of bacterial poly(glutamic acid) with nanoclays. <i>European Polymer Journal</i> , 2012 , 48, 1838-1845	5.2	5
45	Bio-based poly(butylene terephthalate) copolyesters containing bicyclic diacetalized galactitol and galactaric acid: Influence of composition on properties. <i>Polymer</i> , 2012 , 53, 3432-3445	3.9	47
44	Poly(ethylene terephthalate) terpolyesters containing 1,4-cyclohexanedimethanol and isosorbide. <i>High Performance Polymers</i> , 2012 , 24, 24-30	1.6	15
43	Bio-Based Aromatic Polyesters from a Novel Bicyclic Diol Derived from d-Mannitol. <i>Macromolecules</i> , 2012 , 45, 8257-8266	5.5	92
42	Carbohydrate-based copolyesters made from bicyclic acetalized galactaric acid. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 1591-1604	2.5	44
41	Biodegradable aromatic copolyesters made from bicyclic acetalized galactaric acid. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 3393-3406	2.5	29
40	Polyterephthalates made from Ethylene glycol, 1,4-cyclohexanedimethanol, and isosorbide. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 2252-2260	2.5	53
39	Carbohydrate-based polyesters made from bicyclic acetalized galactaric acid. <i>Biomacromolecules</i> , 2011 , 12, 2642-52	6.9	92
38	Comb-like ionic complexes of pectinic and alginic acids with alkyltrimethylammonium surfactants. <i>Carbohydrate Polymers</i> , 2011 , 86, 484-490	10.3	8
37	Compared structure and morphology of nylon-12 and 10-polyurethane lamellar crystals. <i>Polymer</i> , 2011 , 52, 1515-1522	3.9	14
36	Ionic Complexes of Polyacids and Cationic Surfactants. <i>Macromolecular Symposia</i> , 2010 , 296, 265-271	0.8	3
35	Hydrolyzable aromatic copolyesters of p-dioxanone. <i>Biomacromolecules</i> , 2010 , 11, 2512-20	6.9	18
34	Sequence Analysis of Polyether-Based Thermoplastic Polyurethane Elastomers by ¹³ C NMR. <i>Macromolecules</i> , 2010 , 43, 3990-3993	5.5	13

33	Poly(ethylene terephthalate-co-isophthalate) copolyesters obtained from ethylene terephthalate and isophthalate oligomers. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 1823-1830	2.9	10
32	Crystallization studies on linear aliphatic polyamides derived from naturally occurring carbohydrates. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	3
31	Butylene copolyesters based on aldaric and terephthalic acids. Synthesis and characterization. <i>Journal of Polymer Science Part A</i> , 2009 , 47, 1168-1177	2.5	13
30	Ionic Complexes of Biotechnological Polyacids with Cationic Surfactants. <i>Macromolecular Symposia</i> , 2008 , 273, 85-94	0.8	2
29	Polyesters analogous to PET and PBT based on O-benzyl ethers of xylitol and L-arabinitol. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 5167-5179	2.5	18
28	Styrene/(substituted styrene) copolymerization by Ph ₂ Zn/η ⁵ -metallocene/MAO systems: Synthesis and characterization of poly(styrene-co-p-hydroxystyrene) copolymers. <i>Polymer</i> , 2007 , 48, 4646-4652	3.9	6
27	Linear polyurethanes derived from alditols and diisocyanates. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4109-4117	2.5	29
26	Crystallization and crystal structure of poly(ester amide)s derived from L-tartaric acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007 , 45, 116-125	2.6	2
25	Stereocomplex Formation from Enantiomeric Polyamides Derived from Tartaric Acid. <i>Macromolecular Rapid Communications</i> , 2006 , 27, 1955-1961	4.8	16
24	Poly(butylene terephthalate) Copolyesters Derived from L-Arabinitol and Xylitol. <i>Macromolecules</i> , 2006 , 39, 1410-1416	5.5	32
23	Comblike Complexes of Poly(aspartic acid) and Alkyltrimethylammonium Cationic Surfactants. <i>Macromolecular Symposia</i> , 2006 , 245-246, 266-275	0.8	2
22	Styrene/Substituted-styrene copolymerization using diphenylzinc/η ⁵ -metallocene/ethylaluminoxane systems. <i>Polymer International</i> , 2006 , 55, 910-915	3.3	10
21	Poly(ethylene terephthalate) copolymers containing 1,4-cyclohexane dicarboxylate units. <i>European Polymer Journal</i> , 2005 , 41, 1493-1501	5.2	28
20	Comb-like ionic complexes of cationic surfactants with bacterial poly(γ-glutamic acid) of racemic composition. <i>Macromolecular Bioscience</i> , 2005 , 5, 30-8	5.5	23
19	Acylated and hydroxylated polyamides derived from L-tartaric acid. <i>Polymer</i> , 2005 , 46, 2854-2861	3.9	18
18	Aromatic polyesters from naturally occurring monosaccharides: Poly(ethylene terephthalate) and poly(ethylene isophthalate) analogs derived from D-mannitol and galactitol. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 4570-4577	2.5	21
17	Aromatic homo- and copolyesters from naturally occurring monosaccharides: PET and PEI analogs derived from L-arabinitol and xylitol. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 6394-6410	2.5	25
16	Poly(ethylene isophthalate)s: effect of the tert-butyl substituent on structure and properties. <i>Polymer</i> , 2004 , 45, 5005-5012	3.9	9

15	Linear polyamides from L-malic acid and alkanediamines. <i>Journal of Polymer Science Part A</i> , 2004 , 42, 1566-1575	2.5	11
14	Synthesis and characterization of polyamides obtained from tartaric acid and l-lysine. <i>European Polymer Journal</i> , 2004 , 40, 2699-2708	5.2	19
13	Synthesis and Properties of Poly(d-mannaramide)s and Poly(galactaramide)s. <i>Macromolecules</i> , 2004 , 37, 2779-2783	5.5	19
12	Poly(ester amide)s Derived from l-Malic Acid. <i>Macromolecules</i> , 2004 , 37, 2067-2075	5.5	15
11	Synthesis and Characterization of Linear Polyamides Derived from l-Arabinitol and Xylitol. <i>Macromolecules</i> , 2004 , 37, 5550-5556	5.5	38
10	Preparation and hydrolytic degradation of sulfonated poly(ethylene terephthalate) copolymers. <i>Polymer</i> , 2003 , 44, 7281-7289	3.9	25
9	Hairy-rod random copoly(l-aspartate)s containing alkyl and benzyl side groups. <i>Polymer</i> , 2003 , 44, 1-6	3.9	13
8	Poly(ethylene terephthalate) terpolyesters containing isophthalic and 5-tert-butylisophthalic units. <i>Journal of Polymer Science Part A</i> , 2003 , 41, 124-134	2.5	6
7	Synthesis, characterization, and properties of poly(ethylene terephthalate)/poly(1,4-butylene succinate) block copolymers. <i>Polymer</i> , 2003 , 44, 1321-1330	3.9	73
6	Comblike Alkyl Esters of Biosynthetic Poly(γ -glutamic acid). 2. Supramolecular Structure and Thermal Transitions. <i>Macromolecules</i> , 2003 , 36, 7567-7576	5.5	26
5	Poly(alpha-alkyl gamma-glutamate)s of microbial origin. 2. On the microstructure and crystal structure of poly(alpha-ethyl gamma-glutamate)s. <i>Biomacromolecules</i> , 2002 , 3, 1078-86	6.9	10
4	Poly(ethylene terephthalate) copolyesters derived from (2S,3S)-2,3-dimethoxy-1,4-butanediol. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 3250-3262	2.5	27
3	Poly(ester amide)s derived from tartaric and succinic acids: Changes in structure and properties upon hydrolytic degradation. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 486-494	2.9	16
2	Hydrolytic and enzymatic degradation of copoly(ester amide)s based on l-tartaric and succinic acids. <i>Polymer</i> , 2000 , 41, 6995-7002	3.9	16
1	Degradable poly(ester amide)s based on l-tartaric acid. <i>Polymer</i> , 1997 , 38, 4935-4944	3.9	48