## Pamela M Pollock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1638668/publications.pdf

Version: 2024-02-01

62 papers 12,174 citations

34 h-index 60 g-index

66 all docs

66
docs citations

66 times ranked 15433 citing authors

#	Article	IF	Citations
1	Integrated genomic characterization of endometrial carcinoma. Nature, 2013, 497, 67-73.	13.7	4,075
2	Molecular classification of cutaneous malignant melanoma by gene expression profiling. Nature, 2000, 406, 536-540.	13.7	1,877
3	High frequency of BRAF mutations in nevi. Nature Genetics, 2003, 33, 19-20.	9.4	1,547
4	Molecular Classification of the PORTEC-3 Trial for High-Risk Endometrial Cancer: Impact on Prognosis and Benefit From Adjuvant Therapy. Journal of Clinical Oncology, 2020, 38, 3388-3397.	0.8	398
5	Refining prognosis and identifying targetable pathways for high-risk endometrial cancer; a TransPORTEC initiative. Modern Pathology, 2015, 28, 836-844.	2.9	343
6	Proteasome Inhibitors Trigger NOXA-Mediated Apoptosis in Melanoma and Myeloma Cells. Cancer Research, 2005, 65, 6282-6293.	0.4	300
7	Frequent activating FGFR2 mutations in endometrial carcinomas parallel germline mutations associated with craniosynostosis and skeletal dysplasia syndromes. Oncogene, 2007, 26, 7158-7162.	2.6	284
8	Melanoma mouse model implicates metabotropic glutamate signaling in melanocytic neoplasia. Nature Genetics, 2003, 34, 108-112.	9.4	260
9	Brivanib Alaninate, a Dual Inhibitor of Vascular Endothelial Growth Factor Receptor and Fibroblast Growth Factor Receptor Tyrosine Kinases, Induces Growth Inhibition in Mouse Models of Human Hepatocellular Carcinoma. Clinical Cancer Research, 2008, 14, 6146-6153.	3.2	213
10	Microarray expression profiling in melanoma reveals a BRAF mutation signature. Oncogene, 2004, 23, 4060-4067.	2.6	169
11	Compilation of somatic mutations of the CDKN2 gene in human cancers: Non-random distribution of base substitutions., 1996, 15, 77-88.		155
12	FGFR2 Point Mutations in 466 Endometrioid Endometrial Tumors: Relationship with MSI, KRAS, PIK3CA, CTNNB1 Mutations and Clinicopathological Features. PLoS ONE, 2012, 7, e30801.	1.1	150
13	A genome-based strategy uncovers frequent BRAF mutations in melanoma. Cancer Cell, 2002, 2, 5-7.	7.7	139
14	Inhibition of Activated Fibroblast Growth Factor Receptor 2 in Endometrial Cancer Cells Induces Cell Death Despite PTEN Abrogation. Cancer Research, 2008, 68, 6902-6907.	0.4	134
15	The N550K/H Mutations in FGFR2 Confer Differential Resistance to PD173074, Dovitinib, and Ponatinib ATP-Competitive Inhibitors. Neoplasia, 2013, 15, 975-IN30.	2.3	116
16	Loss-of-Function Fibroblast Growth Factor Receptor-2 Mutations in Melanoma. Molecular Cancer Research, 2009, 7, 41-54.	1.5	112
17	Targeting mutant fibroblast growth factor receptors in cancer. Trends in Molecular Medicine, 2011, 17, 283-292.	3.5	112
18	Active Notch1 Confers a Transformed Phenotype to Primary Human Melanocytes. Cancer Research, 2009, 69, 5312-5320.	0.4	103

#	Article	IF	CITATIONS
19	Immunological profiling of molecularly classified high-risk endometrial cancers identifies <i>POLE</i> -mutant and microsatellite unstable carcinomas as candidates for checkpoint inhibition. Oncolmmunology, 2017, 6, e1264565.	2.1	102
20	p53-independent NOXA induction overcomes apoptotic resistance of malignant melanomas. Molecular Cancer Therapeutics, 2004, 3, 895-902.	1.9	90
21	The Prognostic and Predictive Value of Melanoma-related MicroRNAs Using Tissue and Serum: A MicroRNA Expression Analysis. EBioMedicine, 2015, 2, 671-680.	2.7	86
22	A phase II trial of brivanib in recurrent or persistent endometrial cancer: An NRG Oncology/Gynecologic Oncology Group Study. Gynecologic Oncology, 2014, 135, 38-43.	0.6	82
23	miR-514a regulates the tumour suppressor NF1 and modulates BRAFi sensitivity in melanoma. Oncotarget, 2015, 6, 17753-17763.	0.8	81
24	Analysis of the CDKN2A, CDKN2B and CDK4 genes in 48 Australian melanoma kindreds. Oncogene, 1997, 15, 2999-3005.	2.6	78
25	PTEN inactivation is rare in melanoma tumours but occurs frequently in melanoma cell lines. Melanoma Research, 2002, 12, 565-575.	0.6	63
26	Haplotype analysis of two recurrentCDKN2A mutations in 10 melanoma families: Evidence for common founders and independent mutations., 1998, 11, 424-431.		61
27	A crystallographic snapshot of tyrosine <i>trans</i> -phosphorylation in action. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 19660-19665.	3.3	61
28	p53 prevents progression of nevi to melanoma predominantly through cell cycle regulation. Pigment Cell and Melanoma Research, 2010, 23, 781-794.	1.5	59
29	Osteopontin is a downstream effector of the PI3-kinase pathway in melanomas that is inversely correlated with functional PTEN. Carcinogenesis, 2006, 27, 1778-1786.	1.3	55
30	FGFR2 as a molecular target in endometrial cancer. Future Oncology, 2009, 5, 27-32.	1.1	55
31	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. Human Molecular Genetics, 2015, 24, 1478-1492.	1.4	50
32	XIAP downregulation accompanies mebendazole growth inhibition in melanoma xenografts. Anti-Cancer Drugs, 2013, 24, 181-188.	0.7	46
33	FGFR2 mutations are rare across histologic subtypes of ovarian cancer. Gynecologic Oncology, 2010, 117, 125-129.	0.6	45
34	Homodimerization Controls the Fibroblast Growth Factor 9 Subfamily's Receptor Binding and Heparan Sulfate-Dependent Diffusion in the Extracellular Matrix. Molecular and Cellular Biology, 2009, 29, 4663-4678.	1.1	44
35	CDKN2A mutation in a non-FAMMM kindred with cancers at multiple sites results in a functionally abnormal protein., 1997, 73, 531-536.		43
36	FGFR2 mutations are associated with poor outcomes in endometrioid endometrial cancer: An NRG Oncology/Gynecologic Oncology Group study. Gynecologic Oncology, 2017, 145, 366-373.	0.6	40

#	Article	IF	Citations
37	Deletion mapping suggests that the 1p22 melanoma susceptibility gene is a tumor suppressor localized to a 9-mb interval. Genes Chromosomes and Cancer, 2004, 41, 56-64.	1.5	37
38	Sensitivity to the MEK inhibitor E6201 in melanoma cells is associated with mutant BRAF and wildtype PTEN status. Molecular Cancer, 2012, 11, 75.	7.9	36
39	Refinement of high-risk endometrial cancer classification using DNA damage response biomarkers: a TransPORTEC initiative. Modern Pathology, 2018, 31, 1851-1861.	2.9	35
40	Mutations in exon 3 of the $\hat{l}^2$ -catenin gene are rare in melanoma cell lines. Melanoma Research, 2002, 12, 183-186.	0.6	34
41	Lucky draw in the gene raffle. Nature, 2002, 417, 906-907.	13.7	34
42	PI3K Inhibitors Synergize with FGFR Inhibitors to Enhance Antitumor Responses in FGFR2mutant Endometrial Cancers. Molecular Cancer Therapeutics, 2017, 16, 637-648.	1.9	34
43	Cellular Settings Mediating Src Substrate Switching between Focal Adhesion Kinase Tyrosine 861 and CUB-domain-containing protein 1 (CDCP1) Tyrosine 734*. Journal of Biological Chemistry, 2011, 286, 42303-42315.	1.6	32
44	A Common Variant at the 14q32 Endometrial Cancer Risk Locus Activates AKT1 through YY1 Binding. American Journal of Human Genetics, 2016, 98, 1159-1169.	2.6	32
45	Markers of the p53 pathway further refine molecular profiling in high-risk endometrial cancer: A Trans PORTEC initiative. Gynecologic Oncology, 2017, 146, 327-333.	0.6	26
46	Fibroblast Growth Factor Receptor Inhibition Synergizes With Paclitaxel and Doxorubicin in Endometrial Cancer Cells. International Journal of Gynecological Cancer, 2012, 22, 1.	1.2	23
47	The â€~melanoma-enriched' microRNA miR-4731-5p acts as a tumour suppressor. Oncotarget, 2016, 7, 49677-49687.	0.8	21
48	Mutation analysis of the CDKN2A promoter in Australian melanoma families. Genes Chromosomes and Cancer, 2001, 32, 89-94.	1.5	20
49	Paralog-Specific Kinase Inhibition of FGFR4: Adding to the Arsenal of Anti-FGFR Agents. Cancer Discovery, 2015, 5, 355-357.	7.7	16
50	Patient-derived xenograft models capture genomic heterogeneity in endometrial cancer. Genome Medicine, 2022, 14, 3.	3.6	16
51	hSSB1 phosphorylation is dynamically regulated by DNA-PK and PPP-family protein phosphatases. DNA Repair, 2017, 54, 30-39.	1.3	15
52	Anti-CDCP1 immuno-conjugates for detection and inhibition of ovarian cancer. Theranostics, 2020, 10, 2095-2114.	4.6	15
53	Endometrial cancer cells exhibit high expression of $p110\hat{l}^2$ and its selective inhibition induces variable responses on PI3K signaling, cell survival and proliferation. Oncotarget, 2017, 8, 3881-3894.	0.8	15
54	Common variation in the fibroblast growth factor receptor 2 gene is not associated with endometriosis risk. Human Reproduction, 2008, 23, 1661-1668.	0.4	14

#	Article	IF	CITATIONS
55	FGFR2b activating mutations disrupt cell polarity to potentiate migration and invasion in endometrial cancer. Journal of Cell Science, 2018, 131, .	1.2	14
56	Bclâ€2 inhibitors enhance FGFR inhibitorâ€induced mitochondrialâ€dependent cell death in FGFR2â€mutant endometrial cancer. Molecular Oncology, 2019, 13, 738-756.	2.1	12
57	CDKN2A is not the principal target of deletions on the short arm of chromosome 9 in neuroendocrine (Merkel cell) carcinoma of the skin. International Journal of Cancer, 2001, 93, 361-367.	2.3	10
58	Loss of Rearranged L-Myc Fusion (RLF) results in defects in heart development in the mouse. Differentiation, 2017, 94, 8-20.	1.0	10
59	FGFR2c Mesenchymal Isoform Expression Is Associated with Poor Prognosis and Further Refines Risk Stratification within Endometrial Cancer Molecular Subtypes. Clinical Cancer Research, 2020, 26, 4569-4580.	3.2	10
60	Fibroblast Growth Factor Receptor 2 Isoforms Detected via Novel RNA ISH as Predictive Biomarkers for Progestin Therapy in Atypical Hyperplasia and Low-Grade Endometrial Cancer. Cancers, 2021, 13, 1703.	1.7	8
61	A homologue of the Drosophila Son of Sevenless gene maps to mouse chromosome 17. Genomics, 1993, 18, 733-734.	1.3	3
62	Lineage-Specific Biomarkers Predict Response to FGFR Inhibition. Cancer Discovery, 2012, 2, 1081-1083.	7.7	1