

# Hirokazu Inoue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1638924/publications.pdf>

Version: 2024-02-01

39  
papers

641  
citations

623734

14  
h-index

610901

24  
g-index

39  
all docs

39  
docs citations

39  
times ranked

759  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Factors Negatively Influencing Postoperative Improvement After Laminoplasty in Degenerative Cervical Myelopathy. <i>Clinical Spine Surgery</i> , 2022, 35, E230-E235.  | 1.3 | 5         |
| 2  | Factors contributing to neck pain in patients with degenerative cervical myelopathy: A prospective multicenter study. <i>Journal of Orthopaedic Surgery</i> , 2022, 30, 102255362210918.   | 1.0 | 0         |
| 3  | Predictors of fatal outcome after severe necrotizing fasciitis: Retrospective analysis in a tertiary hospital for 20 years. <i>Journal of Orthopaedic Science</i> , 2021, 26, 494-499.   | 1.1 | 0         |
| 4  | Predictors of Falls in Patients with Degenerative Cervical Myelopathy: A Prospective Multi-institutional Study. <i>Spine</i> , 2021, 46, 1007-1013.  | 2.0 | 1         |
| 5  | Answer to the Letter to the Editor of S. Razaq et al. concerning "Handgrip strength correlates with walking in lumbar spinal stenosis" by Inoue H, et al. ( <i>Eur Spine J</i> 2020; 29: 2198-2204). <i>European Spine Journal</i> , 2021, 30, 1078-1080.                          | 2.2 | 0         |
| 6  | Predictors associated with neurological recovery after anterior decompression with fusion for degenerative cervical myelopathy. <i>BMC Surgery</i> , 2021, 21, 144.  | 1.3 | 3         |
| 7  | Associations between curve severity and revised Scoliosis Research Society-22 and scoliosis Japanese Questionnaire-27 scores in female patients with adolescent idiopathic scoliosis: a multicenter, cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 312.  | 1.9 | 4         |
| 8  | Predictors for quality of life improvement after surgery for degenerative cervical myelopathy: a prospective multi-center study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 150.   | 2.4 | 6         |
| 9  | Risk Factor for Poor Patient Satisfaction After Lumbar Spine Surgery in Elderly Patients Aged Over 80 years. <i>Clinical Spine Surgery</i> , 2021, 34, E223-E228.  | 1.3 | 6         |
| 10 | Acute aortic occlusion after microendoscopic laminectomy in a patient with lumbar spinal stenosis. <i>Medicine (United States)</i> , 2021, 100, e28347.  | 1.0 | 0         |
| 11 | Comparison of Clinical and Radiographic Outcomes of Laminoplasty, Anterior Decompression With Fusion, and Posterior Decompression With Fusion for Degenerative Cervical Myelopathy. <i>Spine</i> , 2020, 45, E1342-E1348.  | 2.0 | 14        |
| 12 | Handgrip strength correlates with walking in lumbar spinal stenosis. <i>European Spine Journal</i> , 2020, 29, 2198-2204.  | 2.2 | 19        |
| 13 | Short- versus long-segment posterior spinal fusion with vertebroplasty for osteoporotic vertebral collapse with neurological impairment in thoracolumbar spine: a multicenter study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 513.   | 1.9 | 7         |
| 14 | Answer to the Letter to the Editor of Kalidindi KKV, et al. concerning "Handgrip strength correlates with walking in lumbar spinal stenosis" by Inoue H. et al. [ <i>Eur Spine J</i> (2020): DOI 10.1007/s00586-020-06525-1]. <i>European Spine Journal</i> , 2020, 29, 2846-2847. | 2.2 | 3         |
| 15 | Effect of bisphosphonates or teriparatide on mechanical complications after posterior instrumented fusion for osteoporotic vertebral fracture: a multi-center retrospective study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 420.   | 1.9 | 15        |
| 16 | The Surgical Outcomes of Spinal Fusion for Osteoporotic Vertebral Fractures in the Lower Lumbar Spine with a Neurological Deficit. <i>Spine Surgery and Related Research</i> , 2020, 4, 199-207.   | 0.7 | 7         |
| 17 | Reply to the Editor: Surgical Treatment of Osteoporotic Vertebral Fracture with Neurological Deficit-A Nationwide Multicenter Study in Japan. <i>Spine Surgery and Related Research</i> , 2020, 4, 292-293.  | 0.7 | 1         |
| 18 | Surgical Treatment of Osteoporotic Vertebral Fracture with Neurological Deficit-A Nationwide Multicenter Study in Japan-. <i>Spine Surgery and Related Research</i> , 2019, 3, 361-367.  | 0.7 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Risk Factors for Proximal Junctional Fracture Following Fusion Surgery for Osteoporotic Vertebral Collapse with Delayed Neurological Deficits: A Retrospective Cohort Study of 403 Patients. <i>Spine Surgery and Related Research</i> , 2019, 3, 171-177.  | 0.7 | 15        |
| 20 | Complications after spinal fixation surgery for osteoporotic vertebral collapse with neurological deficits: Japan Association of Spine Surgeons with ambition multicenter study. <i>Journal of Orthopaedic Science</i> , 2019, 24, 985-990.                 | 1.1 | 8         |
| 21 | Surgical outcomes of spinal fusion for osteoporotic vertebral fracture in the thoracolumbar spine: Comprehensive evaluations of 5 typical surgical fusion techniques. <i>Journal of Orthopaedic Science</i> , 2019, 24, 1020-1026.                          | 1.1 | 18        |
| 22 | Surgical outcomes of spinal fusion for osteoporotic thoracolumbar vertebral fractures in patients with Parkinson's disease: what is the impact of Parkinson's disease on surgical outcome?. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 103.           | 1.9 | 16        |
| 23 | Posteromedial release combined with arthrodesis of the talocalcaneal and calcaneocuboid joints for equinovarus associated with myelodysplasia: Clinical outcomes assessment preliminary report. <i>Journal of Orthopaedic Science</i> , 2019, 24, 320-325.  | 1.1 | 0         |
| 24 | Impact of K-Line (°) in the Neck-Flexion Position on Patient-reported Outcomes After Cervical Laminoplasty For Patients With Ossification of the Posterior Longitudinal Ligament. <i>Clinical Spine Surgery</i> , 2019, 32, 382-386.                        | 1.3 | 12        |
| 25 | Predictors of Persistent Axial Neck Pain After Cervical Laminoplasty. <i>Spine</i> , 2018, 43, 10-15.   | 2.0 | 57        |
| 26 | The Rate of Venous Thromboembolism Before and After Spine Surgery as Determined with Indirect Multidetector CT. <i>JBJS Open Access</i> , 2018, 3, e0015.   | 1.5 | 19        |
| 27 | D-dimer predicts pulmonary embolism after low-risk spine surgery. <i>Spine Surgery and Related Research</i> , 2018, 2, 113-120.   | 0.7 | 11        |
| 28 | Reliability and validity of a novel quality of life questionnaire for female patients with adolescent idiopathic scoliosis: Scoliosis Japanese Questionnaire-27: a multicenter, cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 99. | 1.9 | 12        |
| 29 | Percutaneous endoscopic lumbar discectomy via adjacent interlaminar space for highly down-migrated lumbar disc herniation: a technical report. <i>Journal of Spine Surgery</i> , 2018, 4, 483-489.  | 1.2 | 8         |
| 30 | Complications Associated With Spine Surgery in Patients Aged 80 Years or Older: Japan Association of Spine Surgeons with Ambition (JASA) Multicenter Study. <i>Global Spine Journal</i> , 2017, 7, 636-641.   | 2.3 | 62        |
| 31 | Risk Factors for Delirium After Spine Surgery in Extremely Elderly Patients Aged 80 Years or Older and Review of the Literature: Japan Association of Spine Surgeons with Ambition Multicenter Study. <i>Global Spine Journal</i> , 2017, 7, 560-566.       | 2.3 | 48        |
| 32 | Fall-related Deterioration of Subjective Symptoms in Patients with Cervical Myelopathy. <i>Spine</i> , 2017, 42, E398-E403.   | 2.0 | 19        |
| 33 | Risk factors of cervical surgery related complications in patients older than 80 years. <i>Spine Surgery and Related Research</i> , 2017, 1, 179-184.   | 0.7 | 3         |
| 34 | Impact of Axial Neck Pain on Quality of Life After Laminoplasty. <i>Spine</i> , 2015, 40, E1292-E1298.  | 2.0 | 46        |
| 35 | Prediction of Venous Thromboembolism after Total Knee Arthroplasty Using Blood Coagulation-Fibrinolysis Markers: A Systematic Review. <i>International Journal of Orthopaedics (Hong Kong)</i> 1 0.784314 rgBT /Over  | 1.0 | 8         |
| 36 | Preoperative Predictors of Patient Satisfaction with Outcome after Cervical Laminoplasty. <i>Global Spine Journal</i> , 2014, 4, 077-082.   | 2.3 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Multiple-level ossification of the ligamentum flavum in the cervical spine combined with calcification of the cervical ligamentum flavum and posterior atlanto-axial membrane. <i>European Spine Journal</i> , 2013, 22, 416-420. | 2.2 | 20        |
| 38 | Bioimaging assessment and effect of skin wound healing using bone-marrow-derived mesenchymal stromal cells with the artificial dermis in diabetic rats. <i>Journal of Biomedical Optics</i> , 2008, 13, 064036.                   | 2.6 | 28        |
| 39 | Development of new inbred transgenic strains of rats with LacZ or GFP. <i>Biochemical and Biophysical Research Communications</i> , 2005, 329, 288-295.   | 2.1 | 114       |