

Haifeng Shi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1639100/haifeng-shi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,972
citations

27
h-index

41
g-index

78
ext. papers

2,238
ext. citations

6.2
avg, IF

5.13
L-index

#	Paper	IF	Citations
76	Sulfonated poly (ether ketone)/sulfonated titanium dioxide hybrid membrane with high selectivity and good stability for vanadium redox flow battery. <i>Journal of Energy Storage</i> , 2022 , 45, 103705	7.8	1
75	Ultrahigh proton conductive nanofibrous composite membrane with an interpenetrating framework and enhanced acid-base interfacial layers for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2022 , 647, 120327	9.6	2
74	An enhanced stability and efficiency of SPEEK-based composite membrane influenced by amphoteric side-chain polymer for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2022 , 643, 120011	9.6	5
73	Graphene/polymer composite membranes for vanadium redox flow battery applications 2022 , 487-520		
72	Preparation and crystalline transformation of functionalized poly(1-butene) containing PFPU and mPEG side chain.. <i>RSC Advances</i> , 2021 , 11, 37317-37324	3.7	
71	Hybrid proton exchange membrane of sulfonated poly(ether ether ketone) containing polydopamine-coated carbon nanotubes loaded phosphotungstic acid for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2021 , 625, 119159	9.6	17
70	High-performance composite membrane based on synergistic main-chain/side-chain proton conduction channels for the vanadium redox flow battery. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 4240 ¹³ -4252 ¹⁰		
69	Enhanced thermal management performance of comb-like polymer/boron nitride composite phase change materials for the thermoregulated fabric application. <i>Journal of Energy Storage</i> , 2021 , 40, 102826 ^{7.8}	7.8	6
68	Phase Transition and Crystallization of Bio-based Comb-like Polymers Based on Renewable Castor Oil-Derived Epoxides and CO ₂ . <i>Macromolecules</i> , 2021 , 54, 8503-8511	5.5	0
67	Sulfonated poly(ether ether ketone)/amine-functionalized graphene oxide hybrid membrane with various chain lengths for vanadium redox flow battery: A comparative study. <i>Journal of Membrane Science</i> , 2020 , 610, 118232	9.6	30
66	Side-chain crystallization and segment packing of poly(isobutylene-alt-maleic anhydride)-g-alkyl alcohol comb-like polymers. <i>Polymer</i> , 2020 , 202, 122721	3.9	7
65	Thermal properties and shape stabilization of epoxidized methoxy polyethylene glycol composite PCMs tailored by polydopamine-functionalized graphene oxide. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 208, 110388	6.4	13
64	Sulfonated Poly(ether ether ketone) Hybrid Membranes with Amphoteric Graphene Oxide Nanosheets as Interfacial Reinforcement for Vanadium Redox Flow Battery. <i>Energy & Fuels</i> , 2020 , 34, 2452-2461	4.1	24
63	Form-stable and light-to-thermal conversion properties of comb-like polymer composite phase change materials for thermal management application. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 217, 110704	6.4	10
62	Crystallization and thermal performance of poly(acrylonitrile-co-alkyl acrylate) comb-like polymeric phase change materials with various side-chain lengths. <i>CrystEngComm</i> , 2020 , 22, 5799-5808	3.3	3
61	Sulfonated polysulfone proton exchange membrane influenced by a varied sulfonation degree for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2019 , 584, 173-180	9.6	42
60	Nucleation and mechanical enhancements in poly(butylene terephthalate) nanocomposites influenced by functionalized graphene oxide. <i>SN Applied Sciences</i> , 2019 , 1, 1	1.8	4

59	An ultra-high ion selective hybrid proton exchange membrane incorporated with zwitterion-decorated graphene oxide for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12669-12680	13	48
58	Light-to-Thermal Conversion and Thermoregulated Capability of Coaxial Fibers with a Combined Influence from Comb-like Polymeric Phase Change Material and Carbon Nanotube. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 14150-14158	9.5	24
57	High performance acid-base composite membranes from sulfonated polysulfone containing graphitic carbon nitride nanosheets for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2019 , 591, 117332	9.6	23
56	Sulfonated poly(ether ether ketone)-based hybrid membranes containing polydopamine-decorated multiwalled carbon nanotubes with acid-base pairs for all vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2018 , 564, 916-925	9.6	61
55	Thermal performance and shape-stabilization of comb-like polymeric phase change materials enhanced by octadecylamine-functionalized graphene oxide. <i>Energy Conversion and Management</i> , 2018 , 168, 119-127	10.6	29
54	Structure and Properties of Sulfonated Poly(ether ether ketone) Hybrid Membrane with Polyaniline-Chains-Modified Graphene Oxide and Its Application for Vanadium Redox Flow Battery. <i>ChemistrySelect</i> , 2018 , 3, 9249-9258	1.8	15
53	Sulfonated poly(ether ether ketone)/sulfonated graphene oxide hybrid membrane for vanadium redox flow battery. <i>Electrochimica Acta</i> , 2018 , 282, 437-447	6.7	52
52	On the crystallization behavior of a poly(stearyl methacrylate) comb-like polymer inside a nanoscale environment. <i>CrystEngComm</i> , 2018 , 20, 7348-7356	3.3	9
51	Thermal performance and phase transformation of S-alkylated poly(vinyl chloride) comb-like polymers. <i>Polymer</i> , 2018 , 153, 362-368	3.9	11
50	Phase Transition and Side-Chain Crystallization of Poly(methyl vinyl ether-alt-maleic anhydride)-g-Alkyl Alcohol Comb-like Polymers. <i>Macromolecules</i> , 2018 , 51, 8922-8931	5.5	14
49	Comb-Like Polymers 2017 , 1-45		2
48	Novel graphitic carbon nitride nanosheets/sulfonated poly(ether ether ketone) acid-base hybrid membrane for vanadium redox flow battery. <i>Journal of Membrane Science</i> , 2017 , 525, 220-228	9.6	88
47	Thermo-regulated sheath/core submicron fiber with poly(diethylene glycol hexadecyl ether acrylate) as a core. <i>Textile Research Journal</i> , 2016 , 86, 493-501	1.7	17
46	A sulfonated poly(ether ether ketone)/amine-functionalized graphene oxide hybrid membrane for vanadium redox flow batteries. <i>RSC Advances</i> , 2016 , 6, 100262-100270	3.7	44
45	Effect of graphene oxide nanoplatelets on the thermal characteristics and shape-stabilized performance of poly(styrene-co-maleic anhydride)-g-octadecanol comb-like polymeric phase change materials. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 149, 40-48	6.4	36
44	Effect of N-isopropylacrylamide on the preparation and properties of microencapsulated phase change materials. <i>Energy</i> , 2016 , 106, 221-230	7.9	19
43	Fabrication and properties of poly(polyethylene glycol n-alkyl ether vinyl ether)s as polymeric phase change materials. <i>Thermochimica Acta</i> , 2016 , 633, 161-169	2.9	11
42	Shape-stabilized phase change materials based on poly(ethylene-graft-maleic anhydride)-g-alkyl alcohol comb-like polymers. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 143, 21-28	6.4	41

41	Novel sulfonated polyimide/zwitterionic polymer-functionalized graphene oxide hybrid membranes for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015 , 299, 255-264	8.9	61
40	Enhanced stress transfer and thermal properties of polyimide composites with covalent functionalized reduced graphene oxide. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 68, 140-148	8.4	82
39	Novel acid-base hybrid membrane based on amine-functionalized reduced graphene oxide and sulfonated polyimide for vanadium redox flow battery. <i>Electrochimica Acta</i> , 2015 , 158, 24-34	6.7	95
38	Structure and properties of mixtures based on long chain polyacrylate and 1-alcohol composites. <i>Materials Chemistry and Physics</i> , 2014 , 143, 1069-1074	4.4	10
37	Fabrication and characterization of microencapsulated phase change material with low supercooling for thermal energy storage. <i>Energy</i> , 2014 , 68, 160-166	7.9	57
36	Crystalline structure and phase behavior of N-alkylated polypyrrole comb-like polymers. <i>CrystEngComm</i> , 2014 , 16, 7090	3.3	18
35	Fabrication and Performances of Microencapsulated n-Alkanes with Copolymers Having n-Octadecyl Side Chains As Shells. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 1678-1687	3.9	14
34	Thermal performance and crystallization behavior of poly(ethylene glycol) hexadecyl ether in confined environment. <i>Polymer International</i> , 2014 , 63, 982-988	3.3	13
33	Fabrication, Characterization and Suppression of Supercooling in Microencapsulated n-Octadecane with Methyl Methacrylate-Octadecyl Methacrylate Copolymer as Shell. <i>Science of Advanced Materials</i> , 2014 , 6, 120-127	2.3	6
32	Coaxial Electrospun Thermo-Regulated Sheath/Core Nanofibers with a Comb-Like Polymer Core. <i>Science of Advanced Materials</i> , 2014 , 6, 2640-2645	2.3	2
31	Fabrication, characterization, and supercooling suppression of nanoencapsulated n-octadecane with methyl methacrylate-octadecyl methacrylate copolymer shell. <i>Colloid and Polymer Science</i> , 2013 , 291, 1705-1712	2.4	26
30	Chain packing and phase transition of N-hexacosylated polyethyleneimine comb-like polymer: A combined investigation by synchrotron X-ray scattering and FTIR spectroscopy. <i>Polymer</i> , 2013 , 54, 6261-6266	3.9	14
29	Composite macrocapsule of phase change materials/expanded graphite for thermal energy storage. <i>Energy</i> , 2013 , 57, 607-614	7.9	56
28	Crystal structure and thermal property of polyethylene glycol octadecyl ether. <i>Thermochimica Acta</i> , 2013 , 558, 83-86	2.9	15
27	Structure and thermal performance of poly(ethylene glycol) alkyl ether (Brij)/porous silica (MCM-41) composites as shape-stabilized phase change materials. <i>Thermochimica Acta</i> , 2013 , 570, 1-7	2.9	44
26	Fabrication and properties of poly(polyethylene glycol octadecyl ether methacrylate). <i>Thermochimica Acta</i> , 2013 , 574, 116-120	2.9	23
25	Frustrated crystallisation and hierarchical self-assembly behaviour of comb-like polymers. <i>Chemical Society Reviews</i> , 2013 , 42, 2075-99	58.5	101
24	Structure and thermal performance of poly(styrene-co-maleic anhydride)-g-alkyl alcohol comb-like copolymeric phase change materials. <i>Thermochimica Acta</i> , 2013 , 564, 34-38	2.9	31

23	Facile Synthesis of Highly Photoactive ATO-Based Microcapsule for Solar Energy Harvesting. <i>Science of Advanced Materials</i> , 2013 , 5, 1498-1503	2.3	3
22	EFFECT OF ALKYLATION DEGREE ON THE STRUCTURE OF N-OCTADECYLATED POLYETHYLENEIMINE COMB-LIKE POLYMERS. <i>Acta Polymerica Sinica</i> , 2013 , 013, 56-62		1
21	Fabrication and morphological characterization of microencapsulated phase change materials (MicroPCMs) and macrocapsules containing MicroPCMs for thermal energy storage. <i>Energy</i> , 2012 , 38, 249-254	7.9	87
20	Preparation and Characterization of Octadecylated Poly(vinyl Alcohol) Polymers. <i>Advanced Materials Research</i> , 2012 , 482-484, 1921-1924	0.5	8
19	Confined crystallization and phase transition in semi-rigid chitosan containing long chain alkyl groups. <i>CrystEngComm</i> , 2011 , 13, 561-567	3.3	33
18	Effect of manufacturing parameters on the release profiles of casein-loaded alginate microspheres prepared by emulsification/internal gelation. <i>Journal of Controlled Release</i> , 2011 , 152 Suppl 1, e154-5	11.7	3
17	Microencapsulation of vitamin C by interfacial/emulsion reaction: characterization of release properties of microcapsules. <i>Journal of Controlled Release</i> , 2011 , 152 Suppl 1, e78-9	11.7	5
16	Preparation and properties of poly(vinyl alcohol)-g-octadecanol copolymers based solid-solid phase change materials. <i>Materials Chemistry and Physics</i> , 2011 , 131, 108-112	4.4	41
15	Nanoconfinement crystallization of frustrated alkyl groups: crossover of mesophase to crystalline structure. <i>Chemical Communications</i> , 2011 , 47, 3825-7	5.8	21
14	Fabrication of Thermochromatic Microencapsulated Phase Change Materials. <i>Advanced Materials Research</i> , 2011 , 332-334, 1856-1859	0.5	
13	Thermal Behaviors of N-Octadecylated Poly(Ethyleneimine) with Different Grafting Ratios. <i>Advanced Materials Research</i> , 2011 , 332-334, 2085-2088	0.5	4
12	Multi-functional microcapsules produced by aerosol reaction. <i>Journal of Aerosol Science</i> , 2008 , 39, 1089-1098	10.9	27
11	Preparation of Surface Porous Microcapsules Templated by Self-assembly of Nonionic Surfactant Micelles. <i>Chemistry of Materials</i> , 2008 , 20, 3099-3104	9.6	40
10	Effect of Main-Chain Rigidity on the Phase Transitional Behavior of Comblike Polymers. <i>Macromolecules</i> , 2007 , 40, 3198-3203	5.5	32
9	Order-disorder transition in eicosylated polyethyleneimine comblike polymers. <i>Polymer</i> , 2007 , 48, 2762-2767	2.7	28
8	Crystallization behaviors of n-nonadecane in confined space: observation of metastable phase induced by surface freezing. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 14279-82	3.4	58
7	Mesogen-Free Supramolecular Liquid Crystalline State Formed by a Polyelectrolyte/Amphiphile Complex. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 226-231	4.8	17
6	Conformational variation and crystalline phase transformation of low syndiotactic polypropylene films in stretched and stress-relaxed states. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005 , 43, 2924-2936	2.6	6

5	Transcrystalline morphology of nylon 6 on the surface of aramid fibers. <i>Polymer International</i> , 2004 , 53, 1672-1676	3.3	11
4	Packing mode and conformational transition of alkyl side chains in N-alkylated poly(p-benzamide) comb-like polymer. <i>Polymer</i> , 2004 , 45, 6299-6307	3.9	77
3	Phase Transition and Conformational Variation of N-Alkylated Branched Poly(ethyleneimine) Comblike Polymer. <i>Macromolecules</i> , 2004 , 37, 9933-9940	5.5	63
2	Side-chain crystallization and phase transition of poly[styrene-co-(maleic anhydride)]-g-alkylamine comb-like polymers. <i>Polymer International</i> ,	3.3	1
1	Improved proton conductivity and structure stability of an SPEEK/SPPS blend membrane for vanadium redox flow batteries. <i>Materials Chemistry Frontiers</i> ,	7.8	2