Erick A Bestland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1641001/publications.pdf

Version: 2024-02-01

430874 454955 41 976 18 30 citations h-index g-index papers 41 41 41 1121 citing authors docs citations times ranked all docs

#	Article	IF	Citations
1	Catchment-scale groundwater-flow and recharge paradox revealed from base flow analysis during the Australian Millennium Drought (Mt Lofty Ranges, South Australia). Hydrogeology Journal, 2021, 29, 963-983.	2.1	3
2	Salinity balance and historical flushing quantified in a high-rainfall catchment (Mount Lofty Ranges,) Tj ETQq0 0	0 rgBT /0v	verlock 10 Tf 5
3	Groundwater dependent pools in seasonal and permanent streams in the Clare Valley of South Australia. Journal of Hydrology: Regional Studies, 2017, 9, 216-235.	2.4	18
4	A groundwater salinity hotspot and its connection to an intermittent stream identified by environmental tracers (Mt Lofty Ranges, South Australia). Hydrogeology Journal, 2017, 25, 2435-2451.	2.1	4
5	Catchment-scale denudation and chemical erosion rates determined from 10Be and mass balance geochemistry (Mt. Lofty Ranges of South Australia). Geomorphology, 2016, 270, 40-54.	2.6	4
6	Particle-size effects on dissolved arsenic adsorption to an Australian laterite. Environmental Earth Sciences, 2013, 68, 2301-2312.	2.7	11
7	Down-slope change in soil hydrogeochemistry due to seasonal water table rise: Implications for groundwater weathering. Catena, 2013, 111, 122-131.	5.0	8
8	Chronology, stratigraphy and palaeoenvironmental interpretation of a <scp>L</scp> ate <scp>P</scp> leistocene to midâ€ <scp>H</scp> olocene cave accumulation on <scp>K</scp> angaroo <scp>I</scp> sland, <scp>S</scp> outh <scp>A</scp> ustralia. Boreas, 2013, 42, 974-994.	2.4	8
9	Laboratory assessment of factors affecting soil clogging of soil aquifer treatment systems. Water Research, 2011, 45, 3153-3163.	11.3	83
10	Application of sedimentary and chronological analyses to refine the depositional context of a Late Pleistocene vertebrate deposit, Naracoorte, South Australia. Quaternary Science Reviews, 2011, 30, 2690-2702.	3.0	15
11	Arsenic remediation by Australian laterites. Environmental Earth Sciences, 2011, 64, 247-253.	2.7	7
12	Variation in performance of surfactant loading and resulting nitrate removal among four selected natural zeolites. Journal of Hazardous Materials, 2010, 183, 616-621.	12.4	91
13	Late Pleistocene environmental change interpreted from Î 13C and Î 18O of tooth enamel from the Black Creek Swamp Megafauna site, Kangaroo Island, South Australia. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 291, 319-327.	2.3	24
14	Fractured bedrock and saprolite hydrogeologic controls on groundwater/surface-water interaction: a conceptual model (Australia). Hydrogeology Journal, 2009, 17, 1969-1989.	2.1	83
15	Alluvial aquifer recharge enhanced by a natural dam: feasibility assessment based on multidisciplinary characterization (Khuzestan, Southwest Iran). Environmental Earth Sciences, 2009, 59, 51-61.	2.7	5
16	Chronology and organic chemistry of the Black Creek Swamp Megafauna site (Late Pleistocene), Kangaroo Island, Australia. Boreas, 2009, 38, 705-717.	2.4	4
17	Evidence for biocycling from Ba/Ca, Sr/Ca, and 87Sr/86Sr in soils (Red Brown Earths) from South Australia. Soil Research, 2009, 47, 154.	1.1	3
18	Origin of the sedimentary deposits of the Naracoorte Caves, South Australia. Geomorphology, 2007, 86, 369-392.	2.6	22

#	Article	IF	CITATIONS
19	Palaeoenvironmental reconstruction of the Late Pleistocene to Early Holocene Robertson Cave sedimentary deposit, Naracoorte, South Australia. Australian Journal of Earth Sciences, 2007, 54, 541-559.	1.0	19
20	Guano-derived deposits within the sandy cave fills of Naracoorte, South Australia. Alcheringa, 2006, 30, 129-146.	1.2	9
21	A cautionary tale from down under: Dating the BlackCreek Swamp megafauna site on Kangaroo Island, South Australia. Quaternary Geochronology, 2006, 1, 142-150.	1.4	21
22	Late Pleistocene megafauna site at Black Creek Swamp, Flinders Chase National Park, Kangaroo Island, South Australia. Alcheringa, 2006, 30, 367-387.	1.2	7
23	Geochemistry (Î 13C, Î 15N, 13C NMR) and residence times (14C and OSL) of soil organic matter from red-brown earths of South Australia: Implications for soil genesis. Geoderma, 2006, 132, 344-360.	5.1	33
24	Stable isotope record (\hat{l} sup>18O and \hat{l} sup>13C) of a Naracoorte Caves speleothem from before and after the Last Interglacial. Alcheringa, 2006, 30, 19-29.	1.2	3
25	Distinguishing sources of base cations in irrigated and natural soils: evidence from strontium isotopes. Biogeochemistry, 2004, 68, 199-225.	3.5	33
26	Palaeoenvironmental mosaic of Proconsul habitats: geochemical and sedimentalogical interpretation of Kisingiri fossil sites, Western Kenya. Journal of African Earth Sciences, 2004, 39, 63-79.	2.0	9
27	Age and origin of Terra Rossa soils in the Coonawarra area of South Australia. Geomorphology, 2004, 58, 1-25.	2.6	51
28	Preliminary 14C Dates on Bulk Soil Organic Matter from the Black Creek Megafauna Fossil Site, Rocky River, Kangaroo Island, South Australia. Radiocarbon, 2004, 46, 437-443.	1.8	8
29	Paleoenvironments of sedimentary interbeds in the Pliocene and Quaternary Big Lost Trough, eastern Snake River Plain, Idaho. , 2002, , .		6
30	Soil Organic Matter Decomposition and Turnover in a Tropical Ultisol: Evidence from $\hat{l}' < \sup 13 < \sup C$, $\hat{l}' < \sup 15 < \sup N$ and Geochemistry. Radiocarbon, 2002, 44, 93-112.	1.8	84
31	Fossil Andisols Identified with Mass-Balance Geochemistry (Oligocene John Day Formation, Oregon,) Tj ETQq1 1	0.784314 1.6	rgBT /Overlo
32	Weathering flux and CO2 consumption determined from palaeosol sequences across the Eocene–Oligocene transition. Palaeogeography, Palaeoclimatology, Palaeoecology, 2000, 156, 301-326.	2.3	23
33	Eocene and Oligocene Paleosols of Central Oregon. , 1999, , .		36
34	Palaeoenvironments of Early Miocene Kisingiri volcano Proconsul sites: evidence from carbon isotopes, palaeosols and hydromagmatic deposits. Journal of the Geological Society, 1999, 156, 965-976.	2.1	34
35	Stepwise Climate Change Recorded in Eoceneâ€Oligocene Paleosol Sequences From Central Oregon. Journal of Geology, 1997, 105, 153-172.	1.4	42

Alluvial Terraces and Paleosols as Indicators of Early Oligocene Climate Change (John Day Formation,) Tj ETQq0 0 0 $\underset{1.0}{\text{rgBT}}$ /Overlock 10 Tf

36

#	Article	IF	CITATIONS
37	Late Eocene detrital laterites in central Oregon: Mass balance geochemistry, depositional setting, and landscape evolution. Bulletin of the Geological Society of America, 1996, 108, 285-302.	3.3	41
38	Miocene paleosols and habitats of Proconsul on Rusinga Island, Kenya. Journal of Human Evolution, 1995, 29, 53-91.	2.6	47
39	Cycles of Doming and Eruption of the Miocene Kisingiri Volcano, Southwest Kenya. Journal of Geology, 1995, 103, 598-607.	1.4	13
40	A Miocene Gilbert-type fan-delta from a volcanically influenced lacustrine basin, Rusinga Island, Lake Victoria, Kenya. Journal of the Geological Society, 1991, 148, 1067-1078.	2.1	15
41	Sedimentology and paleopedology of Miocene alluvial deposits at the PaÅŸalar Hominoid site, Western Turkey. Journal of Human Evolution, 1990, 19, 363-377.	2.6	27