

Xinyu Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1641204/publications.pdf>

Version: 2024-02-01

73
papers

1,274
citations

331538

21
h-index

414303

32
g-index

75
all docs

75
docs citations

75
times ranked

1758
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Secretion of BMP-2 by tumor-associated macrophages (TAM) promotes microcalcifications in breast cancer. BMC Cancer, 2022, 22, 34. | 1.1 | 11 |
| 2 | Primary analysis of MUKDEN 01: A multicenter, single-arm, prospective, phase 2 study of neoadjuvant treatment with pyrotinib and letrozole plus dalpiciclib in triple-positive breast cancer.. Journal of Clinical Oncology, 2022, 40, 588-588. | 0.8 | 0 |
| 3 | Omission of Chemotherapy in HR+/HER2â€” Early Invasive Breast Cancer Based on Combined 6-IHC Score?. Clinical Breast Cancer, 2021, 21, e565-e574. | 1.1 | 0 |
| 4 | A Genome-wide association study identified <i>HLAâ€”C</i> associated with the effectiveness of methotrexate for psoriasis treatment. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e898-e900. | 1.3 | 5 |
| 5 | Major depressive symptoms in breast cancer patients with ovarian function suppression: a cross-sectional study comparing ovarian ablation and gonadotropin-releasing hormone agonists. BMC Psychiatry, 2021, 21, 624. | 1.1 | 4 |
| 6 | BMP-2 upregulates the AKT/mTOR pathway in breast cancer with microcalcification and indicates a poor prognosis. Clinical and Translational Oncology, 2020, 22, 1263-1271. | 1.2 | 9 |
| 7 | <p>Identification of Aurora Kinase A as a Biomarker for Prognosis in Obesity Patients with Early Breast Cancer</p>. OncoTargets and Therapy, 2020, Volume 13, 4971-4985. | 1.0 | 5 |
| 8 | LncRNA NONHSAT141924 promotes paclitaxel chemotherapy resistance through p-CREB/Bcl-2 apoptosis signaling pathway in breast cancer. Journal of Cancer, 2020, 11, 3645-3654. | 1.2 | 25 |
| 9 | SAT0017â€”METABOLIC CHANGES INDUCED BY ANTI-MALONDIALDEHYDE/MALINDIALDEHYDE-ACETALDEHYDE ANTIBODIES PROMOTE OSTEOCLAST DEVELOPMENT. Annals of the Rheumatic Diseases, 2020, 79, 938.2-939. | 0.5 | 1 |
| 10 | Gemcitabine resistance in tripleâ€”negative breast cancer cells can be reverted by Drosophila melanogaster deoxyribonucleoside kinase in the nucleus or cytosol. Oncology Letters, 2020, 20, 1-1. | 0.8 | 3 |
| 11 | Comparative study of indocyanine green combined with blue dye with methylene blue only and carbon nanoparticles only for sentinel lymph node biopsy in breast cancer. Annals of Surgical Treatment and Research, 2019, 97, 1. | 0.4 | 25 |
| 12 | <p>The role of IRAK1 in breast cancer patients treated with neoadjuvant chemotherapy</p>. OncoTargets and Therapy, 2019, Volume 12, 2171-2180. | 1.0 | 13 |
| 13 | Novel Combination Oncolytic Adenoviral Gene Therapy Armed with Dm-dNK and CD40L for Breast Cancer. Current Gene Therapy, 2019, 19, 54-65. | 0.9 | 9 |
| 14 | Genome-wide association study identifies three novel susceptibility loci for systemic lupus erythematosus in Han Chinese. British Journal of Dermatology, 2018, 179, 506-508. | 1.4 | 7 |
| 15 | Efficacy of lentivirusâ€”mediated Drosophilaâ€”melanogaster deoxyribonucleoside kinase combined with (E)-5â€”(2â€”bromovinyl)-2â€”deoxyuridine or 1â€”2â€”arabinofuranosylthymine therapy in human keloid fibroblasts. Molecular Medicine Reports, 2018, 18, 1660-1665. | | |
| 16 | Low dose Emodin induces tumor senescence for boosting breast cancer chemotherapy via silencing NRARP. Biochemical and Biophysical Research Communications, 2018, 505, 973-978. | 1.0 | 22 |
| 17 | Expression of vascular endothelial growth factor and caspase-3 in mucinous breast carcinoma and infiltrating ductal carcinoma-not otherwise specified, and the correlation with disease-free survival. Oncology Letters, 2017, 14, 4890-4896. | 0.8 | 4 |
| 18 | Upregulation of transmembrane 4 L6 family member 1 predicts poor prognosis in invasive breast cancer. Medicine (United States), 2017, 96, e9476. | 0.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Autophagy contributes to falcarindiol-induced cell death in breast cancer cells with enhanced endoplasmic reticulum stress. <i>PLoS ONE</i> , 2017, 12, e0176348. | 1.1 | 15 |
| 20 | Osteopontin and vasculogenic mimicry formation are associated with response to neoadjuvant chemotherapy in advanced breast cancer. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4121-4127. | 1.0 | 9 |
| 21 | Impact of persistence on survival of patients with breast cancer treated with endocrine therapy in Northeast China: a prospective study. <i>Oncotarget</i> , 2017, 8, 102499-102510. | 0.8 | 5 |
| 22 | MicroRNA-490 inhibits tumorigenesis and progression in breast cancer. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 4505-4516. | 1.0 | 28 |
| 23 | c-Met and CREB1 are involved in miR-433-mediated inhibition of the epithelialâ€mesenchymal transition in bladder cancer by regulating Akt/GSK-3 β /Snail signaling. <i>Cell Death and Disease</i> , 2016, 7, e2088-e2088. | 2.7 | 94 |
| 24 | Synergistic antitumor effect of adenovirus armed with <i>Drosophila melanogaster</i> deoxyribonucleoside kinase and nucleoside analogs for human breast carcinoma in vitro and in vivo. <i>Drug Design, Development and Therapy</i> , 2015, 9, 3301. | 2.0 | 2 |
| 25 | Tanshinone IIA enhances bystander cell killing of cancer cells expressing <i>Drosophila melanogaster</i> deoxyribonucleoside kinase in nuclei and mitochondria. <i>Oncology Reports</i> , 2015, 34, 1487-1493. | 1.2 | 4 |
| 26 | Emodin induces apoptosis of human breast cancer cells by modulating the expression of apoptosis-related genes. <i>Oncology Letters</i> , 2015, 10, 2919-2924. | 0.8 | 45 |
| 27 | Predictive value of phosphorylated mammalian target of rapamycin for disease-free survival in breast cancer patients receiving neoadjuvant chemotherapy. <i>Oncology Letters</i> , 2014, 8, 2642-2648. | 0.8 | 1 |
| 28 | Preoperative predicting score of lymph node metastasis for gastric cancer. <i>Tumor Biology</i> , 2014, 35, 10437-10442. | 0.8 | 9 |
| 29 | Histopathology-based prognostic score is independent prognostic factor of gastric carcinoma. <i>BMC Cancer</i> , 2014, 14, 663. | 1.1 | 16 |
| 30 | The value of substratified combined imaging assessment with mammography and ultrasonography for Chinese women with palpable breast masses. <i>Breast Cancer Research and Treatment</i> , 2014, 144, 391-396. | 1.1 | 5 |
| 31 | Mixed epithelial and mesenchymal metaplastic carcinoma (carcinosarcoma) of the breast: a case report. <i>European Journal of Medical Research</i> , 2014, 19, 14. | 0.9 | 11 |
| 32 | Metaplastic breast carcinoma development following surgical resection of an inflammatory myofibroblastic tumor in the right breast: A case report. <i>Oncology Letters</i> , 2014, 8, 1345-1347. | 0.8 | 7 |
| 33 | Downregulation of programmed cell death 4 (PDCD4) in tumorigenesis and progression of human digestive tract cancers. <i>Tumor Biology</i> , 2013, 34, 3879-3885. | 0.8 | 27 |
| 34 | Ultrasonography is More Accurate than Mammography in Preoperative Evaluations of Palpable Breast Tumors in Chinese Women. <i>Breast Journal</i> , 2013, 19, 677-679. | 0.4 | 1 |
| 35 | Prognostic impact of atypical chemokine receptor expression in patients with gastric cancer. <i>Journal of Surgical Research</i> , 2013, 183, 177-183. | 0.8 | 15 |
| 36 | Potent antitumoral effects of targeted promoter-driven oncolytic adenovirus armed with Dm-dNK for breast cancer in vitro and in vivo. <i>Cancer Letters</i> , 2013, 328, 95-103. | 3.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Impact of the Hypoxia-Inducible Factor-1 $\hat{\pm}$ (<i>HIF1A</i>) Pro582Ser Polymorphism on Diabetes Nephropathy. <i>Diabetes Care</i> , 2013, 36, 415-421. | 4.3 | 56 |
| 38 | The combined effect of survivin-targeted shRNA and emodin on the proliferation and invasion of ovarian cancer cells. <i>Anti-Cancer Drugs</i> , 2013, 24, 937-944. | 0.7 | 11 |
| 39 | ABO116...HIF-2alpha dependent rankl induction and osteoclastogenesis is augmented by inflammatory cytokines. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 644.6-644. | 0.5 | 0 |
| 40 | Cytotoxic effects of adenovirus- and lentivirus-mediated expression of <i>Drosophila melanogaster</i> deoxyribonucleoside kinase on Bcap37 breast cancer cells. <i>Oncology Reports</i> , 2013, 29, 960-966. | 1.2 | 8 |
| 41 | Expression of Legumain Correlates with Prognosis and Metastasis in Gastric Carcinoma. <i>PLoS ONE</i> , 2013, 8, e73090. | 1.1 | 47 |
| 42 | Breast-Conserving Therapy for Early-Stage Breast Cancer in Chinese Women: A Meta-Analysis of Case-Control Studies. <i>Onkologie</i> , 2012, 35, 133-139. | 1.1 | 2 |
| 43 | Lentivirus-mediated expression of <i>Drosophila melanogaster</i> deoxyribonucleoside kinase driven by the hTERT promoter combined with gemcitabine: A potential strategy for cancer therapy. <i>International Journal of Molecular Medicine</i> , 2012, 30, 659-665. | 1.8 | 9 |
| 44 | Antitumor effects of oncolytic adenovirus armed with <i>Drosophila melanogaster</i> deoxyribonucleoside kinase in colorectal cancer. <i>Oncology Reports</i> , 2012, 27, 1443-50. | 1.2 | 11 |
| 45 | Conditionally replicating adenovirus SG500-expressed mutant Dm-dNK gene for breast cancer therapy. <i>International Journal of Oncology</i> , 2012, 41, 2175-2183. | 1.4 | 3 |
| 46 | Study on the skip metastasis of axillary lymph nodes in breast cancer and their relation with Gli1 expression. <i>Tumor Biology</i> , 2012, 33, 1943-1950. | 0.8 | 16 |
| 47 | Survivin regulates the expression of VEGF-C in lymphatic metastasis of breast cancer. <i>Diagnostic Pathology</i> , 2012, 7, 52. | 0.9 | 23 |
| 48 | Risk of metabolic syndrome in adults exposed to the great Chinese famine during the fetal life and early childhood. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 231-236. | 1.3 | 94 |
| 49 | Potent Anticancer Effects of Lentivirus Encoding a <i>Drosophila Melanogaster</i> Deoxyribonucleoside Kinase Mutant Combined with Brivudine. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 2121-2127. | 0.5 | 4 |
| 50 | Adenovirus-mediated <i>Drosophila melanogaster</i> deoxyribonucleoside kinase mutants combined with gemcitabine harbor a safe cancer treatment profile. <i>International Journal of Oncology</i> , 2011, 38, 745-53. | 1.4 | 9 |
| 51 | The multisubstrate deoxyribonucleoside kinase of <i>Drosophila melanogaster</i> as a therapeutic suicide gene of breast cancer cells. <i>Journal of Gene Medicine</i> , 2011, 13, 305-311. | 1.4 | 13 |
| 52 | Synergistic therapeutic effect in gastric cancer cells produced by oncolytic adenovirus encoding <i>Drosophila melanogaster</i> deoxyribonucleoside kinase. <i>Cancer Biology and Therapy</i> , 2011, 11, 874-882. | 1.5 | 11 |
| 53 | Retrovirus-mediated <i>Drosophila melanogaster</i> multisubstrate deoxyribonucleoside kinase gene therapy of gastric cancer cells in vitro and in vivo. <i>Anticancer Research</i> , 2010, 30, 2641-9. | 0.5 | 2 |
| 54 | Prognostic Significance of the Number of Metastatic Lymph Nodes: Is UICC/TNM Node Classification Perfectly Suitable for Early Gastric Cancer?. <i>Annals of Surgical Oncology</i> , 2009, 16, 61-67. | 0.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Adenovirus E1B55K Region Is Required To Enhance Cyclin E Expression for Efficient Viral DNA Replication. <i>Journal of Virology</i> , 2008, 82, 3415-3427. | 1.5 | 40 |
| 56 | Mitochondrial Expression of the <i>Drosophila melanogaster</i> Multisubstrate Deoxyribonucleoside Kinase. <i>Molecular Pharmacology</i> , 2007, 72, 1593-1598. | 1.0 | 4 |
| 57 | Clinical Application of Microskin Grafting to Repair Granulation or Decrustation Wounds. <i>Journal of Burn Care and Research</i> , 2006, 27, 515-519. | 0.2 | 4 |
| 58 | Selective replication of E1B55K-deleted adenoviruses depends on enhanced E1A expression in cancer cells. <i>Cancer Gene Therapy</i> , 2006, 13, 572-583. | 2.2 | 10 |
| 59 | Gene expression profiles of normal human lung cells affected by adenoviral E1B. <i>Virology</i> , 2006, 350, 418-428. | 1.1 | 25 |
| 60 | Adenoviral E1A expression levels affect virus-selective replication in human cancer cells. <i>Cancer Biology and Therapy</i> , 2005, 4, 1255-1262. | 1.5 | 15 |
| 61 | Gene expression profiling of E2F-1-induced apoptosis. <i>Gene</i> , 2005, 344, 67-77. | 1.0 | 24 |
| 62 | E1A-induced apoptosis does not prevent replication of adenoviruses with deletion of E1b in majority of infected cancer cells. <i>Cancer Gene Therapy</i> , 2004, 11, 585-593. | 2.2 | 32 |
| 63 | Lipid-mediated protein delivery of suicide nucleoside kinases. <i>Cancer Research</i> , 2003, 63, 6909-13. | 0.4 | 16 |
| 64 | Nucleoside Analog Cytotoxicity and Bystander Cell Killing of Cancer Cells Expressing <i>Drosophila melanogaster</i> Deoxyribonucleoside Kinase in the Nucleus or Cytosol. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 229-233. | 1.0 | 20 |
| 65 | Bystander Effects of Cancer Cell Lines Transduced with the Multisubstrate Deoxyribonucleoside Kinase of <i>Drosophila melanogaster</i> and Synergistic Enhancement by Hydroxyurea. <i>Molecular Pharmacology</i> , 2001, 60, 262-266. | 1.0 | 23 |
| 66 | Retroviral Transduction of Cancer Cell Lines with the Gene Encoding <i>Drosophila melanogaster</i> Multisubstrate Deoxyribonucleoside Kinase. <i>Journal of Biological Chemistry</i> , 2000, 275, 39125-39129. | 1.6 | 48 |
| 67 | Cloning of mouse mitochondrial thymidine kinase 2 cDNA. <i>FEBS Letters</i> , 1999, 460, 103-106. | 1.3 | 10 |
| 68 | Cellular composition and anatomic distribution in nonfunctioning pancreatic endocrine tumors: immunohistochemical study of 30 cases. <i>Chinese Medical Journal</i> , 1998, 111, 373-6. | 0.9 | 1 |
| 69 | Induction of Nasal and Nasopharyngeal Tumours in Sprague-Dawley Rats Fed with Chinese Salted Fish. <i>Acta Oto-Laryngologica</i> , 1994, 114, 98-104. | 0.3 | 36 |
| 70 | Effect of B-lymphocyte- and NPC-derived EBV-1 gene expression on in vitro growth and differentiation of human epithelial cells. <i>International Journal of Cancer</i> , 1994, 57, 747-753. | 2.3 | 26 |
| 71 | Expression of Ki67 antigen, epidermal growth factor receptor and Epstein-Barr virus-encoded latent membrane protein (LMP1) in nasopharyngeal carcinoma. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1994, 30, 290-295. | 0.9 | 59 |
| 72 | Epstein-Barr Virus Infection, Salted Fish and Nasopharyngeal Carcinoma: A case-control study in Southern. <i>Acta Oncologica</i> , 1994, 33, 867-872. | 0.8 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Studies on Etiological Factors of Nasopharyngeal Carcinoma. Acta Oto-Laryngologica, 1993, 113, 455-457. | 0.3 | 7 |