

Ez-Zoubir amri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1641782/ez-zoubir-amri-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64

papers

4,247

citations

33

h-index

65

g-index

68

ext. papers

4,859

ext. citations

7

avg, IF

4.8

L-index

#	Paper	IF	Citations
64	Delivery of miRNAs to the adipose organ for metabolic health.. <i>Advanced Drug Delivery Reviews</i> , 2022 , 181, 114110	18.5	1
63	Paternal multigenerational exposure to an obesogenic diet drives epigenetic predisposition to metabolic diseases in mice. <i>ELife</i> , 2021 , 10,	8.9	6
62	In vitro and ex vivo models of adipocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2021 , 320, C822-C841	5.4	7
61	No Effect of Dietary Fish Oil Supplementation on the Recruitment of Brown and Brite Adipocytes in Mice or Humans under Thermoneutral Conditions. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000881	5.9	1
60	Oxytocin and Bone: Review and Perspectives. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
59	Isothermal microcalorimetry measures UCP1-mediated thermogenesis in mature brite adipocytes. <i>Communications Biology</i> , 2021 , 4, 1108	6.7	0
58	GPR180 is a component of TGFβ signalling that promotes thermogenic adipocyte function and mediates the metabolic effects of the adipocyte-secreted factor CTHRC1. <i>Nature Communications</i> , 2021 , 12, 7144	17.4	3
57	A Novel N-Substituted Valine Derivative with Unique Peroxisome Proliferator-Activated Receptor α Binding Properties and Biological Activities. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 13124-13139	8.3	1
56	Oxytocin Controls Chondrogenesis and Correlates with Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
55	Fatty Acid Metabolite Profiling Reveals Oxylipins as Markers of Brown but Not Brite Adipose Tissue. <i>Frontiers in Endocrinology</i> , 2020 , 11, 73	5.7	10
54	The translational regulator FMRP controls lipid and glucose metabolism in mice and humans. <i>Molecular Metabolism</i> , 2019 , 21, 22-35	8.8	16
53	Fatty Acid Metabolites as Novel Regulators of Non-shivering Thermogenesis. <i>Handbook of Experimental Pharmacology</i> , 2019 , 251, 183-214	3.2	6
52	Identification of a Paracrine Signaling Mechanism Linking CD34 Progenitors to the Regulation of Visceral Fat Expansion and Remodeling. <i>Cell Reports</i> , 2019 , 29, 270-282.e5	10.6	5
51	-Deficiency Impacts Body Composition, Skeleton, and Bone Microstructure in a Mouse Model of Fragile X Syndrome. <i>Frontiers in Endocrinology</i> , 2019 , 10, 678	5.7	6
50	Inhibition of Mevalonate Pathway Prevents Adipocyte Browning in Mice and Men by Affecting Protein Prenylation. <i>Cell Metabolism</i> , 2019 , 29, 901-916.e8	24.6	37
49	Jak-TGFβ cross-talk links transient adipose tissue inflammation to beige adipogenesis. <i>Science Signaling</i> , 2018 , 11,	8.8	29
48	Peroxisome Proliferator Activated Receptor Gamma Controls Mature Brown Adipocyte Inducibility through Glycerol Kinase. <i>Cell Reports</i> , 2018 , 22, 760-773	10.6	60

47	Caloric Restriction and Diet-Induced Weight Loss Do Not Induce Browning of Human Subcutaneous White Adipose Tissue in Women and Men with Obesity. <i>Cell Reports</i> , 2018 , 22, 1079-1089	10.6	40
46	Impact of dietary β polyunsaturated fatty acid supplementation on brown and brite adipocyte function. <i>Journal of Lipid Research</i> , 2018 , 59, 452-461	6.3	38
45	Mitochondrial fission is associated with UCP1 activity in human brite/beige adipocytes. <i>Molecular Metabolism</i> , 2018 , 7, 35-44	8.8	40
44	Small non coding RNAs in adipocyte biology and obesity. <i>Molecular and Cellular Endocrinology</i> , 2017 , 456, 87-94	4.4	16
43	Control of adipogenesis by oxylipins, GPCRs and PPARs. <i>Biochimie</i> , 2017 , 136, 3-11	4.6	43
42	Age-Dependent Control of Energy Homeostasis by Brown Adipose Tissue in Progeny Subjected to Maternal Diet-Induced Fetal Programming. <i>Diabetes</i> , 2017 , 66, 627-639	0.9	13
41	An AMP-activated protein kinase-stabilizing peptide ameliorates adipose tissue wasting in cancer cachexia in mice. <i>Nature Medicine</i> , 2016 , 22, 1120-1130	50.5	63
40	miR-125b affects mitochondrial biogenesis and impairs brite adipocyte formation and function. <i>Molecular Metabolism</i> , 2016 , 5, 615-625	8.8	40
39	Let-7i-5p represses brite adipocyte function in mice and humans. <i>Scientific Reports</i> , 2016 , 6, 28613	4.9	30
38	Proteomic Analysis of Human Brown Adipose Tissue Reveals Utilization of Coupled and Uncoupled Energy Expenditure Pathways. <i>Scientific Reports</i> , 2016 , 6, 30030	4.9	42
37	White-to-brite conversion in human adipocytes promotes metabolic reprogramming towards fatty acid anabolic and catabolic pathways. <i>Molecular Metabolism</i> , 2016 , 5, 352-365	8.8	87
36	IP-receptor and PPARs trigger the conversion of human white to brite adipocyte induced by carbaprostacyclin. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 285-93 ⁵		23
35	The K ⁺ channel TASK1 modulates β adrenergic response in brown adipose tissue through the mineralocorticoid receptor pathway. <i>FASEB Journal</i> , 2016 , 30, 909-22	0.9	25
34	Control of bone and fat mass by oxytocin. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2016 , 28, 95-104	1.3	13
33	Visfatin expression analysis in association with recruitment and activation of human and rodent brown and brite adipocytes. <i>Adipocyte</i> , 2016 , 5, 186-95	3.2	7
32	Mesoderm-specific transcript (MEST) is a negative regulator of human adipocyte differentiation. <i>International Journal of Obesity</i> , 2015 , 39, 1733-41	5.5	25
31	Browning of human adipocytes requires KLF11 and reprogramming of PPAR β superenhancers. <i>Genes and Development</i> , 2015 , 29, 7-22	12.6	107
30	Disequilibrium of polyunsaturated fatty acids status and its dual effect in modulating adipose tissue development and functions. <i>OCL - Oilseeds and Fats, Crops and Lipids</i> , 2015 , 22, D405	1.5	8

29	Oxytocin reverses osteoporosis in a sex-dependent manner. <i>Frontiers in Endocrinology</i> , 2015 , 6, 81	5.7	23
28	MicroRNA-26 family is required for human adipogenesis and drives characteristics of brown adipocytes. <i>Stem Cells</i> , 2014 , 32, 1578-90	5.8	124
27	Oxytocin, a new determinant of bone mineral density in post-menopausal women: analysis of the OPUS cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E634-41	5.6	25
26	Glucose uptake in brown fat cells is dependent on mTOR complex 2-promoted GLUT1 translocation. <i>Journal of Cell Biology</i> , 2014 , 207, 365-74	7.3	106
25	Oxytocin reverses ovariectomy-induced osteopenia and body fat gain. <i>Endocrinology</i> , 2014 , 155, 1340-52	4.8	46
24	The β -fatty acid, arachidonic acid, regulates the conversion of white to brite adipocyte through a prostaglandin/calcium mediated pathway. <i>Molecular Metabolism</i> , 2014 , 3, 834-47	8.8	57
23	Chondrogenic potential of stem cells derived from adipose tissue: a powerful pharmacological tool. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 440, 786-91	3.4	21
22	In vitro brown and "brite"/"beige" adipogenesis: human cellular models and molecular aspects. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 905-14	5	38
21	Activation of protein kinase A and exchange protein directly activated by cAMP promotes adipocyte differentiation of human mesenchymal stem cells. <i>PLoS ONE</i> , 2012 , 7, e34114	3.7	36
20	Cardiac natriuretic peptides act via p38 MAPK to induce the brown fat thermogenic program in mouse and human adipocytes. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1022-36	15.9	610
19	Ocytocine et remodelage osseux : relation entre hormones pituitaires, statut osseux et composition corporelle. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011 , 78, 453-458	0.1	
18	Differentiation of Human Adipose-Derived Stem Cells into "Brite" (Brown-in-White) Adipocytes. <i>Frontiers in Endocrinology</i> , 2011 , 2, 87	5.7	82
17	Oxytocin and bone remodelling: relationships with neuropituitary hormones, bone status and body composition. <i>Joint Bone Spine</i> , 2011 , 78, 611-5	2.9	40
16	β Adrenergic receptors increase UCP1 in human MADS brown adipocytes and rescue cold-acclimated β adrenergic receptor-knockout mice via nonshivering thermogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E1108-18	6	47
15	A Western-like fat diet is sufficient to induce a gradual enhancement in fat mass over generations. <i>Journal of Lipid Research</i> , 2010 , 51, 2352-61	6.3	125
14	Human multipotent adipose-derived stem cells differentiate into functional brown adipocytes. <i>Stem Cells</i> , 2009 , 27, 2753-60	5.8	198
13	microRNA miR-27b impairs human adipocyte differentiation and targets PPARgamma. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 390, 247-51	3.4	328
12	Dynamic regulation of genes involved in mitochondrial DNA replication and transcription during mouse brown fat cell differentiation and recruitment. <i>PLoS ONE</i> , 2009 , 4, e8458	3.7	31

11	The influence of auranofin, a clinically established antiarthritic gold drug, on bone metabolism: analysis of its effects on human multipotent adipose-derived stem cells, taken as a model. <i>Chemistry and Biodiversity</i> , 2008 , 5, 1513-20	2.5	8
10	Oxytocin controls differentiation of human mesenchymal stem cells and reverses osteoporosis. <i>Stem Cells</i> , 2008 , 26, 2399-407	5.8	136
9	Human adipose tissue-derived multipotent stem cells differentiate in vitro and in vivo into osteocyte-like cells. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 361, 342-8	3.4	68
8	Delta-interacting protein A, a new inhibitory partner of CCAAT/enhancer-binding protein beta, implicated in adipocyte differentiation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 11432-8	5.4	29
7	Adipocyte differentiation of multipotent cells established from human adipose tissue. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 315, 255-63	3.4	238
6	Transdifferentiation of preadipose cells into smooth muscle-like cells: role of aortic carboxypeptidase-like protein. <i>Experimental Cell Research</i> , 2004 , 293, 219-28	4.2	46
5	Adipocyte differentiation of 3T3-L1 preadipocytes is dependent on lipoxygenase activity during the initial stages of the differentiation process. <i>Biochemical Journal</i> , 2003 , 375, 539-49	3.8	113
4	Characterization of the long pentraxin PTX3 as a TNFalpha-induced secreted protein of adipose cells. <i>Journal of Lipid Research</i> , 2003 , 44, 994-1000	6.3	109
3	Arachidonic acid and prostacyclin signaling promote adipose tissue development: a human health concern?. <i>Journal of Lipid Research</i> , 2003 , 44, 271-9	6.3	219
2	Thiazolidinediones and fatty acids convert myogenic cells into adipose-like cells. <i>Journal of Biological Chemistry</i> , 1995 , 270, 28183-7	5.4	182
1	Cloning of a protein that mediates transcriptional effects of fatty acids in preadipocytes. Homology to peroxisome proliferator-activated receptors. <i>Journal of Biological Chemistry</i> , 1995 , 270, 2367-71	5.4	305