

Salvatore Gianluca Leonardi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1641973/salvatore-gianluca-leonardi-publications-by-year.pdf>

Version: 2023-09-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

3,908
citations

34
h-index

59
g-index

136
ext. papers

4,612
ext. citations

4.5
avg, IF

5.93
L-index

#	Paper	IF	Citations
129	Life Cycle Assessment for Supporting Eco-Design: The Case Study of Sodium-Nickel Chloride Cells. <i>Energies</i> , 2021 , 14, 1897	3.1	3
128	Metal-Oxide Based Nanomaterials: Synthesis, Characterization and Their Applications in Electrical and Electrochemical Sensors. <i>Sensors</i> , 2021 , 21,	3.8	18
127	Retraction notice to: Microwave-assisted synthesis and characterization of WO _x nanostructures for gas sensor application [J. Alloy. Compd. 762 (2018) 745-753]. <i>Journal of Alloys and Compounds</i> , 2021 , 864, 159169	5.7	
126	NO ₂ sensing properties of N-, F- and NF co-doped ZnO nanoparticles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021 , 263, 114870	3.1	4
125	Ultrathin Silicon Nanowires for Optical and Electrical Nitrogen Dioxide Detection. <i>Nanomaterials</i> , 2021 , 11,	5.4	2
124	Investigation on the ageing mechanism for a lithium-ion cell under accelerated tests: The case of primary frequency regulation service. <i>Journal of Energy Storage</i> , 2021 , 41, 102904	7.8	2
123	Development of a MnO ₂ -Modified Screen-Printed Electrode for Phenol Monitoring. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-9	5.2	2
122	Photo-electrochemical properties of CuO/TiO ₂ heterojunctions for glucose sensing. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9529-9539	7.1	12
121	High performance Gd-doped Fe ₂ O ₃ based acetone sensor. <i>Materials Science in Semiconductor Processing</i> , 2020 , 116, 105154	4.3	15
120	Development of an Efficient Acetone Conductometric Sensor Based on NdFeO ₃ . <i>Lecture Notes in Electrical Engineering</i> , 2020 , 201-206	0.2	
119	Photochemical Activation of Non-enzymatic Sensors Based on Cu/TiO ₂ . <i>Lecture Notes in Electrical Engineering</i> , 2020 , 195-200	0.2	
118	MgNi ₂ O ₃ nanoparticles as novel and versatile sensing material for non-enzymatic electrochemical sensing of glucose and conductometric determination of acetone. <i>Journal of Alloys and Compounds</i> , 2020 , 817, 152787	5.7	17
117	Gas Sensing of NiO-SCCNT Core-Shell Heterostructures: Optimization by Radial Modulation of the Hole-Accumulation Layer. <i>Advanced Functional Materials</i> , 2020 , 30, 1906874	15.6	18
116	Room temperature detection and modelling of sub-ppm NO ₂ by low-cost nanoporous NiO film. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127481	8.5	17
115	Acetone sensing and modelling by low-cost NiO nanowalls. <i>Materials Letters</i> , 2020 , 262, 127043	3.3	8
114	Simultaneous and selective determination of dopamine and tyrosine in the presence of uric acid with 2D-MoS ₂ nanosheets modified screen-printed carbon electrodes. <i>FlatChem</i> , 2020 , 24, 100187	5.1	7
113	PANI/Sm ₂ O ₃ nanocomposite sensor for fast hydrogen detection at room temperature. <i>Synthetic Metals</i> , 2020 , 268, 116493	3.6	17

112	A comparison of NO ₂ sensing characteristics of H and B iron oxide-based solid-state gas sensors. <i>Applied Physics A: Materials Science and Processing</i> , 2020 , 126, 1	2.6	1
111	Fast and selective detection of volatile organic compounds using a novel pseudo spin-ladder compound CaCu ₂ O ₃ . <i>Materials Advances</i> , 2020 , 1, 2368-2379	3.3	2
110	Exfoliated 2D-MoS ₂ nanosheets on carbon and gold screen printed electrodes for enzyme-free electrochemical sensing of tyrosine. <i>Sensors and Actuators B: Chemical</i> , 2020 , 303, 127229	8.5	24
109	Electrochemical Sensing of Serotonin by a Modified MnO-Graphene Electrode. <i>Biosensors</i> , 2020 , 10,	5.9	9
108	High Performance Flame-Made Ultraporous ZnO-Based QCM Sensor For Acetaldehyde 2019 ,		2
107	Ultrasensitive Non-enzymatic Electrochemical Glucose Sensor Based on NiO/CNT Composite. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 135-140	0.2	3
106	Electrochemical Sensor Based on Molybdenum Oxide Nanoparticles for Detection of Dopamine. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 31-38	0.2	1
105	High Performance VOCs Sensor Based on γ -Fe ₂ O ₃ /Al-ZnO Nanocomposites. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 25-30	0.2	
104	Effects of UV Irradiation on the Sensing Properties of InO for CO Detection at Low Temperature. <i>Micromachines</i> , 2019 , 10,	3.3	5
103	Synthesis and characterization of Sm ₂ O ₃ nanorods for application as a novel CO gas sensor. <i>Applied Surface Science</i> , 2019 , 487, 793-800	6.7	12
102	Comparison of Electrical and Sensing Properties of Pure, Sn- and Zn-Doped CuO Gas Sensors. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019 , 68, 903-912	5.2	15
101	Monitoring of Chemical Risk Factors for Sudden Infant Death Syndrome (SIDS) by Hydroxyapatite-Graphene-MWCNT Composite-Based Sensors. <i>Sensors</i> , 2019 , 19,	3.8	6
100	NdFeO as a new electrocatalytic material for the electrochemical monitoring of dopamine. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 7681-7688	4.4	12
99	Samarium Oxide as a Novel Sensing Material for Acetone and Ethanol. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 83-87	0.2	1
98	Resonant Devices and Gas Sensing: from Low Frequencies to Microwave Range 2019 ,		8
97	High performance acetone sensor based on γ -FeO/Al-ZnO nanocomposites. <i>Nanotechnology</i> , 2019 , 30, 055502	3.4	12
96	Sensing Properties of Indium, Tin and Zinc Oxides for Hexanal Detection. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 39-44	0.2	1
95	Ammonia sensing properties of two-dimensional tin disulphide/tin oxides (SnS ₂ /SnO _{2-x}) mixed phases. <i>Journal of Alloys and Compounds</i> , 2019 , 781, 440-449	5.7	16

94	One-step microwave-assisted synthesis and characterization of novel CuO nanodisks for non-enzymatic glucose sensing. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 835, 161-168	4.1	36
93	Sol gel graphene/TiO ₂ nanoparticles for the photocatalytic-assisted sensing and abatement of NO ₂ . <i>Applied Catalysis B: Environmental</i> , 2019 , 243, 183-194	21.8	101
92	Tuning the NiO Thin Film Morphology on Carbon Nanotubes by Atomic Layer Deposition for Enzyme-Free Glucose Sensing. <i>ChemElectroChem</i> , 2019 , 6, 383-392	4.3	30
91	Molybdenum oxide nanoparticles for the sensitive and selective detection of dopamine. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 814, 91-96	4.1	31
90	Development of a hydrogen dual sensor for fuel cell applications. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 11896-11902	6.7	15
89	Synthesis, characterization and hydrogen sensing properties of nanosized colloidal rhodium oxides prepared by Pulsed Laser Ablation in water. <i>Sensors and Actuators B: Chemical</i> , 2018 , 262, 79-85	8.5	9
88	Non-enzymatic Glucose Sensor Based on Nickel/Carbon Composite. <i>Electroanalysis</i> , 2018 , 30, 727-733	3	33
87	CO sensing properties of electro-spun Ca-doped ZnO fibres. <i>Nanotechnology</i> , 2018 , 29, 305501	3.4	18
86	Sunflower pollen-assisted synthesis of nanosized semiconducting ZnO and its application in the selective sensing of NO ₂ . <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 11096-11103	2.1	
85	Development of a high performance oxygen sensor operating at room temperature 2018 ,		2
84	Hybrid Noble-Metals/Metal-Oxide Bifunctional Nano-Heterostructure Displaying Outperforming Gas-Sensing and Photochromic Performances. <i>ACS Omega</i> , 2018 , 3, 9846-9859	3.9	7
83	Detection of Catecholamine Neurotransmitters by Nanostructured SnO ₂ -Based Electrochemical Sensors: A Review of Recent Progress. <i>Mini-Reviews in Organic Chemistry</i> , 2018 , 15, 382-388	1.7	8
82	CuO-Modified Cu Electrodes for Glucose Sensing. <i>Lecture Notes in Electrical Engineering</i> , 2018 , 90-96	0.2	
81	Stable Aqueous Solution for the Fabrication of Fe ₂ O ₃ Thin Film-Based Chemoresistive Sensors. <i>Lecture Notes in Electrical Engineering</i> , 2018 , 97-102	0.2	
80	LaFeO ₃ ceramics as selective oxygen sensors at mild temperature. <i>Ceramics International</i> , 2018 , 44, 4183-4189	3.9	
79	2018 ,		1
78	Nanostructured Nickel on Porous Carbon-Silica Matrix as an Efficient Electrocatalytic Material for a Non-Enzymatic Glucose Sensor. <i>Chemosensors</i> , 2018 , 6, 54	4	11
77	Hydrogen Sensing Properties of Co-Doped ZnO Nanoparticles. <i>Chemosensors</i> , 2018 , 6, 61	4	8

76	Photo-Electrochemical Sensing of Dopamine by a Novel Porous TiO ₂ Array-Modified Screen-Printed Ti Electrode. <i>Sensors</i> , 2018 , 18,	3.8	10
75	A highly sensitive room temperature humidity sensor based on 2D-WS ₂ nanosheets. <i>FlatChem</i> , 2018 , 9, 21-26	5.1	17
74	A novel conductometric sensor based on hierarchical self-assembly nanoparticles Sm ₂ O ₃ for VOCs monitoring. <i>Ceramics International</i> , 2018 , 44, 16953-16959	5.1	9
73	CO sensing characteristics of In-doped ZnO semiconductor nanoparticles. <i>Journal of Science: Advanced Materials and Devices</i> , 2017 , 2, 34-40	4.2	28
72	Synthesis, characterization and electrochemical properties of 5-aza[5]helicene-CHO-CO-MWCNTs nanocomposite. <i>Nanotechnology</i> , 2017 , 28, 135501	3.4	4
71	In-situ grown flower-like nanostructured CuO on screen printed carbon electrodes for non-enzymatic amperometric sensing of glucose. <i>Mikrochimica Acta</i> , 2017 , 184, 2375-2385	5.8	38
70	Development of a selective hydrogen leak sensor based on chemically doped SnO ₂ for automotive applications. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 10645-10655	6.7	41
69	Characterization and optical studies of PVP-capped silver nanoparticles. <i>Journal of Nanostructure in Chemistry</i> , 2017 , 7, 37-46	7.6	44
68	Doped-ZnO nanoparticles for selective gas sensors. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 9667-9674	2.1	15
67	Characterization and Ammonia Sensing Properties of 2D SnS ₂ /SnO ₂ Flakes-Based Films. <i>Proceedings (mdpi)</i> , 2017 , 1, 327	0.3	1
66	Modification of anatase using noble-metals (Au, Pt, Ag): Toward a nanoheterojunction exhibiting simultaneously photocatalytic activity and plasmonic gas sensing. <i>Applied Catalysis B: Environmental</i> , 2017 , 218, 370-384	21.8	36
65	Enhanced performance of novel calcium/aluminum co-doped zinc oxide for CO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 36-44	8.5	66
64	Sm-doped cobalt ferrite nanoparticles: A novel sensing material for conductometric hydrogen leak sensor. <i>Ceramics International</i> , 2017 , 43, 1029-1037	5.1	45
63	Effect of gamma irradiation on structural, electrical and gas sensing properties of tungsten oxide nanoparticles. <i>Journal of Alloys and Compounds</i> , 2017 , 693, 366-372	5.7	23
62	Two-Dimensional Zinc Oxide Nanostructures for Gas Sensor Applications. <i>Chemosensors</i> , 2017 , 5, 17	4	93
61	Comparison of the Sensing Properties of ZnO Nanowalls-Based Sensors toward Low Concentrations of CO and NO ₂ . <i>Chemosensors</i> , 2017 , 5, 20	4	15
60	A comparative study on the electrical and gas sensing properties of thick films prepared with synthesized nano-sized and commercial micro-sized Fe ₂ O ₃ powders. <i>Processing and Application of Ceramics</i> , 2017 , 11, 265-274	1.4	1
59	A Portable System for the Monitoring of Dissolved Oxygen in Aquatic Environment. <i>Lecture Notes in Electrical Engineering</i> , 2017 , 67-73	0.2	1

58	Sr- and Ni-doping in ZnO nanorods synthesized by a simple wet chemical method as excellent materials for CO and CO ₂ gas sensing. <i>RSC Advances</i> , 2016 , 6, 82733-82742	3-7	47
57	Origin of the different behavior of some platinum decorated nanocarbons towards the electrochemical oxidation of hydrogen peroxide. <i>Materials Chemistry and Physics</i> , 2016 , 184, 269-278	4-4	13
56	Investigations on the effect of gamma-ray irradiation on the gas sensing properties of SnO ₂ nanoparticles. <i>Nanotechnology</i> , 2016 , 27, 385502	3-4	16
55	Detection of hazardous volatile organic compounds (VOCs) by metal oxide nanostructures-based gas sensors: A review. <i>Ceramics International</i> , 2016 , 42, 15119-15141	5-1	580
54	Highly stable and selective ethanol sensor based on Fe ₂ O ₃ nanoparticles prepared by Pechini sol-gel method. <i>Ceramics International</i> , 2016 , 42, 6136-6144	5-1	101
53	A novel disposable electrochemical sensor for determination of carbamazepine based on Fe doped SnO ₂ nanoparticles modified screen-printed carbon electrode. <i>Materials Science and Engineering C</i> , 2016 , 62, 53-60	8-3	30
52	Electrochemical sensor for simultaneous determination of ascorbic acid, uric acid and folic acid based on Mn-SnO ₂ nanoparticles modified glassy carbon electrode. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 770, 23-32	4-1	70
51	Silver nanoparticles/polymethacrylic acid (AgNPs/PMA) hybrid nanocomposites-modified electrodes for the electrochemical detection of nitrate ions. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016 , 84, 83-90	4-6	13
50	Characterisation and H ₂ O ₂ sensing properties of TiO ₂ -CNTs/Pt electro-catalysts. <i>Materials Chemistry and Physics</i> , 2016 , 170, 129-137	4-4	16
49	A comparison of the ethanol sensing properties of Iron oxide nanostructures prepared via the sol-gel and electrospinning techniques. <i>Nanotechnology</i> , 2016 , 27, 075502	3-4	47
48	Gas sensing properties of Al-doped ZnO for UV-activated CO detection. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 135502	3	44
47	Electrochemical properties of Ce-doped SrFeO ₃ perovskites-modified electrodes towards hydrogen peroxide oxidation. <i>Electrochimica Acta</i> , 2016 , 190, 939-947	6-7	40
46	Synthesis and characterization of mesoporous Fe ₂ O ₃ nanoparticles and investigation of electrical properties of fabricated thick films. <i>Processing and Application of Ceramics</i> , 2016 , 10, 209-217	1-4	40
45	Development of a Novel Cu(II) Complex Modified Electrode and a Portable Electrochemical Analyzer for the Determination of Dissolved Oxygen (DO) in Water. <i>Chemosensors</i> , 2016 , 4, 7	4	9
44	Two-Dimensional (2D) SnS ₂ -based Oxygen Sensor. <i>Procedia Engineering</i> , 2016 , 168, 1102-1105		29
43	Sensing properties and photochromism of Ag ₃ TiO ₂ nano-heterostructures. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 9600-9613	13	40
42	Pt-decorated In ₂ O ₃ nanoparticles and their ability as a highly sensitive (. <i>Sensors and Actuators B: Chemical</i> , 2016 , 230, 697-705	8-5	73
41	A novel gas sensor based on Ag/Fe ₂ O ₃ core-shell nanocomposites. <i>Ceramics International</i> , 2016 , 42, 18934-18938	3-4	38

40	Electrochemical properties of a novel Ni-doped nanoporous carbon. <i>Materials Letters</i> , 2015 , 160, 452-455	3	18
39	Synthesis, Characterization and Gas Sensing Properties of Ag@Fe ₃ O ₄ Core-Shell Nanocomposites. <i>Nanomaterials</i> , 2015 , 5, 737-749	5.4	87
38	Monitoring of glucose in fermentation processes by using Au/TiO ₂ composites as novel modified electrodes. <i>Journal of Applied Electrochemistry</i> , 2015 , 45, 943-951	2.6	9
37	Ammonia sensing properties of V-doped ZnO:Ca nanopowders prepared by sol-gel synthesis. <i>Journal of Solid State Chemistry</i> , 2015 , 226, 192-200	3.3	17
36	Ag-doped nanostructured materials for electrochemical sensors 2015 ,		2
35	Excellent CO gas sensor based on Ga-doped ZnO nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 6020-6024	2.1	16
34	Simultaneous electrochemical determination of epinephrine and uric acid in the presence of ascorbic acid using SnO ₂ /graphene nanocomposite modified glassy carbon electrode. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1412-1422	8.5	75
33	Microwave irradiated Sn-substituted CdO nanostructures for enhanced CO ₂ sensing. <i>Ceramics International</i> , 2015 , 41, 14766-14772	5.1	27
32	CO sensing properties under UV radiation of Ga-doped ZnO nanopowders. <i>Applied Surface Science</i> , 2015 , 355, 1321-1326	6.7	34
31	Novel nanosynthesis of InO and its application as a resistive gas sensor for sevoflurane anesthetic. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 399-407	7.3	16
30	Electrochemical Properties of Ag@iron Oxide Nanocomposite for Application as Nitrate Sensor. <i>Electroanalysis</i> , 2015 , 27, 2654-2662	3	13
29	ZnO:Ca nanopowders with enhanced CO ₂ sensing properties. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 255503	3	57
28	. <i>IEEE Sensors Journal</i> , 2015 , 15, 3196-3200	4	7
27	Synthesis, characterization and electrochemical properties of metal-doped nanoporous carbon. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 92, 012005	0.4	1
26	CO sensing properties of Ga-doped ZnO prepared by sol-gel route. <i>Journal of Alloys and Compounds</i> , 2015 , 634, 187-192	5.7	50
25	La _{0.6} Sr _{0.4} FeO _{3-δ} and La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O _{3-δ} Perovskite Materials for H ₂ O ₂ and Glucose Electrochemical Sensors. <i>Electroanalysis</i> , 2015 , 27, 684-692	3	28
24	Defects and gas sensing properties of carbon nanotube-based devices. <i>Journal of Sensors and Sensor Systems</i> , 2015 , 4, 25-30	1.6	9
23	Amperometric Sensing of H ₂ O ₂ using Pt/TiO ₂ /Reduced Graphene Oxide Nanocomposites. <i>ChemElectroChem</i> , 2014 , 1, 617-624	4.3	46

22	Investigation of CdO nanostructures synthesized by microwave assisted irradiation technique for NO ₂ gas detection. <i>Journal of Alloys and Compounds</i> , 2014 , 607, 54-60	5.7	30
21	Sensing behavior to ethanol of tin oxide nanoparticles prepared by microwave synthesis with different irradiation time. <i>Sensors and Actuators B: Chemical</i> , 2014 , 194, 96-104	8.5	36
20	Effect of indium doping on ZnO based-gas sensor for CO. <i>Materials Science in Semiconductor Processing</i> , 2014 , 27, 319-325	4.3	63
19	Fabrication of folic acid sensor based on the Cu doped SnO ₂ nanoparticles modified glassy carbon electrode. <i>Nanotechnology</i> , 2014 , 25, 295501	3.4	33
18	Synthesis, Characterization and Sensing Properties of AZO and IZO Nanomaterials. <i>Chemosensors</i> , 2014 , 2, 121-130	4	27
17	Development of Electronic-Nose Technologies for Biomedical Applications. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 475-478	0.2	2
16	Optical, electrical and sensing properties of ZnO nanoparticles synthesized by sol-gel technique 2014 ,		2
15	Electrochemical sensing of ascorbic acid by a novel manganese(III) complex. <i>Materials Letters</i> , 2014 , 133, 232-235	3.3	9
14	Microstructural, Electrical and Hydrogen Sensing Properties of F-SnO ₂ Nanoparticles. <i>Procedia Engineering</i> , 2014 , 87, 1087-1090		2
13	Dissolved Oxygen Sensor Based on Reduced Graphene Oxide. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 89-93	0.2	
12	Titania/MWCNTS Nanocomposites for Low Temperature Hydrogen Sensing. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 487-491	0.2	
11	Effect of Ga-doping and UV Radiation on High Performance CO Sensing of ZnO Nano-powders. <i>Procedia Engineering</i> , 2014 , 87, 1079-1082		2
10	Al-doped ZnO for highly sensitive CO gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2014 , 196, 413-420	8.5	264
9	Fe ₂ O ₃ /Carbon Nanotube-Based Resistive Sensors for the Selective Ammonia Gas Sensing. <i>Sensor Letters</i> , 2014 , 12, 17-23	0.9	15
8	Sensing behavior of SnO ₂ /reduced graphene oxide nanocomposites toward NO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2013 , 179, 61-68	8.5	147
7	Behavior of sheet-like crystalline ammonium trivanadate hemihydrate (NH ₄ V ₃ O ₈ ·0.5H ₂ O) as a novel ammonia sensing material. <i>Journal of Solid State Chemistry</i> , 2013 , 202, 105-110	3.3	15
6	CO and NO ₂ Selective Monitoring by ZnO-Based Sensors. <i>Nanomaterials</i> , 2013 , 3, 357-369	5.4	78
5	Room-Temperature Hydrogen Sensing with Heteronanostructures Based on Reduced Graphene Oxide and Tin Oxide. <i>Angewandte Chemie</i> , 2012 , 124, 11215-11219	3.6	17

4	Room-temperature hydrogen sensing with heteronanostructures based on reduced graphene oxide and tin oxide. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 11053-7	16.4	236
3	On the Development and Characterization of PMA-based SAW Sensing Devices. <i>Procedia Engineering</i> , 2012 , 47, 1271-1274		2
2	MOx/CNTs Hetero-Structures for Gas Sensing Applications: Role of CNTs Defects. <i>Procedia Engineering</i> , 2012 , 47, 1259-1262		3
1	Pt-TiO ₂ /MWCNTs Hybrid Composites for Monitoring Low Hydrogen Concentrations in Air. <i>Sensors</i> , 2012 , 12, 12361-12373	3.8	35