

Joen Luirink

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1643954/publications.pdf>

Version: 2024-02-01

169
papers

10,148
citations

26567

56
h-index

40881

93
g-index

172
all docs

172
docs citations

172
times ranked

5871
citing authors

#	ARTICLE	IF	CITATIONS
1	Type VII secretion " mycobacteria show the way. <i>Nature Reviews Microbiology</i> , 2007, 5, 883-891.	13.6	628
2	YidC, the <i>Escherichia coli</i> homologue of mitochondrial Oxa1p, is a component of the Sec translocase. <i>EMBO Journal</i> , 2000, 19, 542-549.	3.5	357
3	The <i>Escherichia coli</i> SRP and SecB targeting pathways converge at the translocon. <i>EMBO Journal</i> , 1998, 17, 2504-2512.	3.5	271
4	Early events in preprotein recognition in <i>E. coli</i> : interaction of SRP and trigger factor with nascent polypeptides.. <i>EMBO Journal</i> , 1995, 14, 5494-5505.	3.5	251
5	An alternative protein targeting pathway in <i>Escherichia coli</i> : studies on the role of FtsY.. <i>EMBO Journal</i> , 1994, 13, 2289-2296.	3.5	227
6	A specific secretion system mediates PPE41 transport in pathogenic mycobacteria. <i>Molecular Microbiology</i> , 2006, 62, 667-679.	1.2	211
7	Crystal structure of the NG domain from the signal-recognition particle receptor FtsY. <i>Nature</i> , 1997, 385, 365-368.	13.7	205
8	Signal-sequence recognition by an <i>Escherichia coli</i> ribonucleoprotein complex. <i>Nature</i> , 1992, 359, 741-743.	13.7	194
9	BIOGENESIS OF INNER MEMBRANE PROTEINS IN <i>ESCHERICHIA COLI</i> . <i>Annual Review of Microbiology</i> , 2005, 59, 329-355.	2.9	177
10	General secretion signal for the mycobacterial type VII secretion pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 11342-11347.	3.3	177
11	Delivering proteins for export from the cytosol. <i>Nature Reviews Molecular Cell Biology</i> , 2009, 10, 255-264.	16.1	170
12	Nascent membrane and presecretory proteins synthesized in <i>Escherichia coli</i> associate with signal recognition particle and trigger factor. <i>Molecular Microbiology</i> , 1997, 25, 53-64.	1.2	168
13	Sec-dependent membrane protein insertion: sequential interaction of nascent FtsQ with SecY and YidC. <i>EMBO Reports</i> , 2001, 2, 524-529.	2.0	164
14	Crystal Structure of Hemoglobin Protease, a Heme Binding Autotransporter Protein from Pathogenic <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 17339-17345.	1.6	156
15	Composition of the type VII secretion system membrane complex. <i>Molecular Microbiology</i> , 2012, 86, 472-484.	1.2	155
16	Assembly of a cytoplasmic membrane protein in <i>Escherichia coli</i> dependent on the signal recognition particle. <i>FEBS Letters</i> , 1996, 399, 307-309.	1.3	151
17	Anionic phospholipids are involved in membrane association of FtsY and stimulate its GTPase activity. <i>EMBO Journal</i> , 2000, 19, 531-541.	3.5	145
18	A conserved function of YidC in the biogenesis of respiratory chain complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5801-5806.	3.3	133

#	ARTICLE	IF	CITATIONS
19	Characterization of a Hemoglobin Protease Secreted by the Pathogenic Escherichia coli Strain EB1. <i>Journal of Experimental Medicine</i> , 1998, 188, 1091-1103.	4.2	130
20	YidC/Oxa1p/Alb3: evolutionarily conserved mediators of membrane protein assembly. <i>FEBS Letters</i> , 2001, 501, 1-5.	1.3	125
21	Interplay of signal recognition particle and trigger factor at L23 near the nascent chain exit site on the Escherichia coli ribosome. <i>Journal of Cell Biology</i> , 2003, 161, 679-684.	2.3	123
22	Conserved Pro-Glu (PE) and Pro-Pro-Glu (PPE) Protein Domains Target LipY Lipases of Pathogenic Mycobacteria to the Cell Surface via the ESX-5 Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 19024-19034.	1.6	122
23	The Bam (Omp85) complex is involved in secretion of the autotransporter haemoglobin protease. <i>Microbiology (United Kingdom)</i> , 2009, 155, 3982-3991.	0.7	121
24	Differential use of the signal recognition particle translocase targeting pathway for inner membrane protein assembly in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14646-14651.	3.3	119
25	Optimizing heterologous protein production in the periplasm of E. coli by regulating gene expression levels. <i>Microbial Cell Factories</i> , 2013, 12, 24.	1.9	114
26	Signal Recognition Particle (SRP)-mediated Targeting and Sec-dependent Translocation of an Extracellular Escherichia coli Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 4654-4659.	1.6	107
27	SecB is a bona fide generalized chaperone in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7583-7588.	3.3	105
28	Limited tolerance towards folded elements during secretion of the autotransporter Hbp. <i>Molecular Microbiology</i> , 2007, 63, 1524-1536.	1.2	105
29	Mammalian and Escherichia coli signal recognition particles. <i>Molecular Microbiology</i> , 1994, 11, 9-13.	1.2	102
30	Reconstitution of Sec-dependent membrane protein insertion: nascent FtsQ interacts with YidC in a SecYEG-dependent manner. <i>EMBO Reports</i> , 2001, 2, 519-523.	2.0	102
31	Type V secretion: From biogenesis to biotechnology. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 1592-1611.	1.9	102
32	Molecular characterization of Escherichia coli FtsE and FtsX. <i>Molecular Microbiology</i> , 1999, 31, 983-993.	1.2	95
33	The Early Interaction of the Outer Membrane Protein PhoE with the Periplasmic Chaperone Skp Occurs at the Cytoplasmic Membrane. <i>Journal of Biological Chemistry</i> , 2001, 276, 18804-18811.	1.6	95
34	Decoration of Outer Membrane Vesicles with Multiple Antigens by Using an Autotransporter Approach. <i>Applied and Environmental Microbiology</i> , 2014, 80, 5854-5865.	1.4	95
35	An alternative protein targeting pathway in Escherichia coli: studies on the role of FtsY. <i>EMBO Journal</i> , 1994, 13, 2289-96.	3.5	95
36	Early events in preprotein recognition in E. coli: interaction of SRP and trigger factor with nascent polypeptides. <i>EMBO Journal</i> , 1995, 14, 5494-505.	3.5	93

#	ARTICLE	IF	CITATIONS
37	Cell age dependent concentration of Escherichia coli divisome proteins analyzed with ImageJ and ObjectJ. <i>Frontiers in Microbiology</i> , 2015, 6, 586.	1.5	92
38	Salmonella outer membrane vesicles displaying high densities of pneumococcal antigen at the surface offer protection against colonization. <i>Vaccine</i> , 2015, 33, 2022-2029.	1.7	92
39	SRP-mediated protein targeting: structure and function revisited. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1694, 17-35.	1.9	91
40	Biogenesis of inner membrane proteins in Escherichia coli. <i>Molecular Microbiology</i> , 2001, 40, 314-322.	1.2	90
41	SecA Is Not Required for Signal Recognition Particle-mediated Targeting and Initial Membrane Insertion of a Nascent Inner Membrane Protein. <i>Journal of Biological Chemistry</i> , 1999, 274, 29883-29888.	1.6	85
42	Evolution of Mitochondrial Oxa Proteins from Bacterial YidC. <i>Journal of Biological Chemistry</i> , 2005, 280, 13004-13011.	1.6	84
43	Targeting, Insertion, and Localization of Escherichia coli YidC. <i>Journal of Biological Chemistry</i> , 2002, 277, 12718-12723.	1.6	82
44	Nascent Lep inserts into the Escherichia coli inner membrane in the vicinity of YidC, SecY and SecA. <i>FEBS Letters</i> , 2000, 476, 229-233.	1.3	80
45	Specific Chaperones for the Type VII Protein Secretion Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 31939-31947.	1.6	79
46	F1FOATP synthase subunit c is targeted by the SRP to YidC in the E. coli inner membrane. <i>FEBS Letters</i> , 2004, 576, 97-100.	1.3	78
47	Outer membrane vesicles engineered to express membrane-bound antigen program dendritic cells for cross-presentation to CD8+ T cells. <i>Acta Biomaterialia</i> , 2019, 91, 248-257.	4.1	76
48	Membrane association of FtsY, the E. coli SRP receptor. <i>FEBS Letters</i> , 1997, 416, 225-229.	1.3	74
49	Distinct Requirements for Translocation of the N-tail and C-tail of the Escherichia coli Inner Membrane Protein CyoA. <i>Journal of Biological Chemistry</i> , 2006, 281, 10002-10009.	1.6	72
50	Versatility of inner membrane protein biogenesis in Escherichia coli. <i>Molecular Microbiology</i> , 2003, 47, 1015-1027.	1.2	71
51	Detection of cross-links between FtsH, YidC, HflK/C suggests a linked role for these proteins in quality control upon insertion of bacterial inner membrane proteins. <i>FEBS Letters</i> , 2008, 582, 1419-1424.	1.3	66
52	Extracellular production of recombinant proteins using bacterial autotransporters. <i>Current Opinion in Biotechnology</i> , 2010, 21, 646-652.	3.3	65
53	Important role of the tetraloop region of 4.5S RNA in SRP binding to its receptor FtsY. <i>Rna</i> , 2001, 7, 293-301.	1.6	64
54	Escherichia coli Hemoglobin Protease Autotransporter Contributes to Synergistic Abscess Formation and Heme-Dependent Growth of Bacteroides fragilis. <i>Infection and Immunity</i> , 2002, 70, 5-10.	1.0	64

#	ARTICLE	IF	CITATIONS
55	Biogenesis of inner membrane proteins in Escherichia coli. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 965-976.	0.5	64
56	The E. coli SRP: preferences of a targeting factor. <i>FEBS Letters</i> , 1997, 408, 1-4.	1.3	60
57	A bacterial extracellular vesicle-based intranasal vaccine against SARS-CoV-2 protects against disease and elicits neutralizing antibodies to wild-type and Delta variants. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12192.	5.5	60
58	Biogenesis of MalF and the MalFGK2 Maltose Transport Complex in Escherichia coli Requires YidC. <i>Journal of Biological Chemistry</i> , 2008, 283, 17881-17890.	1.6	58
59	Chloroplast SRP54 Interacts with a Specific Subset of Thylakoid Precursor Proteins. <i>Journal of Biological Chemistry</i> , 1997, 272, 11622-11628.	1.6	57
60	The Sec-independent Function of Escherichia coli YidC Is Evolutionary-conserved and Essential. <i>Journal of Biological Chemistry</i> , 2005, 280, 12996-13003.	1.6	56
61	A Conserved Aromatic Residue in the Autochaperone Domain of the Autotransporter Hbp Is Critical for Initiation of Outer Membrane Translocation. <i>Journal of Biological Chemistry</i> , 2010, 285, 38224-38233.	1.6	56
62	Bacteriocin release proteins: mode of action, structure, and biotechnological application. <i>FEMS Microbiology Reviews</i> , 1995, 17, 381-399.	3.9	55
63	Signal peptide hydrophobicity is critical for early stages in protein export by Bacillus subtilis. <i>FEBS Journal</i> , 2005, 272, 4617-4630.	2.2	55
64	YidC and SecY Mediate Membrane Insertion of a Type I Transmembrane Domain. <i>Journal of Biological Chemistry</i> , 2002, 277, 35880-35886.	1.6	54
65	Evolutionary conserved nucleotides within the E. coli 4.5S RNA are required for association with P48 in vitro and for optimal function in vivo. <i>Nucleic Acids Research</i> , 1992, 20, 5919-5925.	6.5	53
66	Growing up in a dangerous environment: a network of multiple targeting and folding pathways for nascent polypeptides in the cytosol. <i>Trends in Cell Biology</i> , 1996, 6, 480-486.	3.6	53
67	Early encounters of a nascent membrane protein. <i>Journal of Cell Biology</i> , 2005, 170, 27-35.	2.3	53
68	The functioning of the SRP receptor FtsY in protein-targeting in E. coli is correlated with its ability to bind and hydrolyse GTP. <i>FEBS Letters</i> , 1995, 372, 253-258.	1.3	49
69	Analysis of SecA2-dependent substrates in <i>Mycobacterium marinum</i> identifies protein kinase G (PknG) as a virulence effector. <i>Cellular Microbiology</i> , 2014, 16, 280-295.	1.1	49
70	Application of an E. coli signal sequence as a versatile inclusion body tag. <i>Microbial Cell Factories</i> , 2017, 16, 50.	1.9	48
71	Use of Bacteriocin Release Protein in E. Coli for Excretion of Human Growth Hormone into the Culture Medium. <i>Nature Biotechnology</i> , 1989, 7, 267-271.	9.4	47
72	Targeting and Translocation of Two Lipoproteins in Escherichia coli via the SRP/Sec/YidC Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 31026-31032.	1.6	45

#	ARTICLE	IF	CITATIONS
73	The presence of a helix breaker in the hydrophobic core of signal sequences of secretory proteins prevents recognition by the signal-recognition particle in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 2002, 269, 5564-5571.	0.2	44
74	Display of Recombinant Proteins on Bacterial Outer Membrane Vesicles by Using Protein Ligation. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	1.4	44
75	The two membrane segments of leader peptidase partition one by one into the lipid bilayer via a Sec/YidC interface. <i>EMBO Reports</i> , 2004, 5, 970-975.	2.0	43
76	A structurally informed autotransporter platform for efficient heterologous protein secretion and display. <i>Microbial Cell Factories</i> , 2012, 11, 85.	1.9	43
77	Evidence for coupling of membrane targeting and function of the signal recognition particle (SRP) receptor FtsY. <i>EMBO Reports</i> , 2001, 2, 1040-1046.	2.0	42
78	Unexpected Link between Lipooligosaccharide Biosynthesis and Surface Protein Release in <i>Mycobacterium marinum</i> . <i>Journal of Biological Chemistry</i> , 2012, 287, 20417-20429.	1.6	41
79	Structural Analysis of the Interaction between the Bacterial Cell Division Proteins FtsQ and FtsB. <i>MBio</i> , 2018, 9, .	1.8	40
80	The Conserved Third Transmembrane Segment of YidC Contacts Nascent <i>Escherichia coli</i> Inner Membrane Proteins. <i>Journal of Biological Chemistry</i> , 2008, 283, 34635-34642.	1.6	39
81	Characterization of the Consequences of YidC Depletion on the Inner Membrane Proteome of <i>E. coli</i> Using 2D Blue Native/SDS-PAGE. <i>Journal of Molecular Biology</i> , 2011, 409, 124-135.	2.0	39
82	Bacteriocin release proteins: mode of action, structure, and biotechnological application. <i>FEMS Microbiology Reviews</i> , 1995, 17, 381-399.	3.9	38
83	Ffh and FtsY in a <i>Mycoplasma mycoides</i> signal recognition particle pathway: SRP RNA and M domain of Ffh are not required for stimulation of GTPase activity in vitro. <i>Molecular Microbiology</i> , 1997, 24, 523-534.	1.2	38
84	The ribosome and YidC. <i>EMBO Reports</i> , 2003, 4, 939-943.	2.0	38
85	An autotransporter display platform for the development of multivalent recombinant bacterial vector vaccines. <i>Microbial Cell Factories</i> , 2014, 13, 162.	1.9	38
86	The Signal Recognition Particle-targeting Pathway Does Not Necessarily Deliver Proteins to the Sec-translocase in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 20068-20070.	1.6	37
87	The Soluble Periplasmic Domains of <i>Escherichia coli</i> Cell Division Proteins FtsQ/FtsB/FtsL Form a Trimeric Complex with Submicromolar Affinity. <i>Journal of Biological Chemistry</i> , 2015, 290, 21498-21509.	1.6	37
88	Consequences of Depletion of the Signal Recognition Particle in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 4598-4609.	1.6	36
89	Th17-Mediated Cross Protection against Pneumococcal Carriage by Vaccination with a Variable Antigen. <i>Infection and Immunity</i> , 2017, 85, .	1.0	36
90	Sequence-specific Interactions of Nascent <i>Escherichia coli</i> Polypeptides with Trigger Factor and Signal Recognition Particle. <i>Journal of Biological Chemistry</i> , 2006, 281, 13999-14005.	1.6	35

#	ARTICLE	IF	CITATIONS
91	Cryo-electron Microscopic Structure of SecA Protein Bound to the 70S Ribosome. <i>Journal of Biological Chemistry</i> , 2014, 289, 7190-7199.	1.6	35
92	Of linkers and autochaperones: an unambiguous nomenclature to identify common and uncommon themes for autotransporter secretion. <i>Molecular Microbiology</i> , 2015, 95, 1-16.	1.2	34
93	Estimating the Size of the Active Translocation Pore of an Autotransporter. <i>Journal of Molecular Biology</i> , 2012, 416, 335-345.	2.0	32
94	Targeting and insertion of heterologous membrane proteins in <i>E. coli</i> . <i>Biochimie</i> , 2003, 85, 659-668.	1.3	31
95	Autotransporter \hat{I}^2 -Domains Have a Specific Function in Protein Secretion beyond Outer-Membrane Targeting. <i>Journal of Molecular Biology</i> , 2011, 412, 553-567.	2.0	31
96	Fine-mapping the Contact Sites of the <i>Escherichia coli</i> Cell Division Proteins FtsB and FtsL on the FtsQ Protein*. <i>Journal of Biological Chemistry</i> , 2013, 288, 24340-24350.	1.6	31
97	Trigger factor interacts with the signal peptide of nascent Tat substrates but does not play a critical role in Tat-mediated export. <i>FEBS Journal</i> , 2004, 271, 4779-4787.	0.2	30
98	On display: autotransporter secretion and application. <i>FEMS Microbiology Letters</i> , 2018, 365, .	0.7	30
99	Functioning of the stable signal peptide of the pCloDF13-encoded bacteriocin release protein. <i>Molecular Microbiology</i> , 1991, 5, 393-399.	1.2	28
100	SRP, FtsY, DnaK and YidC Are Required for the Biogenesis of the <i>E. coli</i> Tail-Anchored Membrane Proteins DjIC and Flk. <i>Journal of Molecular Biology</i> , 2018, 430, 389-403.	2.0	28
101	Modification, processing, and subcellular localization in <i>Escherichia coli</i> of the pCloDF13-encoded bacteriocin release protein fused to the mature portion of beta-lactamase. <i>Journal of Bacteriology</i> , 1987, 169, 2245-2250.	1.0	27
102	pCloDF13-encoded bacteriocin release proteins with shortened carboxyl-terminal segments are lipid modified and processed and function in release of cloacin DF13 and apparent host cell lysis. <i>Journal of Bacteriology</i> , 1989, 171, 2673-2679.	1.0	27
103	Characterization of an iron-regulated alpha-enolase of <i>Bacteroides fragilis</i> . <i>Microbes and Infection</i> , 2005, 7, 9-18.	1.0	26
104	Hsp33 Controls Elongation Factor-Tu Stability and Allows <i>Escherichia coli</i> Growth in the Absence of the Major DnaK and Trigger Factor Chaperones. <i>Journal of Biological Chemistry</i> , 2012, 287, 44435-44446.	1.6	26
105	Processing of cell surface signalling anti- σ factors prior to signal recognition is a conserved autoproteolytic mechanism that produces two functional domains. <i>Environmental Microbiology</i> , 2015, 17, 3263-3277.	1.8	26
106	Uncoupling of synthesis and release of cloacin DF13 and its immunity protein by <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1987, 206, 126-132.	2.4	25
107	Type VII secretion in mycobacteria: classification in line with cell envelope structure. <i>Trends in Microbiology</i> , 2009, 17, 337-338.	3.5	25
108	Differential Detergent Extraction of <i>Mycobacterium marinum</i> Cell Envelope Proteins Identifies an Extensively Modified Threonine-Rich Outer Membrane Protein with Channel Activity. <i>Journal of Bacteriology</i> , 2013, 195, 2050-2059.	1.0	25

#	ARTICLE	IF	CITATIONS
109	Immunization With Skp Delivered on Outer Membrane Vesicles Protects Mice Against Enterotoxigenic <i>Escherichia coli</i> Challenge. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 132.	1.8	24
110	YidC Is Involved in the Biogenesis of the Secreted Autotransporter Hemoglobin Protease. <i>Journal of Biological Chemistry</i> , 2010, 285, 39682-39690.	1.6	23
111	Combining Protein Ligation Systems to Expand the Functionality of Semi-Synthetic Outer Membrane Vesicle Nanoparticles. <i>Frontiers in Microbiology</i> , 2020, 11, 890.	1.5	23
112	Is Ffh required for export of secretory proteins?. <i>FEBS Letters</i> , 2001, 505, 245-248.	1.3	22
113	YidC is required for the assembly of the MscL homopentameric pore. <i>FEBS Journal</i> , 2009, 276, 4891-4899.	2.2	22
114	Autotransporter-Based Antigen Display in Bacterial Ghosts. <i>Applied and Environmental Microbiology</i> , 2015, 81, 726-735.	1.4	22
115	<i>Saccharomyces cerevisiae</i> Cox18 complements the essential Sec-independent function of <i>Escherichia coli</i> YidC. <i>FEBS Journal</i> , 2007, 274, 5704-5713.	2.2	21
116	Checks and Balances in Bacterial Cell Division. <i>MBio</i> , 2019, 10, .	1.8	21
117	Effect of a mutation preventing lipid modification on localization of the pCloDF13-encoded bacteriocin release protein and on release of cloacin DF13. <i>Journal of Bacteriology</i> , 1988, 170, 4153-4160.	1.0	20
118	The stable BRP signal peptide causes lethality but is unable to provoke the translocation of cloacin DF13 across the cytoplasmic membrane of <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1992, 6, 2309-2318.	1.2	20
119	Role for <i>Escherichia coli</i> YidD in Membrane Protein Insertion. <i>Journal of Bacteriology</i> , 2011, 193, 5242-5251.	1.0	20
120	Inhibition of autotransporter biogenesis by small molecules. <i>Molecular Microbiology</i> , 2019, 112, 81-98.	1.2	20
121	Expression, crystallization and preliminary X-ray diffraction study of FtsY, the docking protein of the signal recognition particle of <i>E. coli</i> . , 1997, 28, 285-288.		19
122	Contribution of the FtsQ Transmembrane Segment to Localization to the Cell Division Site. <i>Journal of Bacteriology</i> , 2007, 189, 7273-7280.	1.0	19
123	The conserved extension of the Hbp autotransporter signal peptide does not determine targeting pathway specificity. <i>Biochemical and Biophysical Research Communications</i> , 2008, 368, 522-527.	1.0	19
124	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. <i>PLoS Biology</i> , 2020, 18, e3000874.	2.6	19
125	Molecular characterization of a heme-binding protein of <i>Bacteroides fragilis</i> BE1. <i>Infection and Immunity</i> , 1996, 64, 4345-4350.	1.0	19
126	Channel properties of the translocator domain of the autotransporter Hbp of <i>Escherichia coli</i> . <i>Molecular Membrane Biology</i> , 2011, 28, 158-170.	2.0	18

#	ARTICLE	IF	CITATIONS
127	Phylogenetic Classification and Functional Review of Autotransporters. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	18
128	Purification of the autotransporter protein Hbp of <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2001, 205, 147-150.	0.7	16
129	Getting Across the Cell Envelope: Mycobacterial Protein Secretion. <i>Current Topics in Microbiology and Immunology</i> , 2012, 374, 109-134.	0.7	15
130	Stress-Based High-Throughput Screening Assays to Identify Inhibitors of Cell Envelope Biogenesis. <i>Antibiotics</i> , 2020, 9, 808.	1.5	15
131	Pbp, a cell-surface exposed plasminogen binding protein of <i>Bacteroides fragilis</i> . <i>Microbes and Infection</i> , 2008, 10, 514-521.	1.0	13
132	Role of domains within the autotransporter Hbp/Tsh. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2010, 66, 1295-1300.	2.5	13
133	Development of a high-throughput bioassay for screening of antibiotics in aquatic environmental samples. <i>Science of the Total Environment</i> , 2020, 729, 139028.	3.9	13
134	A post-insertion strategy for surface functionalization of bacterial and mammalian cell-derived extracellular vesicles. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129763.	1.1	13
135	A ban on BAM: an update on inhibitors of the β -barrel assembly machinery. <i>FEMS Microbiology Letters</i> , 2021, 368, .	0.7	13
136	Combining Cell Envelope Stress Reporter Assays in a Screening Approach to Identify BAM Complex Inhibitors. <i>ACS Infectious Diseases</i> , 2021, 7, 2250-2263.	1.8	13
137	Comparing autotransporter β -domain configurations for their capacity to secrete heterologous proteins to the cell surface. <i>PLoS ONE</i> , 2018, 13, e0191622.	1.1	11
138	Characterization of ftsZ Mutations that Render <i>Bacillus subtilis</i> Resistant to MinC. <i>PLoS ONE</i> , 2010, 5, e12048.	1.1	11
139	SecB Dependence of an Exported Protein Is a Continuum Influenced by the Characteristics of the Signal Peptide or Early Mature Region. <i>Journal of Bacteriology</i> , 2000, 182, 4108-4112.	1.0	10
140	Intranasal vaccination with protein bodies elicit strong protection against <i>Streptococcus pneumoniae</i> colonization. <i>Vaccine</i> , 2021, 39, 6920-6929.	1.7	10
141	<i>Escherichia coli</i> SecB, SecA, and SecY proteins are required for expression and membrane insertion of the bacteriocin release protein, a small lipoprotein. <i>Journal of Bacteriology</i> , 1993, 175, 1543-1547.	1.0	9
142	Bacterial inclusion bodies function as vehicles for dendritic cell-mediated T cell responses. <i>Cellular and Molecular Immunology</i> , 2020, 17, 415-417.	4.8	9
143	Exploring metal availability in the natural niche of <i>Streptococcus pneumoniae</i> to discover potential vaccine antigens. <i>Virulence</i> , 2020, 11, 1310-1328.	1.8	8
144	Flexibility in targeting and insertion during bacterial membrane protein biogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 727-733.	1.0	7

#	ARTICLE	IF	CITATIONS
145	Activators of the Glutamate-Dependent Acid Resistance System Alleviate Deleterious Effects of YidC Depletion in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2011, 193, 1308-1316.	1.0	7
146	Eeyarestatin 24 impairs SecYEG-dependent protein trafficking and inhibits growth of clinically relevant pathogens. <i>Molecular Microbiology</i> , 2021, 115, 28-40.	1.2	7
147	Distinct Requirements for Tail-Anchored Membrane Protein Biogenesis in <i>Escherichia coli</i> . <i>MBio</i> , 2019, 10, .	1.8	7
148	Optimizing <i>E. coli</i> -Based Membrane Protein Production Using Lemo21(DE3) or pReX and GFP-Fusions. <i>Methods in Molecular Biology</i> , 2017, 1586, 109-126.	0.4	6
149	The <i>Escherichia coli</i> Outer Membrane β -Barrel Assembly Machinery (BAM) Crosstalks with the Divisome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12101.	1.8	5
150	Mutagenesis-Based Characterization and Improvement of a Novel Inclusion Body Tag. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 7, 442.	2.0	4
151	Interrogating the Essential Bacterial Cell Division Protein FtsQ with Fragments Using Target Immobilized NMR Screening (TINS). <i>International Journal of Molecular Sciences</i> , 2019, 20, 3684.	1.8	3
152	Overproducing the BAM complex improves secretion of difficult-to-secrete recombinant autotransporter chimeras. <i>Microbial Cell Factories</i> , 2021, 20, 176.	1.9	3
153	Functioning of a hybrid BRP- β -lactamase protein in the release of cloacin DF13 and lysis of <i>Escherichia coli</i> cells. <i>FEMS Microbiology Letters</i> , 1989, 58, 25-31.	0.7	3
154	Overexpression of the Bam Complex Improves the Production of <i>Chlamydia trachomatis</i> MOMP in the <i>E. coli</i> Outer Membrane. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7393.	1.8	3
155	Defective translocation of a signal sequence mutant in a <i>prlA4</i> suppressor strain of <i>Escherichia coli</i> . <i>FEBS Journal</i> , 2002, 269, 5572-5580.	0.2	1
156	Protein Targeting to the Inner Membrane. , 2003, , 1-21.		1
157	Characterization of a mutation in the cloacin structural gene causing a reduced uptake of cloacin DF13 by susceptible cells. , 0, .		1
158	Genetic analysis and expression of the cloacin DF13/aerobactin receptor protein. <i>Antonie Van Leeuwenhoek</i> , 1984, 50, 92-92.	0.7	0
159	Assembly of Inner Membrane Proteins in <i>Escherichia Coli</i> . , 2003, , 65-82.		0
160	Cotranslational Protein Targeting in <i>Escherichia coli</i> . <i>The Enzymes</i> , 2007, 25, 3-34.	0.7	0
161	Surface Labeling with Adhesion Protein FimH Improves Binding of Immunotherapeutic Agent <i>Salmonella Ty21a</i> to the Bladder Epithelium. <i>Bladder Cancer</i> , 2021, 7, 79-90.	0.2	0
162	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0

#	ARTICLE	IF	CITATIONS
163	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
164	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
165	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
166	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
167	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
168	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0
169	Posttranslational insertion of small membrane proteins by the bacterial signal recognition particle. , 2020, 18, e3000874.		0