Jeffrey M Chen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1644107/jeffrey-m-chen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24 916 17 25 g-index

25 g-index

27 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 24 | Domestic pigs experimentally infected with Mycobacterium bovis and Mycobacterium tuberculosis exhibit different disease outcomes <i>Tuberculosis</i> , 2022 , 133, 102167 | 2.6 | O |
| 23 | Mycobacterium tuberculosis EspK Has Active but Distinct Roles in the Secretion of EsxA and EspB Journal of Bacteriology, 2022 , e0006022 | 3.5 | 0 |
| 22 | A SNP in the Cache 1 Signaling Domain of Diguanylate Cyclase STM1987 Leads to Increased Fitness of Invasive Strains. <i>Infection and Immunity</i> , 2021 , 89, | 3.7 | 2 |
| 21 | Protein Synthesis and Degradation Inhibitors Potently Block type-7 Secretion System ESX-1 Activity. <i>ACS Infectious Diseases</i> , 2021 , 7, 273-280 | 5.5 | 4 |
| 20 | Poor stimulation of bovine dendritic cells by culture supernatant and surface extract is associated with decreased activation of ERK and NF-B and higher expression of SOCS1 and 3. <i>Innate Immunity</i> , 2020 , 26, 537-546 | 2.7 | |
| 19 | Mycosins of the Mycobacterial Type VII ESX Secretion System: the Glue That Holds the Party Together. <i>MBio</i> , 2016 , 7, | 7.8 | 4 |
| 18 | The cysteine desulfurase IscS of Mycobacterium tuberculosis is involved in iron-sulfur cluster biogenesis and oxidative stress defence. <i>Biochemical Journal</i> , 2014 , 459, 467-78 | 3.8 | 26 |
| 17 | EspI regulates the ESX-1 secretion system in response to ATP levels in Mycobacterium tuberculosis. <i>Molecular Microbiology</i> , 2014 , 93, 1057-1065 | 4.1 | 19 |
| 16 | Anticytolytic screen identifies inhibitors of mycobacterial virulence protein secretion. <i>Cell Host and Microbe</i> , 2014 , 16, 538-48 | 23.4 | 68 |
| 15 | Mycobacterium tuberculosis EspB binds phospholipids and mediates EsxA-independent virulence. <i>Molecular Microbiology</i> , 2013 , 89, 1154-66 | 4.1 | 51 |
| 14 | Phenotypic profiling of Mycobacterium tuberculosis EspA point mutants reveals that blockage of ESAT-6 and CFP-10 secretion in vitro does not always correlate with attenuation of virulence. <i>Journal of Bacteriology</i> , 2013 , 195, 5421-30 | 3.5 | 37 |
| 13 | A point mutation in cycA partially contributes to the D-cycloserine resistance trait of Mycobacterium bovis BCG vaccine strains. <i>PLoS ONE</i> , 2012 , 7, e43467 | 3.7 | 40 |
| 12 | EspD is critical for the virulence-mediating ESX-1 secretion system in Mycobacterium tuberculosis. <i>Journal of Bacteriology</i> , 2012 , 194, 884-93 | 3.5 | 56 |
| 11 | Virulence regulator EspR of Mycobacterium tuberculosis is a nucleoid-associated protein. <i>PLoS Pathogens</i> , 2012 , 8, e1002621 | 7.6 | 95 |
| 10 | ESAT-6 secretion-independent impact of ESX-1 genes espF and espG1 on virulence of Mycobacterium tuberculosis. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1155-64 | 7 | 60 |
| 9 | Sigma factor F does not prevent rifampin inhibition of RNA polymerase or cause rifampin tolerance in Mycobacterium tuberculosis. <i>Journal of Bacteriology</i> , 2010 , 192, 5472-9 | 3.5 | 9 |
| 8 | Towards anti-virulence drugs targeting ESX-1 mediated pathogenesis of Mycobacterium tuberculosis. <i>Drug Discovery Today Disease Mechanisms</i> , 2010 , 7, e25-e31 | | 18 |

LIST OF PUBLICATIONS

| 7 | Lsr2 of Mycobacterium tuberculosis is a DNA-bridging protein. <i>Nucleic Acids Research</i> , 2008 , 36, 2123-35 | 20.1 | 67 |
|---|---|------|-----|
| 6 | Identification of the lipooligosaccharide biosynthetic gene cluster from Mycobacterium marinum. <i>Molecular Microbiology</i> , 2007 , 63, 1345-59 | 4.1 | 73 |
| 5 | Differential productions of lipid virulence factors among BCG vaccine strains and implications on BCG safety. <i>Vaccine</i> , 2007 , 25, 8114-22 | 4.1 | 48 |
| 4 | Roles of Lsr2 in colony morphology and biofilm formation of Mycobacterium smegmatis. <i>Journal of Bacteriology</i> , 2006 , 188, 633-41 | 3.5 | 105 |
| 3 | PimF, a mannosyltransferase of mycobacteria, is involved in the biosynthesis of phosphatidylinositol mannosides and lipoarabinomannan. <i>Journal of Biological Chemistry</i> , 2004 , 279, 18824-33 | 5.4 | 48 |
| 2 | Mycobacterium bovis BCG vaccines exhibit defects in alanine and serine catabolism. <i>Infection and Immunity</i> , 2003 , 71, 708-16 | 3.7 | 42 |
| 1 | Site-directed mutagenesis of acyl carrier protein (ACP) reveals amino acid residues involved in ACP structure and acyl-ACP synthetase activity. <i>Journal of Biological Chemistry</i> . 2001 , 276, 35934-9 | 5.4 | 44 |