

Birkan Ilhan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/164445/birkan-ilhan-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,607
citations

18
h-index

67
g-index

150
ext. papers

6,807
ext. citations

3.3
avg. IF

5.63
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 131 | Sarcopenia: revised European consensus on definition and diagnosis. <i>Age and Ageing</i> , 2019 , 48, 16-31 | 3 | 3263 |
| 130 | Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition. <i>Clinical Nutrition</i> , 2016 , 35, 1557-1563 | 5.9 | 191 |
| 129 | The role of rheumatoid arthritis (RA) flare and cumulative burden of RA severity in the risk of cardiovascular disease. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 560-5 | 2.4 | 104 |
| 128 | Older Adults Hospitalized with Covid-19: Clinical Characteristics and Early Outcomes from a Single Center in Istanbul, Turkey. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 928 | 5.2 | 78 |
| 127 | Performance of SARC-F in Regard to Sarcopenia Definitions, Muscle Mass and Functional Measures. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 898-903 | 5.2 | 76 |
| 126 | Routine deprescribing of chronic medications to combat polypharmacy. <i>Therapeutic Advances in Drug Safety</i> , 2015 , 6, 212-33 | 3.5 | 75 |
| 125 | International Group for Reducing Inappropriate Medication Use & Polypharmacy (IGRIMUP): Position Statement and 10 Recommendations for Action. <i>Drugs and Aging</i> , 2018 , 35, 575-587 | 4.7 | 72 |
| 124 | Prevalence of sarcopenia and its association with functional and nutritional status among male residents in a nursing home in Turkey. <i>Aging Male</i> , 2010 , 13, 211-4 | 2.1 | 67 |
| 123 | Relation between hand grip strength, respiratory muscle strength and spirometric measures in male nursing home residents. <i>Aging Male</i> , 2014 , 17, 136-40 | 2.1 | 57 |
| 122 | Which body mass index (BMI) is better in the elderly for functional status?. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, 78-81 | 4 | 53 |
| 121 | Bsmi polymorphism in the vitamin D receptor gene is associated with leg extensor muscle strength in elderly men. <i>Aging Clinical and Experimental Research</i> , 2010 , 22, 198-205 | 4.8 | 31 |
| 120 | Prevalence of potentially inappropriate prescribing among older adults: A comparison of the Beers 2012 and Screening Tool of Older Person's Prescriptions criteria version 2. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1245-1251 | 2.9 | 28 |
| 119 | Assessments of functional status, comorbidities, polypharmacy, nutritional status and sarcopenia in Turkish community-dwelling male elderly. <i>Aging Male</i> , 2013 , 16, 67-72 | 2.1 | 24 |
| 118 | Cross-cultural adaptation and validation of the SARC-F to assess sarcopenia: methodological report from European Union Geriatric Medicine Society Sarcopenia Special Interest Group. <i>European Geriatric Medicine</i> , 2018 , 9, 23-28 | 3 | 23 |
| 117 | STOPPFall (Screening Tool of Older Persons Prescriptions in older adults with high fall risk): a Delphi study by the EuGMS Task and Finish Group on Fall-Risk-Increasing Drugs. <i>Age and Ageing</i> , 2021 , 50, 1189-1199 | 3 | 20 |
| 116 | Prevalence of sarcopenia and its components in community-dwelling outpatient older adults and their relation with functionality. <i>Aging Male</i> , 2020 , 23, 424-430 | 2.1 | 20 |
| 115 | Comorbidities, polypharmacy, functionality and nutritional status in Turkish community-dwelling female elderly. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 255-9 | 4.8 | 19 |

| | | | |
|-----|---|-----|----|
| 114 | Turkish inappropriate medication use in the elderly (TIME) criteria to improve prescribing in older adults: TIME-to-STOP/TIME-to-START. <i>European Geriatric Medicine</i> , 2020 , 11, 491-498 | 3 | 18 |
| 113 | Fat percentage cutoff values to define obesity and prevalence of sarcopenic obesity in community-dwelling older adults in Turkey. <i>Aging Male</i> , 2020 , 23, 477-482 | 2.1 | 18 |
| 112 | Cut-off points for height, weight and body mass index adjusted bioimpedance analysis measurements of muscle mass with use of different threshold definitions. <i>Aging Male</i> , 2020 , 23, 382-387 ^{2.1} | 2.1 | 15 |
| 111 | Association of different bioimpedanciometry estimations of muscle mass with functional measures. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 593-597 | 2.9 | 14 |
| 110 | Cut-off values of skeletal muscle index and psoas muscle index at L3 vertebra level by computerized tomography to assess low muscle mass. <i>Clinical Nutrition</i> , 2021 , 40, 4360-4365 | 5.9 | 14 |
| 109 | Mannose binding lectin gene 2 (rs1800450) missense variant may contribute to development and severity of COVID-19 infection. <i>Infection, Genetics and Evolution</i> , 2021 , 89, 104717 | 4.5 | 13 |
| 108 | The relationship of body mass index and the functional status of community-dwelling female older people admitting to a geriatric outpatient clinic. <i>Aging Clinical and Experimental Research</i> , 2015 , 27, 303-8 | 4.8 | 12 |
| 107 | Putting Sarcopenia at the Forefront of Clinical Practice. <i>European Journal of Geriatrics and Gerontology</i> , 2019 , 1, 43-45 | 4.3 | 12 |
| 106 | SARC-F Questionnaire Detects Frailty in Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 448-453 | 5.2 | 12 |
| 105 | Cut-off points for weight and body mass index adjusted bioimpedance analysis measurements of muscle mass. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 935-942 | 4.8 | 11 |
| 104 | Power Versus Sarcopenia: Associations with Functionality and Physical Performance Measures. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 13-17 | 5.2 | 11 |
| 103 | Suggestions for assessment of muscle mass in primary care setting. <i>Aging Male</i> , 2017 , 20, 168-169 | 2.1 | 10 |
| 102 | Older Adults Hospitalized with Covid-19: Clinical Characteristics and Early Outcomes from a Single Center in Istanbul, Turkey. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 928-937 | 5.2 | 10 |
| 101 | Low glomerular filtration rate as an associated risk factor for sarcopenic muscle strength: is creatinine or cystatin C-based estimation more relevant?. <i>Aging Male</i> , 2017 , 20, 110-114 | 2.1 | 10 |
| 100 | Observational cohort study on correlates of mortality in older community-dwelling outpatients: The value of functional assessment. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 1219-26 | 2.9 | 10 |
| 99 | Low skeletal muscle mass index is associated with function and nutritional status in residents in a Turkish nursing home. <i>Aging Male</i> , 2016 , 19, 182-186 | 2.1 | 10 |
| 98 | The relationship between common geriatric syndromes and potentially inappropriate medication use among older adults. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 681-687 | 4.8 | 10 |
| 97 | Covid-19 and the Renin Angiotensin System: Implications for the Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 699-704 | 5.2 | 9 |

| | | | |
|----|--|-----|---|
| 96 | Metastatic Gastric Melanoma: A Challenging Diagnosis. <i>Tumori</i> , 2010 , 96, 496-497 | 1.7 | 9 |
| 95 | Associations of sarcopenic obesity versus sarcopenia alone with functionality. <i>Clinical Nutrition</i> , 2021 , 40, 2851-2859 | 5.9 | 8 |
| 94 | The relationship between sarcopenia and urinary incontinence. <i>European Geriatric Medicine</i> , 2019 , 10, 923-929 | 3 | 7 |
| 93 | Metastatic gastric melanoma: a challenging diagnosis. <i>Tumori</i> , 2010 , 96, 496-7 | 1.7 | 7 |
| 92 | Body mass index and functional status in community dwelling older Turkish males. <i>Aging Male</i> , 2015 , 18, 228-32 | 2.1 | 6 |
| 91 | Risk of proton pump inhibitor-induced mild hyponatremia in older adults. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1206-7 | 5.6 | 6 |
| 90 | Comparison of standard population-specific handgrip strength cut-off points in the detection of probable sarcopenia after launch of EWGSOP2. <i>Aging Male</i> , 2020 , 23, 1564-1569 | 2.1 | 6 |
| 89 | Ability of SARC-F to Find Probable Sarcopenia Cases in Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 757-761 | 5.2 | 6 |
| 88 | Best Practice Recommendations for Stroke Patients with Dysphagia: A Delphi-Based Consensus Study of Experts in Turkey-Part II: Rehabilitation. <i>Dysphagia</i> , 2021 , 36, 800-820 | 3.7 | 6 |
| 87 | Melanoma metastasis to the breast: a diagnostic pitfall. <i>Cancer Detection and Prevention</i> , 2009 , 32, 458-61 | | 5 |
| 86 | Non-convulsive status epilepticus following antibiotic therapy as a cause of unexplained loss of consciousness in patients with renal failure. <i>Clinical and Experimental Nephrology</i> , 2009 , 13, 138-144 | 2.5 | 5 |
| 85 | Sarcopenia quality-of-life questionnaire (SarQoL) : translation, cross-cultural adaptation and validation in Turkish. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2979-2988 | 4.8 | 5 |
| 84 | Success of Simpler Modified Fried Frailty Scale to Predict Mortality among Nursing Home Residents. <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 606-610 | 5.2 | 5 |
| 83 | Methodological issues in determination of low muscle mass reference cut-off values: Reply to Comment on "Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition". <i>Clinical Nutrition</i> , 2017 , 36, 903-904 | 5.9 | 4 |
| 82 | Muscle mass adjustment method affects association of sarcopenia and sarcopenic obesity with metabolic syndrome. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 272 | 2.9 | 4 |
| 81 | Start low, go slow, but look far: the case of geriatric medicine in Balkan countries. <i>European Geriatric Medicine</i> , 2020 , 11, 869-878 | 3 | 4 |
| 80 | International Validation of the Turkish Inappropriate Medication Use in the Elderly (TIME) Criteria Set: A Delphi Panel Study. <i>Drugs and Aging</i> , 2021 , 38, 513-521 | 4.7 | 4 |
| 79 | A new screening tool for self-neglect in community-dwelling older adults: IMSelf-neglect questionnaire. <i>Aging Male</i> , 2020 , 23, 388-395 | 2.1 | 4 |

| | | | |
|----|---|-----|---|
| 78 | Significance of population differences and the methodology in determining the muscle mass cut-off points for sarcopenia. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 521-522 | 2.9 | 3 |
| 77 | Blood Pressure Goals in Functionally Limited Elderly Patients. <i>American Journal of Medicine</i> , 2017 , 130, e319-e320 | 2.4 | 3 |
| 76 | Importance of hypoglycemia on the risk of Alzheimer's disease in elderly subjects with diabetes mellitus. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1789-91 | 4 | 3 |
| 75 | A rare but significant cause of priapism in the elderly: multiple myeloma. <i>Aging Clinical and Experimental Research</i> , 2011 , 23, 495-7 | 4.8 | 3 |
| 74 | Paraneoplastic arthritis may mimic rheumatoid arthritis with symmetrical and upper extremity predilecting presentation. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 319-20 | 1.1 | 3 |
| 73 | Protecting older patients with cardiovascular diseases from COVID-19 complications using current medications. <i>European Geriatric Medicine</i> , 2021 , 12, 725-739 | 3 | 3 |
| 72 | The ESPEN guidelines on enteral nutrition-Geriatrics: Need for its promotion in practice. <i>Clinical Nutrition</i> , 2016 , 35, 985 | 5.9 | 3 |
| 71 | Explicit versus implicit evaluation to detect inappropriate medication use in geriatric outpatients. <i>Aging Male</i> , 2020 , 23, 179-184 | 2.1 | 3 |
| 70 | Acute sarcopenia changes following hospitalization: influence of pre-admission care dependency level. <i>Age and Ageing</i> , 2021 , 50, 2140-2146 | 3 | 3 |
| 69 | Older cancer patients receiving radiotherapy: a systematic review for the role of sarcopenia in treatment outcomes.. <i>Aging Clinical and Experimental Research</i> , 2022 , 1 | 4.8 | 3 |
| 68 | An under-diagnosed geriatric syndrome: sleep disorders among older adults. <i>African Health Sciences</i> , 2017 , 17, 436-444 | 1.1 | 2 |
| 67 | Statistical concerns about the study: hypoglycemic and antioxidant effect of Tai chi exercise training in older adults with metabolic syndrome. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1233-1235 | 4 | 2 |
| 66 | Detecting sarcopenia in the older diabetic adults. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1181-1182 | 4.8 | 2 |
| 65 | Immunoglobulin D lambda multiple myeloma and amyloidosis with predominant soft tissue involvement. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2007 , 14, 305-8 | 2.7 | 2 |
| 64 | SARC-F and other screening tests for sarcopenia. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2022 , 25, 37-42 | 3.8 | 2 |
| 63 | At which Hoehn&Yahr stage of Parkinson's disease should the patients be screened for dysphagia?. <i>Clinical Nutrition</i> , 2020 , 39, 313 | 5.9 | 2 |
| 62 | Skeletal muscle mass assessment to detect low muscle mass: Regional or total?. <i>Clinical Nutrition</i> , 2021 , 40, 4642-4643 | 5.9 | 2 |
| 61 | Utilization of arm span instead of height in body mass index calculation in elderly subjects. <i>Clinical Interventions in Aging</i> , 2016 , 11, 285 | 4 | 2 |

| | | | |
|----|---|-----|---|
| 60 | Suggestions on sarcopenia-related trials. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 1029-30 | 4.8 | 2 |
| 59 | Possible side effects of metoclopramide. <i>Clinical Nutrition</i> , 2016 , 35, 975 | 5.9 | 2 |
| 58 | Incidence of sarcopenia and dynapenia according to stage in patients with idiopathic Parkinson's disease. <i>Neurological Sciences</i> , 2019 , 40, 625 | 3.5 | 2 |
| 57 | Geriatric care in European countries where geriatric medicine is still emerging. <i>European Geriatric Medicine</i> , 2021 , 12, 205-211 | 3 | 2 |
| 56 | Muscle strength cutoff values calculated from the young reference population to evaluate sarcopenia in Turkish population. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2879-2882 | 4.8 | 2 |
| 55 | Spirometric obstruction and tobacco exposure among male Turkish nursing home residents. <i>Aging Male</i> , 2015 , 18, 93-6 | 2.1 | 1 |
| 54 | Reference Cutoff Values for Muscle Strength in Different Nations. <i>Nutrition in Clinical Practice</i> , 2020 , 35, 755 | 3.6 | 1 |
| 53 | Comment on: "Pharmacological Management of Osteoporosis in Rheumatoid Arthritis Patients: A Review of the Literature and Practical Guide". <i>Drugs and Aging</i> , 2020 , 37, 237-238 | 4.7 | 1 |
| 52 | Some Comments for Better Understanding of the Study Entitled "Reduced Vitamin D Levels are Associated with Stroke-Associated Pneumonia in Patients with Acute Ischemic Stroke" [Letter]. <i>Clinical Interventions in Aging</i> , 2020 , 15, 159-160 | 4 | 1 |
| 51 | Comment on: "Recommendations to prescribe in complex older adults: results of the CRIME to assess appropriate Medication use among Elderly complex patients (CRIME) project". <i>Drugs and Aging</i> , 2014 , 31, 327-8 | 4.7 | 1 |
| 50 | Is it the resistance training itself or the combined associated weight loss that improves the metabolic syndrome-related phenotypes in postmenopausal women?. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1657-8 | 4 | 1 |
| 49 | Nitrofurantoin and older women. <i>Cmaj</i> , 2015 , 187, 1236 | 3.5 | 1 |
| 48 | Under-representation of frail or medically compromised hypertensive older people. <i>Heart</i> , 2014 , 100, 894 | 5.1 | 1 |
| 47 | Barriers and facilitators in using a Clinical Decision Support System for fall risk management for older people: a European survey.. <i>European Geriatric Medicine</i> , 2022 , 1 | 3 | 1 |
| 46 | Some comments for better understanding of the study entitled "Which factors are associated with length of stay in older patients with acute decompensated heart failure with preserved ejection function?: AURORA study". <i>Geriatrics and Gerontology International</i> , 2020 , 20, 390 | 2.9 | 1 |
| 45 | Ishii test for screening sarcopenia: performance in community-dwelling older adults. <i>Aging Clinical and Experimental Research</i> , 2021 , 1 | 4.8 | 1 |
| 44 | The concept of frailty should not be limited to malnutrition. <i>Clinical Nutrition</i> , 2020 , 39, 325 | 5.9 | 1 |
| 43 | Need for increased awareness for avoiding metformin treatment in malnourished older adults with diabetes mellitus. <i>Clinical Nutrition</i> , 2020 , 39, 322 | 5.9 | 1 |

| | | | |
|----|--|-----|---|
| 42 | Orthogeriatrics: a vital requirement for improving fragility fracture patient care internationally with particular reference to Turkey. <i>Archives of Osteoporosis</i> , 2021 , 16, 103 | 2.9 | 1 |
| 41 | Sarcopenia in patients following stroke: an overlooked problem. <i>International Journal of Rehabilitation Research</i> , 2021 , 44, 269-275 | 1.8 | 1 |
| 40 | Management of type 2 diabetes mellitus in older adults: eight case studies with focus SGLT-2 inhibitors and metformin. <i>Acta Clinica Belgica</i> , 2021 , 1-8 | 1.8 | 1 |
| 39 | Should significant weight loss mandated to be "unintentional" for resulting in and regarded as malnutrition?. <i>Clinical Nutrition</i> , 2016 , 35, 234 | 5.9 | 1 |
| 38 | Small, however significant differences in the definition of physical frailty, and sarcopenia. <i>European Journal of Internal Medicine</i> , 2019 , 61, e9 | 3.9 | 1 |
| 37 | Comments for better understanding of the study "Aging is independently associated with an increasing normal respiratory rate among an older adult population in a clinical setting". <i>Geriatrics and Gerontology International</i> , 2020 , 20, 391 | 2.9 | 1 |
| 36 | Handgrip strength cut-offs to define sarcopenia in Turkish population. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 207-208 | 4.8 | 1 |
| 35 | Non-vitamin K antagonist oral anticoagulant use at doses inappropriately lower than recommended in outpatient older adults: a real-life data. <i>European Geriatric Medicine</i> , 2021 , 12, 809-816 | 3 | 1 |
| 34 | Vitamin D in patients with COVID-19: is there a room for it?. <i>Acta Clinica Belgica</i> , 2021 , 1-7 | 1.8 | 1 |
| 33 | Might excess body weight be beneficial for the community-dwelling older people?. <i>Disability and Health Journal</i> , 2015 , 8, 467-8 | 4.2 | 0 |
| 32 | Under-representation of frail older people in meta-analysis of dipeptidyl peptidase-4 inhibitors and hypoglycaemia. <i>BMJ, The</i> , 2016 , 353, i3183 | 5.9 | 0 |
| 31 | Chronic pain: prevalent and independently associated with frailty and female gender in geriatric outpatients. <i>European Geriatric Medicine</i> , 2019 , 10, 931-937 | 3 | 0 |
| 30 | Paving the way for applying GLIM criteria in clinical practice and research: how to define mild to moderate and severe reduced muscle mass.. <i>European Geriatric Medicine</i> , 2022 , 1 | 3 | 0 |
| 29 | Atrial fibrillation: a geriatric perspective on the 2020 ESC guidelines. <i>European Geriatric Medicine</i> , 2021 , 1 | 3 | 0 |
| 28 | The current situation in the approach to osteoporosis in older adults in Turkey: areas in need of improvement with a model for other populations. <i>Archives of Osteoporosis</i> , 2021 , 16, 179 | 2.9 | 0 |
| 27 | Associations between polypharmacy and physical performance measures in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 98, 104553 | 4 | 0 |
| 26 | Best Practice Recommendations for Stroke Patients with Dysphagia: A Delphi-Based Consensus Study of Experts in Turkey-Part I: Management, Diagnosis, and Follow-up. <i>Dysphagia</i> , 2021 , 1 | 3.7 | 0 |
| 25 | Hypotension in Nursing Home Residents on Antihypertensive Treatment: Is it Associated with Mortality?. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2319-2324.e4 | 5.9 | 0 |

| | | | |
|----|---|------|---|
| 24 | Clarifying the relationship between sarcopenia and depression in geriatric outpatients. <i>Aging Male</i> , 2021 , 24, 29-36 | 2.1 | ○ |
| 23 | SARC-F can detect sarcopenia with a high sensitivity. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2017 | 4.8 | ○ |
| 22 | Associations between obesity, self-reported weakness and their combinations with mortality in nursing home residents.. <i>Acta Clinica Belgica</i> , 2022 , 1-10 | 1.8 | ○ |
| 21 | The role of specific oral nutritional supplements in polymorbid internal medicine patients on pressure ulcer healing. <i>Clinical Nutrition</i> , 2019 , 38, 1966 | 5.9 | |
| 20 | Handgrip strength cut-off thresholds to define sarcopenia. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 271 | 2.9 | |
| 19 | Comment on Comparing Vitamin D Supplementation Versus Placebo for Urgency Urinary Incontinence: A Pilot Study. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1299 | 5.6 | |
| 18 | Considering the Effect of Combining BBlockers With Bladder Antimuscarinics in Treatment of Overactive Bladder Symptoms. <i>JAMA Internal Medicine</i> , 2020 , 180, 1025 | 11.5 | |
| 17 | Reply to Comment on "Shall different cut-off points in the oldest old provide additional insight in sarcopenia research?". <i>Clinical Nutrition</i> , 2016 , 35, 1570-1572 | 5.9 | |
| 16 | Some aspects need to be considered in assessment and treatment of sarcopenia. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1231-1232 | 4 | |
| 15 | Flaws Related to the Article Entitled "Frailty Predicts Incident Urinary Incontinence Among Hospitalized Older Adults". <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 1020 | 5.9 | |
| 14 | Low Body Mass Index As a Risk Factor for Functional Dependency in Frail Individuals. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2032 | 5.6 | |
| 13 | Muscle adjustment methods may affect the association of muscle mass with novel dietary protein food clusters. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 702-703 | 7 | |
| 12 | The effect of medical illness related depression on frailty in elderly subjects with heart failure. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1409-12 | 4 | |
| 11 | Higher failure of female older asthma patients in use of inhalants: is it due to older age and/or cognition problems?. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1897-9 | 4 | |
| 10 | Queries raised about MNA for frail older hospital patients. <i>Clinical Nutrition</i> , 2015 , 34, 1282 | 5.9 | |
| 9 | Probable dementia associated with Lewy body pathology as a cause of prolonged acute confusional state in a 79-year-old patient. <i>Aging Clinical and Experimental Research</i> , 2012 , 24, 200-2 | 4.8 | |
| 8 | Commentary: Association of Sarcopenia with Toxicity and Survival in Postoperative Recurrent Esophageal Squamous Cell Carcinoma Patients Receiving Chemoradiotherapy.. <i>Frontiers in Oncology</i> , 2021 , 11, 806858 | 5.3 | |
| 7 | Pay attention to muscle strength while assessing sarcopenia in cancer patients.. <i>Clinical Nutrition</i> , 2022 , | 5.9 | |

| | | |
|---|--|-----|
| 6 | Reply - Letter to the Editor - The concept of frailty should not be limited to malnutrition. <i>Clinical Nutrition</i> , 2020 , 39, 1980 | 5.9 |
| 5 | Important Points to Consider During Practical Application and in the Validation Studies of SARC-F Tool to Screen Sarcopenia [Letter]. <i>Clinical Interventions in Aging</i> , 2020 , 15, 877-878 | 4 |
| 4 | Possible effect of decreased insulin resistance on ferritin levels after Nordic Walking training. <i>Clinical Interventions in Aging</i> , 2016 , 11, 149 | 4 |
| 3 | Higher vitamin D levels may be associated with higher levels of sunlight exposure and higher intake of vitamin D by diet. <i>Clinical Interventions in Aging</i> , 2016 , 11, 1107-9 | 4 |
| 2 | Potential contribution of diabetes mellitus to orthostatic blood pressure fall and conversion of mild cognitive impairment to dementia. <i>Clinical Interventions in Aging</i> , 2016 , 11, 83-4 | 4 |
| 1 | The thresholds for components of sarcopenia: need for an objective approach. <i>European Geriatric Medicine</i> , 2021 , 12, 215-216 | 3 |