## Ioan Nistor

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1646581/publications.pdf

Version: 2024-02-01

115 papers	2,474 citations	27 h-index	254106 43 g-index
118	118	118	1668
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Improved bridge pier collar for reducing scour. International Journal of Sediment Research, 2022, 37, 37-46.	1.8	17
2	Scour Mechanics of a Tsunami-Like Bore around a Square Structure. Journal of Waterway, Port, Coastal and Ocean Engineering, 2022, 148, .	0.5	2
3	Experimental Investigations on Hydrodynamic Characteristics of Tsunami-Like Hydraulic Bores Impacting a Square Structure. Journal of Hydraulic Engineering, 2022, 148, .	0.7	7
4	Novel Riprap Structure for Improved Bridge Pier Scour Protection. Journal of Hydraulic Engineering, 2022, 148, .	0.7	8
5	Application of Numerical and Experimental Modeling to Improve the Efficiency of Parshall Flumes: A Review of the State-of-the-Art. Hydrology, 2022, 9, 26.	1.3	2
6	A fully coupled hydrodynamic-DEM model for simulating debris dynamics and impact forces. Ocean Engineering, 2022, 255, 111468.	1.9	2
7	Tsunami-Induced Bores Propagating over a Canal, Part II: Numerical Experiments Using the Standard k-ε Turbulence Model. Fluids, 2022, 7, 214.	0.8	1
8	Tsunami-Induced Bore Propagating over a Canalâ€"Part 1: Laboratory Experiments and Numerical Validation. Fluids, 2022, 7, 213.	0.8	2
9	Effects of developing ice covers on bridge pier scour. Journal of Hydraulic Research/De Recherches Hydrauliques, 2022, 60, 645-655.	0.7	3
10	Hydrodynamics and Associated Scour around a Free-Standing Structure Due to Turbulent Bores. Journal of Waterway, Port, Coastal and Ocean Engineering, 2022, 148, .	0.5	1
11	Engineering Lessons from September 28, 2018 Indonesian Tsunami: Scouring Mechanisms and Effects on Infrastructure. Journal of Waterway, Port, Coastal and Ocean Engineering, 2021, 147, .	0.5	12
12	Bridge Pier Scour under Ice Cover. Water (Switzerland), 2021, 13, 536.	1.2	9
13	Numerical Modeling of Venturi Flume. Hydrology, 2021, 8, 27.	1.3	8
14	Numerical Analysis of Storm Surges on Canada's Western Arctic Coastline. Journal of Marine Science and Engineering, 2021, 9, 326.	1.2	13
15	Side-by-side entrainment and displacement of cuboids due to a tsunami-like wave. Coastal Engineering, 2021, 164, 103819.	1.7	6
16	Mechanical response of buried and covered pipes under water hammer. International Journal of Pressure Vessels and Piping, 2021, 190, 104310.	1,2	3
17	Hybrid Modeling for Design of a Novel Bridge Pier Collar for Reducing Scour. Journal of Hydraulic Engineering, 2021, 147, .	0.7	16
18	Partitioned water hammer modeling using the block Gauss–Seidel algorithm. Journal of Fluids and Structures, 2021, 103, 103260.	1.5	6

#	Article	IF	CITATIONS
19	Effect of Lateral Spacing of Structures on Tsunami-Induced Scour. Journal of Coastal Research, 2021, 37, .	0.1	0
20	Nature-Based Coastal Protection by Large Woody Debris as Compared to Seawalls: A Physical Model Study of Beach Morphology and Wave Reflection. Water (Switzerland), 2021, 13, 2020.	1.2	5
21	Inclined dense effluent discharge modelling in shallow waters. Environmental Fluid Mechanics, 2021, 21, 955-987.	0.7	8
22	Fate and transport of coastal driftwood: A critical review. Marine Pollution Bulletin, 2021, 170, 112649.	2.3	10
23	Inter-Model Comparison for Tsunami Debris Simulation. Journal of Disaster Research, 2021, 16, 1030-1044.	0.4	5
24	Numerical Simulation of Flow in Parshall Flume Using Selected Nonlinear Turbulence Models. Hydrology, 2021, 8, 151.	1.3	2
25	Effect of building overtopping on induced loads during extreme hydrodynamic events. Journal of Hydraulic Research/De Recherches Hydrauliques, 2020, 58, 289-304.	0.7	13
26	Finite element for the dynamic analysis of pipes subjected to water hammer. Journal of Fluids and Structures, 2020, 93, 102845.	1.5	22
27	Multiple Debris Impact Loads in Extreme Hydrodynamic Conditions. Journal of Waterway, Port, Coastal and Ocean Engineering, 2020, 146, 04019038.	0.5	12
28	Experimental Investigations of Hydraulic Surges Passing Over a Rectangular Canal. Journal of Earthquake and Tsunami, 2020, 14, 2040004.	0.7	3
29	Image-Based Measurement of Wave Interactions with Rubble Mound Breakwaters. Journal of Marine Science and Engineering, 2020, 8, 472.	1.2	4
30	Development of a Probabilistic Framework for Debris Transport and Hazard Assessment in Tsunami-Like Flow Conditions. Journal of Waterway, Port, Coastal and Ocean Engineering, 2020, 146, .	0.5	12
31	Robust control volume finite element methods for numerical wave tanks using extreme adaptive anisotropic meshes. International Journal for Numerical Methods in Fluids, 2020, 92, 1707-1722.	0.9	6
32	The 2018 Sulawesi tsunami in Palu city as a result of several landslides and coseismic tsunamis. Coastal Engineering Journal, 2020, 62, 445-459.	0.7	26
33	CFD Modeling of Effluent Discharges: A Review of Past Numerical Studies. Water (Switzerland), 2020, 12, 856.	1.2	18
34	Experimental Investigation of Loading due to Debris Dams on Structures. Journal of Hydraulic Engineering, 2020, 146, 04020029.	0.7	4
35	Effectiveness of hard and soft tsunami countermeasures on loss of life under different population scenarios. International Journal of Disaster Risk Reduction, 2020, 45, 101491.	1.8	17
36	Experimental study of surface buoyant jets in crossflow. Environmental Fluid Mechanics, 2020, 20, 1007-1030.	0.7	6

3

#	Article	IF	Citations
37	Research trends in carbon capture and storage: A comparison of China with Canada. International Journal of Greenhouse Gas Control, 2020, 97, 103018.	2.3	13
38	Tsunami evacuation simulation for the District of Tofino, Vancouver Island, Canada. International Journal of Disaster Risk Reduction, 2020, 48, 101573.	1.8	18
39	Experimental Study on Extreme Hydrodynamic Loading on Pipelines Part 2: Induced Force Analysis. Journal of Marine Science and Engineering, 2019, 7, 262.	1.2	10
40	Numerical modelling of coastal inundation from Cascadia Subduction Zone tsunamis and implications for coastal communities on western Vancouver Island, Canada. Natural Hazards, 2019, 98, 267-291.	1.6	20
41	Debris transport over a sloped surface in tsunami-like flow conditions. Coastal Engineering Journal, 2019, 61, 241-255.	0.7	23
42	Swing gate generated dam-break waves. Journal of Hydraulic Research/De Recherches Hydrauliques, 2019, 57, 675-687.	0.7	20
43	Pedestrian evacuation modelling of a Canadian West Coast community from a near-field Tsunami event. Natural Hazards, 2019, 98, 229-249.	1.6	6
44	Numerical investigation of tsunami bore effects on structures, part II: effects of bed condition on loading onto circular structures. Natural Hazards, 2019, 96, 331-351.	1.6	6
45	Numerical investigation of tsunami bore effects on structures, part I: drag coefficients. Natural Hazards, 2019, 96, 285-309.	1.6	18
46	Tsunami design procedures for engineered buildings: a critical review. Proceedings of the Institution of Civil Engineers: Civil Engineering, 2018, 171, 166-178.	0.3	13
47	Debris Impacts and Effects on Structures. , 2018, , 457-479.		0
48	Tsunami-Induced Forces on Structures. , 2018, , 481-506.		1
49	Experimental Study of Tsunami-Like Waves Generated with a Vertical Release Technique on Dry and Wet Beds. Journal of Waterway, Port, Coastal and Ocean Engineering, 2018, 144, .	0.5	51
50	How does hydrogen-based renewable energy change with economic development? Empirical evidence from 32 countries. International Journal of Hydrogen Energy, 2018, 43, 11629-11638.	3.8	36
51	Probabilistic Investigation and Risk Assessment of Debris Transport in Extreme Hydrodynamic Conditions. Journal of Waterway, Port, Coastal and Ocean Engineering, 2018, 144, .	0.5	32
52	Evaluation of the Solid Boundary Treatment Methods in SPH. International Journal of Ocean and Coastal Engineering, $2018,01,\ldots$	0.3	6
53	Field and numerical investigations of the morpho-hydrodynamic processes of the tidal inlet at Shippagan Gully, New Brunswick, Canada. Coastal Engineering Journal, 2018, 60, 400-422.	0.7	2
54	Experimental study on the hydrodynamic impact of tsunami-like waves against impervious free-standing buildings. Coastal Engineering Journal, 2018, 60, 180-199.	0.7	50

#	Article	IF	CITATIONS
55	Experimental investigation of debris damming loads under transient supercritical flow conditions. Coastal Engineering, 2018, 139, 16-31.	1.7	27
56	Experimental study on forces exerted on buildings with openings due to extreme hydrodynamic events. Coastal Engineering, 2018, 140, 72-86.	1.7	35
57	Numerical investigation of the influence of extreme hydrodynamic forces on the geometry of structures using OpenFOAM. Natural Hazards, 2017, 87, 213-235.	1.6	16
58	Entrainment and Transport Dynamics of Shipping Containers in Extreme Hydrodynamic Conditions. Coastal Engineering Journal, 2017, 59, 1750011-1-1750011-30.	0.7	21
59	Extension of a well-balanced central upwind scheme for variable density shallow water flow equations on triangular grids. Computers and Fluids, 2017, 156, 441-448.	1.3	4
60	Experimental Investigations of Debris Dynamics over a Horizontal Plane. Journal of Waterway, Port, Coastal and Ocean Engineering, 2017, 143, .	0.5	38
61	Large eddy simulation of extreme hydrodynamic forces on structures with mitigation walls using OpenFOAM. Natural Hazards, 2017, 85, 1689-1707.	1.6	16
62	Tsunami-Driven Debris Motion and Loads: A Critical Review. Frontiers in Built Environment, 2017, 3, .	1.2	40
63	Experimental Investigation of Debris-Induced Loading in Tsunami-Like Flood Events. Geosciences (Switzerland), 2017, 7, 74.	1.0	21
64	Overtopping of Coastal Structures by Tsunami Waves. Geosciences (Switzerland), 2017, 7, 121.	1.0	22
65	Failure Mechanisms and Local Scour at Coastal Structures Induced by Tsunami. Coastal Engineering Journal, 2016, 58, 1640017-1-1640017-38.	0.7	39
66	Optical Tracking of Floating Shipping Containers in a High-Velocity Flow. Coastal Engineering Journal, 2016, 58, 1650005-1-1650005-29.	0.7	19
67	Experimental analysis of debris motion due the obstruction from fixed obstacles in tsunami-like flow conditions. Coastal Engineering, 2016, 118, 35-49.	1.7	33
68	Simultaneous assimilation of in situ soil moisture and streamflow in the SWAT model using the Extended Kalman Filter. Journal of Hydrology, 2016, 543, 671-685.	2.3	23
69	Review of the Kalman-type hydrological data assimilation. Hydrological Sciences Journal, 2016, 61, 2348-2366.	1.2	53
70	CFD modeling and analysis of the behavior of 30° and 45° inclined dense jets – new numerical insights. Journal of Applied Water Engineering and Research, 2016, 4, 112-127.	1.0	33
71	Application of acoustic tomography to reconstruct the horizontal flow velocity field in a shallow river. Water Resources Research, 2015, 51, 9665-9678.	1.7	20
72	Long Wave Flow Interaction with a Single Square Structure on a Sloping Beach. Journal of Marine Science and Engineering, 2015, 3, 821-844.	1,2	27

#	Article	IF	CITATIONS
73	Extreme wave loads on submerged water intakes in shallow water. Journal of Hydrodynamics, 2015, 27, 38-51.	1.3	4
74	On the effect of bed condition on the development of tsunami-induced loading on structures using OpenFOAM. Natural Hazards, 2015, 76, 1335-1356.	1.6	34
75	Numerical modeling of \$\$30^{circ }\$\$ 30 $\hat{a}^{\infty}$ and \$\$45{^circ }\$\$ 45 $\hat{a}^{\infty}$ inclined dense turbulent jets in stationary ambient. Environmental Fluid Mechanics, 2015, 15, 537-562.	0.7	51
76	Streamflow data assimilation in SWAT model using Extended Kalman Filter. Journal of Hydrology, 2015, 531, 671-684.	2.3	35
77	Tide-driven controls on maximum near-bed floc size in a tidal estuary. Journal of Hydro-Environment Research, 2015, 9, 465-471.	1.0	5
78	Post-Tsunami Engineering Forensics. , 2015, , 417-435.		10
79	Smoothed-Particle Hydrodynamics Numerical Modeling of Structures Impacted by Tsunami Bores. Journal of Waterway, Port, Coastal and Ocean Engineering, 2014, 140, 66-81.	0.5	91
80	Efficiency assessment of hydroelectric power plants in Canada: A multi criteria decision making approach. Energy Economics, 2014, 46, 112-121.	5.6	59
81	Breach outflow characteristics of non-cohesive embankment dams subject to blast. Canadian Journal of Civil Engineering, 2013, 40, 243-253.	0.7	14
82	Impact and damage to structures during the 27 February 2010 Chile tsunami. Canadian Journal of Civil Engineering, 2013, 40, 750-758.	0.7	24
83	Assessment of hydrodynamic impacts from tidal power lagoons in the Bay of Fundy. International Journal of Marine Energy, 2013, 1, 33-54.	1.8	33
84	Classification of Tsunami and Evacuation Areas. Natural Hazards, 2013, 67, 365-386.	1.6	69
85	An acoustic travel time method for continuous velocity monitoring in shallow tidal streams. Water Resources Research, 2013, 49, 4885-4899.	1.7	18
86	EXPERIMENTAL STUDY OF STRUCTURES IMPACTED BY SIMULATED TSUNAMI BORE., 2013,,.		0
87	Experimental Modeling of Extreme Hydrodynamic Forces on Structural Models. International Journal of Protective Structures, 2012, 3, 477-505.	1.4	70
88	Numerical Modeling of the Impact with Structures of Tsunami Bores Propagating on Dry and Wet Beds Using the SPH Method. International Journal of Protective Structures, 2012, 3, 221-255.	1.4	27
89	Guest editorial: Paleotsunami. Natural Hazards, 2012, 63, 1-3.	1.6	7
90	A corrected 3-D SPH method for breaking tsunami wave modelling. Natural Hazards, 2012, 60, 81-100.	1.6	14

#	Article	IF	Citations
91	Tsunami risk for Western Canada and numerical modelling of the Cascadia fault tsunami. Natural Hazards, 2012, 60, 149-159.	1.6	10
92	Tsunami risk and impacts on coastlines. Natural Hazards, 2012, 60, 1-1.	1.6	7
93	Climate change impacts on extreme floods II: improving flood future peaks simulation using non-stationary frequency analysis. Natural Hazards, 2012, 60, 715-726.	1.6	20
94	Climate change impacts on extreme floods I: combining imperfect deterministic simulations and non-stationary frequency analysis. Natural Hazards, 2012, 61, 647-659.	1.6	38
95	NUMERICAL MODELING OF TSUNAMI-INDUCED HYDRODYNAMIC FORCES ON ONSHORE STRUCTURES USING SPH. Coastal Engineering Proceedings, 2012, , 81.	0.1	12
96	Using PTV through an embankment breach channel. Journal of Hydro-Environment Research, 2011, 5, 277-287.	1.0	17
97	The effects of the July 2005 catastrophic inundations in the Siret River's Lower Watershed, Romania. Natural Hazards, 2011, 57, 345-368.	1.6	39
98	EXPERIMENTAL AND NUMERICAL MODELING OF TSUNAMI LOADING ON STRUCTURES. Coastal Engineering Proceedings, 2011, 1, 2.	0.1	26
99	Numerical and field study of ship-induced waves along the St. Lawrence Waterway, Canada. Natural Hazards, 2010, 54, 605-621.	1.6	20
100	Impact and analysis of geotechnical processes on earthfill dam breaching. Natural Hazards, 2010, 55, 15-27.	1.6	10
101	Experimental Investigation of Tsunami Impact on Free Standing Structures. Coastal Engineering Journal, 2010, 52, 43-70.	0.7	168
102	Tsunami loading of near-shoreline structures: a primer. Canadian Journal of Civil Engineering, 2009, 36, 1804-1815.	0.7	39
103	Artificial neural network for bedload estimation in alluvial rivers. Journal of Hydraulic Research/De Recherches Hydrauliques, 2009, 47, 223-232.	0.7	19
104	Tsunami-Induced Forces on Structures. , 2009, , 261-286.		39
105	EXPERIMENTAL INVESTIGATION OF THE IMPACT OF A TSUNAMI-INDUCED BORE ON STRUCTURES., 2009,,.		5
106	MODEL FOR WAVE AND CURRENT-INDUCED SEDIMENT CONCENTRATION FOR COHESIVE SEDIMENTS. , 2009, , .		0
107	STRUCTURAL ANALYSIS FOR TSUNAMI-INDUCED FORCE AND DEBRIS IMPACT., 2009, , .		1
108	MULTI-LAYER SEDIMENT CAPPING STRUCTURE – A CANADIAN EXPERIENCE. , 2009, , .		0

#	Article	IF	CITATIONS
109	Water wave frequency detection by optical fiber sensor. Optics Communications, 2008, 281, 6011-6015.	1.0	0
110	TSUNAMI NUMERICAL MODELLING FOR THE HYPERBOLIC (PACIFIC), PARABOLIC (ATLANTIC) AND ELLIPTIC (INDIAN) OCEAN. , 2007, , .		0
111	The impact of the 26 December 2004 earthquake and tsunami on structures and infrastructure. Engineering Structures, 2006, 28, 312-326.	2.6	234
112	Performance of Structures in Indonesia during the December 2004 Great Sumatra Earthquake and Indian Ocean Tsunami. Earthquake Spectra, 2006, 22, 295-319.	1.6	68
113	A Comparison between Agent-Based and GIS-Based Tsunami Evacuation Simulations: A Case Study for Tofino, BC. Canadian Journal of Civil Engineering, 0, , .	0.7	0
114	Experimental Investigation of Tsunami Impact on Free Standing Structures. , 0, .		1
115	Assessments of Available Riverine Hydrokinetic Energy: A Review. Canadian Journal of Civil Engineering, 0, , .	0.7	2