

Ying-Kun Guo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1647300/ying-kun-guo-publications-by-citations.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

1,206
citations

17
h-index

30
g-index

142
ext. papers

1,649
ext. citations

5.1
avg, IF

4.61
L-index

#	Paper	IF	Citations
126	Uncommon adrenal masses: CT and MRI features with histopathologic correlation. <i>European Journal of Radiology</i> , 2007 , 62, 359-70	4.7	109
125	SAT-620 Left Ventricular Myocardial Deformation in T2DM Is Associated with Chronic Hyperglycemia but Not Myocardial Perfusion: A Study Based on Magnetic Resonance Imaging. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
124	Histologic validation of myocardial fibrosis measured by T1 mapping: a systematic review and meta-analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 92	6.9	66
123	Deep learning provides a new computed tomography-based prognostic biomarker for recurrence prediction in high-grade serous ovarian cancer. <i>Radiotherapy and Oncology</i> , 2019 , 132, 171-177	5.3	56
122	Addison's disease due to adrenal tuberculosis: contrast-enhanced CT features and clinical duration correlation. <i>European Journal of Radiology</i> , 2007 , 62, 126-31	4.7	54
121	Accuracy and reproducibility of assessing right ventricular function with 64-section multi-detector row CT: comparison with magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2010 , 139, 254-62	3.2	53
120	pH-sensitive MRI demarcates graded tissue acidification during acute stroke - pH specificity enhancement with magnetization transfer and relaxation-normalized amide proton transfer (APT) MRI. <i>NeuroImage</i> , 2016 , 141, 242-249	7.9	46
119	Negatively Charged Magnetite Nanoparticle Clusters as Efficient MRI Probes for Dendritic Cell Labeling and In Vivo Tracking. <i>Advanced Functional Materials</i> , 2015 , 25, 3581-3591	15.6	38
118	Isolated mitral regurgitation: quantitative assessment with 64-section multidetector CT--comparison with MR imaging and echocardiography. <i>Radiology</i> , 2009 , 252, 369-76	20.5	35
117	Left ventricular subclinical myocardial dysfunction in uncomplicated type 2 diabetes mellitus is associated with impaired myocardial perfusion: a contrast-enhanced cardiovascular magnetic resonance study. <i>Cardiovascular Diabetology</i> , 2018 , 17, 139	8.7	34
116	Assessments of pulmonary vein and left atrial anatomical variants in atrial fibrillation patients for catheter ablation with cardiac CT. <i>European Radiology</i> , 2017 , 27, 660-670	8	29
115	Clinical Characteristics and Risk Factors of Cardiac Involvement in COVID-19. <i>Journal of the American Heart Association</i> , 2020 , 9, e016807	6	28
114	A Computed Tomography-Based Radiomic Prognostic Marker of Advanced High-Grade Serous Ovarian Cancer Recurrence: A Multicenter Study. <i>Frontiers in Oncology</i> , 2019 , 9, 255	5.3	25
113	Sixty-four-slice multidetector computed tomography for preoperative evaluation of left ventricular function and mass in patients with mitral regurgitation: comparison with magnetic resonance imaging and echocardiography. <i>European Radiology</i> , 2009 , 19, 2107-16	8	22
112	Albumin nanocomposites with MnO/GdO motifs for precise MR imaging of acute myocardial infarction in rabbit models. <i>Biomaterials</i> , 2020 , 230, 119614	15.6	22
111	Regional myocardial microvascular dysfunction in cardiac amyloid light-chain amyloidosis: assessment with 3T cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 16	6.9	21
110	Early marker of regional left ventricular deformation in patients with hypertrophic cardiomyopathy evaluated by MRI tissue tracking: The effects of myocardial hypertrophy and fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 1368-1376	5.6	19

109	Mesenchymal Stem Cells Combined with Hepatocyte Growth Factor Therapy for Attenuating Ischaemic Myocardial Fibrosis: Assessment using Multimodal Molecular Imaging. <i>Scientific Reports</i> , 2016 , 6, 33700	4.9	17
108	Right ventricular dysfunction and dilatation in patients with mitral regurgitation: analysis using ECG-gated multidetector row computed tomography. <i>International Journal of Cardiology</i> , 2013 , 167, 1585-90	3.2	17
107	Dual-source computed tomography for evaluating pulmonary artery in pediatric patients with cyanotic congenital heart disease: Comparison with transthoracic echocardiography. <i>European Journal of Radiology</i> , 2016 , 85, 187-192	4.7	14
106	The Diagnostic Value of Global Longitudinal Strain (GLS) on Myocardial Infarction Size by Echocardiography: A Systematic Review and Meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 10082	4.9	14
105	Assessment of Double Outlet Right Ventricle Associated with Multiple Malformations in Pediatric Patients Using Retrospective ECG-Gated Dual-Source Computed Tomography. <i>PLoS ONE</i> , 2015 , 10, e0130987	3.7	14
104	Assessing right ventricular function in patients with hypertrophic cardiomyopathy with cardiac MRI: correlation with the New York Heart Function Assessment (NYHA) classification. <i>PLoS ONE</i> , 2014 , 9, e104312	2.7	14
103	Assessment of left ventricular deformation in patients with Ebstein's anomaly by cardiac magnetic resonance tissue tracking. <i>European Journal of Radiology</i> , 2017 , 89, 20-26	4.7	13
102	Myocardial Deformation in Cardiac Amyloid Light-chain Amyloidosis: Assessed with 3T Cardiovascular Magnetic Resonance Feature Tracking. <i>Scientific Reports</i> , 2017 , 7, 3794	4.9	13
101	Left Ventricular Involvement in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Predicts Adverse Clinical Outcomes: A Cardiovascular Magnetic Resonance Feature Tracking Study. <i>Scientific Reports</i> , 2019 , 9, 14235	4.9	13
100	Evaluation of myocardial fibrosis in diabetes with cardiac magnetic resonance T1-mapping: Correlation with the high-level hemoglobin A1c. <i>Diabetes Research and Clinical Practice</i> , 2019 , 150, 72-80	7.4	13
99	Preoperative evaluation of coronary artery fistula using dual-source computed tomography. <i>International Journal of Cardiology</i> , 2017 , 228, 80-85	3.2	13
98	Superparamagnetic Iron Oxide Nanoparticles as Magnetic Resonance Imaging Contrast Agents and Induced Autophagy Response in Endothelial Progenitor Cells. <i>Journal of Biomedical Nanotechnology</i> , 2019 , 15, 396-404	4	11
97	Assessment of left ventricular myocardial deformation by cardiac MRI strain imaging reveals myocardial dysfunction in patients with primary cardiac tumors. <i>International Journal of Cardiology</i> , 2018 , 253, 176-182	3.2	11
96	Impact of iterative model reconstruction combined with dose reduction on the image quality of head and neck CTA in children. <i>Scientific Reports</i> , 2018 , 8, 12613	4.9	11
95	Brain Gray Matter Abnormalities in First-Episode, Treatment-Naive Children with Obsessive-Compulsive Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 141	3.5	11
94	Predictors of aortic dilation in patients with coarctation of the aorta: evaluation with dual-source computed tomography. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 124	2.3	11
93	Assessing right ventricular deformation in hypertrophic cardiomyopathy patients with preserved right ventricular ejection fraction: a 3.0-T cardiovascular magnetic resonance study. <i>Scientific Reports</i> , 2020 , 10, 1967	4.9	10
92	Morphologic and functional abnormalities in patients with Ebstein's anomaly with cardiac magnetic resonance imaging: Correlation with tricuspid regurgitation. <i>European Journal of Radiology</i> , 2016 , 85, 1601-6	4.7	10

91	Protective role of beta-blockers in chemotherapy-induced cardiotoxicity-a systematic review and meta-analysis of carvedilol. <i>Heart Failure Reviews</i> , 2019 , 24, 325-333	5	10
90	Native T mapping for characterization of acute and chronic myocardial infarction in swine: Comparison with contrast-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 47, 1406-1414	5.6	9
89	Cardiac magnetic resonance feature tracking for quantifying right ventricular deformation in type 2 diabetes mellitus patients. <i>Scientific Reports</i> , 2019 , 9, 11148	4.9	9
88	The regional myocardial microvascular dysfunction differences in hypertrophic cardiomyopathy patients with or without left ventricular outflow tract obstruction: assessment with first-pass perfusion imaging using 3.0-T cardiac magnetic resonance. <i>European Journal of Radiology</i> , 2014 , 83, 665-72	4.7	9
87	Preoperative evaluation of anomalous pulmonary venous connection using dual-source computed tomography: Comparison with echocardiography. <i>European Journal of Radiology</i> , 2017 , 94, 107-114	4.7	8
86	Metabolic syndrome and myocardium steatosis in subclinical type 2 diabetes mellitus: a H-magnetic resonance spectroscopy study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 70	8.7	8
85	Fibrous hamartoma of infancy mimicking teratoma in the parapharyngeal space on multidetector row CT. <i>Pediatric Radiology</i> , 2011 , 41, 785-7	2.8	8
84	The additive effects of type 2 diabetes mellitus on left ventricular deformation and myocardial perfusion in essential hypertension: a 3.0 T cardiac magnetic resonance study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 161	8.7	8
83	The combined effects of cardiac geometry, microcirculation, and tissue characteristics on cardiac systolic and diastolic function in subclinical diabetes mellitus-related cardiomyopathy. <i>International Journal of Cardiology</i> , 2020 , 320, 112-118	3.2	8
82	Structure-Relaxivity Mechanism of an Ultrasmall Ferrite Nanoparticle T MR Contrast Agent: The Impact of Dopants Controlled Crystalline Core and Surface Disordered Shell. <i>Nano Letters</i> , 2021 , 21, 1115-1123	11.5	8
81	Serial coronary computed tomography angiography-verified coronary plaque progression: comparison of stented patients with or without diabetes. <i>Cardiovascular Diabetology</i> , 2019 , 18, 123	8.7	7
80	CT compared to MRI for functional evaluation of the right ventricle: a systematic review and meta-analysis. <i>European Radiology</i> , 2019 , 29, 6816-6828	8	7
79	Performance of Two Risk-Stratification Models in Hospitalized Patients With Coronavirus Disease. <i>Frontiers in Medicine</i> , 2020 , 7, 518	4.9	7
78	Primary adrenal schwannoma with catecholamine hypersecretion. <i>Archives of Medical Science</i> , 2016 , 12, 681-3	2.9	7
77	Prognostic value of dual-source computed tomography (DSCT) angiography characteristics in anomalous coronary artery from the opposite sinus (ACAOS) patients: a large-scale retrospective study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 25	2.3	6
76	Prognostic value of heart failure in hemodialysis-dependent end-stage renal disease patients with myocardial fibrosis quantification by extracellular volume on cardiac magnetic resonance imaging. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 12	2.3	6
75	Quantified evaluation of tracheal compression in pediatric complex congenital vascular ring by computed tomography. <i>Scientific Reports</i> , 2018 , 8, 11183	4.9	6
74	Short report: factors determining perceived stress among medical staff in radiology departments during the COVID-19 outbreak. <i>Psychology, Health and Medicine</i> , 2021 , 26, 56-61	2.1	6

73	Myocardial Iron Deficiency in Hemodialysis-Dependent End-Stage Renal Disease Patients Undergoing Oral Iron Therapy. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2455-2456	15.1	5
72	Left ventricular global function index by magnetic resonance imaging - a novel marker for differentiating cardiac amyloidosis from hypertrophic cardiomyopathy. <i>Scientific Reports</i> , 2020 , 10, 47074-9	4.9	5
71	Myocardial Strain Imaging by Echocardiography for the Prediction of Cardiotoxicity in Chemotherapy-Treated Patients: A Meta-Analysis. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 881-882	8.4	5
70	Volume-time curve of cardiac magnetic resonance assessed left ventricular dysfunction in coronary artery disease patients with type 2 diabetes mellitus. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 145	2.3	4
69	The prognostic value of right ventricular deformation derived from cardiac magnetic resonance tissue tracking for all-cause mortality in light-chain amyloidosis patients. <i>Cardiovascular Diagnosis and Therapy</i> , 2020 , 10, 161-172	2.6	4
68	Dual-source computed tomography for quantitative assessment of tracheobronchial anomaly from type IIA pulmonary artery sling in pediatric patients. <i>European Journal of Radiology</i> , 2018 , 102, 30-35	4.7	4
67	Assessment of transposition of the great arteries associated with multiple malformations using dual-source computed tomography. <i>PLoS ONE</i> , 2017 , 12, e0187578	3.7	4
66	Impact of type 2 diabetes mellitus on left ventricular diastolic function in patients with essential hypertension: evaluation by volume-time curve of cardiac magnetic resonance. <i>Cardiovascular Diabetology</i> , 2021 , 20, 73	8.7	4
65	Dextran-coated superparamagnetic iron oxide nanoparticles activate the MAPK pathway in human primary monocyte cells. <i>Molecular Medicine Reports</i> , 2018 , 18, 564-570	2.9	4
64	The additive effects of obesity on myocardial microcirculation in diabetic individuals: a cardiac magnetic resonance first-pass perfusion study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 52	8.7	3
63	Accurate identification of myocardial viability after myocardial infarction with novel manganese chelate-based MR imaging. <i>NMR in Biomedicine</i> , 2019 , 32, e4158	4.4	3
62	Pulmonary hypertension in late-onset Methylmalonic Aciduria and Homocystinemia: a case report. <i>BMC Pediatrics</i> , 2020 , 20, 243	2.6	3
61	Features of family clusters of COVID-19 patients: A retrospective study. <i>Travel Medicine and Infectious Disease</i> , 2021 , 39, 101950	8.4	3
60	Risk stratification of cardiac sequelae detected using cardiac magnetic resonance in late convalescence at the six-month follow-up of recovered COVID-19 patients. <i>Journal of Infection</i> , 2021 , 83, 119-145	18.9	3
59	Assessment of tetralogy of Fallot-associated congenital extracardiac vascular anomalies in pediatric patients using low-dose dual-source computed tomography. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 285	2.3	2
58	A CT-based radiomics nomogram for predicting early recurrence in patients with high-grade serous ovarian cancer. <i>European Journal of Radiology</i> , 2021 , 145, 110018	4.7	2
57	Additive effect of hypertension on left ventricular structure and function in patients with asymptomatic type 2 diabetes mellitus. <i>Journal of Hypertension</i> , 2021 , 39, 538-547	1.9	2
56	Regional cerebral activity abnormality in pregnant women with antenatal depression. <i>Journal of Affective Disorders</i> , 2020 , 274, 381-388	6.6	2

55	Assessment of left ventricular deformation in patients with type 2 diabetes mellitus by cardiac magnetic resonance tissue tracking. <i>Scientific Reports</i> , 2020 , 10, 13126	4.9	2
54	Anatomical characteristics of anomalous left coronary artery from the opposite sinus (left-ACAOS) and its clinical relevance: A serial coronary CT angiography study. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100649	2.4	2
53	Preoperative Assessment for Event-Free Survival With Hepatoblastoma in Pediatric Patients by Developing a CT-Based Radiomics Model. <i>Frontiers in Oncology</i> , 2021 , 11, 644994	5.3	2
52	Left Ventricular Deformation in Patients with Connective Tissue Disease: Evaluated by 3.0T Cardiac Magnetic Resonance Tissue Tracking. <i>Scientific Reports</i> , 2019 , 9, 17913	4.9	2
51	Comparison of clinical profiles between takotsubo syndrome and acute coronary syndrome: a systematic review and meta-analysis. <i>Heart Failure Reviews</i> , 2020 , 25, 847-860	5	2
50	Myocardial perfusion assessment in the infarct core and penumbra zones in an in-vivo porcine model of the acute, sub-acute, and chronic infarction. <i>European Radiology</i> , 2021 , 31, 2798-2808	8	2
49	Prognostic value of multiple cardiac magnetic resonance imaging parameters in patients with idiopathic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2021 , 325, 89-95	3.2	2
48	The Development and Validation of a CT-Based Radiomics Nomogram to Preoperatively Predict Lymph Node Metastasis in High-Grade Serous Ovarian Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 711648	5.3	2
47	Effect of diabetes mellitus on the development of left ventricular contractile dysfunction in women with heart failure and preserved ejection fraction. <i>Cardiovascular Diabetology</i> , 2021 , 20, 185	8.7	2
46	Targeted trapping of endogenous endothelial progenitor cells for myocardial ischemic injury repair through neutrophil-mediated SPIO nanoparticle-conjugated CD34 antibody delivery and imaging.. <i>Acta Biomaterialia</i> , 2022 ,	10.8	2
45	Dual-source Computed Tomography for Evaluating Pulmonary Artery and Aorta in Pediatric Patients with Single Ventricle. <i>Scientific Reports</i> , 2017 , 7, 13398	4.9	1
44	Assessment of intracardiac and extracardiac anomalies associated with coarctation of aorta and interrupted aortic arch using dual-source computed tomography. <i>Scientific Reports</i> , 2019 , 9, 11656	4.9	1
43	Preoperative assessment of mitral valve abnormalities in left atrial myxoma patients using cardiac CT. <i>Oncotarget</i> , 2017 , 8, 57583-57593	3.3	1
42	Cardiac magnetic resonance imaging of systemic amyloidosis patients with normal left ventricular ejection fraction: An initial study. <i>Pakistan Journal of Medical Sciences</i> , 2013 , 29, 1300-5	2	1
41	Association of myocardial fibrosis detected by late gadolinium-enhanced MRI with clinical outcomes in patients with diabetes: a systematic review and meta-analysis.. <i>BMJ Open</i> , 2022 , 12, e055374	3.4	1
40	Distinguishing Cardiac Amyloidosis and Hypertrophic Cardiomyopathy by Thickness and Myocardial Deformation of the Right Ventricle.. <i>Cardiology Research and Practice</i> , 2022 , 2022, 4364279	1.9	1
39	Evaluation of the anatomical variations of the coronary venous system in patients with coronary artery calcification using 256-slice computed tomography. <i>PLoS ONE</i> , 2020 , 15, e0242216	3.7	1
38	Association Between Heart Failure With Preserved Left Ventricular Ejection Fraction and Impaired Left Atrial Phasic Function in Hypertrophic Cardiomyopathy: Evaluation by Cardiac MRI Feature Tracking. <i>Journal of Magnetic Resonance Imaging</i> , 2021 ,	5.6	1

37	Chest CT features and progression of patients with coronavirus disease 2019. <i>British Journal of Radiology</i> , 2020 , 93, 20200219	3.4	1
36	The association of secondary hyperparathyroidism and myocardial damages in hemodialysis end-stage renal disease patients: assessed by cardiovascular magnetic resonance native T1 mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 23	6.9	1
35	Characterization of infarcted myocardium by T1-mapping and its association with left ventricular remodeling. <i>European Journal of Radiology</i> , 2021 , 137, 109590	4.7	1
34	Characteristics of coronary artery disease in patients with subclinical hypothyroidism: evaluation using coronary artery computed tomography angiography. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 303	2.3	1
33	An Artificial Intelligent Signal Amplification System for Detection of miRNA. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 330	5.8	1
32	Multimodal cardiac magnetic resonance imaging of ALCAPA syndrome. <i>European Heart Journal</i> , 2021 , 42, 798	9.5	1
31	Functional connectivity patterns of the subgenual anterior cingulate cortex in first-episode refractory major depressive disorder. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2397-2405	4.1	1
30	The mitral regurgitation effects of cardiac structure and function in left ventricular noncompaction. <i>Scientific Reports</i> , 2021 , 11, 4616	4.9	1
29	Computed tomography for evaluating right ventricle and pulmonary artery in pediatric tetralogy of Fallot: correlation with post-operative pulmonary regurgitation. <i>Scientific Reports</i> , 2018 , 8, 7515	4.9	1
28	Evaluation of the effects of glycated hemoglobin on cardiac function in patients with short-duration type 2 diabetes mellitus: A cardiovascular magnetic resonance study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 178, 108952	7.4	1
27	Additive Effects of Obesity on Myocardial Microcirculation and Left Ventricular Deformation in Essential Hypertension: A Contrast-Enhanced Cardiac Magnetic Resonance Imaging Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 831231	5.4	1
26	Comparison of cardiovascular magnetic resonance characteristics and clinical prognosis in left ventricular noncompaction patients with and without arrhythmia.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 25	2.3	0
25	Histological Validation of Cardiovascular Magnetic Resonance T1 Mapping for Assessing the Evolution of Myocardial Injury in Myocardial Infarction: An Experimental Study. <i>Korean Journal of Radiology</i> , 2020 , 21, 1294-1304	6.9	0
24	Accuracy of flow-void diameters on MR images in diagnosing uterine arteriovenous malformations in patients with pregnancy-related diseases. <i>Scientific Reports</i> , 2021 , 11, 19806	4.9	0
23	Impact of myocardial scars on left ventricular deformation in type 2 diabetes mellitus after myocardial infarction by contrast-enhanced cardiac magnetic resonance. <i>Cardiovascular Diabetology</i> , 2021 , 20, 215	8.7	0
22	Achieving Low Radiation Dose in "One-Stop" Myocardial Computed Tomography Perfusion Imaging in Coronary Artery Disease Using 16-cm Wide Detector CT. <i>Academic Radiology</i> , 2020 , 27, 1531-1539	4.3	0
21	Radiation doses in CT examinations from the West China Hospital, Sichuan University and setting local diagnostic references levels. <i>Annals of Translational Medicine</i> , 2020 , 8, 1010	3.2	0
20	Distinguishing cardiac myxomas from cardiac thrombi by a radiomics signature based on cardiovascular contrast-enhanced computed tomography images. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 152	2.3	0

19	Increased oxygenation is associated with myocardial inflammation and adverse regional remodeling after acute ST-segment elevation myocardial infarction. <i>European Radiology</i> , 2021 , 31, 8956-8966	8.966	○
18	The Effect of Posture on Maximum Grip Strength Measurements. <i>Journal of Clinical Densitometry</i> , 2021 , 24, 638-644	3.5	○
17	Common atrium and the associated malformations: Evaluation by low-dose dual-source computed tomography. <i>Medicine (United States)</i> , 2018 , 97, e12983	1.8	○
16	Utility of single-shot compressed sensing cardiac magnetic resonance cine imaging for assessment of biventricular function in free-breathing and arrhythmic pediatric patients. <i>International Journal of Cardiology</i> , 2021 , 338, 258-264	3.2	○
15	The adverse impact of coronary artery disease on left ventricle systolic and diastolic function in patients with type 2 diabetes mellitus: a 3.0T CMR study.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 30	8.7	○
14	Comparison of Silicosis and Tuberculosis Involving Mediastinal Lymph Nodes Based on Contrast-Enhanced Multidetector-Row Computed Tomography.. <i>Lung</i> , 2022 , 1	2.9	○
13	Association of left ventricular systolic dysfunction with coronary artery dilation in Kawasaki disease patients: Assessment with cardiovascular magnetic resonance. <i>European Journal of Radiology</i> , 2021 , 145, 110039	4.7	○
12	Effects of diabetes mellitus on left ventricular function and remodeling in hypertensive patients with heart failure with reduced ejection fraction: assessment with 3.0T MRI feature tracking.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 69	8.7	○
11	Cardiac magnetic resonance T1 mapping for evaluating myocardial fibrosis in patients with type 2 diabetes mellitus: correlation with left ventricular longitudinal diastolic dysfunction.. <i>European Radiology</i> , 2022 , 1	8	○
10	Reply to "Letter to the Editor Preoperative evaluation of coronary artery fistula using dual-source computed tomography". <i>International Journal of Cardiology</i> , 2017 , 234, 118	3.2	
9	Prenatal diagnosis of the ductal origin of the distal right pulmonary artery with bilateral ductus arteriosus using STIC-HD live flow rendering mode. <i>Echocardiography</i> , 2021 ,	1.5	
8	Global, segmental and layer specific analysis of myocardial involvement in Duchenne muscular dystrophy by cardiovascular magnetic resonance native T1 mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 110	6.9	
7	Effect of prediabetes on the long-term all-cause mortality of patients undergoing percutaneous coronary intervention: A protocol for systematic review and meta analysis. <i>Medicine (United States)</i> , 2020 , 99, e21623	1.8	
6	Retraction Note: Prognostic value of heart failure in hemodialysis-dependent end-stage renal disease patients with myocardial fibrosis quantification by extracellular volume on cardiac magnetic resonance imaging. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 407	2.3	
5	Olfactory Neuroblastoma of the Sinonasal Tract with Prominent Orbital Protrusion: A Case Report and Literature Review. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 1	0.6	
4	Noninvasive oxygenation assessment after acute myocardial infarction with breathing maneuvers-induced oxygenation-sensitive magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 54, 284-289	5.6	
3	Pituitary deficiency due to primary pituitary apoplexy. <i>Chinese Medical Journal</i> , 2014 , 127, 2199	2.9	
2	Comparison of cardiovascular magnetic resonance features and clinical consequences in patients with left ventricular non-compaction with and without mitral regurgitation-a multi-institutional study of the retrospective cohort study.. <i>Cardiovascular Diagnosis and Therapy</i> , 2022 , 12, 241-252	2.6	

- 1 Myocardial microvascular function assessed by CMR first-pass perfusion in patients treated with chemotherapy for gynecologic malignancies.. *European Radiology*, **2022**, 1