

Alessio Baricich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1648573/publications.pdf>

Version: 2024-02-01

60
papers

1,640
citations

361045

20
h-index

329751

37
g-index

60
all docs

60
docs citations

60
times ranked

2200
citing authors

#	ARTICLE	IF	CITATIONS
1	Respiratory and Psychophysical Sequelae Among Patients With COVID-19 Four Months After Hospital Discharge. <i>JAMA Network Open</i> , 2021, 4, e2036142.	2.8	336
2	Fatality rate and predictors of mortality in an Italian cohort of hospitalized COVID-19 patients. <i>Scientific Reports</i> , 2020, 10, 20731.	1.6	96
3	Long-term sequelae are highly prevalent one year after hospitalization for severe COVID-19. <i>Scientific Reports</i> , 2021, 11, 22666.	1.6	84
4	A single-blinded, randomized pilot study of botulinum toxin type A combined with non-pharmacological treatment for spastic foot. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 870-872.	0.8	65
5	Casting, taping or stretching after botulinum toxin type A for spastic equinus foot: a single-blind randomized trial on adult stroke patients. <i>Clinical Rehabilitation</i> , 2011, 25, 1119-1127.	1.0	63
6	Robotic Gait Training Is not Superior to Conventional Treadmill Training in Parkinson Disease. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 1027-1034.	1.4	56
7	Adjuvant treatments associated with botulinum toxin injection for managing spasticity: An overview of the literature. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 291-296.	1.1	50
8	Midterm functional sequelae and implications in rehabilitation after COVID-19: a cross-sectional study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 199-207.	1.1	48
9	Can botulinum toxin type A injection technique influence the clinical outcome of patients with post-stroke upper limb spasticity? A randomized controlled trial comparing manual needle placement and ultrasound-guided injection techniques. <i>Journal of the Neurological Sciences</i> , 2014, 347, 39-43.	0.3	47
10	Employment of higher doses of botulinum toxin type A to reduce spasticity after stroke. <i>Journal of the Neurological Sciences</i> , 2015, 350, 1-6.	0.3	42
11	Long-term effects of intra-articular oxygen-ozone therapy versus hyaluronic acid in older people affected by knee osteoarthritis: A randomized single-blind extension study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2020, 33, 347-354.	0.4	41
12	Myostatin as a potential biomarker to monitor sarcopenia in hip fracture patients undergoing a multidisciplinary rehabilitation and nutritional treatment: a preliminary study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 959-962.	1.4	39
13	Botulinum Toxin Type A for the Treatment of Lower Limb Spasticity after Stroke. <i>Drugs</i> , 2019, 79, 143-160.	4.9	38
14	Optimization of transdisciplinary management of elderly with femur proximal extremity fracture: A patient-tailored plan from orthopaedics to rehabilitation. <i>World Journal of Orthopedics</i> , 2021, 12, 456-466.	0.8	38
15	Sonographic and clinical effects of botulinum toxin Type A combined with extracorporeal shock wave therapy on spastic muscles of children with cerebral palsy. <i>Developmental Neurorehabilitation</i> , 2017, 20, 160-164.	0.5	35
16	Peripheral Facial Nerve Palsy. <i>Otology and Neurotology</i> , 2012, 33, 1118-1126.	0.7	33
17	Ultrasound-Guided Injection of Botulinum Toxin Type A for Piriformis Muscle Syndrome: A Case Report and Review of the Literature. <i>Toxins</i> , 2015, 7, 3045-3056.	1.5	33
18	Safety Profile of High-Dose Botulinum Toxin Type A in Post-Stroke Spasticity Treatment. <i>Clinical Drug Investigation</i> , 2018, 38, 991-1000.	1.1	33

#	ARTICLE	IF	CITATIONS
19	High doses of onabotulinumtoxinA in post-stroke spasticity: a retrospective analysis. <i>Journal of Neural Transmission</i> , 2015, 122, 1283-1287.	1.4	24
20	Simple Parameters from Complete Blood Count Predict In-Hospital Mortality in COVID-19. <i>Disease Markers</i> , 2021, 2021, 1-7.	0.6	24
21	Does altering inclination alter effectiveness of treadmill training for gait impairment after stroke? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2013, 27, 932-938.	1.0	23
22	Spinal Cord Injury as a Model of Bone-Muscle Interactions: Therapeutic Implications From in vitro and in vivo Studies. <i>Frontiers in Endocrinology</i> , 2020, 11, 204.	1.5	23
23	Recovery from vegetative state of patients with a severe brain injury: a 4-year real-practice with a severe brain injury: a 4-year real-practice prospective cohort study. <i>Functional Neurology</i> , 2017, 37, 131.	1.3	20
24	Power Doppler Ultrasound Findings before and after Focused Extracorporeal Shock Wave Therapy for Achilles Tendinopathy: A Pilot Study on Pain Reduction and Neovascularization Effect. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1316-1323.	0.7	20
25	Long-term safety of repeated high doses of incobotulinumtoxinA injections for the treatment of upper and lower limb spasticity after stroke. <i>Journal of the Neurological Sciences</i> , 2017, 378, 182-186.	0.3	18
26	Electrical stimulation of antagonist muscles after botulinum toxin type A for post-stroke spastic equinus foot. A randomized single-blind pilot study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 214-219.	1.1	18
27	Effects of robot-assisted gait training on postural instability in Parkinson's disease: a systematic review. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 472-477.	1.1	18
28	Buccal hemineglect: is it useful to evaluate the differences between the two halves of the oral cavity for the multidisciplinary rehabilitative management of right brain stroke survivors? A cross-sectional study. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 208-214.	1.0	17
29	Functional status and oral health in patients with amyotrophic lateral sclerosis: A cross-sectional study. <i>NeuroRehabilitation</i> , 2021, 48, 49-57.	0.5	17
30	Differentiation among bio- and augmented- feedback in technologically assisted rehabilitation. <i>Expert Review of Medical Devices</i> , 2021, 18, 1-10.	1.4	17
31	Multidimensional Effectiveness of Botulinum Toxin in Neuropathic Pain: A Systematic Review of Randomized Clinical Trials. <i>Toxins</i> , 2022, 14, 308.	1.5	16
32	Anxiety, Stress and Depression in COVID-19 Survivors From an Italian Cohort of Hospitalized Patients: Results From a 1-Year Follow-Up. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	15
33	Efficacy of a Hip Flexion Assist Orthosis in Adults With Hemiparesis After Stroke. <i>Physical Therapy</i> , 2012, 92, 734-739.	1.1	14
34	Is spasticity always the same? An observational study comparing the features of spastic equinus foot in patients with chronic stroke and multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2017, 380, 132-136.	0.3	14
35	Spasticity Treatment During COVID-19 Pandemic: Clinical Recommendations. <i>Frontiers in Neurology</i> , 2020, 11, 719.	1.1	14
36	Letter to the editor. <i>Functional Neurology</i> , 2016, 31, 179-80.	1.3	13

#	ARTICLE	IF	CITATIONS
37	Discontinuation of botulinum neurotoxin type-A treatment during COVID-19 pandemic: an Italian survey in post stroke and traumatic brain injury patients living with spasticity. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 424-433.	1.1	13
38	Long-lasting consequences of coronavirus disease 19 pneumonia: a systematic review. <i>Minerva Medica</i> , 2022, 113, .	0.3	13
39	Early Botulinum Toxin Type A Injection for Post-Stroke Spasticity: A Longitudinal Cohort Study. <i>Toxins</i> , 2021, 13, 374.	1.5	12
40	Low back pain related to a sacral insufficiency fracture: role of paravertebral oxygen-ozone therapy in a paradigmatic case of nociplastic pain. <i>Functional Neurology</i> , 2019, 34, 119-122.	1.3	11
41	Falls, fractures and bone density in Parkinson's disease – a cross-sectional study. <i>International Journal of Neuroscience</i> , 2017, 127, 299-304.	0.8	10
42	BoNT-A for Post-Stroke Spasticity: Guidance on Unmet Clinical Needs from a Delphi Panel Approach. <i>Toxins</i> , 2021, 13, 236.	1.5	10
43	Different PTH response to oral peptone load and oral calcium load in patients with normocalcemic primary hyperparathyroidism, primary hyperparathyroidism, and healthy subjects. <i>European Journal of Endocrinology</i> , 2012, 167, 491-497.	1.9	8
44	People with Spinal Cord Injury in Italy. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, S80-S82.	0.7	8
45	Ultrasonographic Evaluation of Botulinum Toxin Injection Site for the Medial Approach to Tibialis Posterior Muscle in Chronic Stroke Patients with Spastic Equinovarus Foot: An Observational Study. <i>Toxins</i> , 2017, 9, 375.	1.5	7
46	AbobotulinumtoxinA and rehabilitation vs rehabilitation alone in post-stroke spasticity: An cost-utility analysis. <i>Journal of Rehabilitation Medicine</i> , 2019, .	0.8	7
47	Effects of Robot-Assisted Training for the Unaffected Arm in Patients with Hemiparetic Cerebral Palsy: A Proof-of-Concept Pilot Study. <i>Behavioural Neurology</i> , 2017, 2017, 1-8.	1.1	6
48	Heart Rate Variability modifications induced by high doses of incobotulinumtoxinA and onabotulinumtoxinA in hemiplegic chronic stroke patients: A single blind randomized controlled, crossover pilot study. <i>Toxicon</i> , 2017, 138, 145-150.	0.8	5
49	Influence of physician empathy on the outcome of botulinum toxin treatment for upper limb spasticity in patients with chronic stroke: A cohort study. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 410-415.	0.8	5
50	Can scoliosis lead to spinal cord ischaemia? Early diagnosis and rehabilitation: A paradigmatic case report and literature review. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 43-47.	0.4	5
51	Rectus Femoris Characteristics in Post Stroke Spasticity: Clinical Implications from Ultrasonographic Evaluation. <i>Toxins</i> , 2020, 12, 490.	1.5	4
52	Accurate gait analysis in post-stroke patients using a single inertial measurement unit. , 2016, , .		3
53	A Rare Cause of Back Pain During Pregnancy and Lactation: Management and Treatment. <i>Pain Medicine</i> , 2016, 17, 1382-1385.	0.9	3
54	Development of a patient-centered questionnaire for post-stroke spasticity assessment: a reliability study. <i>Functional Neurology</i> , 2018, 33, 113-115.	1.3	3

#	ARTICLE	IF	CITATIONS
55	Triceps Surae Muscle Characteristics in Spastic Hemiparetic Stroke Survivors Treated with Botulinum Toxin Type A: Clinical Implications from Ultrasonographic Evaluation. <i>Toxins</i> , 2021, 13, 889.	1.5	2
56	Risk Factors and Outcome in Falls. <i>Biosystems and Biorobotics</i> , 2018, , 135-148.	0.2	1
57	Transcranial Direct Current Stimulation Combined with Botulinum Neurotoxin Type A Injections for Treatment of Upper Limb Intention Tremor in Multiple Sclerosis: A Case Report. <i>Case Reports in Neurology</i> , 2021, 13, 92-99.	0.3	1
58	Real-World Adherence to OnabotulinumtoxinA Treatment for Spasticity: Insights From the ASPIRE Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2172-2184.e6.	0.5	1
59	RE: Impact of instrumental analysis of stiff knee gait on treatment appropriateness and associated costs in stroke patients. <i>Gait and Posture</i> , 2019, , .	0.6	0
60	Editorial. <i>Functional Neurology</i> , 2017, 32, 61.	1.3	0