

Morgan Roupret

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1648611/morgan-roupret-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

470
papers

16,801
citations

59
h-index

112
g-index

559
ext. papers

21,492
ext. citations

4.6
avg, IF

6.55
L-index

#	Paper	IF	Citations
470	EAU Guidelines on Non-Muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. <i>European Urology</i> , 2017 , 71, 447-461	10.2	1199
469	EAU guidelines on non-muscle-invasive urothelial carcinoma of the bladder: update 2013. <i>European Urology</i> , 2013 , 64, 639-53	10.2	906
468	EAU guidelines on non-muscle-invasive urothelial carcinoma of the bladder, the 2011 update. <i>European Urology</i> , 2011 , 59, 997-1008	10.2	557
467	European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (TaT1 and Carcinoma In Situ) - 2019 Update. <i>European Urology</i> , 2019 , 76, 639-657	10.2	531
466	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2017 Update. <i>European Urology</i> , 2018 , 73, 111-122	10.2	507
465	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>European Urology</i> , 2015 , 68, 868-79	10.2	395
464	European guidelines on upper tract urothelial carcinomas: 2013 update. <i>European Urology</i> , 2013 , 63, 1059-71	10.2	360
463	Reporting and grading of complications after urologic surgical procedures: an ad hoc EAU guidelines panel assessment and recommendations. <i>European Urology</i> , 2012 , 61, 341-9	10.2	333
462	European guidelines for the diagnosis and management of upper urinary tract urothelial cell carcinomas: 2011 update. <i>European Urology</i> , 2011 , 59, 584-94	10.2	303
461	Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , 2012 , 62, 100-14	10.2	276
460	Environmental factors involved in carcinogenesis of urothelial cell carcinomas of the upper urinary tract. <i>BJU International</i> , 2009 , 104, 1436-40	5.6	178
459	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. <i>European Urology</i> , 2021 , 79, 62-79	10.2	176
458	Positive surgical margin appears to have negligible impact on survival of renal cell carcinomas treated by nephron-sparing surgery. <i>European Urology</i> , 2010 , 57, 466-71	10.2	174
457	A Systematic Review and Meta-analysis of Clinicopathologic Factors Linked to Intravesical Recurrence After Radical Nephroureterectomy to Treat Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2015 , 67, 1122-1133	10.2	142
456	Urine markers for detection and surveillance of non-muscle-invasive bladder cancer. <i>European Urology</i> , 2011 , 60, 484-92	10.2	142
455	European Association of Urology Guidelines Office Rapid Reaction Group: An Organisation-wide Collaborative Effort to Adapt the European Association of Urology Guidelines Recommendations to the Coronavirus Disease 2019 Era. <i>European Urology</i> , 2020 , 78, 21-28	10.2	141
454	Upper urinary tract urothelial cell carcinomas and other urological malignancies involved in the hereditary nonpolyposis colorectal cancer (lynch syndrome) tumor spectrum. <i>European Urology</i> , 2008 , 54, 1226-36	10.2	130

453	First round of targeted biopsies using magnetic resonance imaging/ultrasonography fusion compared with conventional transrectal ultrasonography-guided biopsies for the diagnosis of localised prostate cancer. <i>BJU International</i> , 2015 , 115, 50-7	5.6	126
452	Molecular detection of localized prostate cancer using quantitative methylation-specific PCR on urinary cells obtained following prostate massage. <i>Clinical Cancer Research</i> , 2007 , 13, 1720-5	12.9	126
451	Prognostic Performance and Reproducibility of the 1973 and 2004/2016 World Health Organization Grading Classification Systems in Non-muscle-invasive Bladder Cancer: A European Association of Urology Non-muscle Invasive Bladder Cancer Guidelines Panel Systematic Review. <i>European Urology</i> 2017 , 72, 801-813	10.2	124
450	Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the EAU Non-muscle Invasive Bladder Cancer Guidelines Panel. <i>European Urology</i> , 2016 , 70, 1052-1068	10.2	122
449	Prediction of cancer specific survival after radical nephroureterectomy for upper tract urothelial carcinoma: development of an optimized postoperative nomogram using decision curve analysis. <i>Journal of Urology</i> , 2013 , 189, 1662-9	2.5	117
448	Ureteral and multifocal tumours have worse prognosis than renal pelvic tumours in urothelial carcinoma of the upper urinary tract treated by nephroureterectomy. <i>European Urology</i> , 2011 , 60, 1258-65	10.2	113
447	Career choices of medical students: a national survey of 1780 students. <i>Medical Education</i> , 2010 , 44, 603-12	5.1	112
446	Bladder recurrence after surgery for upper urinary tract urothelial cell carcinoma: frequency, risk factors, and surveillance. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 130-6	2.8	108
445	Comparison of open nephroureterectomy and ureteroscopic and percutaneous management of upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2006 , 67, 1181-7	1.6	104
444	Validation of the Clavien-Dindo Grading System in Urology by the European Association of Urology Guidelines Ad Hoc Panel. <i>European Urology Focus</i> , 2018 , 4, 608-613	5.1	101
443	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014 , 23, 1387-98	5.6	101
442	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61	5.6	97
441	Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8	10.2	94
440	Micropapillary urothelial carcinoma of the urinary bladder: a clinicopathological analysis of 72 cases. <i>Pathology</i> , 2010 , 42, 650-4	1.6	87
439	Anterior suspension combined with posterior reconstruction during robot-assisted laparoscopic prostatectomy improves early return of urinary continence: a prospective randomized multicentre trial. <i>BJU International</i> , 2012 , 110, 875-83	5.6	85
438	Outcomes after adjuvant chemotherapy in the treatment of high-risk urothelial carcinoma of the upper urinary tract (UUT-UC): results from a large multicenter collaborative study. <i>Cancer</i> , 2011 , 117, 5500-8	6.4	85
437	From Leonardo to da Vinci: the history of robot-assisted surgery in urology. <i>BJU International</i> , 2011 , 108, 1708-13; discussion 1714	5.6	82
436	Upper urinary tract transitional cell carcinoma: recurrence rate after percutaneous endoscopic resection. <i>European Urology</i> , 2007 , 51, 709-13; discussion 714	10.2	80

435	Effectiveness of Adjuvant Chemotherapy After Radical Nephroureterectomy for Locally Advanced and/or Positive Regional Lymph Node Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, 852-860	2.2	79
434	Oncologic control obtained after exclusive flexible ureteroscopic management of upper urinary tract urothelial cell carcinoma. <i>World Journal of Urology</i> , 2010 , 28, 151-6	4	79
433	Predicting Response to Intravesical Bacillus Calmette-Guérin Immunotherapy: Are We There Yet? A Systematic Review. <i>European Urology</i> , 2018 , 73, 738-748	10.2	77
432	Gender-specific differences in clinicopathologic outcomes following radical cystectomy: an international multi-institutional study of more than 8000 patients. <i>European Urology</i> , 2014 , 66, 913-9	10.2	77
431	EAU-EANM-ESTRO-ESUR-SIOG Prostate Cancer Guideline Panel Consensus Statements for Deferred Treatment with Curative Intent for Localised Prostate Cancer from an International Collaborative Study (DETECTIVE Study). <i>European Urology</i> , 2019 , 76, 790-813	10.2	76
430	Oncologic control after open or laparoscopic nephroureterectomy for upper urinary tract transitional cell carcinoma: a single center experience. <i>Urology</i> , 2007 , 69, 656-61	1.6	75
429	Comparison of oncological outcomes after segmental ureterectomy or radical nephroureterectomy in urothelial carcinomas of the upper urinary tract: results from a large French multicentre study. <i>BJU International</i> , 2012 , 110, 1134-41	5.6	73
428	Grading of Urothelial Carcinoma and The New "World Health Organisation Classification of Tumours of the Urinary System and Male Genital Organs 2016". <i>European Urology Focus</i> , 2019 , 5, 457-466 ^{5.1}	5.1	73
427	Risks from Deferring Treatment for Genitourinary Cancers: A Collaborative Review to Aid Triage and Management During the COVID-19 Pandemic. <i>European Urology</i> , 2020 , 78, 29-42	10.2	71
426	Comparison of 1800 Robotic and Open Partial Nephrectomies for Renal Tumors. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4277-4283	3.1	70
425	Assessment of oncologic control obtained after open versus laparoscopic nephroureterectomy for upper urinary tract urothelial carcinomas (UUT-UCs): results from a large French multicenter collaborative study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 301-8	3.1	70
424	Clinicopathological characteristics of urothelial bladder cancer in patients less than 40 years old. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 589-94 ^{5.1}	5.1	66
423	Promoter hypermethylation in circulating blood cells identifies prostate cancer progression. <i>International Journal of Cancer</i> , 2008 , 122, 952-6	7.5	66
422	Tissue microarray analysis of the prognostic value of E-cadherin, Ki67, p53, p27, survivin and MSH2 expression in upper urinary tract transitional cell carcinoma. <i>European Urology</i> , 2005 , 48, 764-70	10.2	66
421	Oncological Outcomes of Laparoscopic Nephroureterectomy Versus Open Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: An European Association of Urology Guidelines Systematic Review. <i>European Urology Focus</i> , 2019 , 5, 205-223	5.1	66
420	Comparison of mid-term carcinologic control obtained after open, laparoscopic, and robot-assisted radical prostatectomy for localized prostate cancer. <i>World Journal of Urology</i> , 2009 , 27, 599-605	4	65
419	Renal cell carcinoma (RCC) in patients with end-stage renal disease exhibits many favourable clinical, pathologic, and outcome features compared with RCC in the general population. <i>European Urology</i> , 2011 , 60, 366-73	10.2	64
418	Characterization of long non-coding RNA transcriptome in clear-cell renal cell carcinoma by next-generation deep sequencing. <i>Molecular Oncology</i> , 2015 , 9, 32-43	7.9	63

4 ¹⁷	Long-term functional outcomes after artificial urinary sphincter implantation in men with stress urinary incontinence. <i>BJU International</i> , 2015 , 115, 951-7	5.6	62
4 ¹⁶	A prospective comparison of surgical and pathological outcomes obtained after robot-assisted or pure laparoscopic partial nephrectomy in moderate to complex renal tumours: results from a French multicentre collaborative study. <i>BJU International</i> , 2013 , 111, 256-63	5.6	61
4 ¹⁵	Microsatellite instability as predictor of survival in patients with invasive upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2005 , 65, 1233-7	1.6	61
4 ¹⁴	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250	10.2	60
4 ¹³	Neoadjuvant targeted molecular therapies in patients undergoing nephrectomy and inferior vena cava thrombectomy: is it useful?. <i>World Journal of Urology</i> , 2014 , 32, 109-14	4	59
4 ¹²	Prospective comparison of short-term functional outcomes obtained after pure laparoscopic and robot-assisted laparoscopic sacrocolpopexy. <i>World Journal of Urology</i> , 2012 , 30, 393-8	4	59
4 ¹¹	Methylated genes as potential biomarkers in prostate cancer. <i>BJU International</i> , 2010 , 105, 1364-70	5.6	59
4 ¹⁰	The role of chemotherapy in the treatment of urothelial cell carcinoma of the upper urinary tract (UUT-UCC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 407-13	2.8	58
4 ⁰⁹	Intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinomas: predictors and impact on subsequent oncological outcomes from a national multicenter study. <i>World Journal of Urology</i> , 2013 , 31, 61-8	4	57
4 ⁰⁸	Treatment options available for bacillus Calmette-Guérin failure in non-muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 1088-96	10.2	57
4 ⁰⁷	The prognostic role of lymphovascular invasion in urothelial carcinoma of the bladder. <i>Nature Reviews Urology</i> , 2016 , 13, 471-9	5.5	57
4 ⁰⁶	Outcomes and general health-related quality of life among patients medically treated in general daily practice for lower urinary tract symptoms due to benign prostatic hyperplasia. <i>World Journal of Urology</i> , 2012 , 30, 419-26	4	55
4 ⁰⁵	European Association of Urology (@Uroweb) recommendations on the appropriate use of social media. <i>European Urology</i> , 2014 , 66, 628-32	10.2	54
4 ⁰⁴	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
4 ⁰³	Early unclamping technique during robot-assisted laparoscopic partial nephrectomy can minimise warm ischaemia without increasing morbidity. <i>BJU International</i> , 2014 , 114, 741-7	5.6	54
4 ⁰²	Development of immunotherapy in bladder cancer: present and future on targeting PD(L)1 and CTLA-4 pathways. <i>World Journal of Urology</i> , 2018 , 36, 1727-1740	4	54
4 ⁰¹	Clinicopathological characteristics and outcome of nested carcinoma of the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 199-205 ¹	5.1	53
4 ⁰⁰	Lynch Syndrome: A Primer for Urologists and Panel Recommendations. <i>Journal of Urology</i> , 2015 , 194, 21-9	2.5	53

399	Impact of ischaemia time on renal function after partial nephrectomy: a systematic review. <i>BJU International</i> , 2016 , 118, 692-705	5.6	52
398	An up-to-date catalog of available urinary biomarkers for the surveillance of non-muscle invasive bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 1981-1995	4	52
397	Learning curves and perioperative outcomes after endoscopic enucleation of the prostate: a comparison between GreenLight 532-nm and holmium lasers. <i>World Journal of Urology</i> , 2017 , 35, 973-983	4	52
396	Influence of positive surgical margin status after radical nephroureterectomy on upper urinary tract urothelial carcinoma survival. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3613-20	3.1	52
395	European Association of Urology (EAU) Prognostic Factor Risk Groups for Non-muscle-invasive Bladder Cancer (NMIBC) Incorporating the WHO 2004/2016 and WHO 1973 Classification Systems for Grade: An Update from the EAU NMIBC Guidelines Panel. <i>European Urology</i> , 2021 , 79, 480-488	10.2	51
394	Risk of malignancy after augmentation cystoplasty: A systematic review. <i>Neurourology and Urodynamics</i> , 2016 , 35, 675-82	2.3	51
393	European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (Ta, T1, and Carcinoma in Situ). <i>European Urology</i> , 2021 ,	10.2	51
392	Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017 , 35, 337-353	4	50
391	Pathologic findings in radical prostatectomy specimens from patients eligible for active surveillance with highly selective criteria: a multicenter study. <i>Urology</i> , 2012 , 80, 656-60	1.6	50
390	Laparoscopic approach for artificial urinary sphincter implantation in women with intrinsic sphincter deficiency incontinence: a single-centre preliminary experience. <i>European Urology</i> , 2010 , 57, 499-504	10.2	49
389	Genetic pathways involved in carcinogenesis of clear cell renal cell carcinoma: genomics towards personalized medicine. <i>BJU International</i> , 2012 , 109, 1864-70	5.6	48
388	A proportion of hereditary upper urinary tract urothelial carcinomas are misclassified as sporadic according to a multi-institutional database analysis: proposal of patient-specific risk identification tool. <i>BJU International</i> , 2012 , 110, E583-9	5.6	48
387	Accuracy of Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies to Diagnose Clinically Significant Prostate Cancer in Enlarged Compared to Smaller Prostates. <i>Journal of Urology</i> , 2015 , 194, 669-73	2.5	48
386	Postoperative nomogram to predict cancer-specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. <i>BJU International</i> , 2014 , 114, 733-40	5.6	48
385	Impact of peri-operative blood transfusion on the outcomes of patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>BJU International</i> , 2014 , 113, 393-8	5.6	48
384	Upper urinary tract tumour after radical cystectomy for transitional cell carcinoma of the bladder: an update on the risk factors, surveillance regimens and treatments. <i>BJU International</i> , 2007 , 100, 11-6	5.6	48
383	Molecular and histological markers in urothelial carcinomas of the upper urinary tract. <i>BJU International</i> , 2008 , 102, 532-5	5.6	47
382	Radical prostatectomy for high-risk prostate cancer defined by preoperative criteria: oncologic follow-up in national multicenter study in 813 patients and assessment of easy-to-use prognostic substratification. <i>Urology</i> , 2011 , 78, 607-13	1.6	46

381	What Is the Significance of Variant Histology in Urothelial Carcinoma?. <i>European Urology Focus</i> , 2020 , 6, 653-663	5.1	46
380	Nephrectomy improves overall survival in patients with metastatic renal cell carcinoma in cases of favorable MSKCC or ECOG prognostic features. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 339.e9-15	2.8	45
379	A prospective comparison of the pathologic and surgical outcomes obtained after elective treatment of renal cell carcinoma by open or robot-assisted partial nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 924-9	2.8	45
378	Renal cell carcinoma of the grafted kidney: how to improve screening and graft tracking. <i>Transplantation</i> , 2004 , 77, 146-8	1.8	45
377	Female gender is associated with higher risk of disease recurrence in patients with primary T1 high-grade urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2013 , 31, 1029-36	4	44
376	Prognostic interest in discriminating muscularis mucosa invasion (T1a vs T1b) in nonmuscle invasive bladder carcinoma: French national multicenter study with central pathology review. <i>Journal of Urology</i> , 2013 , 189, 2069-76	2.5	44
375	A comparison of the performance of microsatellite and methylation urine analysis for predicting the recurrence of urothelial cell carcinoma, and definition of a set of markers by Bayesian network analysis. <i>BJU International</i> , 2008 , 101, 1448-53	5.6	44
374	Interest of methylated genes as biomarkers in urothelial cell carcinomas of the urinary tract. <i>BJU International</i> , 2009 , 104, 896-901	5.6	43
373	Adjuvant Chemotherapy vs Observation for Patients With Adverse Pathologic Features at Radical Cystectomy Previously Treated With Neoadjuvant Chemotherapy. <i>JAMA Oncology</i> , 2018 , 4, 225-229	13.4	42
372	The impact of lymph node status and features on oncological outcomes in urothelial carcinoma of the upper urinary tract (UTUC) treated by nephroureterectomy. <i>World Journal of Urology</i> , 2013 , 31, 189-97	4.7	42
371	Oncological risk of laparoscopic surgery in urothelial carcinomas. <i>World Journal of Urology</i> , 2009 , 27, 81-8	4	42
370	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2019 , 121, 375-378	5.6	41
369	Prognostic significance of markers of systemic inflammatory response in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 483.e17-483.e24	2.8	40
368	The oncologic impact of a delay between diagnosis and radical nephroureterectomy due to diagnostic ureteroscopy in upper urinary tract urothelial carcinomas: results from a large collaborative database. <i>World Journal of Urology</i> , 2013 , 31, 69-76	4	40
367	Long-term functional outcomes after ileal ureter substitution: a single-center experience. <i>Urology</i> , 2011 , 78, 692-5	1.6	40
366	Perceived Role of Social Media in Urologic Knowledge Acquisition Among Young Urologists: A European Survey. <i>European Urology Focus</i> , 2018 , 4, 768-773	5.1	40
365	Impact of the length of time between diagnosis and surgical removal of urologic neoplasms on survival. <i>World Journal of Urology</i> , 2014 , 32, 475-9	4	39
364	Risk Stratification Tools and Prognostic Models in Non-muscle-invasive Bladder Cancer: A Critical Assessment from the European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel. <i>European Urology Focus</i> , 2020 , 6, 479-489	5.1	39

363	Predictive factors of complications after robot-assisted laparoscopic partial nephrectomy: a retrospective multicentre study. <i>BJU International</i> , 2013 , 112, E283-9	5.6	38
362	Predictive factors of recurrence and survival of upper tract urothelial carcinomas. <i>World Journal of Urology</i> , 2011 , 29, 495-501	4	38
361	Laparoscopic distal ureterectomy and anastomosis for management of low-risk upper urinary tract transitional cell carcinoma: preliminary results. <i>BJU International</i> , 2007 , 99, 623-7	5.6	38
360	Online Professionalism-2018 Update of European Association of Urology (@Uroweb) Recommendations on the Appropriate Use of Social Media. <i>European Urology</i> , 2018 , 74, 644-650	10.2	38
359	Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 949-56	10.2	37
358	Accuracy of the prostate health index versus the urinary prostate cancer antigen 3 score to predict overall and significant prostate cancer at initial biopsy. <i>Prostate</i> , 2015 , 75, 103-11	4.2	37
357	Perioperative outcomes and complications of intracorporeal vs extracorporeal urinary diversion after robot-assisted radical cystectomy for bladder cancer: a real-life, multi-institutional french study. <i>World Journal of Urology</i> , 2018 , 36, 1711-1718	4	37
356	Oncological control after radical prostatectomy in men with clinical T3 prostate cancer: a single-centre experience. <i>BJU International</i> , 2009 , 103, 1173-8; discussion 1178	5.6	37
355	A comparative propensity score-matched analysis of perioperative outcomes of intracorporeal vs extracorporeal urinary diversion after robot-assisted radical cystectomy: results from the International Robotic Cystectomy Consortium. <i>BJU International</i> , 2020 , 126, 265-272	5.6	37
354	Contemporary role of lymph node dissection at the time of radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 535-548	4	35
353	Long-term functional outcomes after artificial urinary sphincter implantation in women with stress urinary incontinence. <i>BJU International</i> , 2014 , 113, 961-7	5.6	35
352	Prevalence, management, and prognosis of bladder cancer in patients with neurogenic bladder: A systematic review. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1386-1395	2.3	34
351	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014 , 35, 1737-44	4.6	33
350	Accuracy of high resolution (1.5 tesla) pelvic phased array magnetic resonance imaging (MRI) in staging prostate cancer in candidates for radical prostatectomy: results from a prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 448-54	2.8	33
349	Potential Benefit of Lymph Node Dissection During Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the European Association of Urology Guidelines Panel on Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2019 , 5, 224-241	5.1	33
348	Lymphocyte-to-monocyte ratio and neutrophil-to-lymphocyte ratio as biomarkers for predicting lymph node metastasis and survival in patients treated with radical cystectomy. <i>Journal of Surgical Oncology</i> , 2017 , 115, 455-461	2.8	32
347	Assessment of the learning curves for photoselective vaporization of the prostate using GreenLight [®] 80-Watt-XPS laser therapy: defining the intra-operative parameters within a prospective cohort. <i>World Journal of Urology</i> , 2014 , 32, 539-44	4	32
346	Role of pelvic phased array magnetic resonance imaging in staging of prostate cancer specifically in patients diagnosed with clinically locally advanced tumours by digital rectal examination. <i>World Journal of Urology</i> , 2013 , 31, 881-6	4	32

345	The use of immediate postoperative instillations of intravesical chemotherapy after TURBT of NMIBC among European countries. <i>World Journal of Urology</i> , 2014 , 32, 525-30	4	32
344	Direct Comparison of GreenLight Laser XPS Photoselective Prostate Vaporization and GreenLight Laser En Bloc Enucleation of the Prostate in Enlarged Glands Greater than 80 ml: a Study of 120 Patients. <i>Journal of Urology</i> , 2016 , 195, 1027-32	2.5	32
343	Staging the Host: Personalizing Risk Assessment for Radical Cystectomy Patients. <i>European Urology Oncology</i> , 2018 , 1, 292-304	6.7	32
342	Small cell carcinoma of the upper urinary tract (UUT-SCC): report of a rare entity and systematic review of the literature. <i>Cancer Treatment Reviews</i> , 2011 , 37, 366-72	14.4	31
341	Management of stress urinary incontinence following prostate surgery with minimally invasive adjustable continence balloon implants: functional results from a single center prospective study. <i>Journal of Urology</i> , 2011 , 186, 198-203	2.5	31
340	Potential role of photodynamic techniques combined with new generation flexible ureterorenoscopes and molecular markers for the management of urothelial carcinoma of the upper urinary tract. <i>BJU International</i> , 2012 , 109, 608-13; discussion 613-4	5.6	30
339	Upper urinary tract instillations in the treatment of urothelial carcinomas: a review of technical constraints and outcomes. <i>World Journal of Urology</i> , 2013 , 31, 45-52	4	30
338	Impact of smoking status and cumulative exposure on intravesical recurrence of upper tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2014 , 114, 56-61	5.6	30
337	Molecular Characterization of Upper Tract Urothelial Carcinoma in the Era of Next-generation Sequencing: A Systematic Review of the Current Literature. <i>European Urology</i> , 2020 , 78, 209-220	10.2	29
336	The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , 2016 , 2, 79-85	5.1	29
335	Robot-assisted laparoscopic artificial urinary sphincter insertion in men with neurogenic stress urinary incontinence. <i>BJU International</i> , 2013 , 111, 1175-9	5.6	29
334	Oncologic control provided by HIFU therapy as single treatment in men with clinically localized prostate cancer. <i>World Journal of Urology</i> , 2008 , 26, 481-5	4	29
333	The subclassification of papillary renal cell carcinoma does not affect oncological outcomes after nephron sparing surgery. <i>World Journal of Urology</i> , 2016 , 34, 347-52	4	28
332	Influence of preoperative factors on the oncologic outcome for upper urinary tract urothelial carcinoma after radical nephroureterectomy. <i>World Journal of Urology</i> , 2015 , 33, 335-41	4	28
331	Is there a contemporary role for percutaneous needle biopsy in the era of small renal masses?. <i>BJU International</i> , 2012 , 109, 867-72	5.6	28
330	Quantitative RT-PCR analysis of PSA and prostate-specific membrane antigen mRNA to detect circulating tumor cells improves recurrence-free survival nomogram prediction after radical prostatectomy. <i>Prostate</i> , 2012 , 72, 1382-8	4.2	28
329	Distribution of Foxp3-, CD4- and CD8-positive lymphocytic cells in benign and malignant prostate tissue. <i>Apmis</i> , 2010 , 118, 360-5	3.4	28
328	Trends of lymphadenectomy in upper tract urothelial carcinoma (UTUC) patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 1541-1547	4	27

327	Disease-free survival as a surrogate for overall survival in upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 5-11	4	27
326	Positive surgical margins and their locations in specimens are adverse prognosis features after radical cystectomy in non-metastatic carcinoma invading bladder muscle: results from a nationwide case-control study. <i>BJU International</i> , 2013 , 111, 1253-60	5.6	27
325	Functional outcomes after management of end-stage neurological bladder dysfunction with ileal conduit in a multiple sclerosis population: a monocentric experience. <i>Urology</i> , 2011 , 78, 937-41	1.6	27
324	Safe Use of Immune Checkpoint Inhibitors in the Multidisciplinary Management of Urological Cancer: The European Association of Urology Position in 2019. <i>European Urology</i> , 2019 , 76, 368-380	10.2	26
323	The role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma following radical nephroureterectomy: a retrospective study. <i>BJU International</i> , 2015 , 116, 72-8	5.6	26
322	A systematic review and meta-analysis of the impact of lymphovascular invasion in bladder cancer transurethral resection specimens. <i>BJU International</i> , 2019 , 123, 11-21	5.6	26
321	Adrenal tumours are more predominant in females regardless of their histological subtype: a review. <i>World Journal of Urology</i> , 2013 , 31, 1037-43	4	26
320	Impact of lymphovascular invasion on oncological outcomes in patients with upper tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2013 , 111, 1199-207	5.6	26
319	Assessing the complications of laparoscopic robot-assisted surgery: the case of radical prostatectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 536-42	5.2	26
318	Laparoscopic surgical complete sling resection for tension-free vaginal tape-related complications refractory to first-line conservative management: a single-centre experience. <i>European Urology</i> , 2010 , 58, 270-4	10.2	26
317	Discrepancy Between European Association of Urology Guidelines and Daily Practice in the Management of Non-muscle-invasive Bladder Cancer: Results of a European Survey. <i>European Urology Focus</i> , 2019 , 5, 681-688	5.1	26
316	Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 121-130	4	25
315	Efficacy of Systemic Chemotherapy Plus Radical Nephroureterectomy for Metastatic Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2017 , 71, 714-718	10.2	25
314	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656	5.6	25
313	Upper Urinary Tract Carcinoma In Situ: Current Knowledge, Future Direction. <i>Journal of Urology</i> , 2017 , 197, 287-295	2.5	25
312	Validation of Preoperative Risk Grouping of the Selection of Patients Most Likely to Benefit From Neoadjuvant Chemotherapy Before Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e267-e273	3.3	25
311	Prognostic value of microRNA expression pattern in upper tract urothelial carcinoma. <i>BJU International</i> , 2014 , 113, 813-21	5.6	25
310	Effect of genetic variability within 8q24 on aggressiveness patterns at diagnosis and familial status of prostate cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 5635-9	12.9	25

309	Microsatellite instability and transitional cell carcinoma of the upper urinary tract. <i>BJU International</i> , 2005 , 96, 489-92	5.6	25
308	Intraoperative Adverse Incident Classification (EAUiaIC) by the European Association of Urology ad hoc Complications Guidelines Panel. <i>European Urology</i> , 2020 , 77, 601-610	10.2	25
307	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Primary Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e755-e764	3.3	24
306	Endocavitary treatment for upper tract urothelial carcinoma: A meta-analysis of the current literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 430-436	2.8	24
305	The Impact of COVID-19 Outbreak on Uro-oncological Practice Across Europe: Which Burden of Activity Are We Facing Ahead?. <i>European Urology</i> , 2020 , 78, 124-126	10.2	24
304	Impact of ERBB2 mutations on in vitro sensitivity of bladder cancer to lapatinib. <i>Cancer Biology and Therapy</i> , 2014 , 15, 1239-47	4.6	24
303	Prognosis of patients with pelvic lymph node (LN) metastasis after radical prostatectomy: value of extranodal extension and size of the largest LN metastasis. <i>BJU International</i> , 2014 , 114, 503-10	5.6	24
302	Impact of histological variants on the outcomes of nonmuscle invasive bladder cancer after transurethral resection. <i>Current Opinion in Urology</i> , 2014 , 24, 524-31	2.8	24
301	Influence of previous or synchronous bladder cancer on oncologic outcomes after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 23.e1-8	2.8	24
300	Penile rehabilitation after radical prostatectomy: does it work?. <i>Translational Andrology and Urology</i> , 2015 , 4, 110-23	2.3	24
299	Multiparametric Magnetic Resonance Imaging Predicts Postoperative Pathology but Misses Aggressive Prostate Cancers as Assessed by Cell Cycle Progression Score. <i>Journal of Urology</i> , 2015 , 194, 1617-23	2.5	23
298	Treatment of High-grade Non-muscle-invasive Bladder Carcinoma by Standard Number and Dose of BCG Instillations Versus Reduced Number and Standard Dose of BCG Instillations: Results of the European Association of Urology Research Foundation Randomised Phase III Clinical Trial "EUROBLIS". <i>European Urology</i> , 2020 , 78, 600-608	10.2	23
297	Inactivation and Mutation Drive a Convergence toward Loss of Function of H3K36 Writers in Clear Cell Renal Cell Carcinomas. <i>Cancer Research</i> , 2017 , 77, 4835-4845	10.1	23
296	Techniques and outcomes of minimally-invasive surgery for nonmetastatic renal cell carcinoma with inferior vena cava thrombosis: a systematic review of the literature. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 339-358	4.4	23
295	The Diagnostic and Prognostic Performance of Urinary FGFR3 Mutation Analysis in Bladder Cancer Surveillance: A Prospective Multicenter Study. <i>Urology</i> , 2015 , 86, 1185-90	1.6	22
294	HOXB13 is a sensitive and specific marker of prostate cells, useful in distinguishing between carcinomas of prostatic and urothelial origin. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 803-9	5.1	22
293	ERCC1 as a Prognostic and Predictive Biomarker for Urothelial Carcinoma of the Bladder following Radical Cystectomy. <i>Journal of Urology</i> , 2015 , 194, 1456-62	2.5	22
292	Low circulating free and bioavailable testosterone levels as predictors of high-grade tumors in patients undergoing radical prostatectomy for localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 384.e21-7	2.8	22

291	Impact of micropapillary histological variant on survival after radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2014 , 32, 531-7	4	22
290	Persistently elevated prostate-specific antigen at six weeks after radical prostatectomy helps in early identification of patients who are likely to recur. <i>World Journal of Urology</i> , 2012 , 30, 239-44	4	22
289	Upper urinary tract disease: what we know today and unmet needs. <i>Translational Andrology and Urology</i> , 2015 , 4, 261-72	2.3	22
288	Novel use of Twitter to disseminate and evaluate adherence to clinical guidelines by the European Association of Urology. <i>BJU International</i> , 2017 , 119, 820-822	5.6	21
287	Relationship of surgeon/hospital volume with outcomes in uro-oncology surgery. <i>Current Opinion in Urology</i> , 2018 , 28, 251-259	2.8	21
286	Clinicopathological characteristics of incidental prostate cancer discovered from radical cystoprostatectomy specimen: a multicenter French study. <i>Annals of Surgical Oncology</i> , 2014 , 21, 684-90 ^{3.1}		21
285	Clear cell papillary renal cell carcinoma is an indolent and low-grade neoplasm with overexpression of cyclin-D1. <i>Histopathology</i> , 2014 , 64, 1032-6	7.3	21
284	Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> , 2020 , 6, 1233-1239	5.1	21
283	Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016 , 195, 1354-1361	2.5	20
282	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016 , 25, 1203-14	5.6	20
281	Effect of ABO blood type on mortality in patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 625-30	2.8	20
280	Genetic variability in 8q24 confers susceptibility to urothelial carcinoma of the upper urinary tract and is linked with patterns of disease aggressiveness at diagnosis. <i>Journal of Urology</i> , 2012 , 187, 424-8	2.5	20
279	The presence of detrusor muscle in the pathological specimen after transurethral resection of primary pT1 bladder tumors and its relationship to operator experience. <i>Canadian Journal of Urology</i> , 2012 , 19, 6459-64	0.8	20
278	Lynch syndrome in upper tract urothelial carcinoma: significance, screening, and surveillance. <i>Current Opinion in Urology</i> , 2017 , 27, 48-55	2.8	19
277	Impact of hospital volume and surgeon volume on robot-assisted partial nephrectomy outcomes: a multicentre study. <i>BJU International</i> , 2018 , 121, 916-922	5.6	19
276	Renal-cell carcinoma risk estimates based on participants in the prostate, lung, colorectal, and ovarian cancer screening trial and national lung screening trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 167.e9-16	2.8	19
275	Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 233.e1-6	2.8	19
274	The 19q12 bladder cancer GWAS signal: association with cyclin E function and aggressive disease. <i>Cancer Research</i> , 2014 , 74, 5808-18	10.1	19

273	The role of American Society of Anesthesiologists scores in predicting urothelial carcinoma of the upper urinary tract outcome after radical nephroureterectomy: results from a national multi-institutional collaborative study. <i>BJU International</i> , 2012 , 110, E1035-40	5.6	19
272	Predictive tools for clinical decision-making and counseling of patients with upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 31-6	4	19
271	Ductal adenocarcinoma of the prostate: Clinical and biological profiles. <i>Prostate</i> , 2017 , 77, 1242-1250	4.2	19
270	Partial nephrectomy versus ablative therapy for the treatment of renal tumors in an imperative setting. <i>World Journal of Urology</i> , 2017 , 35, 649-656	4	19
269	Impact of the expression of Aurora-A, p53, and MIB-1 on the prognosis of urothelial carcinomas of the upper urinary tract. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 182-7	2.8	19
268	Outcome of a modified York Mason technique in men with iatrogenic urethrorectal fistula after radical prostatectomy. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1008-13	3.1	19
267	Large cell undifferentiated carcinoma of the urinary bladder. <i>Pathology</i> , 2010 , 42, 364-8	1.6	19
266	Tissue expression of IL16 in prostate cancer and its association with recurrence after radical prostatectomy. <i>Prostate</i> , 2010 , 70, 1622-7	4.2	19
265	Adjuvant cisplatin-based combined chemotherapy for lymph node (LN)-positive urothelial carcinoma of the bladder (UCB) after radical cystectomy (RC): a retrospective international study of >1500 patients. <i>BJU International</i> , 2015 , 115, 722-7	5.6	18
264	The use of partial nephrectomy: results from a contemporary national prospective multicenter study. <i>World Journal of Urology</i> , 2015 , 33, 33-40	4	18
263	Microhematuria assessment an IBCN consensus-Based upon a critical review of current guidelines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 437-51	2.8	18
262	A comprehensive review of genomic landscape, biomarkers and treatment sequencing in castration-resistant prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 48, 25-33	14.4	18
261	Current role of diethylstilbestrol in the management of advanced prostate cancer. <i>BJU International</i> , 2012 , 110, E826-9	5.6	18
260	Is radical prostatectomy a viable therapeutic option in clinically locally advanced (cT3) prostate cancer?. <i>BJU International</i> , 2010 , 106, 1596-600	5.6	18
259	Preliminary assessment of patient and physician satisfaction with the use of teleconsultation in urology during the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021 , 39, 1991-1996	4	18
258	Nephron-sparing surgery for renal tumors measuring more than 7 cm: morbidity, and functional and oncological outcomes. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, e19-27	3.3	17
257	Quality assessment of partial nephrectomy complications reporting using EAU standardised quality criteria. <i>European Urology</i> , 2014 , 66, 522-6	10.2	17
256	Current role of image-guided robotic radiosurgery (Cyberknife(®)) for prostate cancer treatment. <i>BJU International</i> , 2013 , 111, 761-6	5.6	17

255	Genetic polymorphisms on 8q24.1 and 4p16.3 are not linked with urothelial carcinoma of the bladder in contrast to their association with aggressive upper urinary tract tumours. <i>World Journal of Urology</i> , 2013 , 31, 53-9	4	17
254	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014 , 113, 911-7	5.6	17
253	Can ureteral stent encrustation analysis predict urinary stone composition?. <i>Urology</i> , 2005 , 66, 246-51	1.6	17
252	Impact of Metabolic Diseases, Drugs, and Dietary Factors on Prostate Cancer Risk, Recurrence, and Survival: A Systematic Review by the European Association of Urology Section of Oncological Urology. <i>European Urology Focus</i> , 2019 , 5, 1029-1057	5.1	17
251	Role of Checkpoint Inhibition in Localized Bladder Cancer. <i>European Urology Oncology</i> , 2018 , 1, 190-198	6.7	17
250	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259	4	16
249	Preoperative nomogram to predict the likelihood of complications after radical nephroureterectomy. <i>BJU International</i> , 2017 , 119, 268-275	5.6	16
248	Stereotactic Radiation Therapy for Renal Cell Carcinoma Brain Metastases in the Tyrosine Kinase Inhibitors Era: Outcomes of 120 Patients. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 191-200	3.3	16
247	Prostate cancer incidence on cystoprostatectomy specimens is directly linked to age: results from a multicentre study. <i>BJU International</i> , 2015 , 115, 87-93	5.6	16
246	The World Health Organization 1973 classification system for grade is an important prognosticator in T1 non-muscle-invasive bladder cancer. <i>BJU International</i> , 2018 , 122, 978-985	5.6	16
245	Hereditary-like urothelial carcinomas of the upper urinary tract benefit more from adjuvant cisplatin-based chemotherapy after radical nephroureterectomy than do sporadic tumours. <i>BJU International</i> , 2014 , 113, 574-80	5.6	16
244	A systematic review of the tools available for predicting survival and managing patients with urothelial carcinomas of the bladder and of the upper tract in a curative setting. <i>World Journal of Urology</i> , 2013 , 31, 109-16	4	16
243	How to define a refractory idiopathic overactive bladder?. <i>Neurourology and Urodynamics</i> , 2015 , 34, 2-11	2.3	16
242	A systematic review of the treatment for female stress urinary incontinence by ACT [®] balloon placement (Uromedica, Irvine, CA, USA). <i>World Journal of Urology</i> , 2014 , 32, 495-505	4	16
241	Oncologic outcome after radical prostatectomy in men with PSA values above 20 ng/ml: a monocentric experience. <i>World Journal of Urology</i> , 2009 , 27, 653-8	4	16
240	De novo urinary stress incontinence after laparoscopic sacral colpopexy. <i>BJU International</i> , 2008 , 101, 594-7	5.6	16
239	Long-term complications of continent cutaneous urinary diversion in adult spinal cord injured patients. <i>Neurourology and Urodynamics</i> , 2016 , 35, 1046-1050	2.3	16
238	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120	4	15

237	Multi-institutional validation of the prognostic value of Ki-67 labeling index in patients treated with radical prostatectomy. <i>World Journal of Urology</i> , 2015 , 33, 1165-71	4	15
236	Efficacy of neoadjuvant and adjuvant chemotherapy for localized and locally advanced upper tract urothelial carcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1037-1054	4.2	15
235	Apparent diffusion coefficient value is a strong predictor of unsuspected aggressiveness of prostate cancer before radical prostatectomy. <i>World Journal of Urology</i> , 2016 , 34, 1389-95	4	15
234	Systematic Review: An Update on the Spectrum of Urological Malignancies in Lynch Syndrome. <i>Bladder Cancer</i> , 2018 , 4, 261-268	1	15
233	Failure of bacille Calmette-Guérin in patients with high risk non-muscle-invasive bladder cancer unsuitable for radical cystectomy: an update of available treatment options. <i>BJU International</i> , 2010 , 106, 162-7	5.6	15
232	Outcome after radical prostatectomy in young men with or without a family history of prostate cancer. <i>Urology</i> , 2006 , 67, 1028-32	1.6	15
231	Prognostic Value of the WHO1973 and WHO2004/2016 Classification Systems for Grade in Primary Ta/T1 Non-muscle-invasive Bladder Cancer: A Multicenter European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel Study. <i>European Urology Oncology</i> , 2021 , 4, 182-191	6.7	15
230	Multicenter Validation of Histopathologic Tumor Regression Grade After Neoadjuvant Chemotherapy in Muscle-invasive Bladder Carcinoma. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1600-1610	6.7	15
229	Aggressiveness of Localized Prostate Cancer: the Key Value of Testosterone Deficiency Evaluated by Both Total and Bioavailable Testosterone: AndroCan Study Results. <i>Hormones and Cancer</i> , 2019 , 10, 36-44	5	15
228	Accuracy of elastic fusion biopsy in daily practice: Results of a multicenter study of 2115 patients. <i>International Journal of Urology</i> , 2018 , 25, 990-997	2.3	15
227	Robotic radical nephroureterectomy and segmental ureterectomy for upper tract urothelial carcinoma: a multi-institutional experience. <i>World Journal of Urology</i> , 2019 , 37, 2303-2311	4	14
226	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745	5.6	14
225	Comparison of cell cycle progression score with two immunohistochemical markers (PTEN and Ki-67) for predicting outcome in prostate cancer after radical prostatectomy. <i>World Journal of Urology</i> , 2018 , 36, 1495-1500	4	14
224	Clinical outcomes after salvage radiotherapy without androgen deprivation therapy in patients with persistently detectable PSA after radical prostatectomy: results from a national multicentre study. <i>World Journal of Urology</i> , 2014 , 32, 1331-8	4	14
223	Cross-cultural validation of a prognostic tool: example of the Kattan preoperative nomogram as a predictor of prostate cancer recurrence after radical prostatectomy. <i>BJU International</i> , 2009 , 104, 813-7; discussion 817-8	5.6	14
222	Multi-Institutional Assessment of Routine Same Day Discharge Surgery for Robot-Assisted Radical Prostatectomy. <i>Journal of Urology</i> , 2020 , 204, 956-961	2.5	14
221	Papillary urothelial neoplasm of low malignant potential (PUN-LMP): Still a meaningful histo-pathological grade category for Ta, noninvasive bladder tumors in 2019?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 440-448	2.8	14
220	Metric substage according to micro and extensive lamina propria invasion improves prognostics in T1 bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 361.e7-361.e13	2.8	14

219	Oncological outcomes of advanced muscle-invasive bladder cancer with a micropapillary variant after radical cystectomy and adjuvant platinum-based chemotherapy. <i>World Journal of Urology</i> , 2015 , 33, 1087-93	4	13
218	Intralesional Injections for Early Peyronie Disease: Standardized Assessment and Analysis of Predictive Factors for Treatment Response. <i>Urology</i> , 2015 , 86, 57-61	1.6	13
217	The use of hemostatic agents does not prevent hemorrhagic complications of robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 1815-20	4	13
216	Trends in the Use of the GreenLight Laser in the Surgical Management of Benign Prostatic Obstruction in France Over the Past 10 Years. <i>European Urology</i> , 2015 , 67, 1193-1195	10.2	13
215	Molecular characterization of sarcomatoid clear cell renal cell carcinoma unveils new candidate oncogenic drivers. <i>Scientific Reports</i> , 2020 , 10, 701	4.9	13
214	HOXB13 protein expression in metastatic lesions is a promising marker for prostate origin. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 619-22	5.1	13
213	Chemotherapy in hormone-sensitive metastatic prostate cancer: Evidences and uncertainties from the literature. <i>Cancer Treatment Reviews</i> , 2017 , 55, 211-217	14.4	13
212	Malnourishment in bladder cancer and the role of immunonutrition at the time of cystectomy: an overview for urologists. <i>BJU International</i> , 2014 , 114, 177-84	5.6	13
211	A direct comparison of the diagnostic accuracy of three prostate cancer nomograms designed to predict the likelihood of a positive initial transrectal biopsy. <i>Prostate</i> , 2012 , 72, 1200-6	4.2	13
210	Impact of elective versus imperative indications on oncologic outcomes after open nephron-sparing surgery for the treatment of sporadic renal cell carcinomas. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1151-7	3.1	13
209	Motivation of French medical students to pursue surgical careers: results of national survey of 1742 students. <i>Journal of Visceral Surgery</i> , 2010 , 147, e181-6	1.9	13
208	COVID-19 outbreak situation and its psychological impact among surgeons in training in France. <i>World Journal of Urology</i> , 2021 , 39, 971-972	4	13
207	Kidney-sparing surgery for upper tract urothelial cancer. <i>Current Opinion in Urology</i> , 2015 , 25, 100-4	2.8	12
206	National prospective study on the use of local haemostatic agents during partial nephrectomy. <i>BJU International</i> , 2014 , 113, E56-61	5.6	12
205	Diagnostic, staging, and grading of urothelial carcinomas from urine: performance of BCA-1, a mini-array comparative genomic hybridisation-based test. <i>European Urology</i> , 2011 , 59, 250-7	10.2	12
204	Clinically localised prostate cancer is microsatellite stable. <i>BJU International</i> , 2007 , 99, 1031-5	5.6	12
203	Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , 2020 , 38, 1959-1968	4	12
202	Relationship between non-suspicious MRI and insignificant prostate cancer: results from a monocentric study. <i>World Journal of Urology</i> , 2016 , 34, 673-8	4	11

201	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238	5.6	11
200	Off-Clamp versus On-Clamp Robotic Partial Nephrectomy: A Multicenter Match-Paired Case-Control Study. <i>Urologia Internationalis</i> , 2017 , 99, 272-276	1.9	11
199	Postoperative drainage does not prevent complications after robotic partial nephrectomy. <i>World Journal of Urology</i> , 2016 , 34, 933-8	4	11
198	Different subtypes of carcinoma in situ of the bladder do not have a different prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 462, 343-8	5.1	11
197	Accuracy of the routine detection of mutation in mismatch repair genes in patients with susceptibility to hereditary upper urinary tract transitional cell carcinoma. <i>BJU International</i> , 2005 , 96, 149-51	5.6	11
196	Predictive models and prognostic factors for upper tract urothelial carcinoma: a comprehensive review of the literature. <i>Translational Andrology and Urology</i> , 2016 , 5, 720-734	2.3	11
195	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9	5.6	11
194	Outcomes of a virtual-reality simulator-training programme on basic surgical skills in robot-assisted laparoscopic surgery. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2017 , 13, e1740	2.9	10
193	Improved decision making in intermediate-risk prostate cancer: a multicenter study on pathologic and oncologic outcomes after radical prostatectomy. <i>World Journal of Urology</i> , 2017 , 35, 1191-1197	4	10
192	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22	2.8	10
191	Testosterone replacement therapy (TRT) and prostate cancer: An updated systematic review with a focus on previous or active localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 661-670	2.8	10
190	Long-term oncological outcomes after robotic partial nephrectomy for renal cell carcinoma: a prospective multicentre study. <i>World Journal of Urology</i> , 2018 , 36, 897-904	4	10
189	A switch from GnRH agonist to GnRH antagonist in castration-resistant prostate cancer patients leads to a low response rate on PSA. <i>World Journal of Urology</i> , 2013 , 31, 339-43	4	10
188	Trends in the landscape of artificial urinary sphincter implantation in men and women in France over the past decade. <i>European Urology</i> , 2013 , 63, 407-8	10.2	10
187	Risk stratification of metastatic recurrence in invasive upper urinary tract carcinoma after radical nephroureterectomy without lymphadenectomy. <i>World Journal of Urology</i> , 2014 , 32, 507-12	4	10
186	Prostate cancer local staging using biparametric MRI: assessment and comparison with multiparametric MRI. <i>European Journal of Radiology</i> , 2020 , 132, 109350	4.7	10
185	Current perspectives of sentinel lymph node dissection at the time of radical surgery for prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 50, 228-239	14.4	10
184	Comprehensive integrative profiling of upper tract urothelial carcinomas. <i>Genome Biology</i> , 2021 , 22, 7	18.3	10

183	Consultation on UTUC, Stockholm 2018 aspects of risk stratification: long-term results and follow-up. <i>World Journal of Urology</i> , 2019 , 37, 2289-2296	4	9
182	Impact of Anticoagulant and Antiplatelet Drugs on Perioperative Outcomes of Robotic-assisted Partial Nephrectomy. <i>Urology</i> , 2017 , 99, 118-122	1.6	9
181	Aurora-A/STK-15 is differentially expressed in the micropapillary variant of bladder cancer. <i>Urologia Internationalis</i> , 2009 , 82, 312-7	1.9	9
180	The surgical learning curve for endoscopic GreenLight laser enucleation of the prostate: an international multicentre study. <i>BJU International</i> , 2020 , 125, 153-159	5.6	9
179	Comparison of the performances of the ADXBLADDER test and urinary cytology in the follow-up of non-muscle-invasive bladder cancer: a blinded prospective multicentric study. <i>BJU International</i> , 2021 , 127, 198-204	5.6	9
178	Elevated preoperative neutrophil-lymphocyte ratio predicts upgrading at radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 100-105	6.2	9
177	Intraoperative Cyst Rupture during Partial Nephrectomy for Cystic Renal Masses-Does it Increase the Risk of Recurrence?. <i>Journal of Urology</i> , 2018 , 200, 1200-1206	2.5	9
176	Functional outcomes obtained with intracorporeal neobladder after robotic radical cystectomy for cancer: a narrative review. <i>Journal of Robotic Surgery</i> , 2020 , 14, 813-820	2.9	8
175	Prognostic value of the systemic inflammation modified Glasgow prognostic score in patients with upper tract urothelial carcinoma (UTUC) treated with radical nephroureterectomy: Results from a large multicenter international collaboration. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 602.e11-602.e19	2.8	8
174	Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 158.e1-158.e6	2.8	8
173	The role of adjuvant radiotherapy after surgery for upper and lower urinary tract urothelial carcinoma: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 659-671	2.8	8
172	Secondary chemoprevention of localized prostate cancer by short-term androgen deprivation to select indolent tumors suitable for active surveillance: a prospective pilot phase II study. <i>World Journal of Urology</i> , 2014 , 32, 545-50	4	8
171	Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 1073-1080	4	8
170	Collaborative research networks as a platform for virtual multidisciplinary, international approach to managing difficult clinical cases: an example from the Upper Tract Urothelial Carcinoma Collaboration. <i>European Urology</i> , 2012 , 62, 943-5	10.2	8
169	Oncologic outcomes and survival in pT0 tumors after radical cystectomy in patients without neoadjuvant chemotherapy: results from a large multicentre collaborative study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3833-8	3.1	8
168	Is the implantation of an artificial urinary sphincter with a large cuff in women with severe urinary incontinence associated with worse perioperative complications and functional outcomes than usual?. <i>International Urogynecology Journal</i> , 2011 , 22, 1319-24	2	8
167	Analysis of bladder cancer subtypes in neurogenic bladder tumors. <i>Canadian Journal of Urology</i> , 2018 , 25, 9161-9167	0.8	8
166	Correlation between prostate volume and single nucleotide polymorphisms implicated in the steroid pathway. <i>World Journal of Urology</i> , 2017 , 35, 293-298	4	7

165	Obesity is associated with biochemical recurrence after radical prostatectomy: A multi-institutional extended validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 460.e1-460.e8	2.8	7
164	Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 580-593	6.7	7
163	Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 1411-9	4	7
162	Germline genetic variations at 11q13 and 12p11 locus modulate age at onset for renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 487-92	2.5	7
161	Does increasing the nodal yield improve outcomes in contemporary patients without nodal metastasis undergoing radical prostatectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e1-8	2.8	7
160	The survival benefit of lymph node dissection at the time of removal of kidney, prostate and urothelial carcinomas: what is the evidence?. <i>World Journal of Urology</i> , 2013 , 31, 1369-76	4	7
159	Newer and novel artificial urinary sphincters (AUS): the development of alternatives to the current AUS device. <i>BJU International</i> , 2013 , 112, E426-8	5.6	7
158	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045	3.3	7
157	Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017 , 3, 161-169	1	7
156	Charlson score as a single pertinent criterion to select candidates for active surveillance among patients with small renal masses. <i>World Journal of Urology</i> , 2014 , 32, 513-8	4	7
155	Clinical characteristics and pathologic findings in patients eligible for active surveillance who underwent radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 402-7	2.8	7
154	Upcoming female preponderance within surgery residents and the association of sex with the surgical career choice in the new millennium: results from a national survey in France. <i>American Journal of Surgery</i> , 2011 , 202, 237-42	2.7	7
153	Impact of genotyping on outcome of prostatic biopsies: a multicenter prospective study. <i>Molecular Medicine</i> , 2011 , 17, 473-7	6.2	7
152	Urology surgical activity and COVID-19: risk assessment at the epidemic peak: a Parisian multicentre experience. <i>BJU International</i> , 2020 , 126, 436-440	5.6	7
151	Genetic Differences Between Bladder and Upper Urinary Tract Carcinoma: Implications for Therapy. <i>European Urology Oncology</i> , 2021 , 4, 170-179	6.7	7
150	A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2021 ,	5.6	7
149	Assessment of Learning Curves for 180-W GreenLight XPS Photoselective Vaporisation of the Prostate: A Multicentre Study. <i>European Urology Focus</i> , 2019 , 5, 266-272	5.1	7
148	Primary Ta high grade bladder tumors: Determination of the risk of progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 132.e7-132.e11	2.8	7

147	External validation of the pathological nodal staging score in upper tract urothelial carcinoma: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 33.e21-33.e26 ^{2.8}	6
146	Reply to Harry Herr Letter to the Editor re: Marko Babjuk, Andreas Bñle, Maximilian Burger, et al. EAU Guidelines on Non-muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. <i>Eur Urol</i> 2017 ;71:447-61. <i>European Urology</i> , 2017 , 71, e173-e174	10.2 6
145	Current status and future directions of the use of novel immunotherapeutic agents in bladder cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 428-440	2.8 6
144	Review of hypo-fractionated radiotherapy for localized muscle invasive bladder cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 142, 76-85	7 6
143	Frequency and prognostic significance of incidental prostate cancer at radical cystectomy: Results from an international retrospective study. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2193-2199	3.6 6
142	Promising functional outcomes obtained with robot-assisted laparoscopic pyeloplasty: a single-center experience. <i>Journal of Endourology</i> , 2009 , 23, 959-63	2.7 6
141	A randomized phase II study of erdafitinib (ERDA) versus intravesical chemotherapy (IC) in patients with high-risk nonmuscle invasive bladder cancer (HR-NMIBC) with FGFR mutations or fusions, who recurred after Bacillus Calmette-Guñin (BCG) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS603-TPS603	2.2 6
140	Risk stratification for kidney sparing procedure in upper tract urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016 , 5, 711-719	2.3 6
139	Peri-operative and local control outcomes of robot-assisted partial nephrectomy vs percutaneous cryoablation for renal masses: comparison after matching on radiological stage and renal score. <i>BJU International</i> , 2019 , 123, 632-638	5.6 6
138	Intravesical therapy for bladder cancer in the pandemic of Covid-19. <i>World Journal of Urology</i> , 2021 , 39, 1313-1314	4 6
137	Influence of statin use on clinicopathological characteristics of localized prostate cancer and outcomes obtained after radical prostatectomy: a single center study. <i>Canadian Journal of Urology</i> , 2015 , 22, 7703-8	0.8 6
136	Reply to Yan Shibing and Wei Qiang Letter to the Editor re: Morgan Rouprñ, Marko Babjuk, Eva Compñat, et al. European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>Eur Urol</i> 2015 ;68:868-79. <i>European Urology</i> , 2016 , 69, e51-2	10.2 5
135	Functional outcomes of adjustable continence therapy (ACT) balloons in women aged >80 years and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2015 , 33, 1897-903	4 5
134	Prognostic role of preoperative De Ritis ratio in upper tract urothelial carcinoma treated with nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e17-601.e24 ^{2.8}	5
133	Words of Wisdom. Re: Finasteride Reduces the Risk of Bladder Cancer in a Large Prospective Screening Study. <i>European Urology</i> , 2016 , 69, 537	10.2 5
132	Urothelial carcinomas of the upper urinary tract are now recognised as a true and distinct entity from bladder cancer and belong fully to the broad spectrum of onco-urologic neoplasms. <i>World Journal of Urology</i> , 2013 , 31, 1-3	4 5
131	Oncologic control obtained after radical prostatectomy in men with a pathological Gleason score ñ 8: a single-center experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 602-7	2.8 5
130	Pathological findings and oncological control afforded by radical prostatectomy in men with high-risk prostate cancer: a single-centre study. <i>World Journal of Urology</i> , 2011 , 29, 665-70	4 5

129	Prostate-sparing cystectomy for bladder cancer: a step toward a dead-end. <i>Urology</i> , 2010 , 76, 260-3	1.6	5
128	Diagnostic Accuracy of Novel Urinary Biomarker Tests in Non-muscle-invasive Bladder Cancer: A Systematic Review and Network Meta-analysis. <i>European Urology Oncology</i> , 2021 ,	6.7	5
127	The Performance of Tumor Size as Risk Stratification Parameter in Upper Tract Urothelial Carcinoma (UTUC). <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 272.e1-272.e7	3.3	5
126	A Systematic Review of the Use of Social Media for Dissemination of Clinical Practice Guidelines. <i>European Urology Focus</i> , 2021 , 7, 1195-1204	5.1	5
125	Role of serum cholinesterase in patients treated with salvage radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 123-129	2.8	5
124	Prognostic role of the systemic immune-inflammation index in upper tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 2641-2650	7.4	5
123	Unmet Clinical Needs and Future Perspectives in Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2018 , 4, 472-480	5.1	5
122	Low accuracy of routine ultrasound-guided systematic 12-core biopsies in prostate tumor mapping. <i>Canadian Journal of Urology</i> , 2012 , 19, 6366-72	0.8	5
121	Risk stratification of upper tract urothelial carcinoma: A Review of the Current Literature. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 503-513	3.5	4
120	Neurocognitive impairment is associated with erectile dysfunction in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2019 , 51, 850-855	3.3	4
119	Smoking Status Is Not Sufficient to Accurately Target Patients Who Would Benefit from Screening for Bladder and Kidney Cancer. <i>European Urology Focus</i> , 2015 , 1, 52-53	5.1	4
118	Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61	4	4
117	Localized chromophobe carcinomas treated by nephron-sparing surgery have excellent oncologic outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 35.e15-35.e19	2.8	4
116	Detection of specific chromosomal aberrations in urine using BCA-1 (oligo-CGH-array) enhances diagnostic sensitivity and predicts the aggressiveness of non-muscle-invasive bladder transitional cell carcinoma. <i>World Journal of Urology</i> , 2014 , 32, 551-7	4	4
115	Clinical relevance of urethral stents (Urospiral 2) placement in patients with prostatic obstacle and concomitant high-risk surgical status or neurological diseases: a feasibility and safety study. <i>Neurourology and Urodynamics</i> , 2011 , 30, 374-9	2.3	4
114	Full analysis of the prostatic urethra at the time of radical cystoprostatectomy for bladder cancer: impact on final disease stage. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 455, 449-53	5.1	4
113	Sacral neuromodulation for refractory detrusor overactivity in women with an artificial urinary sphincter. <i>Journal of Urology</i> , 2004 , 172, 236-9	2.5	4
112	The Use of Biomarkers for Bladder Cancer Diagnosis and Surveillance. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 1444-1449	3.2	4

111	Neuroendocrine Carcinoma of the Urinary Bladder: A Large, Retrospective Study From the French Genito-Urinary Tumor Group. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 295-303.e3	3.3	4
110	Safety and Feasibility of Laparoscopic Nephrectomy for Big Tumors (≥ 10 cm): A Retrospective Multicentric Study. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e335-40	3.3	4
109	Comparing oncological outcomes of laparoscopic vs open radical nephroureterectomy for the treatment of upper tract urothelial carcinoma: A propensity score-matched analysis. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 31-36	1.7	4
108	Indication for a Single Postoperative Instillation of Chemotherapy in Non-muscle-invasive Bladder Cancer: What Factors Should Be Considered?. <i>European Urology Focus</i> , 2018 , 4, 525-528	5.1	4
107	Prognostic role of the urokinase plasminogen activator (uPA) system in patients with nonmuscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 774-783	2.8	3
106	In Peer (Artificial Intelligence) Review We Trust. <i>European Urology</i> , 2019 , 76, 133-135	10.2	3
105	Outcomes after salvage radical prostatectomy and first-line radiation therapy or HIFU for recurrent localized prostate cancer: results from a multicenter study. <i>World Journal of Urology</i> , 2019 , 37, 1491-1498	4	3
104	Functional magnetic resonance imaging and molecular pathology at the crossroad of the management of early prostate cancer. <i>World Journal of Urology</i> , 2015 , 33, 929-36	4	3
103	Robot-assisted laparoscopic artificial urinary sphincter insertion in women with stress urinary incontinence: a pilot single-centre study. <i>BJU International</i> , 2020 , 126, 722-730	5.6	3
102	Peri-operative chemotherapy for muscle-invasive bladder cancer: status-quo in 2017. <i>Translational Andrology and Urology</i> , 2017 , 6, 1049-1059	2.3	3
101	Impact of Body Mass Index, Age, Prostate Volume, and Genetic Polymorphisms on Prostate-specific Antigen Levels in a Control Population. <i>European Urology</i> , 2016 , 70, 6-8	10.2	3
100	Comparing how significantly the pharmacological treatment of genitourinary cancer in a non-curative setting affects endpoints of survival or response. <i>World Journal of Urology</i> , 2013 , 31, 117-254	4	3
99	Fluorescence diagnosis and flat lesions of urothelium: new challenges for pathologists and urologists (Review). <i>Oncology Reports</i> , 2009 , 21, 839-44	3.5	3
98	Trends in the placement of penile prostheses over the last 17 years in France. <i>Asian Journal of Andrology</i> , 2015 , 17, 337-8	2.8	3
97	ABO Blood Group and Rhesus Factor Are Not Associated with Outcomes After Radical Cystectomy for Non-metastatic Urothelial Carcinoma of the Bladder. <i>Anticancer Research</i> , 2017 , 37, 5747-5753	2.3	3
96	The association of cigarette smoking and pathological response to neoadjuvant platinum-based chemotherapy in patients undergoing treatment for urinary bladder cancer - A prospective European multicenter observational study of the EAU Young Academic Urologists (YAU) urothelial carcinoma working group. <i>Surgical Oncology</i> , 2020 , 34, 312-317	2.5	3
95	PD-L1 expression and pattern of immune cells in pre-treatment specimens are associated with disease-free survival for HR-NMIBC undergoing BCG treatment. <i>World Journal of Urology</i> , 2021 , 39, 4055-4065	4.065	3
94	Newly Diagnosed Oligometastatic Prostate Cancer: Current Controversies and Future Developments. <i>European Urology Oncology</i> , 2020 ,	6.7	3

93	Impact of Hospital volume on postoperative outcomes after radical prostatectomy: A 5-Year nationwide database analysis. <i>European Urology Focus</i> , 2021 ,	5.1	3
92	Bladder mapping of tumour recurrence after radical nephroureterectomy for upper tract urothelial carcinoma and its influence on oncological outcomes. <i>BJU International</i> , 2019 , 123, 618-623	5.6	3
91	Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e5-235.e14	2.8	3
90	Postoperative assessment of nosocomial transmission of COVID-19 after robotic surgical procedures during the pandemic. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 298.e7-298.e11	2.8	3
89	Prognostic value of albumin to globulin ratio in non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 3345-3352	4	3
88	Biomarker in Active Surveillance for Prostate Cancer: A Systematic Review. <i>Cancers</i> , 2021 , 13,	6.6	3
87	Recommendations for planning and delivery of radical radiotherapy for localized urothelial carcinoma of the bladder. <i>Radiotherapy and Oncology</i> , 2021 , 161, 95-114	5.3	3
86	Treatment Options for De Novo Metastatic Clear-cell Renal Cell Carcinoma: Current Recommendations and Future Insights. <i>European Urology Oncology</i> , 2021 ,	6.7	3
85	Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 356-362	2.8	2
84	The role for surgery in high-risk prostate cancer. <i>Wiener Medizinische Wochenschrift</i> , 2015 , 165, 395-400	2.9	2
83	Cutting-edge Management of Muscle-invasive Bladder Cancer in 2020 and a Glimpse into the Future. <i>European Urology Oncology</i> , 2020 , 3, 789-801	6.7	2
82	Management of Metastatic Nonclear Renal Cell Carcinoma: What Are the Options and Challenges?. <i>European Urology Oncology</i> , 2021 , 4, 843-850	6.7	2
81	Morbidity, perioperative outcomes and complications of robot-assisted radical prostatectomy in kidney transplant patients: A French multicentre study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 599.e15-599.e21	2.8	2
80	Oncologic Effect of Cumulative Smoking Exposure in Patients Treated With Salvage Radical Prostatectomy for Radiation-recurrent Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e619-e627	2.7	2
79	Comparison of oncologic outcomes after radical prostatectomy in men diagnosed with prostate cancer with PSA levels below and above 4 ng/mL. <i>World Journal of Urology</i> , 2014 , 32, 481-7	4	2
78	The surgical approach can be determined from the pathological specimen obtained after open or robot-assisted laparoscopic radical prostatectomy. <i>World Journal of Urology</i> , 2014 , 32, 489-93	4	2
77	Transurethral resection biopsy as part of a saturation biopsy protocol: a cohort study and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 542-8	2.8	2
76	Surgery: surgical wait times for UTUC-a race against the clock?. <i>Nature Reviews Urology</i> , 2014 , 11, 665-6	5.5	2

75	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 ,	4.4	2
74	Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
73	Adverse Events of Immune Checkpoint Inhibitors Therapy for Urologic Cancer Patients in Clinical Trials: A Collaborative Systematic Review and Meta-analysis.. <i>European Urology</i> , 2022 ,	10.2	2
72	Intracorporeal Versus Extracorporeal Neobladder After Robot-assisted Radical Cystectomy: Results From the International Robotic Cystectomy Consortium. <i>Urology</i> , 2021 ,	1.6	2
71	Robotic versus open radical cystectomy throughout the learning phase: insights from a real-life multicenter study. <i>World Journal of Urology</i> , 2020 , 38, 1951-1958	4	2
70	Long-term outcomes after penile prosthesis placement for the Management of Erectile Dysfunction: a single-Centre experience. <i>Basic and Clinical Andrology</i> , 2021 , 31, 4	2.8	2
69	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2021 ,	5.1	2
68	The Genitourinary Pathology Society Update on Classification of Variant Histologies, T1 Substaging, Molecular Taxonomy, and Immunotherapy and PD-L1 Testing Implications of Urothelial Cancers. <i>Advances in Anatomic Pathology</i> , 2021 , 28, 196-208	5.1	2
67	Lynch syndrome and exposure to aristolochic acid in upper-tract urothelial carcinoma: its clinical impact?. <i>Translational Andrology and Urology</i> , 2016 , 5, 648-654	2.3	2
66	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 97-103	5.1	2
65	Accuracy of the preoperative PSA level for predicting clinically significant incidental transitional zone-prostate cancer before endoscopic enucleation of very large adenoma. <i>World Journal of Urology</i> , 2020 , 38, 993-1000	4	2
64	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021 , 80, 507-515	10.2	2
63	A Plea for the Evaluation of the Carbon Footprint of New Mini-invasive Surgical Technologies in Urology. <i>European Urology</i> , 2020 , 78, 474-476	10.2	1
62	Recurrent Ta Low-grade Non-muscle-invasive Bladder Cancer: What Are the Options?. <i>European Urology Oncology</i> , 2019 , 2, 723-729	6.7	1
61	Oncologic outcomes and survival in pT0 tumors after radical nephroureterectomy for upper tract urothelial carcinoma: results from of a large multicenter international collaborative study. <i>European Urology</i> , 2013 , 63, 404-5	10.2	1
60	Reply by the authors. <i>Urology</i> , 2013 , 82, 982-3	1.6	1
59	Annual nationwide analysis of costs and post-operative outcomes after radical prostatectomy according to the surgical approach (open, laparoscopic, and robotic). <i>World Journal of Urology</i> , 2021 , 40, 419	4	1
58	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 74,	2.3	1

57	External Validation of the ASSURE Model for Predicting Oncological Outcomes After Resection of High-risk Renal Cell Carcinoma (RESCUE Study: UroCCR 88). <i>European Urology Open Science</i> , 2021 , 33, 89-93	0.9	1
56	A 5-Year Contemporary Nationwide Evolution of the Radical Prostatectomy Landscape. <i>European Urology Open Science</i> , 2021 , 34, 1-4	0.9	1
55	The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 685.e17-685.e25	2.8	1
54	Incidence and preoperative predictors for major complications following radical nephroureterectomy. <i>Translational Andrology and Urology</i> , 2020 , 9, 1786-1793	2.3	1
53	Risk stratification for upper tract urinary carcinoma. <i>Translational Andrology and Urology</i> , 2020 , 9, 1799-1808	1.9	1
52	Artificial intelligence in bladder cancer prognosis: a pathway for personalized medicine. <i>Current Opinion in Urology</i> , 2021 , 31, 404-408	2.8	1
51	Adjuvant Systemic Therapy for High-risk Muscle-invasive Bladder Cancer After Radical Cystectomy: Current Options and Future Opportunities. <i>European Urology Oncology</i> , 2021 ,	6.7	1
50	The Genitourinary Pathology Society Update on Classification and Grading of Flat and Papillary Urothelial Neoplasia With New Reporting Recommendations and Approach to Lesions With Mixed and Early Patterns of Neoplasia. <i>Advances in Anatomic Pathology</i> , 2021 , 28, 179-195	5.1	1
49	The place of robotic-assisted laparoscopy for BPO surgical management in 2021. <i>Current Opinion in Urology</i> , 2021 , 31, 438-443	2.8	1
48	Re: Xavier Biardeau, Jfme Rizk, Franis Marcelli, Vincent Flamand. Robot-assisted Laparoscopic Approach for Artificial Urinary Sphincter Implantation in 11 Women with Urinary Stress Incontinence: Surgical Technique and Initial Experience. <i>Eur Urol</i> 2015;67:937-42. <i>European Urology</i> , 2016 , 69, e45-6	10.2	1
47	Development and external validation of a pathological nodal staging score for patients with clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 1631-1637	4	1
46	Genetic variability in 13q33 and 9q34 is linked to aggressiveness patterns and a higher risk of progression of non-muscle-invasive bladder cancer at the time of diagnosis. <i>BJU International</i> , 2021 , 127, 375-383	5.6	1
45	Prognostic value of the preoperative albumin-globulin ratio in patients with upper urinary tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1149-1157	2.8	1
44	Impact of the COVID-19 pandemic on oncological and functional robotic-assisted surgical procedures. <i>Journal of Robotic Surgery</i> , 2021 , 15, 937-944	2.9	1
43	Postoperative outcomes of elderly patients undergoing partial nephrectomy. <i>Scientific Reports</i> , 2021 , 11, 17201	4.9	1
42	Alternating Cystoscopy with Bladder EpiCheck® in the Surveillance of Low-Grade Intermediate-Risk NMIBC: A Cost Comparison Model. <i>Bladder Cancer</i> , 2021 , 7, 307-315	1	1
41	PD-L1 (SP142) testing is concordant between Benchmark Ultra and Bond-III stainers. <i>World Journal of Urology</i> , 2021 , 39, 4067-4071	4	1
40	Metabolic syndrome, levels of androgens, and changes of erectile dysfunction and quality of life impairment 1 year after radical prostatectomy. <i>Asian Journal of Andrology</i> , 2021 , 23, 370-375	2.8	1

39	Neoadjuvant chemotherapy does not increase peri-operative morbidity following radical cystectomy.. <i>World Journal of Urology</i> , 2022 , 1	4	1
38	Surgical landscape of radical cystectomy for bladder cancer in France over the last 10 years. <i>World Journal of Urology</i> , 2015 , 33, 889-90	4	0
37	Hospital Readmissions After Urological Surgical Procedures in France: A Nationwide Cohort Study over 3 Years. <i>European Urology Focus</i> , 2018 , 4, 621-627	5.1	0
36	Comparison of the self-reported training level between Mexican and Western Europe residents in urology: results of an international survey. <i>Medical Teacher</i> , 2009 , 31, e69-73	3	0
35	Relevance of the prostate-specific antigen (PSA) nanotest compared to the classical PSA test in the organized mass screening of prostate cancer. <i>BJU International</i> , 2007 , 99, 762-4	5.6	0
34	BRCA2 mutation screening is clinically relevant in breast and early prostate cancer families. <i>International Journal of Urology</i> , 2007 , 14, 445-6	2.3	0
33	Online Public Interest in Urological Cancers During the COVID-19 Pandemic: What Can "Dr. Google" Teach Us?. <i>European Urology Open Science</i> , 2022 , 37, 73-73	0.9	0
32	Restaging of Patients with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy Using [Ga]-PSMA-11 Positron Emission Tomography/Computed Tomography: Impact on Disease Management.. <i>European Urology</i> , 2022 ,	10.2	0
31	A study of the immunohistochemical profile of bladder cancer in neuro-urological patients by the French Association of Urology.. <i>World Journal of Urology</i> , 2022 , 1	4	0
30	Prognostic Impact of pT3 Subclassification in a Multicentre Cohort of Patients with Urothelial Carcinoma of the Renal Pelvicalyceal System Undergoing Radical Nephroureterectomy: A Propensity Score-weighted Analysis After Central Pathology Review. <i>European Urology Focus</i> , 2021 , 7, 1075-1083	5.1	0
29	Same-day-discharge Robot-assisted Radical Prostatectomy: An Annual Countrywide Analysis.. <i>European Urology Open Science</i> , 2022 , 36, 23-25	0.9	0
28	Flexible fibre optic vs digital ureteroscopy and enhanced vs unenhanced imaging for diagnosis and treatment of upper tract urothelial carcinoma (UTUC): results from the Clinical Research Office of the Endourology Society (CROES)-UTUC registry. <i>BJU International</i> , 2021 , 128, 734-743	5.6	0
27	Functional outcomes after robot-assisted pyeloplasty for ureteropelvic junction obstruction: A bi-centre experience. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021 , 17, e2201	2.9	0
26	Factors associated with compliance to cervical cancer screening in France: The EDIFICE 6 survey. <i>Gynecologic Oncology</i> , 2021 , 160, 112-117	4.9	0
25	PSA and obesity among men with localized prostate cancer: results of the ANDROCAN study. <i>World Journal of Urology</i> , 2021 , 39, 2945-2951	4	0
24	Propensity-score analysis comparing perioperative and functional outcomes between XPS 180 W-photovaporization and GreenLight laser enucleation of the prostate: reasons to discard vaporization and move to enucleation. <i>World Journal of Urology</i> , 2021 , 39, 2269-2276	4	0
23	Relationship of preoperative androgen levels and metabolic syndrome with quality of life and erectile function in patients who are to undergo radical prostatectomy. <i>Asian Journal of Andrology</i> , 2021 , 23, 520-526	2.8	0
22	Prostate cancer with clear cell features and an unusual nested-like pattern of growth: a case report. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2012 , 34, 289-92		0

21	Bacteria-specific CXCL13-producing follicular helper T cells are putative prognostic markers to neoadjuvant PD-1 blockade in muscle-invasive urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 535-535	2.2	0
20	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1	4	0
19	Incidence of bladder cancer in neuro-urological patients in France: a nationwide study.. <i>World Journal of Urology</i> , 2022 , 1	4	0
18	Vasectomy and Risk of Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Open Science</i> , 2022 , 41, 35-44	0.9	0
17	Urothelial carcinoma in first histological diagnosis of patients over 80 years has distinctive histological features: a retrospective single-institution study of 185 patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 561-565	5.1	
16	Re: Conservative Management Following Complete Clinical Response to Neoadjuvant Chemotherapy of Muscle Invasive Bladder Cancer: Contemporary Outcomes of a Multi-institutional Cohort Study. <i>European Urology</i> , 2019 , 76, 127-129	10.2	
15	Re: Completely Intracorporeal Robotic-assisted Laparoscopic Augmentation Enterocystoplasty With Continent Catheterizable Channel (Urology 2014;84:1314-1318). <i>Urology</i> , 2015 , 86, 205	1.6	
14	Reply to Hao Lun Luo, Yen Ta Chen, Yuan Tso Cheng, and Po Hui Chiang Letter to the Editor re: Re: Thomas Seisen, Benoit Peyronnet, Jose Luis Dominguez-Escrig, et al. Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2021 , 79, 100-101	10.2	
13	Re: Radical Cystectomy Against Intravesical BCG for High-Risk High-Grade Nonmuscle Invasive Bladder Cancer: Results From the Randomized Controlled BRAVO-Feasibility Study.. <i>European Urology</i> , 2022 ,	10.2	
12	Re: Trey Durdin, Alvin Goh, Eugene Pietzak. Can an Imaging-guided Pathway Replace the Current Paradigm for Muscle-invasive Bladder Cancer? <i>Eur Urol</i> 2021;80:16-7: Transurethral Resection of Bladder Tumor in Diagnosis of Muscle-invasive Bladder Cancer: Old-fashioned Endoscopic Surgery is Here to Stay.. <i>European Urology</i> , 2022 ,	10.2	
11	Mid-term functional outcomes of extraperitoneal robot-assisted simple prostatectomy: a single centre experience.. <i>Journal of Robotic Surgery</i> , 2022 , 1	2.9	
10	Continent cutaneous urinary diversion with an ileal pouch with the Mitrofanoff principle versus a Miami pouch in patients undergoing cystectomy for bladder cancer: results of a comparative study.. <i>World Journal of Urology</i> , 2022 , 1	4	
9	Mental perception of prostate cancer (PCa) disease in patients aged 60 years and older initiating gonadotropin-releasing hormone agonist (GnRHa) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 67-67	2.2	
8	Knowledge of bladder cancer in the French population: results of the EDIFICE 6 survey. <i>European Journal of Cancer Care</i> , 2021 , 30, e13392	2.4	
7	Intermediate-risk Prostate Cancer-A Sheep in Wolf's Clothing?. <i>European Urology Oncology</i> , 2021 ,	6.7	
6	Adjuvant Therapy for Upper Tract Urothelial Carcinoma after Endoscopic Management 2021 , 421-428		
5	Cognitive status of prostate cancer (PCa) patients aged 60 years and older after a six-month gonadotropin-releasing hormone agonist (GnRHa) therapy, according to age groups: Secondary analysis of PRISME study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 56-56	2.2	
4	UTUC in 2017: Emerging evidence on treating upper tract urothelial cancer. <i>Nature Reviews Urology</i> , 2018 , 15, 73-74	5.5	

- 3 Conservative Treatment of Upper Urinary Tract Urothelial Carcinoma: Referee. *European Urology Open Science*, **2021**, 32, 40-42 0.9
- 2 Preliminary results of the "DUO" observational study: Quality of life assessment and cross-sectional follow-up of prostate cancer patients treated with degarelix.. *Journal of Clinical Oncology*, **2022**, 40, 62-62²
- 1 Re: Adjuvant Pembrolizumab After Nephrectomy in Renal-cell Carcinoma.. *European Urology*, **2022**, 10.2