

Morgan Roupret

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1648611/morgan-roupret-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

470
papers

16,801
citations

59
h-index

112
g-index

559
ext. papers

21,492
ext. citations

4.6
avg, IF

6.55
L-index

#	Paper	IF	Citations
470	Re: Radical Cystectomy Against Intravesical BCG for High-Risk High-Grade Nonmuscle Invasive Bladder Cancer: Results From the Randomized Controlled BRAVO-Feasibility Study.. <i>European Urology</i> , 2022 ,	10.2	
469	Adverse Events of Immune Checkpoint Inhibitors Therapy for Urologic Cancer Patients in Clinical Trials: A Collaborative Systematic Review and Meta-analysis.. <i>European Urology</i> , 2022 ,	10.2	2
468	Re: Trey Durdin, Alvin Goh, Eugene Pietzak. Can an Imaging-guided Pathway Replace the Current Paradigm for Muscle-invasive Bladder Cancer? <i>Eur Urol</i> 2021;80:16-7: Transurethral Resection of Bladder Tumor in Diagnosis of Muscle-invasive Bladder Cancer: Old-fashioned Endoscopic Surgery in the Early Stage. <i>European Urology</i> , 2022 ,	10.2	
467	Mid-term functional outcomes of extraperitoneal robot-assisted simple prostatectomy: a single centre experience.. <i>Journal of Robotic Surgery</i> , 2022 , 1	2.9	
466	Online Public Interest in Urological Cancers During the COVID-19 Pandemic: What Can "Dr. Google" Teach Us?. <i>European Urology Open Science</i> , 2022 , 37, 73-73	0.9	0
465	Restaging of Patients with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy Using [Ga]-PSMA-11 Positron Emission Tomography/Computed Tomography: Impact on Disease Management.. <i>European Urology</i> , 2022 ,	10.2	0
464	A study of the immunohistochemical profile of bladder cancer in neuro-urological patients by the French Association of Urology.. <i>World Journal of Urology</i> , 2022 , 1	4	0
463	Continent cutaneous urinary diversion with an ileal pouch with the Mitrofanoff principle versus a Miami pouch in patients undergoing cystectomy for bladder cancer: results of a comparative study.. <i>World Journal of Urology</i> , 2022 , 1	4	
462	Same-day-discharge Robot-assisted Radical Prostatectomy: An Annual Countrywide Analysis.. <i>European Urology Open Science</i> , 2022 , 36, 23-25	0.9	0
461	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 74,	2.3	1
460	Bacteria-specific CXCL13-producing follicular helper T cells are putative prognostic markers to neoadjuvant PD-1 blockade in muscle-invasive urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 535-535	2.2	0
459	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1	4	0
458	Incidence of bladder cancer in neuro-urological patients in France: a nationwide study.. <i>World Journal of Urology</i> , 2022 , 1	4	0
457	Preliminary results of the "DUO" observational study: Quality of life assessment and cross-sectional follow-up of prostate cancer patients treated with degarelix.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 62-62 ²		
456	Neoadjuvant chemotherapy does not increase peri-operative morbidity following radical cystectomy.. <i>World Journal of Urology</i> , 2022 , 1	4	1
455	Re: Adjuvant Pembrolizumab After Nephrectomy in Renal-cell Carcinoma.. <i>European Urology</i> , 2022 ,	10.2	
454	Vasectomy and Risk of Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Open Science</i> , 2022 , 41, 35-44	0.9	0

453	Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 580-593	6.7	7
452	Management of Metastatic Nonclear Renal Cell Carcinoma: What Are the Options and Challenges?. <i>European Urology Oncology</i> , 2021 , 4, 843-850	6.7	2
451	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 ,	4.4	2
450	Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
449	Prognostic Impact of pT3 Subclassification in a Multicentre Cohort of Patients with Urothelial Carcinoma of the Renal Pelvic/ureteral System Undergoing Radical Nephroureterectomy: A Propensity Score-weighted Analysis After Central Pathology Review. <i>European Urology Focus</i> , 2021 , 7, 1075-1083	5.1	0
448	Diagnostic Accuracy of Novel Urinary Biomarker Tests in Non-muscle-invasive Bladder Cancer: A Systematic Review and Network Meta-analysis. <i>European Urology Oncology</i> , 2021 ,	6.7	5
447	Annual nationwide analysis of costs and post-operative outcomes after radical prostatectomy according to the surgical approach (open, laparoscopic, and robotic). <i>World Journal of Urology</i> , 2021 , 40, 419	4	1
446	Intracorporeal Versus Extracorporeal Neobladder After Robot-assisted Radical Cystectomy: Results From the International Robotic Cystectomy Consortium. <i>Urology</i> , 2021 ,	1.6	2
445	External Validation of the ASSURE Model for Predicting Oncological Outcomes After Resection of High-risk Renal Cell Carcinoma (RESCUE Study: UroCCR 88). <i>European Urology Open Science</i> , 2021 , 33, 89-93	0.9	1
444	A 5-Year Contemporary Nationwide Evolution of the Radical Prostatectomy Landscape. <i>European Urology Open Science</i> , 2021 , 34, 1-4	0.9	1
443	Knowledge of bladder cancer in the French population: results of the EDIFICE 6 survey. <i>European Journal of Cancer Care</i> , 2021 , 30, e13392	2.4	
442	The Performance of Tumor Size as Risk Stratification Parameter in Upper Tract Urothelial Carcinoma (UTUC). <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 272.e1-272.e7	3.3	5
441	PD-L1 expression and pattern of immune cells in pre-treatment specimens are associated with disease-free survival for HR-NMIBC undergoing BCG treatment. <i>World Journal of Urology</i> , 2021 , 39, 4055-4065	4	3
440	A Systematic Review of the Use of Social Media for Dissemination of Clinical Practice Guidelines. <i>European Urology Focus</i> , 2021 , 7, 1195-1204	5.1	5
439	Preliminary assessment of patient and physician satisfaction with the use of teleconsultation in urology during the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021 , 39, 1991-1996	4	18
438	Long-term outcomes after penile prosthesis placement for the Management of Erectile Dysfunction: a single-Centre experience. <i>Basic and Clinical Andrology</i> , 2021 , 31, 4	2.8	2
437	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2021 ,	5.1	2
436	Genetic Differences Between Bladder and Upper Urinary Tract Carcinoma: Implications for Therapy. <i>European Urology Oncology</i> , 2021 , 4, 170-179	6.7	7

435	A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2021 ,	5.6	7
434	European Association of Urology (EAU) Prognostic Factor Risk Groups for Non-muscle-invasive Bladder Cancer (NMIBC) Incorporating the WHO 2004/2016 and WHO 1973 Classification Systems for Grade: An Update from the EAU NMIBC Guidelines Panel. <i>European Urology</i> , 2021 , 79, 480-488	10.2	51
433	Artificial intelligence in bladder cancer prognosis: a pathway for personalized medicine. <i>Current Opinion in Urology</i> , 2021 , 31, 404-408	2.8	1
432	Prognostic Value of the WHO1973 and WHO2004/2016 Classification Systems for Grade in Primary Ta/T1 Non-muscle-invasive Bladder Cancer: A Multicenter European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel Study. <i>European Urology Oncology</i> , 2021 , 4, 182-191	6.7	15
431	Adjuvant Systemic Therapy for High-risk Muscle-invasive Bladder Cancer After Radical Cystectomy: Current Options and Future Opportunities. <i>European Urology Oncology</i> , 2021 ,	6.7	1
430	Flexible fibre optic vs digital ureteroscopy and enhanced vs unenhanced imaging for diagnosis and treatment of upper tract urothelial carcinoma (UTUC): results from the Clinical Research Office of the Endourology Society (CROES)-UTUC registry. <i>BJU International</i> , 2021 , 128, 734-743	5.6	0
429	The Genitourinary Pathology Society Update on Classification of Variant Histologies, T1 Substaging, Molecular Taxonomy, and Immunotherapy and PD-L1 Testing Implications of Urothelial Cancers. <i>Advances in Anatomic Pathology</i> , 2021 , 28, 196-208	5.1	2
428	The Genitourinary Pathology Society Update on Classification and Grading of Flat and Papillary Urothelial Neoplasia With New Reporting Recommendations and Approach to Lesions With Mixed and Early Patterns of Neoplasia. <i>Advances in Anatomic Pathology</i> , 2021 , 28, 179-195	5.1	1
427	Impact of Hospital volume on postoperative outcomes after radical prostatectomy: A 5-Year nationwide database analysis. <i>European Urology Focus</i> , 2021 ,	5.1	3
426	Intermediate-risk Prostate Cancer-A Sheep in Wolf's Clothing?. <i>European Urology Oncology</i> , 2021 ,	6.7	
425	The place of robotic-assisted laparoscopy for BPO surgical management in 2021. <i>Current Opinion in Urology</i> , 2021 , 31, 438-443	2.8	1
424	COVID-19 outbreak situation and its psychological impact among surgeons in training in France. <i>World Journal of Urology</i> , 2021 , 39, 971-972	4	13
423	Intravesical therapy for bladder cancer in the pandemic of Covid-19. <i>World Journal of Urology</i> , 2021 , 39, 1313-1314	4	6
422	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. <i>European Urology</i> , 2021 , 79, 62-79	10.2	176
421	Comparison of the performances of the ADXBLADDER test and urinary cytology in the follow-up of non-muscle-invasive bladder cancer: a blinded prospective multicentric study. <i>BJU International</i> , 2021 , 127, 198-204	5.6	9
420	Primary Ta high grade bladder tumors: Determination of the risk of progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 132.e7-132.e11	2.8	7
419	Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e5-235.e14	2.8	3
418	Functional outcomes after robot-assisted pyeloplasty for ureteropelvic junction obstruction: A bi-centre experience. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021 , 17, e2201	2.9	0

417	Factors associated with compliance to cervical cancer screening in France: The EDIFICE 6 survey. <i>Gynecologic Oncology</i> , 2021 , 160, 112-117	4.9	0
416	Genetic variability in 13q33 and 9q34 is linked to aggressiveness patterns and a higher risk of progression of non-muscle-invasive bladder cancer at the time of diagnosis. <i>BJU International</i> , 2021 , 127, 375-383	5.6	1
415	Postoperative assessment of nosocomial transmission of COVID-19 after robotic surgical procedures during the pandemic. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 298.e7-298.e11	2.8	1
414	Prognostic value of the preoperative albumin-globulin ratio in patients with upper urinary tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1149-1157	2.8	1
413	Impact of the COVID-19 pandemic on oncological and functional robotic-assisted surgical procedures. <i>Journal of Robotic Surgery</i> , 2021 , 15, 937-944	2.9	1
412	Prognostic value of albumin to globulin ratio in non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 3345-3352	4	3
411	Adjuvant Therapy for Upper Tract Urothelial Carcinoma after Endoscopic Management 2021 , 421-428		
410	Prognostic role of the systemic immune-inflammation index in upper tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 2641-2650	7.4	5
409	PSA and obesity among men with localized prostate cancer: results of the ANDROCAN study. <i>World Journal of Urology</i> , 2021 , 39, 2945-2951	4	0
408	Cognitive status of prostate cancer (PCa) patients aged 60 years and older after a six-month gonadotropin-releasing hormone agonist (GnRH α) therapy, according to age groups: Secondary analysis of PRISME study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 56-56	2.2	
407	Propensity-score analysis comparing perioperative and functional outcomes between XPS 180W-photovaporization and GreenLight laser enucleation of the prostate: reasons to discard vaporization and move to enucleation. <i>World Journal of Urology</i> , 2021 , 39, 2269-2276	4	0
406	Biomarker in Active Surveillance for Prostate Cancer: A Systematic Review. <i>Cancers</i> , 2021 , 13,	6.6	3
405	Postoperative outcomes of elderly patients undergoing partial nephrectomy. <i>Scientific Reports</i> , 2021 , 11, 17201	4.9	1
404	Recommendations for planning and delivery of radical radiotherapy for localized urothelial carcinoma of the bladder. <i>Radiotherapy and Oncology</i> , 2021 , 161, 95-114	5.3	3
403	Alternating Cystoscopy with Bladder EpiCheck \square in the Surveillance of Low-Grade Intermediate-Risk NMIBC: A Cost Comparison Model. <i>Bladder Cancer</i> , 2021 , 7, 307-315	1	1
402	PD-L1 (SP142) testing is concordant between Benchmark Ultra and Bond-III stainers. <i>World Journal of Urology</i> , 2021 , 39, 4067-4071	4	1
401	Treatment Options for De Novo Metastatic Clear-cell Renal Cell Carcinoma: Current Recommendations and Future Insights. <i>European Urology Oncology</i> , 2021 ,	6.7	3
400	European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (Ta, T1, and Carcinoma in Situ). <i>European Urology</i> , 2021 ,	10.2	51

399	Conservative Treatment of Upper Urinary Tract Urothelial Carcinoma: Referee. <i>European Urology Open Science</i> , 2021 , 32, 40-42	0.9	
398	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021 , 80, 507-515	10.2	2
397	Metabolic syndrome, levels of androgens, and changes of erectile dysfunction and quality of life impairment 1 year after radical prostatectomy. <i>Asian Journal of Andrology</i> , 2021 , 23, 370-375	2.8	1
396	Comprehensive integrative profiling of upper tract urothelial carcinomas. <i>Genome Biology</i> , 2021 , 22, 7	18.3	10
395	Relationship of preoperative androgen levels and metabolic syndrome with quality of life and erectile function in patients who are to undergo radical prostatectomy. <i>Asian Journal of Andrology</i> , 2021 , 23, 520-526	2.8	0
394	Current status and future directions of the use of novel immunotherapeutic agents in bladder cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 428-440	2.8	6
393	European Association of Urology Guidelines Office Rapid Reaction Group: An Organisation-wide Collaborative Effort to Adapt the European Association of Urology Guidelines Recommendations to the Coronavirus Disease 2019 Era. <i>European Urology</i> , 2020 , 78, 21-28	10.2	141
392	Risks from Deferring Treatment for Genitourinary Cancers: A Collaborative Review to Aid Triage and Management During the COVID-19 Pandemic. <i>European Urology</i> , 2020 , 78, 29-42	10.2	71
391	Testosterone replacement therapy (TRT) and prostate cancer: An updated systematic review with a focus on previous or active localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 661-670	2.8	10
390	Treatment of High-grade Non-muscle-invasive Bladder Carcinoma by Standard Number and Dose of BCG Instillations Versus Reduced Number and Standard Dose of BCG Instillations: Results of the European Association of Urology Research Foundation Randomised Phase III Clinical Trial "NIMBUS". <i>European Urology</i> , 2020 , 78, 690-698	10.2	23
389	Robot-assisted laparoscopic artificial urinary sphincter insertion in women with stress urinary incontinence: a pilot single-centre study. <i>BJU International</i> , 2020 , 126, 722-730	5.6	3
388	Cutting-edge Management of Muscle-invasive Bladder Cancer in 2020 and a Glimpse into the Future. <i>European Urology Oncology</i> , 2020 , 3, 789-801	6.7	2
387	Molecular Characterization of Upper Tract Urothelial Carcinoma in the Era of Next-generation Sequencing: A Systematic Review of the Current Literature. <i>European Urology</i> , 2020 , 78, 209-220	10.2	29
386	Prognostic role of preoperative De Ritis ratio in upper tract urothelial carcinoma treated with nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e17-601.e24	2.8	5
385	Efficacy of neoadjuvant and adjuvant chemotherapy for localized and locally advanced upper tract urothelial carcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1037-1054	4.2	15
384	Functional outcomes obtained with intracorporeal neobladder after robotic radical cystectomy for cancer: a narrative review. <i>Journal of Robotic Surgery</i> , 2020 , 14, 813-820	2.9	8
383	Prognostic value of the systemic inflammation modified Glasgow prognostic score in patients with upper tract urothelial carcinoma (UTUC) treated with radical nephroureterectomy: Results from a large multicenter international collaboration. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 602.e11-602.e19	2.8	8
382	Molecular characterization of sarcomatoid clear cell renal cell carcinoma unveils new candidate oncogenic drivers. <i>Scientific Reports</i> , 2020 , 10, 701	4.9	13

381	Morbidity, perioperative outcomes and complications of robot-assisted radical prostatectomy in kidney transplant patients: A French multicentre study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 599.e15-599.e21	2.8	2
380	The Impact of COVID-19 Outbreak on Uro-oncological Practice Across Europe: Which Burden of Activity Are We Facing Ahead?. <i>European Urology</i> , 2020 , 78, 124-126	10.2	24
379	A Plea for the Evaluation of the Carbon Footprint of New Mini-invasive Surgical Technologies in Urology. <i>European Urology</i> , 2020 , 78, 474-476	10.2	1
378	A randomized phase II study of erdafitinib (ERDA) versus intravesical chemotherapy (IC) in patients with high-risk nonmuscle invasive bladder cancer (HR-NMIBC) with FGFR mutations or fusions, who recurred after Bacillus Calmette-Guérin (BCG) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS603-TPS603	2.2	6
377	Mental perception of prostate cancer (PCa) disease in patients aged 60 years and older initiating gonadotropin-releasing hormone agonist (GnRHa) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 67-67 ^{2.2}		
376	The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 685.e17-685.e25	2.8	1
375	Multi-Institutional Assessment of Routine Same Day Discharge Surgery for Robot-Assisted Radical Prostatectomy. <i>Journal of Urology</i> , 2020 , 204, 956-961	2.5	14
374	Robotic versus open radical cystectomy throughout the learning phase: insights from a real-life multicenter study. <i>World Journal of Urology</i> , 2020 , 38, 1951-1958	4	2
373	Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , 2020 , 38, 1959-1968	4	12
372	Papillary urothelial neoplasm of low malignant potential (PUN-LMP): Still a meaningful histo-pathological grade category for Ta, noninvasive bladder tumors in 2019?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 440-448	2.8	14
371	Neuroendocrine Carcinoma of the Urinary Bladder: A Large, Retrospective Study From the French Genito-Urinary Tumor Group. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 295-303.e3	3.3	4
370	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250	10.2	60
369	Intraoperative Adverse Incident Classification (EAUiaIC) by the European Association of Urology ad hoc Complications Guidelines Panel. <i>European Urology</i> , 2020 , 77, 601-610	10.2	25
368	Prostate cancer local staging using biparametric MRI: assessment and comparison with multiparametric MRI. <i>European Journal of Radiology</i> , 2020 , 132, 109350	4.7	10
367	The association of cigarette smoking and pathological response to neoadjuvant platinum-based chemotherapy in patients undergoing treatment for urinary bladder cancer - A prospective European multicenter observational study of the EAU Young Academic Urologists (YAU) urothelial carcinoma working group. <i>Surgical Oncology</i> , 2020 , 34, 312-317	2.5	3
366	Urology surgical activity and COVID-19: risk assessment at the epidemic peak: a Parisian multicentre experience. <i>BJU International</i> , 2020 , 126, 436-440	5.6	7
365	Newly Diagnosed Oligometastatic Prostate Cancer: Current Controversies and Future Developments. <i>European Urology Oncology</i> , 2020 ,	6.7	3
364	Incidence and preoperative predictors for major complications following radical nephroureterectomy. <i>Translational Andrology and Urology</i> , 2020 , 9, 1786-1793	2.3	1

363	Risk stratification for upper tract urinary carcinoma. <i>Translational Andrology and Urology</i> , 2020 , 9, 1799-1808	1	
362	Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> , 2020 , 6, 1233-1239	5.1	21
361	Risk Stratification Tools and Prognostic Models in Non-muscle-invasive Bladder Cancer: A Critical Assessment from the European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel. <i>European Urology Focus</i> , 2020 , 6, 479-489	5.1	39
360	Accuracy of the preoperative PSA level for predicting clinically significant incidental transitional zone-prostate cancer before endoscopic enucleation of very large adenoma. <i>World Journal of Urology</i> , 2020 , 38, 993-1000	4	2
359	What Is the Significance of Variant Histology in Urothelial Carcinoma?. <i>European Urology Focus</i> , 2020 , 6, 653-663	5.1	46
358	The surgical learning curve for endoscopic GreenLight laser enucleation of the prostate: an international multicentre study. <i>BJU International</i> , 2020 , 125, 153-159	5.6	9
357	A comparative propensity score-matched analysis of perioperative outcomes of intracorporeal vs extracorporeal urinary diversion after robot-assisted radical cystectomy: results from the International Robotic Cystectomy Consortium. <i>BJU International</i> , 2020 , 126, 265-272	5.6	37
356	Comparing oncological outcomes of laparoscopic vs open radical nephroureterectomy for the treatment of upper tract urothelial carcinoma: A propensity score-matched analysis. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 31-36	1.7	4
355	Safe Use of Immune Checkpoint Inhibitors in the Multidisciplinary Management of Urological Cancer: The European Association of Urology Position in 2019. <i>European Urology</i> , 2019 , 76, 368-380	10.2	26
354	Prognostic role of the urokinase plasminogen activator (uPA) system in patients with nonmuscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 774-783	2.8	3
353	Risk stratification of upper tract urothelial carcinoma: A Review of the Current Literature. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 503-513	3.5	4
352	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656	5.6	25
351	Robotic radical nephroureterectomy and segmental ureterectomy for upper tract urothelial carcinoma: a multi-institutional experience. <i>World Journal of Urology</i> , 2019 , 37, 2303-2311	4	14
350	Neurocognitive impairment is associated with erectile dysfunction in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2019 , 51, 850-855	3.3	4
349	In Peer (Artificial Intelligence) Review We Trust. <i>European Urology</i> , 2019 , 76, 133-135	10.2	3
348	Re: Conservative Management Following Complete Clinical Response to Neoadjuvant Chemotherapy of Muscle Invasive Bladder Cancer: Contemporary Outcomes of a Multi-institutional Cohort Study. <i>European Urology</i> , 2019 , 76, 127-129	10.2	
347	Endocavitary treatment for upper tract urothelial carcinoma: A meta-analysis of the current literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 430-436	2.8	24
346	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745	5.6	14

345	Stereotactic Radiation Therapy for Renal Cell Carcinoma Brain Metastases in the Tyrosine Kinase Inhibitors Era: Outcomes of 120 Patients. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 191-200	3.3	16
344	Consultation on UTUC, Stockholm 2018 aspects of risk stratification: long-term results and follow-up. <i>World Journal of Urology</i> , 2019 , 37, 2289-2296	4	9
343	Outcomes after salvage radical prostatectomy and first-line radiation therapy or HIFU for recurrent localized prostate cancer: results from a multicenter study. <i>World Journal of Urology</i> , 2019 , 37, 1491-1498	4	3
342	A systematic review and meta-analysis of the impact of lymphovascular invasion in bladder cancer transurethral resection specimens. <i>BJU International</i> , 2019 , 123, 11-21	5.6	26
341	Review of hypo-fractionated radiotherapy for localized muscle invasive bladder cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 142, 76-85	7	6
340	European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (TaT1 and Carcinoma In Situ) - 2019 Update. <i>European Urology</i> , 2019 , 76, 639-657	10.2	531
339	Recurrent Ta Low-grade Non-muscle-invasive Bladder Cancer: What Are the Options?. <i>European Urology Oncology</i> , 2019 , 2, 723-729	6.7	1
338	The role of adjuvant radiotherapy after surgery for upper and lower urinary tract urothelial carcinoma: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 659-671	2.8	8
337	EAU-EANM-ESTRO-ESUR-SIOG Prostate Cancer Guideline Panel Consensus Statements for Deferred Treatment with Curative Intent for Localised Prostate Cancer from an International Collaborative Study (DETECTIVE Study). <i>European Urology</i> , 2019 , 76, 790-813	10.2	76
336	Techniques and outcomes of minimally-invasive surgery for nonmetastatic renal cell carcinoma with inferior vena cava thrombosis: a systematic review of the literature. <i>Minerva Urologica e Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 339-358	4.4	23
335	Multicenter Validation of Histopathologic Tumor Regression Grade After Neoadjuvant Chemotherapy in Muscle-invasive Bladder Carcinoma. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1600-1610	6.7	15
334	Peri-operative and local control outcomes of robot-assisted partial nephrectomy vs percutaneous cryoablation for renal masses: comparison after matching on radiological stage and renal score. <i>BJU International</i> , 2019 , 123, 632-638	5.6	6
333	Role of serum cholinesterase in patients treated with salvage radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 123-129	2.8	5
332	Development and external validation of a pathological nodal staging score for patients with clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 1631-1637	4	1
331	Bladder mapping of tumour recurrence after radical nephroureterectomy for upper tract urothelial carcinoma and its influence on oncological outcomes. <i>BJU International</i> , 2019 , 123, 618-623	5.6	3
330	Aggressiveness of Localized Prostate Cancer: the Key Value of Testosterone Deficiency Evaluated by Both Total and Bioavailable Testosterone: AndroCan Study Results. <i>Hormones and Cancer</i> , 2019 , 10, 36-44	5	15
329	Discrepancy Between European Association of Urology Guidelines and Daily Practice in the Management of Non-muscle-invasive Bladder Cancer: Results of a European Survey. <i>European Urology Focus</i> , 2019 , 5, 681-688	5.1	26
328	Assessment of Learning Curves for 180-W GreenLight XPS Photoselective Vaporisation of the Prostate: A Multicentre Study. <i>European Urology Focus</i> , 2019 , 5, 266-272	5.1	7

327	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 97-103	5.1	2
326	Oncological Outcomes of Laparoscopic Nephroureterectomy Versus Open Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: An European Association of Urology Guidelines Systematic Review. <i>European Urology Focus</i> , 2019 , 5, 205-223	5.1	66
325	Grading of Urothelial Carcinoma and The New "World Health Organisation Classification of Tumours of the Urinary System and Male Genital Organs 2016". <i>European Urology Focus</i> , 2019 , 5, 457-466	5.1	73
324	Impact of Metabolic Diseases, Drugs, and Dietary Factors on Prostate Cancer Risk, Recurrence, and Survival: A Systematic Review by the European Association of Urology Section of Oncological Urology. <i>European Urology Focus</i> , 2019 , 5, 1029-1057	5.1	17
323	Potential Benefit of Lymph Node Dissection During Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the European Association of Urology Guidelines Panel on Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2019 , 5, 224-241	5.1	33
322	Relationship of surgeon/hospital volume with outcomes in uro-oncology surgery. <i>Current Opinion in Urology</i> , 2018 , 28, 251-259	2.8	21
321	Impact of hospital volume and surgeon volume on robot-assisted partial nephrectomy outcomes: a multicentre study. <i>BJU International</i> , 2018 , 121, 916-922	5.6	19
320	Comparison of cell cycle progression score with two immunohistochemical markers (PTEN and Ki-67) for predicting outcome in prostate cancer after radical prostatectomy. <i>World Journal of Urology</i> , 2018 , 36, 1495-1500	4	14
319	The World Health Organization 1973 classification system for grade is an important prognosticator in T1 non-muscle-invasive bladder cancer. <i>BJU International</i> , 2018 , 122, 978-985	5.6	16
318	Long-term oncological outcomes after robotic partial nephrectomy for renal cell carcinoma: a prospective multicentre study. <i>World Journal of Urology</i> , 2018 , 36, 897-904	4	10
317	Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 158.e1-158.e6	2.8	8
316	Oncologic Effect of Cumulative Smoking Exposure in Patients Treated With Salvage Radical Prostatectomy for Radiation-recurrent Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e619-e627	2.7	2
315	Validation of the Clavien-Dindo Grading System in Urology by the European Association of Urology Guidelines Ad Hoc Panel. <i>European Urology Focus</i> , 2018 , 4, 608-613	5.1	101
314	Hospital Readmissions After Urological Surgical Procedures in France: A Nationwide Cohort Study over 3 Years. <i>European Urology Focus</i> , 2018 , 4, 621-627	5.1	0
313	Predicting Response to Intravesical Bacillus Calmette-Guérin Immunotherapy: Are We There Yet? A Systematic Review. <i>European Urology</i> , 2018 , 73, 738-748	10.2	77
312	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2017 Update. <i>European Urology</i> , 2018 , 73, 111-122	10.2	507
311	Adjuvant Chemotherapy vs Observation for Patients With Adverse Pathologic Features at Radical Cystectomy Previously Treated With Neoadjuvant Chemotherapy. <i>JAMA Oncology</i> , 2018 , 4, 225-229	13.4	42
310	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 258-259	5.6	41

309	An up-to-date catalog of available urinary biomarkers for the surveillance of non-muscle invasive bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 1981-1995	4	52
308	Perioperative outcomes and complications of intracorporeal vs extracorporeal urinary diversion after robot-assisted radical cystectomy for bladder cancer: a real-life, multi-institutional french study. <i>World Journal of Urology</i> , 2018 , 36, 1711-1718	4	37
307	Systematic Review: An Update on the Spectrum of Urological Malignancies in Lynch Syndrome. <i>Bladder Cancer</i> , 2018 , 4, 261-268	1	15
306	Prevalence, management, and prognosis of bladder cancer in patients with neurogenic bladder: A systematic review. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1386-1395	2.3	34
305	Elevated preoperative neutrophil-lymphocyte ratio predicts upgrading at radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 100-105	6.2	9
304	UTUC in 2017: Emerging evidence on treating upper tract urothelial cancer. <i>Nature Reviews Urology</i> , 2018 , 15, 73-74	5.5	
303	Unmet Clinical Needs and Future Perspectives in Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2018 , 4, 472-480	5.1	5
302	Perceived Role of Social Media in Urologic Knowledge Acquisition Among Young Urologists: A European Survey. <i>European Urology Focus</i> , 2018 , 4, 768-773	5.1	40
301	Staging the Host: Personalizing Risk Assessment for Radical Cystectomy Patients. <i>European Urology Oncology</i> , 2018 , 1, 292-304	6.7	32
300	Indication for a Single Postoperative Instillation of Chemotherapy in Non-muscle-invasive Bladder Cancer: What Factors Should Be Considered?. <i>European Urology Focus</i> , 2018 , 4, 525-528	5.1	4
299	Intraoperative Cyst Rupture during Partial Nephrectomy for Cystic Renal Masses-Does it Increase the Risk of Recurrence?. <i>Journal of Urology</i> , 2018 , 200, 1200-1206	2.5	9
298	Accuracy of elastic fusion biopsy in daily practice: Results of a multicenter study of 2115 patients. <i>International Journal of Urology</i> , 2018 , 25, 990-997	2.3	15
297	Online Professionalism-2018 Update of European Association of Urology (@Uroweb) Recommendations on the Appropriate Use of Social Media. <i>European Urology</i> , 2018 , 74, 644-650	10.2	38
296	Development of immunotherapy in bladder cancer: present and future on targeting PD(L)1 and CTLA-4 pathways. <i>World Journal of Urology</i> , 2018 , 36, 1727-1740	4	54
295	Metric substage according to micro and extensive lamina propria invasion improves prognostics in T1 bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 361.e7-361.e13	2.8	14
294	Role of Checkpoint Inhibition in Localized Bladder Cancer. <i>European Urology Oncology</i> , 2018 , 1, 190-198	6.7	17
293	Analysis of bladder cancer subtypes in neurogenic bladder tumors. <i>Canadian Journal of Urology</i> , 2018 , 25, 9161-9167	0.8	8
292	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259	4	16

291	EAU Guidelines on Non-Muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. <i>European Urology</i> , 2017 , 71, 447-461	10.2	1199
290	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238	5.6	11
289	Contemporary role of lymph node dissection at the time of radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 535-548	4	35
288	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120	4	15
287	Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017 , 35, 337-353	4	50
286	Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 121-130	4	25
285	Preoperative nomogram to predict the likelihood of complications after radical nephroureterectomy. <i>BJU International</i> , 2017 , 119, 268-275	5.6	16
284	Outcomes of a virtual-reality simulator-training programme on basic surgical skills in robot-assisted laparoscopic surgery. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2017 , 13, e1740	2.9	10
283	Correlation between prostate volume and single nucleotide polymorphisms implicated in the steroid pathway. <i>World Journal of Urology</i> , 2017 , 35, 293-298	4	7
282	Lymphocyte-to-monocyte ratio and neutrophil-to-lymphocyte ratio as biomarkers for predicting lymph node metastasis and survival in patients treated with radical cystectomy. <i>Journal of Surgical Oncology</i> , 2017 , 115, 455-461	2.8	32
281	External validation of the pathological nodal staging score in upper tract urothelial carcinoma: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 33.e21-33.e26	2.8	6
280	Effectiveness of Adjuvant Chemotherapy After Radical Nephroureterectomy for Locally Advanced and/or Positive Regional Lymph Node Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, 852-860	2.2	79
279	Novel use of Twitter to disseminate and evaluate adherence to clinical guidelines by the European Association of Urology. <i>BJU International</i> , 2017 , 119, 820-822	5.6	21
278	Urothelial carcinoma in first histological diagnosis of patients over 80 years has distinctive histological features: a retrospective single-institution study of 185 patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 561-565	5.1	
277	Trends of lymphadenectomy in upper tract urothelial carcinoma (UTUC) patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 1541-1547	4	27
276	Obesity is associated with biochemical recurrence after radical prostatectomy: A multi-institutional extended validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 460.e1-460.e8	2.8	7
275	Prognostic Performance and Reproducibility of the 1973 and 2004/2016 World Health Organization Grading Classification Systems in Non-muscle-invasive Bladder Cancer: A European Association of Urology Non-muscle Invasive Bladder Cancer Guidelines Panel Systematic Review. <i>European Urology</i> , 2017 , 72, 801-813	10.2	124
274	Efficacy of Systemic Chemotherapy Plus Radical Nephroureterectomy for Metastatic Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2017 , 71, 714-718	10.2	25

273	Lynch syndrome in upper tract urothelial carcinoma: significance, screening, and surveillance. <i>Current Opinion in Urology</i> , 2017 , 27, 48-55	2.8	19
272	Off-Clamp versus On-Clamp Robotic Partial Nephrectomy: A Multicenter Match-Paired Case-Control Study. <i>Urologia Internationalis</i> , 2017 , 99, 272-276	1.9	11
271	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Primary Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e755-e764	3.3	24
270	Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 356-362	2.8	2
269	Reply to Harry Herr Letter to the Editor re: Marko Babjuk, Andreas Bille, Maximilian Burger, et al. EAU Guidelines on Non-muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. <i>Eur Urol</i> 2017;71:447-61. <i>European Urology</i> , 2017 , 71, e173-e174	10.2	6
268	Improved decision making in intermediate-risk prostate cancer: a multicenter study on pathologic and oncologic outcomes after radical prostatectomy. <i>World Journal of Urology</i> , 2017 , 35, 1191-1197	4	10
267	Peri-operative chemotherapy for muscle-invasive bladder cancer: status-quo in 2017. <i>Translational Andrology and Urology</i> , 2017 , 6, 1049-1059	2.3	3
266	Frequency and prognostic significance of incidental prostate cancer at radical cystectomy: Results from an international retrospective study. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2193-2199	3.6	6
265	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045	3.3	7
264	Ductal adenocarcinoma of the prostate: Clinical and biological profiles. <i>Prostate</i> , 2017 , 77, 1242-1250	4.2	19
263	Inactivation and Mutation Drive a Convergence toward Loss of Function of H3K36 Writers in Clear Cell Renal Cell Carcinomas. <i>Cancer Research</i> , 2017 , 77, 4835-4845	10.1	23
262	Learning curves and perioperative outcomes after endoscopic enucleation of the prostate: a comparison between GreenLight 532-nm and holmium lasers. <i>World Journal of Urology</i> , 2017 , 35, 973-983	4	52
261	Partial nephrectomy versus ablative therapy for the treatment of renal tumors in an imperative setting. <i>World Journal of Urology</i> , 2017 , 35, 649-656	4	19
260	Upper Urinary Tract Carcinoma In Situ: Current Knowledge, Future Direction. <i>Journal of Urology</i> , 2017 , 197, 287-295	2.5	25
259	Reply to Hao Lun Luo, Yen Ta Chen, Yuan Tso Cheng, and Po Hui Chiang Letter to the Editor re: Re: Thomas Seisen, Benoit Peyronnet, Jose Luis Dominguez-Escrig, et al. Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the EAU Non-muscle Invasive Bladder Cancer Guidelines Panel. <i>Eur Urol</i>	10.2	
258	Localized chromophobe carcinomas treated by nephron-sparing surgery have excellent oncologic outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 35.e15-35.e19	2.8	4
257	Impact of Anticoagulant and Antiplatelet Drugs on Perioperative Outcomes of Robotic-assisted Partial Nephrectomy. <i>Urology</i> , 2017 , 99, 118-122	1.6	9
256	Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 1073-1080	4	8

255	Chemotherapy in hormone-sensitive metastatic prostate cancer: Evidences and uncertainties from the literature. <i>Cancer Treatment Reviews</i> , 2017 , 55, 211-217	14.4	13
254	Validation of Preoperative Risk Grouping of the Selection of Patients Most Likely to Benefit From Neoadjuvant Chemotherapy Before Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e267-e273	3.3	25
253	Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017 , 3, 161-169	1	7
252	ABO Blood Group and Rhesus Factor Are Not Associated with Outcomes After Radical Cystectomy for Non-metastatic Urothelial Carcinoma of the Bladder. <i>Anticancer Research</i> , 2017 , 37, 5747-5753	2.3	3
251	The subclassification of papillary renal cell carcinoma does not affect oncological outcomes after nephron sparing surgery. <i>World Journal of Urology</i> , 2016 , 34, 347-52	4	28
250	Reply to Yan Shibing and Wei Qiang Letter to the Editor re: Morgan Roupret, Marko Babjuk, Eva Compfat, et al. European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>Eur Urol</i> 2015;68:868-79. <i>European Urology</i> , 2016 , 69, e51-2	10.2	5
249	Relationship between non-suspicious MRI and insignificant prostate cancer: results from a monocentric study. <i>World Journal of Urology</i> , 2016 , 34, 673-8	4	11
248	Prognostic significance of markers of systemic inflammatory response in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 483.e17-483.e24	2.8	40
247	Microhematuria assessment an IBCN consensus-Based upon a critical review of current guidelines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 437-51	2.8	18
246	Comparison of 1800 Robotic and Open Partial Nephrectomies for Renal Tumors. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4277-4283	3.1	70
245	Impact of ischaemia time on renal function after partial nephrectomy: a systematic review. <i>BJU International</i> , 2016 , 118, 692-705	5.6	52
244	A comprehensive review of genomic landscape, biomarkers and treatment sequencing in castration-resistant prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 48, 25-33	14.4	18
243	The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , 2016 , 2, 79-85	5.1	29
242	Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016 , 195, 1354-1361	2.5	20
241	Renal-cell carcinoma risk estimates based on participants in the prostate, lung, colorectal, and ovarian cancer screening trial and national lung screening trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 167.e9-16	2.8	19
240	Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 233.e1-6	2.8	19
239	Words of Wisdom. Re: Finasteride Reduces the Risk of Bladder Cancer in a Large Prospective Screening Study. <i>European Urology</i> , 2016 , 69, 537	10.2	5
238	Impact of Body Mass Index, Age, Prostate Volume, and Genetic Polymorphisms on Prostate-specific Antigen Levels in a Control Population. <i>European Urology</i> , 2016 , 70, 6-8	10.2	3

237	Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 1411-9	4	7
236	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016 , 25, 1203-14	5.6	20
235	Apparent diffusion coefficient value is a strong predictor of unsuspected aggressiveness of prostate cancer before radical prostatectomy. <i>World Journal of Urology</i> , 2016 , 34, 1389-95	4	15
234	HOXB13 protein expression in metastatic lesions is a promising marker for prostate origin. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 619-22	5.1	13
233	Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61	4	4
232	Postoperative drainage does not prevent complications after robotic partial nephrectomy. <i>World Journal of Urology</i> , 2016 , 34, 933-8	4	11
231	The Use of Biomarkers for Bladder Cancer Diagnosis and Surveillance. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 1444-1449	3.2	4
230	Lynch syndrome and exposure to aristolochic acid in upper-tract urothelial carcinoma: its clinical impact?. <i>Translational Andrology and Urology</i> , 2016 , 5, 648-654	2.3	2
229	Risk stratification for kidney sparing procedure in upper tract urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016 , 5, 711-719	2.3	6
228	Predictive models and prognostic factors for upper tract urothelial carcinoma: a comprehensive review of the literature. <i>Translational Andrology and Urology</i> , 2016 , 5, 720-734	2.3	11
227	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9	5.6	11
226	Long-term complications of continent cutaneous urinary diversion in adult spinal cord injured patients. <i>Neurourology and Urodynamics</i> , 2016 , 35, 1046-1050	2.3	16
225	Risk of malignancy after augmentation cystoplasty: A systematic review. <i>Neurourology and Urodynamics</i> , 2016 , 35, 675-82	2.3	51
224	Re: Xavier Biarreau, Jfme Rizk, Franis Marcelli, Vincent Flamand. Robot-assisted Laparoscopic Approach for Artificial Urinary Sphincter Implantation in 11 Women with Urinary Stress Incontinence: Surgical Technique and Initial Experience. <i>Eur Urol</i> 2015;67:937-42. <i>European Urology</i> , 2016 , 69, 147-51	10.2	1
223	Direct Comparison of GreenLight Laser XPS Photoselective Prostate Vaporization and GreenLight Laser En Bloc Enucleation of the Prostate in Enlarged Glands Greater than 80 ml: a Study of 120 Patients. <i>Journal of Urology</i> , 2016 , 195, 1027-32	2.5	32
222	Safety and Feasibility of Laparoscopic Nephrectomy for Big Tumors (≥10 cm): A Retrospective Multicentric Study. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e335-40	3.3	4
221	Current perspectives of sentinel lymph node dissection at the time of radical surgery for prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 50, 228-239	14.4	10
220	Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the EAU Non-muscle Invasive Bladder Cancer Guidelines Panel. <i>European Urology</i> , 2016 , 70, 1052-1068	10.2	122

219	The prognostic role of lymphovascular invasion in urothelial carcinoma of the bladder. <i>Nature Reviews Urology</i> , 2016 , 13, 471-9	5.5	57
218	Functional outcomes of adjustable continence therapy (ACT) balloons in women aged >80 years and suffering from stress urinary incontinence caused by intrinsic sphincter deficiency. <i>World Journal of Urology</i> , 2015 , 33, 1897-903	4	5
217	Surgical landscape of radical cystectomy for bladder cancer in France over the last 10 years. <i>World Journal of Urology</i> , 2015 , 33, 889-90	4	0
216	Oncological outcomes of advanced muscle-invasive bladder cancer with a micropapillary variant after radical cystectomy and adjuvant platinum-based chemotherapy. <i>World Journal of Urology</i> , 2015 , 33, 1087-93	4	13
215	Clinicopathological characteristics of urothelial bladder cancer in patients less than 40 years old. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 589-94	5.1	66
214	Nephrectomy improves overall survival in patients with metastatic renal cell carcinoma in cases of favorable MSKCC or ECOG prognostic features. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 339.e9-15	2.8	45
213	Re: Completely Intracorporeal Robotic-assisted Laparoscopic Augmentation Enterocystoplasty With Continent Catheterizable Channel (Urology 2014;84:1314-1318). <i>Urology</i> , 2015 , 86, 205	1.6	
212	Long-term functional outcomes after artificial urinary sphincter implantation in men with stress urinary incontinence. <i>BJU International</i> , 2015 , 115, 951-7	5.6	62
211	Intralesional Injections for Early Peyronie Disease: Standardized Assessment and Analysis of Predictive Factors for Treatment Response. <i>Urology</i> , 2015 , 86, 57-61	1.6	13
210	European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>European Urology</i> , 2015 , 68, 868-79	10.2	395
209	Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 949-56	10.2	37
208	The use of hemostatic agents does not prevent hemorrhagic complications of robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 1815-20	4	13
207	Functional magnetic resonance imaging and molecular pathology at the crossroad of the management of early prostate cancer. <i>World Journal of Urology</i> , 2015 , 33, 929-36	4	3
206	Trends in the Use of the GreenLight Laser in the Surgical Management of Benign Prostatic Obstruction in France Over the Past 10 Years. <i>European Urology</i> , 2015 , 67, 1193-1195	10.2	13
205	Kidney-sparing surgery for upper tract urothelial cancer. <i>Current Opinion in Urology</i> , 2015 , 25, 100-4	2.8	12
204	Accuracy of the prostate health index versus the urinary prostate cancer antigen 3 score to predict overall and significant prostate cancer at initial biopsy. <i>Prostate</i> , 2015 , 75, 103-11	4.2	37
203	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22	2.8	10
202	The Diagnostic and Prognostic Performance of Urinary FGFR3 Mutation Analysis in Bladder Cancer Surveillance: A Prospective Multicenter Study. <i>Urology</i> , 2015 , 86, 1185-90	1.6	22

201	The role for surgery in high-risk prostate cancer. <i>Wiener Medizinische Wochenschrift</i> , 2015 , 165, 395-400	2.9	2
200	Multiparametric Magnetic Resonance Imaging Predicts Postoperative Pathology but Misses Aggressive Prostate Cancers as Assessed by Cell Cycle Progression Score. <i>Journal of Urology</i> , 2015 , 194, 1617-23	2.5	23
199	Smoking Status Is Not Sufficient to Accurately Target Patients Who Would Benefit from Screening for Bladder and Kidney Cancer. <i>European Urology Focus</i> , 2015 , 1, 52-53	5.1	4
198	Multi-institutional validation of the prognostic value of Ki-67 labeling index in patients treated with radical prostatectomy. <i>World Journal of Urology</i> , 2015 , 33, 1165-71	4	15
197	A Systematic Review and Meta-analysis of Clinicopathologic Factors Linked to Intravesical Recurrence After Radical Nephroureterectomy to Treat Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2015 , 67, 1122-1133	10.2	142
196	Prostate cancer incidence on cystoprostatectomy specimens is directly linked to age: results from a multicentre study. <i>BJU International</i> , 2015 , 115, 87-93	5.6	16
195	Adjuvant cisplatin-based combined chemotherapy for lymph node (LN)-positive urothelial carcinoma of the bladder (UCB) after radical cystectomy (RC): a retrospective international study of >1500 patients. <i>BJU International</i> , 2015 , 115, 722-7	5.6	18
194	The role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma following radical nephroureterectomy: a retrospective study. <i>BJU International</i> , 2015 , 116, 72-8	5.6	26
193	Characterization of long non-coding RNA transcriptome in clear-cell renal cell carcinoma by next-generation deep sequencing. <i>Molecular Oncology</i> , 2015 , 9, 32-43	7.9	63
192	The use of partial nephrectomy: results from a contemporary national prospective multicenter study. <i>World Journal of Urology</i> , 2015 , 33, 33-40	4	18
191	Influence of preoperative factors on the oncologic outcome for upper urinary tract urothelial carcinoma after radical nephroureterectomy. <i>World Journal of Urology</i> , 2015 , 33, 335-41	4	28
190	Accuracy of Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies to Diagnose Clinically Significant Prostate Cancer in Enlarged Compared to Smaller Prostates. <i>Journal of Urology</i> , 2015 , 194, 669-73	2.5	48
189	Lynch Syndrome: A Primer for Urologists and Panel Recommendations. <i>Journal of Urology</i> , 2015 , 194, 21-9	2.5	53
188	ERCC1 as a Prognostic and Predictive Biomarker for Urothelial Carcinoma of the Bladder following Radical Cystectomy. <i>Journal of Urology</i> , 2015 , 194, 1456-62	2.5	22
187	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
186	First round of targeted biopsies using magnetic resonance imaging/ultrasonography fusion compared with conventional transrectal ultrasonography-guided biopsies for the diagnosis of localised prostate cancer. <i>BJU International</i> , 2015 , 115, 50-7	5.6	126
185	Low circulating free and bioavailable testosterone levels as predictors of high-grade tumors in patients undergoing radical prostatectomy for localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 384.e21-7	2.8	22
184	How to define a refractory idiopathic overactive bladder?. <i>Neurourology and Urodynamics</i> , 2015 , 34, 2-112.3		16

183	Penile rehabilitation after radical prostatectomy: does it work?. <i>Translational Andrology and Urology</i> , 2015 , 4, 110-23	2.3	24
182	Upper urinary tract disease: what we know today and unmet needs. <i>Translational Andrology and Urology</i> , 2015 , 4, 261-72	2.3	22
181	Trends in the placement of penile prostheses over the last 17 years in France. <i>Asian Journal of Andrology</i> , 2015 , 17, 337-8	2.8	3
180	Influence of statin use on clinicopathological characteristics of localized prostate cancer and outcomes obtained after radical prostatectomy: a single center study. <i>Canadian Journal of Urology</i> , 2015 , 22, 7703-8	0.8	6
179	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014 , 35, 1737-44	4.6	33
178	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014 , 23, 1387-98	5.6	101
177	Clinicopathological characteristics of incidental prostate cancer discovered from radical cystoprostatectomy specimen: a multicenter French study. <i>Annals of Surgical Oncology</i> , 2014 , 21, 684-90 ^{3.1}		21
176	Secondary chemoprevention of localized prostate cancer by short-term androgen deprivation to select indolent tumors suitable for active surveillance: a prospective pilot phase II study. <i>World Journal of Urology</i> , 2014 , 32, 545-50	4	8
175	Comparison of oncologic outcomes after radical prostatectomy in men diagnosed with prostate cancer with PSA levels below and above 4 ng/mL. <i>World Journal of Urology</i> , 2014 , 32, 481-7	4	2
174	Clear cell papillary renal cell carcinoma is an indolent and low-grade neoplasm with overexpression of cyclin-D1. <i>Histopathology</i> , 2014 , 64, 1032-6	7.3	21
173	Germline genetic variations at 11q13 and 12p11 locus modulate age at onset for renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 487-92	2.5	7
172	Hereditary-like urothelial carcinomas of the upper urinary tract benefit more from adjuvant cisplatin-based chemotherapy after radical nephroureterectomy than do sporadic tumours. <i>BJU International</i> , 2014 , 113, 574-80	5.6	16
171	The 19q12 bladder cancer GWAS signal: association with cyclin E function and aggressive disease. <i>Cancer Research</i> , 2014 , 74, 5808-18	10.1	19
170	European Association of Urology (@Uroweb) recommendations on the appropriate use of social media. <i>European Urology</i> , 2014 , 66, 628-32	10.2	54
169	Assessment of the learning curves for photoselective vaporization of the prostate using GreenLight [®] 80-Watt-XPS laser therapy: defining the intra-operative parameters within a prospective cohort. <i>World Journal of Urology</i> , 2014 , 32, 539-44	4	32
168	Clinicopathological characteristics and outcome of nested carcinoma of the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 199-205 ^{5.1}		53
167	Nephron-sparing surgery for renal tumors measuring more than 7 cm: morbidity, and functional and oncological outcomes. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, e19-27	3.3	17
166	Does increasing the nodal yield improve outcomes in contemporary patients without nodal metastasis undergoing radical prostatectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e1-8	2.8	7

165	Quality assessment of partial nephrectomy complications reporting using EAU standardised quality criteria. <i>European Urology</i> , 2014 , 66, 522-6	10.2	17
164	The surgical approach can be determined from the pathological specimen obtained after open or robot-assisted laparoscopic radical prostatectomy. <i>World Journal of Urology</i> , 2014 , 32, 489-93	4	2
163	Early unclamping technique during robot-assisted laparoscopic partial nephrectomy can minimise warm ischaemia without increasing morbidity. <i>BJU International</i> , 2014 , 114, 741-7	5.6	54
162	Postoperative nomogram to predict cancer-specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. <i>BJU International</i> , 2014 , 114, 733-40	5.6	48
161	Impact of ERBB2 mutations on in vitro sensitivity of bladder cancer to lapatinib. <i>Cancer Biology and Therapy</i> , 2014 , 15, 1239-47	4.6	24
160	Surgery: surgical wait times for UTUC-a race against the clock?. <i>Nature Reviews Urology</i> , 2014 , 11, 665-6	5.5	2
159	Malnourishment in bladder cancer and the role of immunonutrition at the time of cystectomy: an overview for urologists. <i>BJU International</i> , 2014 , 114, 177-84	5.6	13
158	Long-term functional outcomes after artificial urinary sphincter implantation in women with stress urinary incontinence. <i>BJU International</i> , 2014 , 113, 961-7	5.6	35
157	National prospective study on the use of local haemostatic agents during partial nephrectomy. <i>BJU International</i> , 2014 , 113, E56-61	5.6	12
156	Impact of peri-operative blood transfusion on the outcomes of patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>BJU International</i> , 2014 , 113, 393-8	5.6	48
155	Prognostic value of microRNA expression pattern in upper tract urothelial carcinoma. <i>BJU International</i> , 2014 , 113, 813-21	5.6	25
154	Prognosis of patients with pelvic lymph node (LN) metastasis after radical prostatectomy: value of extranodal extension and size of the largest LN metastasis. <i>BJU International</i> , 2014 , 114, 503-10	5.6	24
153	Impact of smoking status and cumulative exposure on intravesical recurrence of upper tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2014 , 114, 56-61	5.6	30
152	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014 , 113, 911-7	5.6	17
151	Impact of histological variants on the outcomes of nonmuscle invasive bladder cancer after transurethral resection. <i>Current Opinion in Urology</i> , 2014 , 24, 524-31	2.8	24
150	Effect of ABO blood type on mortality in patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 625-30	2.8	20
149	Gender-specific differences in clinicopathologic outcomes following radical cystectomy: an international multi-institutional study of more than 8000 patients. <i>European Urology</i> , 2014 , 66, 913-9	10.2	77
148	Influence of previous or synchronous bladder cancer on oncologic outcomes after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 23.e1-8	2.8	24

147	Impact of micropapillary histological variant on survival after radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2014 , 32, 531-7	4	22
146	The use of immediate postoperative instillations of intravesical chemotherapy after TURBT of NMIBC among European countries. <i>World Journal of Urology</i> , 2014 , 32, 525-30	4	32
145	Charlson score as a single pertinent criterion to select candidates for active surveillance among patients with small renal masses. <i>World Journal of Urology</i> , 2014 , 32, 513-8	4	7
144	Risk stratification of metastatic recurrence in invasive upper urinary tract carcinoma after radical nephroureterectomy without lymphadenectomy. <i>World Journal of Urology</i> , 2014 , 32, 507-12	4	10
143	A systematic review of the treatment for female stress urinary incontinence by ACT [®] balloon placement (Uromedica, Irvine, CA, USA). <i>World Journal of Urology</i> , 2014 , 32, 495-505	4	16
142	Neoadjuvant targeted molecular therapies in patients undergoing nephrectomy and inferior vena cava thrombectomy: is it useful?. <i>World Journal of Urology</i> , 2014 , 32, 109-14	4	59
141	Impact of the length of time between diagnosis and surgical removal of urologic neoplasms on survival. <i>World Journal of Urology</i> , 2014 , 32, 475-9	4	39
140	Clinical outcomes after salvage radiotherapy without androgen deprivation therapy in patients with persistently detectable PSA after radical prostatectomy: results from a national multicentre study. <i>World Journal of Urology</i> , 2014 , 32, 1331-8	4	14
139	Detection of specific chromosomal aberrations in urine using BCA-1 (oligo-CGH-array) enhances diagnostic sensitivity and predicts the aggressiveness of non-muscle-invasive bladder transitional cell carcinoma. <i>World Journal of Urology</i> , 2014 , 32, 551-7	4	4
138	Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8	10.2	94
137	Current role of image-guided robotic radiosurgery (Cyberknife [®]) for prostate cancer treatment. <i>BJU International</i> , 2013 , 111, 761-6	5.6	17
136	EAU guidelines on non-muscle-invasive urothelial carcinoma of the bladder: update 2013. <i>European Urology</i> , 2013 , 64, 639-53	10.2	906
135	Different subtypes of carcinoma in situ of the bladder do not have a different prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 462, 343-8	5.1	11
134	The survival benefit of lymph node dissection at the time of removal of kidney, prostate and urothelial carcinomas: what is the evidence?. <i>World Journal of Urology</i> , 2013 , 31, 1369-76	4	7
133	Adrenal tumours are more predominant in females regardless of their histological subtype: a review. <i>World Journal of Urology</i> , 2013 , 31, 1037-43	4	26
132	Female gender is associated with higher risk of disease recurrence in patients with primary T1 high-grade urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2013 , 31, 1029-36	4	44
131	Role of pelvic phased array magnetic resonance imaging in staging of prostate cancer specifically in patients diagnosed with clinically locally advanced tumours by digital rectal examination. <i>World Journal of Urology</i> , 2013 , 31, 881-6	4	32
130	A switch from GnRH agonist to GnRH antagonist in castration-resistant prostate cancer patients leads to a low response rate on PSA. <i>World Journal of Urology</i> , 2013 , 31, 339-43	4	10

129	Predictive factors of complications after robot-assisted laparoscopic partial nephrectomy: a retrospective multicentre study. <i>BJU International</i> , 2013 , 112, E283-9	5.6	38
128	Newer and novel artificial urinary sphincters (AUS): the development of alternatives to the current AUS device. <i>BJU International</i> , 2013 , 112, E426-8	5.6	7
127	The role of chemotherapy in the treatment of urothelial cell carcinoma of the upper urinary tract (UUT-UCC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 407-13	2.8	58
126	Accuracy of high resolution (1.5 tesla) pelvic phased array magnetic resonance imaging (MRI) in staging prostate cancer in candidates for radical prostatectomy: results from a prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 448-54	2.8	33
125	HOXB13 is a sensitive and specific marker of prostate cells, useful in distinguishing between carcinomas of prostatic and urothelial origin. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 803-9	5.1	22
124	A prospective comparison of the pathologic and surgical outcomes obtained after elective treatment of renal cell carcinoma by open or robot-assisted partial nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 924-9	2.8	45
123	Oncologic outcomes and survival in pT0 tumors after radical nephroureterectomy for upper tract urothelial carcinoma: results from of a large multicenter international collaborative study. <i>European Urology</i> , 2013 , 63, 404-5	10.2	1
122	Trends in the landscape of artificial urinary sphincter implantation in men and women in France over the past decade. <i>European Urology</i> , 2013 , 63, 407-8	10.2	10
121	Comparing how significantly the pharmacological treatment of genitourinary cancer in a non-curative setting affects endpoints of survival or response. <i>World Journal of Urology</i> , 2013 , 31, 117-25	4	3
120	Disease-free survival as a surrogate for overall survival in upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 5-11	4	27
119	Predictive tools for clinical decision-making and counseling of patients with upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 31-6	4	19
118	Upper urinary tract instillations in the treatment of urothelial carcinomas: a review of technical constraints and outcomes. <i>World Journal of Urology</i> , 2013 , 31, 45-52	4	30
117	Genetic polymorphisms on 8q24.1 and 4p16.3 are not linked with urothelial carcinoma of the bladder in contrast to their association with aggressive upper urinary tract tumours. <i>World Journal of Urology</i> , 2013 , 31, 53-9	4	17
116	Intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinomas: predictors and impact on subsequent oncological outcomes from a national multicenter study. <i>World Journal of Urology</i> , 2013 , 31, 61-8	4	57
115	Urothelial carcinomas of the upper urinary tract are now recognised as a true and distinct entity from bladder cancer and belong fully to the broad spectrum of onco-urologic neoplasms. <i>World Journal of Urology</i> , 2013 , 31, 1-3	4	5
114	The oncologic impact of a delay between diagnosis and radical nephroureterectomy due to diagnostic ureteroscopy in upper urinary tract urothelial carcinomas: results from a large collaborative database. <i>World Journal of Urology</i> , 2013 , 31, 69-76	4	40
113	The impact of lymph node status and features on oncological outcomes in urothelial carcinoma of the upper urinary tract (UTUC) treated by nephroureterectomy. <i>World Journal of Urology</i> , 2013 , 31, 189-97	4	42
112	A systematic review of the tools available for predicting survival and managing patients with urothelial carcinomas of the bladder and of the upper tract in a curative setting. <i>World Journal of Urology</i> , 2013 , 31, 109-16	4	16

111	Prognostic interest in discriminating muscularis mucosa invasion (T1a vs T1b) in nonmuscle invasive bladder carcinoma: French national multicenter study with central pathology review. <i>Journal of Urology</i> , 2013 , 189, 2069-76	2.5	44
110	Transurethral resection biopsy as part of a saturation biopsy protocol: a cohort study and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 542-8	2.8	2
109	Reply by the authors. <i>Urology</i> , 2013 , 82, 982-3	1.6	1
108	Prediction of cancer specific survival after radical nephroureterectomy for upper tract urothelial carcinoma: development of an optimized postoperative nomogram using decision curve analysis. <i>Journal of Urology</i> , 2013 , 189, 1662-9	2.5	117
107	A prospective comparison of surgical and pathological outcomes obtained after robot-assisted or pure laparoscopic partial nephrectomy in moderate to complex renal tumours: results from a French multicentre collaborative study. <i>BJU International</i> , 2013 , 111, 256-63	5.6	61
106	European guidelines on upper tract urothelial carcinomas: 2013 update. <i>European Urology</i> , 2013 , 63, 1059-71	10.2	360
105	Robot-assisted laparoscopic artificial urinary sphincter insertion in men with neurogenic stress urinary incontinence. <i>BJU International</i> , 2013 , 111, 1175-9	5.6	29
104	Positive surgical margins and their locations in specimens are adverse prognosis features after radical cystectomy in non-metastatic carcinoma invading bladder muscle: results from a nationwide case-control study. <i>BJU International</i> , 2013 , 111, 1253-60	5.6	27
103	Impact of lymphovascular invasion on oncological outcomes in patients with upper tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2013 , 111, 1199-207	5.6	26
102	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61	5.6	97
101	Reporting and grading of complications after urologic surgical procedures: an ad hoc EAU guidelines panel assessment and recommendations. <i>European Urology</i> , 2012 , 61, 341-9	10.2	333
100	Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , 2012 , 62, 100-14	10.2	276
99	Potential role of photodynamic techniques combined with new generation flexible ureterorenoscopes and molecular markers for the management of urothelial carcinoma of the upper urinary tract. <i>BJU International</i> , 2012 , 109, 608-13; discussion 613-4	5.6	30
98	Is there a contemporary role for percutaneous needle biopsy in the era of small renal masses?. <i>BJU International</i> , 2012 , 109, 867-72	5.6	28
97	Genetic pathways involved in carcinogenesis of clear cell renal cell carcinoma: genomics towards personalized medicine. <i>BJU International</i> , 2012 , 109, 1864-70	5.6	48
96	Anterior suspension combined with posterior reconstruction during robot-assisted laparoscopic prostatectomy improves early return of urinary continence: a prospective randomized multicentre trial. <i>BJU International</i> , 2012 , 110, 875-83	5.6	85
95	Comparison of oncological outcomes after segmental ureterectomy or radical nephroureterectomy in urothelial carcinomas of the upper urinary tract: results from a large French multicentre study. <i>BJU International</i> , 2012 , 110, 1134-41	5.6	73
94	The role of American Society of Anesthesiologists scores in predicting urothelial carcinoma of the upper urinary tract outcome after radical nephroureterectomy: results from a national multi-institutional collaborative study. <i>BJU International</i> , 2012 , 110, E1035-40	5.6	19

93	Current role of diethylstilbestrol in the management of advanced prostate cancer. <i>BJU International</i> , 2012 , 110, E826-9	5.6	18
92	A proportion of hereditary upper urinary tract urothelial carcinomas are misclassified as sporadic according to a multi-institutional database analysis: proposal of patient-specific risk identification tool. <i>BJU International</i> , 2012 , 110, E583-9	5.6	48
91	Collaborative research networks as a platform for virtual multidisciplinary, international approach to managing difficult clinical cases: an example from the Upper Tract Urothelial Carcinoma Collaboration. <i>European Urology</i> , 2012 , 62, 943-5	10.2	8
90	Treatment options available for bacillus Calmette-Guérin failure in non-muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 1088-96	10.2	57
89	Genetic variability in 8q24 confers susceptibility to urothelial carcinoma of the upper urinary tract and is linked with patterns of disease aggressiveness at diagnosis. <i>Journal of Urology</i> , 2012 , 187, 424-8	2.5	20
88	Clinical characteristics and pathologic findings in patients eligible for active surveillance who underwent radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 402-7	2.8	7
87	Influence of positive surgical margin status after radical nephroureterectomy on upper urinary tract urothelial carcinoma survival. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3613-20	3.1	52
86	Pathologic findings in radical prostatectomy specimens from patients eligible for active surveillance with highly selective criteria: a multicenter study. <i>Urology</i> , 2012 , 80, 656-60	1.6	50
85	Impact of the expression of Aurora-A, p53, and MIB-1 on the prognosis of urothelial carcinomas of the upper urinary tract. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 182-7	2.8	19
84	A direct comparison of the diagnostic accuracy of three prostate cancer nomograms designed to predict the likelihood of a positive initial transrectal biopsy. <i>Prostate</i> , 2012 , 72, 1200-6	4.2	13
83	Assessment of oncologic control obtained after open versus laparoscopic nephroureterectomy for upper urinary tract urothelial carcinomas (UUT-UCs): results from a large French multicenter collaborative study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 301-8	3.1	70
82	Quantitative RT-PCR analysis of PSA and prostate-specific membrane antigen mRNA to detect circulating tumor cells improves recurrence-free survival nomogram prediction after radical prostatectomy. <i>Prostate</i> , 2012 , 72, 1382-8	4.2	28
81	Persistently elevated prostate-specific antigen at six weeks after radical prostatectomy helps in early identification of patients who are likely to recur. <i>World Journal of Urology</i> , 2012 , 30, 239-44	4	22
80	Prospective comparison of short-term functional outcomes obtained after pure laparoscopic and robot-assisted laparoscopic sacrocolpopexy. <i>World Journal of Urology</i> , 2012 , 30, 393-8	4	59
79	Outcomes and general health-related quality of life among patients medically treated in general daily practice for lower urinary tract symptoms due to benign prostatic hyperplasia. <i>World Journal of Urology</i> , 2012 , 30, 419-26	4	55
78	Low accuracy of routine ultrasound-guided systematic 12-core biopsies in prostate tumor mapping. <i>Canadian Journal of Urology</i> , 2012 , 19, 6366-72	0.8	5
77	The presence of detrusor muscle in the pathological specimen after transurethral resection of primary pT1 bladder tumors and its relationship to operator experience. <i>Canadian Journal of Urology</i> , 2012 , 19, 6459-64	0.8	20
76	Prostate cancer with clear cell features and an unusual nested-like pattern of growth: a case report. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2012 , 34, 289-92		0

75	Upcoming female preponderance within surgery residents and the association of sex with the surgical career choice in the new millennium: results from a national survey in France. <i>American Journal of Surgery</i> , 2011 , 202, 237-42	2.7	7
74	Small cell carcinoma of the upper urinary tract (UUT-SCC): report of a rare entity and systematic review of the literature. <i>Cancer Treatment Reviews</i> , 2011 , 37, 366-72	14.4	31
73	Long-term functional outcomes after ileal ureter substitution: a single-center experience. <i>Urology</i> , 2011 , 78, 692-5	1.6	40
72	Radical prostatectomy for high-risk prostate cancer defined by preoperative criteria: oncologic follow-up in national multicenter study in 813 patients and assessment of easy-to-use prognostic substratification. <i>Urology</i> , 2011 , 78, 607-13	1.6	46
71	Functional outcomes after management of end-stage neurological bladder dysfunction with ileal conduit in a multiple sclerosis population: a monocentric experience. <i>Urology</i> , 2011 , 78, 937-41	1.6	27
70	Bladder recurrence after surgery for upper urinary tract urothelial cell carcinoma: frequency, risk factors, and surveillance. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 130-6	2.8	108
69	Oncologic control obtained after radical prostatectomy in men with a pathological Gleason score \leq 8: a single-center experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 602-7	2.8	5
68	Management of stress urinary incontinence following prostate surgery with minimally invasive adjustable continence balloon implants: functional results from a single center prospective study. <i>Journal of Urology</i> , 2011 , 186, 198-203	2.5	31
67	Impact of genotyping on outcome of prostatic biopsies: a multicenter prospective study. <i>Molecular Medicine</i> , 2011 , 17, 473-7	6.2	7
66	Outcome of a modified York Mason technique in men with iatrogenic urethrorectal fistula after radical prostatectomy. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1008-13	3.1	19
65	From Leonardo to da Vinci: the history of robot-assisted surgery in urology. <i>BJU International</i> , 2011 , 108, 1708-13; discussion 1714	5.6	82
64	Diagnostic, staging, and grading of urothelial carcinomas from urine: performance of BCA-1, a mini-array comparative genomic hybridisation-based test. <i>European Urology</i> , 2011 , 59, 250-7	10.2	12
63	European guidelines for the diagnosis and management of upper urinary tract urothelial cell carcinomas: 2011 update. <i>European Urology</i> , 2011 , 59, 584-94	10.2	303
62	Renal cell carcinoma (RCC) in patients with end-stage renal disease exhibits many favourable clinical, pathologic, and outcome features compared with RCC in the general population. <i>European Urology</i> , 2011 , 60, 366-73	10.2	64
61	EAU guidelines on non-muscle-invasive urothelial carcinoma of the bladder, the 2011 update. <i>European Urology</i> , 2011 , 59, 997-1008	10.2	557
60	Ureteral and multifocal tumours have worse prognosis than renal pelvic tumours in urothelial carcinoma of the upper urinary tract treated by nephroureterectomy. <i>European Urology</i> , 2011 , 60, 1258-65	10.2	113
59	Urine markers for detection and surveillance of non-muscle-invasive bladder cancer. <i>European Urology</i> , 2011 , 60, 484-92	10.2	142
58	Impact of elective versus imperative indications on oncologic outcomes after open nephron-sparing surgery for the treatment of sporadic renal cell carcinomas. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1151-7	3.1	13

57	Oncologic outcomes and survival in pT0 tumors after radical cystectomy in patients without neoadjuvant chemotherapy: results from a large multicentre collaborative study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3833-8	3.1	8
56	Assessing the complications of laparoscopic robot-assisted surgery: the case of radical prostatectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 536-42	5.2	26
55	Pathological findings and oncological control afforded by radical prostatectomy in men with high-risk prostate cancer: a single-centre study. <i>World Journal of Urology</i> , 2011 , 29, 665-70	4	5
54	Predictive factors of recurrence and survival of upper tract urothelial carcinomas. <i>World Journal of Urology</i> , 2011 , 29, 495-501	4	38
53	Is the implantation of an artificial urinary sphincter with a large cuff in women with severe urinary incontinence associated with worse perioperative complications and functional outcomes than usual?. <i>International Urogynecology Journal</i> , 2011 , 22, 1319-24	2	8
52	Clinical relevance of urethral stents (Urospiral 2) placement in patients with prostatic obstacle and concomitant high-risk surgical status or neurological diseases: a feasibility and safety study. <i>Neurourology and Urodynamics</i> , 2011 , 30, 374-9	2.3	4
51	Outcomes after adjuvant chemotherapy in the treatment of high-risk urothelial carcinoma of the upper urinary tract (UUT-UC): results from a large multicenter collaborative study. <i>Cancer</i> , 2011 , 117, 5500-8	6.4	85
50	Distribution of Foxp3-, CD4- and CD8-positive lymphocytic cells in benign and malignant prostate tissue. <i>Apmis</i> , 2010 , 118, 360-5	3.4	28
49	Career choices of medical students: a national survey of 1780 students. <i>Medical Education</i> , 2010 , 44, 603-12	3.2	112
48	Methylated genes as potential biomarkers in prostate cancer. <i>BJU International</i> , 2010 , 105, 1364-70	5.6	59
47	Failure of bacille Calmette-Guérin in patients with high risk non-muscle-invasive bladder cancer unsuitable for radical cystectomy: an update of available treatment options. <i>BJU International</i> , 2010 , 106, 162-7	5.6	15
46	Is radical prostatectomy a viable therapeutic option in clinically locally advanced (cT3) prostate cancer?. <i>BJU International</i> , 2010 , 106, 1596-600	5.6	18
45	Micropapillary urothelial carcinoma of the urinary bladder: a clinicopathological analysis of 72 cases. <i>Pathology</i> , 2010 , 42, 650-4	1.6	87
44	Large cell undifferentiated carcinoma of the urinary bladder. <i>Pathology</i> , 2010 , 42, 364-8	1.6	19
43	Motivation of French medical students to pursue surgical careers: results of national survey of 1742 students. <i>Journal of Visceral Surgery</i> , 2010 , 147, e181-6	1.9	13
42	Prostate-sparing cystectomy for bladder cancer: a step toward a dead-end. <i>Urology</i> , 2010 , 76, 260-3	1.6	5
41	Oncologic control obtained after exclusive flexible ureteroscopic management of upper urinary tract urothelial cell carcinoma. <i>World Journal of Urology</i> , 2010 , 28, 151-6	4	79
40	Laparoscopic approach for artificial urinary sphincter implantation in women with intrinsic sphincter deficiency incontinence: a single-centre preliminary experience. <i>European Urology</i> , 2010 , 57, 499-504	10.2	49

39	Positive surgical margin appears to have negligible impact on survival of renal cell carcinomas treated by nephron-sparing surgery. <i>European Urology</i> , 2010 , 57, 466-71	10.2	174
38	Laparoscopic surgical complete sling resection for tension-free vaginal tape-related complications refractory to first-line conservative management: a single-centre experience. <i>European Urology</i> , 2010 , 58, 270-4	10.2	26
37	Tissue expression of IL16 in prostate cancer and its association with recurrence after radical prostatectomy. <i>Prostate</i> , 2010 , 70, 1622-7	4.2	19
36	Aurora-A/STK-15 is differentially expressed in the micropapillary variant of bladder cancer. <i>Urologia Internationalis</i> , 2009 , 82, 312-7	1.9	9
35	Full analysis of the prostatic urethra at the time of radical cystoprostatectomy for bladder cancer: impact on final disease stage. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 455, 449-53	5.1	4
34	Oncological risk of laparoscopic surgery in urothelial carcinomas. <i>World Journal of Urology</i> , 2009 , 27, 81-8	4	42
33	Comparison of mid-term carcinologic control obtained after open, laparoscopic, and robot-assisted radical prostatectomy for localized prostate cancer. <i>World Journal of Urology</i> , 2009 , 27, 599-605	4	65
32	Oncologic outcome after radical prostatectomy in men with PSA values above 20 ng/ml: a monocentric experience. <i>World Journal of Urology</i> , 2009 , 27, 653-8	4	16
31	Oncological control after radical prostatectomy in men with clinical T3 prostate cancer: a single-centre experience. <i>BJU International</i> , 2009 , 103, 1173-8; discussion 1178	5.6	37
30	Cross-cultural validation of a prognostic tool: example of the Kattan preoperative nomogram as a predictor of prostate cancer recurrence after radical prostatectomy. <i>BJU International</i> , 2009 , 104, 813-7; discussion 817-8	5.6	14
29	Interest of methylated genes as biomarkers in urothelial cell carcinomas of the urinary tract. <i>BJU International</i> , 2009 , 104, 896-901	5.6	43
28	Environmental factors involved in carcinogenesis of urothelial cell carcinomas of the upper urinary tract. <i>BJU International</i> , 2009 , 104, 1436-40	5.6	178
27	Comparison of the self-reported training level between Mexican and Western Europe residents in urology: results of an international survey. <i>Medical Teacher</i> , 2009 , 31, e69-73	3	0
26	Promising functional outcomes obtained with robot-assisted laparoscopic pyeloplasty: a single-center experience. <i>Journal of Endourology</i> , 2009 , 23, 959-63	2.7	6
25	Fluorescence diagnosis and flat lesions of urothelium: new challenges for pathologists and urologists (Review). <i>Oncology Reports</i> , 2009 , 21, 839-44	3.5	3
24	De novo urinary stress incontinence after laparoscopic sacral colpopexy. <i>BJU International</i> , 2008 , 101, 594-7	5.6	16
23	A comparison of the performance of microsatellite and methylation urine analysis for predicting the recurrence of urothelial cell carcinoma, and definition of a set of markers by Bayesian network analysis. <i>BJU International</i> , 2008 , 101, 1448-53	5.6	44
22	Molecular and histological markers in urothelial carcinomas of the upper urinary tract. <i>BJU International</i> , 2008 , 102, 532-5	5.6	47

21	Upper urinary tract urothelial cell carcinomas and other urological malignancies involved in the hereditary nonpolyposis colorectal cancer (lynch syndrome) tumor spectrum. <i>European Urology</i> , 2008 , 54, 1226-36	10.2	130
20	Effect of genetic variability within 8q24 on aggressiveness patterns at diagnosis and familial status of prostate cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 5635-9	12.9	25
19	Oncologic control provided by HIFU therapy as single treatment in men with clinically localized prostate cancer. <i>World Journal of Urology</i> , 2008 , 26, 481-5	4	29
18	Promoter hypermethylation in circulating blood cells identifies prostate cancer progression. <i>International Journal of Cancer</i> , 2008 , 122, 952-6	7.5	66
17	Laparoscopic distal ureterectomy and anastomosis for management of low-risk upper urinary tract transitional cell carcinoma: preliminary results. <i>BJU International</i> , 2007 , 99, 623-7	5.6	38
16	Relevance of the prostate-specific antigen (PSA) nanotest compared to the classical PSA test in the organized mass screening of prostate cancer. <i>BJU International</i> , 2007 , 99, 762-4	5.6	0
15	Clinically localised prostate cancer is microsatellite stable. <i>BJU International</i> , 2007 , 99, 1031-5	5.6	12
14	Upper urinary tract tumour after radical cystectomy for transitional cell carcinoma of the bladder: an update on the risk factors, surveillance regimens and treatments. <i>BJU International</i> , 2007 , 100, 11-6	5.6	48
13	BRCA2 mutation screening is clinically relevant in breast and early prostate cancer families. <i>International Journal of Urology</i> , 2007 , 14, 445-6	2.3	0
12	Upper urinary tract transitional cell carcinoma: recurrence rate after percutaneous endoscopic resection. <i>European Urology</i> , 2007 , 51, 709-13; discussion 714	10.2	80
11	Molecular detection of localized prostate cancer using quantitative methylation-specific PCR on urinary cells obtained following prostate massage. <i>Clinical Cancer Research</i> , 2007 , 13, 1720-5	12.9	126
10	Oncologic control after open or laparoscopic nephroureterectomy for upper urinary tract transitional cell carcinoma: a single center experience. <i>Urology</i> , 2007 , 69, 656-61	1.6	75
9	Outcome after radical prostatectomy in young men with or without a family history of prostate cancer. <i>Urology</i> , 2006 , 67, 1028-32	1.6	15
8	Comparison of open nephroureterectomy and ureteroscopic and percutaneous management of upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2006 , 67, 1181-7	1.6	104
7	Microsatellite instability as predictor of survival in patients with invasive upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2005 , 65, 1233-7	1.6	61
6	Can ureteral stent encrustation analysis predict urinary stone composition?. <i>Urology</i> , 2005 , 66, 246-51	1.6	17
5	Accuracy of the routine detection of mutation in mismatch repair genes in patients with susceptibility to hereditary upper urinary tract transitional cell carcinoma. <i>BJU International</i> , 2005 , 96, 149-51	5.6	11
4	Microsatellite instability and transitional cell carcinoma of the upper urinary tract. <i>BJU International</i> , 2005 , 96, 489-92	5.6	25

3	Tissue microarray analysis of the prognostic value of E-cadherin, Ki67, p53, p27, survivin and MSH2 expression in upper urinary tract transitional cell carcinoma. <i>European Urology</i> , 2005 , 48, 764-70	10.2	66
2	Sacral neuromodulation for refractory detrusor overactivity in women with an artificial urinary sphincter. <i>Journal of Urology</i> , 2004 , 172, 236-9	2.5	4
1	Renal cell carcinoma of the grafted kidney: how to improve screening and graft tracking. <i>Transplantation</i> , 2004 , 77, 146-8	1.8	45