Stefano Belforte

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1649916/stefano-belforte-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

620 25,889 129 74 h-index g-index citations papers 28,409 633 5.3 2.33 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 620 | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 619 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | 1 |
| 618 | Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 153 | 4.2 | O |
| 617 | Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | |
| 616 | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 290 | 4.2 | O |
| 615 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | О |
| 614 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 613 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | 0 |
| 612 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 611 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 610 | Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 609 | Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | |
| 608 | Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970 | 4.2 | 3 |
| 607 | Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200 | 4.2 | 5 |
| 606 | Development and validation of HERWIGI7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312 | 4.2 | 1 |
| 605 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378 | 4.2 | 5 |
| 604 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488 | 4.2 | 5 |

(2020-2021)

| 603 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 3 |
|-----|---|-----|----|
| 602 | Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13 | 4.2 | 7 |
| 601 | Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3 | 4.2 | 5 |
| 600 | MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629 | 4.2 | 4 |
| 599 | Search for a heavy vector resonance decaying to a Doson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688 | 4.2 | О |
| 598 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723 | 4.2 | 3 |
| 597 | Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852 | 4.2 | О |
| 596 | Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800 | 4.2 | 7 |
| 595 | Performance of the CMS Level-1 trigger in proton-proton collisions at \blacksquare = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017 | 1 | 23 |
| 594 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 12 |
| 593 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |
| 592 | Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189 | 4.2 | 3 |
| 591 | Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534 | 4.2 | 6 |
| 590 | Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43 | 4.2 | 6 |
| 589 | Evidence for (text {W}text {W}) production from double-parton interactions in proton proton collisions at (sqrt{s} = 13 ,text {TeV}). European Physical Journal C, 2020 , 80, 1 | 4.2 | 4 |
| 588 | Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75 | 4.2 | 24 |
| 587 | Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3 | 4.2 | 16 |
| 586 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4 | 4.2 | 61 |

| 585 | Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 7 |
|-----|---|-----|-----|
| 584 | A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237 | 4.2 | 10 |
| 583 | Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164 | 4.2 | О |
| 582 | Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370 | 4.2 | 4 |
| 581 | Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}}{text {p}}) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical</i> | 4.2 | 13 |
| 580 | Journal C, 2020, 80, 1 A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10 | 6 | 3 |
| 579 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at 8 = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027 | 1 | 11 |
| 578 | Calibration of the CMS hadron calorimeters using proton-proton collision data at 🛭 = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002 | 1 | |
| 577 | Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718 | 4.2 | 2 |
| 576 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752 | 4.2 | 2 |
| 575 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773 | 4.2 | 0 |
| 574 | Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305 | 4.2 | 2 |
| 573 | Search for the pair production of light top squarks in the ell final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 4 |
| 572 | Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421 | 4.2 | 153 |
| 571 | Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444 | 4.2 | 1 |
| 570 | Measurements of the pp -> WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 10 |
| 569 | Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368 | 4.2 | 27 |
| 568 | Measurement of the energy density as a function of pseudorapidity in protonproton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1 | 4.2 | 7 |

(2019-2019)

| 567 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280 | 4.2 | 12 | |
|-----|--|-----|----|--|
| 566 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364 | 4.2 | 18 | |
| 565 | Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90 | 4.2 | 6 | |
| 564 | Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123 | 4.2 | 4 | |
| 563 | Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. European Physical Journal C, 2019 , 79, 94 | 4.2 | 7 | |
| 562 | Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1 | 5.4 | 17 | |
| 561 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 7 | |
| 560 | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20 | 4.2 | 4 | |
| 559 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 | |
| 558 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, 2019 , 79, 1 | 4.2 | 6 | |
| 557 | Measurement of exclusive photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702 | 4.2 | 13 | |
| 556 | Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277 | 4.2 | 19 | |
| 555 | Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564 | 4.2 | 20 | |
| 554 | Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313 | 4.2 | 13 | |
| 553 | Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 11 | |
| 552 | Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969 | 4.2 | 1 | |
| 551 | Measurement of the differential Drell-Yan cross section in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 6 | |
| 550 | Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893 | 4.2 | 6 | |

| 549 | Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886 | 4.2 | 6 |
|-----|--|-----|----|
| 548 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242 | 4.2 | 4 |
| 547 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at (sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 4 |
| 546 | Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 19 |
| 545 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291 | 4.2 | 17 |
| 544 | Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165 | 4.2 | 29 |
| 543 | Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287 | 4.2 | 11 |
| 542 | Measurement of the inclusive (mathrm{t}overline{mathrm{t}}) cross section in pp collisions at (sqrt{s}=5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 3 |
| 541 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | |
| 540 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 2 |
| 539 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 4 |
| 538 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 45 |
| 537 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 40 |
| 536 | Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 2 |
| 535 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 8 |
| 534 | Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 12 |
| 533 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 13 |
| 532 | Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 3 |

| 531 | Jet properties in PbPb and pp collisions at ($sqrt{s_{mathrm{N};mathrm{N}}}=5.02$) TeV. Journal of High Energy Physics, 2018 , 2018, 1 | 5.4 | 7 |
|-----|--|-----|----|
| 530 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140 | 4.2 | 20 |
| 529 | Measurement of b hadron lifetimes in pp collisions at. European Physical Journal C, 2018, 78, 457 | 4.2 | 9 |
| 528 | Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ rightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ rightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ = 13,text $\{p\}$ 2018, 78, 1 | | 3 |
| 527 | Measurement of b hadron lifetimes in pp collisions at $(sqrt\{s\} = 8)$ (,text {Te}text {V}) 2018 , 78, 1 | | 1 |
| 526 | Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 13 |
| 525 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 7 |
| 524 | Search for natural and split supersymmetry in proton-proton collisions at (sqrt{s}=13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 39 |
| 523 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 6 |
| 522 | Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891 | 4.2 | 13 |
| 521 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 37 |
| 520 | Search for ZIresonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 11 |
| 519 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 9 |
| 518 | Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707 | 4.2 | 23 |
| 517 | Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965 | 4.2 | 19 |
| 516 | Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939 | 4.2 | 12 |
| 515 | Search for a heavy resonance decaying into a Z boson and a Z or W boson in 20q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 7 |
| 514 | Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697 | 4.2 | 9 |

| 513 | Search for lepton-flavor violating decays of heavy resonances and quantum black holes to elfinal states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 3 |
|-----|--|-----|----|
| 512 | Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789 | 4.2 | 19 |
| 511 | Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at (sqrt{s}= 13~hbox {TeV}). European Physical Journal C, 2018 , 78, 1 | 4.2 | 4 |
| 510 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 15 |
| 509 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 8 |
| 508 | Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708 | 4.2 | 5 |
| 507 | Search for dark matter produced in association with a Higgs boson decaying to Dor D-Dat (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 7 |
| 506 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 7 |
| 505 | Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 6 |
| 504 | Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701 | 4.2 | 25 |
| 503 | Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509 | 4.2 | 37 |
| 502 | Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 23 |
| 501 | Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}=) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1 | 4.2 | 12 |
| 500 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 16 |
| 499 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 10 |
| 498 | Measurement of the inelastic proton-proton cross section at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 41 |
| 497 | Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 63 |
| 496 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 28 |

(2017-2017)

| 495 | Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15 | 4.2 | 19 | |
|-----|--|-----|----|--|
| 494 | Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172 | 4.2 | 22 | |
| 493 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 34 | |
| 492 | Search for electroweak production of charginos in final states with two Ileptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 | |
| 491 | Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92 | 4.2 | 7 | |
| 490 | Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236 | 4.2 | 21 | |
| 489 | Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269 | 4.2 | 26 | |
| 488 | A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294 | 4.2 | 21 | |
| 487 | Search for new physics in the monophoton final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 | |
| 486 | Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459 | 4.2 | 16 | |
| 485 | Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467 | 4.2 | 14 | |
| 484 | Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751 | 4.2 | 15 | |
| 483 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H -> WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 | |
| 482 | Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 64 | |
| 481 | Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 17 | |
| 480 | Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or Lat (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1 | 5.4 | 9 | |
| 479 | Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 29 | |
| 478 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 26 | |

| 477 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 8 |
|-----|---|-----|----|
| 476 | Measurement of the semileptonic (mathrm{t}overline{mathrm{t}}) + Φ roduction cross section in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 475 | Measurements of the pp -> Whand pp -> Zhross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 2 |
| 474 | Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710 | 4.2 | 54 |
| 473 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 |
| 472 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 19 |
| 471 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 470 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 15 |
| 469 | Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252 | 4.2 | 58 |
| 468 | Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327 | 4.2 | 17 |
| 467 | Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, 2017, 77, 354 | 4.2 | 8 |
| 466 | Searches for invisible decays of the Higgs boson in pp collisions at (sqrt{s}) = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1 | 5.4 | 74 |
| 465 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 19 |
| 464 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845 | 4.2 | 22 |
| 463 | Measurement of electroweak-induced production of Wilwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 462 | Searches for W? bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 461 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 5 |
| 460 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 18 |

| 459 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 | |
|-----------------|--|-----|----|--|
| 458 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 20 | |
| 457 | Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 25 | |
| 456 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 | |
| 455 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5∙4 | 14 | |
| 454 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 4 | |
| 453 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578 | 4.2 | 21 | |
| 452 | Search for top quark partners with charge 5/3 in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017 , 2017, 1 | 5.4 | 3 | |
| 45 ¹ | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 21 | |
| 450 | Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 | |
| 449 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 | |
| 448 | Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 | |
| 447 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 46 | |
| 446 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 35 | |
| 445 | Search for new phenomena with multiple charged leptons in protonproton collisions at (sqrt{s}=13) (,text {TeV}). European Physical Journal C, 2017 , 77, 1 | 4.2 | 2 | |
| 444 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636 | 4.2 | 20 | |
| 443 | Search for high-mass ZD esonances in e+eD and D I I I I I I I I I I I I I I I I I I | 5.4 | 4 | |
| 442 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 18 | |

| 441 | Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 4 |
|-----|--|-----|----|
| 440 | Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746 | 4.2 | 8 |
| 439 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 438 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 10 |
| 437 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 77 |
| 436 | Use of DAGMan in CRAB3 to improve the splitting of CMS user jobs. <i>Journal of Physics: Conference Series</i> , 2017 , 898, 052035 | 0.3 | |
| 435 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 16 |
| 434 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325 | 4.2 | 13 |
| 433 | Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439 | 4.2 | 34 |
| 432 | Measurement of dijet azimuthal decorrelation in pplollisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536 | 4.2 | 6 |
| 431 | Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 430 | Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 8 |
| 429 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372 | 4.2 | 24 |
| 428 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 15 |
| 427 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1 | 5.4 | 30 |
| 426 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
| 425 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 9 |
| 424 | Evidence for exclusive II> W + W Iproduction and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 27 |

(2016-2016)

| 423 | Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 7 |
|-----|--|-----|-----|
| 422 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460 | 4.2 | 14 |
| 421 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 9 |
| 420 | Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1 | 5.4 | 11 |
| 419 | Measurement of the mass of the top quark in decays with a J/Imeson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 5 |
| 418 | Measurement of the inclusive jet cross section in pp collisions at ($sqrt{s} = 2.76$, text {TeV}). European Physical Journal C, 2016 , 76, 1 | 4.2 | 17 |
| 417 | Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379 | 4.2 | 20 |
| 416 | Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469 | 4.2 | 37 |
| 415 | Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 18 |
| 414 | Search for W? -> tb in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 413 | Correlations between jets and charged particles in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 21 |
| 412 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 2 |
| 411 | Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 10 |
| 410 | Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128 | 4.2 | 21 |
| 409 | Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155 | 4.2 | 250 |
| 408 | Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237 | 4.2 | 19 |
| 407 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 14 |
| 406 | Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 7 |

| 405 | Search for heavy Majorana neutrinos in $e \oplus e \oplus + jets$ and $e \oplus \oplus + jets$ events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 28 |
|-----|--|-----|----|
| 404 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
| 403 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13 | 4.2 | 35 |
| 402 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 7 |
| 401 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($sqrt{s_{mathrm{N};mathrm{N}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 13 |
| 400 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. European Physical Journal C, 2016, 76, 451 | 4.2 | 36 |
| 399 | Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401 | 4.2 | 38 |
| 398 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371 | 4.2 | 25 |
| 397 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 14 |
| 396 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317 | 4.2 | 9 |
| 395 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 4 |
| 394 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 21 |
| 393 | Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 20 |
| 392 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 6 |
| 391 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 10 |
| 390 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251 | 4.2 | 55 |
| 389 | Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66 | 4.2 | 21 |
| 388 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. European Physical Journal C, 2015, 75, 147 | 4.2 | 50 |

| 387 | Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151 | 4.2 | 33 |
|-----|--|-----|-----|
| 386 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 19 |
| 385 | Measurement of the ratio of the production cross sections times branching fractions of B \oplus c -> J/ \Box \oplus and B \oplus -> J/ B \oplus and (mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{p})^{p} for mathrm{J}/psi {pi}^{p} {pm }{pi}^{m}{pm }{pi}^{m} for mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{p})^{p} for mathrm{C}}^{p} | 5.4 | 13 |
| 384 | mathrm{J}/psi {pi}^{pm}right)) in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2015, 2015, 1 | 5.4 | 35 |
| 383 | Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 18 |
| 382 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 69 |
| 381 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 6 |
| 380 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235 | 4.2 | 250 |
| 379 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288 | 4.2 | 37 |
| 378 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237 | 4.2 | 48 |
| 377 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302 | 4.2 | 4 |
| 376 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325 | 4.2 | 24 |
| 375 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 22 |
| 374 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 26 |
| 373 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 33 |
| 372 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 17 |
| 371 | Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 61 |
| 370 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 11 |

| 369 | Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37 | 5.4 | 33 |
|-----|---|-----|-----|
| 368 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 16 |
| 367 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | |
| 366 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 73 |
| 365 | CMS distributed data analysis with CRAB3. Journal of Physics: Conference Series, 2015, 664, 062038 | 0.3 | 6 |
| 364 | Pushing HTCondor and glideinWMS to 200K+ Jobs in a Global Pool for CMS before Run 2. <i>Journal of Physics: Conference Series</i> , 2015 , 664, 062030 | 0.3 | 2 |
| 363 | Using the glideinWMS System as a Common Resource Provisioning Layer in CMS. <i>Journal of Physics: Conference Series</i> , 2015 , 664, 062031 | 0.3 | 2 |
| 362 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212 | 4.2 | 399 |
| 361 | Measurement of the Z[production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 7 |
| 360 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVand determination of the strong coupling constant in the TeVange. <i>European Physical Journal C</i> , 2015 , 75, 186 | 4.2 | 41 |
| 359 | Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542 | 4.2 | 98 |
| 358 | Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511 | 4.2 | 25 |
| 357 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 18 |
| 356 | Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV . Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 43 |
| 355 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 60 |
| 354 | Measurement of associated W + charm production in pp collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 37 |
| 353 | Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 38 |
| 352 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at (sqrt{s_{mathrm{NN}}} = 5.02) (,text {TeV}). European Physical Journal C, 2014, 74, 1 | 4.2 | 67 |

| 351 | Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973 | 4.2 | 16 | |
|-----|--|-----|-----|--|
| 350 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980 | 4.2 | 131 | |
| 349 | Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014 | 4.2 | 11 | |
| 348 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 61 | |
| 347 | Event activity dependence of (Y)(nS) production in ($sqrt\{\{s_{NN}\}\}\}$) = 5.02 TeV pPb and ($sqrt\{s\}$) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 42 | |
| 346 | . Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 18 | |
| 345 | Evidence for the 125 GeV Higgs boson decaying to a pair of [leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 101 | |
| 344 | Search for W? -> tb decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 23 | |
| 343 | Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 15 | |
| 342 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 81 | |
| 341 | Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 48 | |
| 340 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 21 | |
| 339 | Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 3 | |
| 338 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 74 | |
| 337 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 59 | |
| 336 | Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. European Physical Journal C, 2014 , 74, 2758 | 4.2 | 21 | |
| 335 | Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847 | 4.2 | 71 | |
| 334 | Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901 | 4.2 | 13 | |

| 333 | CMS computing operations during run 1. Journal of Physics: Conference Series, 2014, 513, 032040 | 0.3 | 3 |
|-----|---|-----|-----|
| 332 | Evolution of the pilot infrastructure of CMS: towards a single glideinWMS pool. <i>Journal of Physics:</i> Conference Series, 2014 , 513, 032041 | 0.3 | 2 |
| 331 | Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149 | 4.2 | 149 |
| 330 | Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060 | 4.2 | 29 |
| 329 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129 | 4.2 | 29 |
| 328 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 70 |
| 327 | Measurement of pseudorapidity distributions of charged particles in protonproton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1 | 4.2 | 37 |
| 326 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036 | 4.2 | 183 |
| 325 | Measurement of prompt J/pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 41 |
| 324 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076 | 4.2 | 239 |
| 323 | Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 45 |
| 322 | Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, 2014 , 2014, 1 | 5.4 | 3 |
| 321 | Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 15 |
| 320 | Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 32 |
| 319 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 144 |
| 318 | Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = $8 \text{ TeV } 2014$, 2014, 1 | | 3 |
| 317 | Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1 | | 6 |
| 316 | Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 38 |

| 315 | Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 14 | |
|-----|---|-----|-----|--|
| 314 | Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 96 | |
| 313 | Study of exclusive two-photon production of W+Wlln pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 56 | |
| 312 | Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2013 , 2013, 1 | 5.4 | 261 | |
| 311 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 35 | |
| 310 | Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 39 | |
| 309 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1 | 5.4 | 14 | |
| 308 | Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 44 | |
| 307 | Study of the underlying event at forward rapidity in pp collisions at (sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 39 | |
| 306 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 15 | |
| 305 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 33 | |
| 304 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 30 | |
| 303 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 16 | |
| 302 | Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404 | 4.2 | 15 | |
| 301 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469 | 4.2 | 49 | |
| 300 | Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZ[and Z[triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 12 | |
| 299 | Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 25 | |
| 298 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568 | 4.2 | 82 | |

| 297 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1 | 5.4 | 10 |
|-----|---|------------------|-----|
| 296 | Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494 | 4.2 | 37 |
| 295 | Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 249. | 3 ^{4.2} | 10 |
| 294 | Measurement of the (mathrm{t}bar{mathrm{t}}) production cross section in the ⊞jets channel in pp collisions at (sqrt{s}=7 mbox{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1 | 4.2 | 21 |
| 293 | Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674 | 4.2 | 24 |
| 292 | Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1 | 4.2 | 162 |
| 291 | Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 43 |
| 290 | Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($sqrt\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 26 |
| 289 | Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1 | 4.2 | 50 |
| 288 | Measurement of the W+Wl t ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WWl t and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1 | 4.2 | 56 |
| 287 | Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 37 |
| 286 | Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 39 |
| 285 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable \oplus T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 29 |
| 284 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 12 |
| 283 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283 | 4.2 | 45 |
| 282 | Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1 | 4.2 | 102 |
| 281 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt\{s\}=8$) TeV 2013 , 2013, 1 | | 2 |
| 280 | Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, 2012, 72, 1 | 4.2 | 316 |

| 279 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 158 |
|-----|--|-----|-----|
| 278 | Jet production rates in association with W and Z bosons in pp collisions at (sqrt $\{s\} = 7 \{\text{text}\{\text{TeV}\}\}\)$. Journal of High Energy Physics, 2012, 2012, 1 | 5.4 | 37 |
| 277 | Exclusive \Box > \Box Improduction in proton-proton collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 45 |
| 276 | Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 20 |
| 275 | Inclusive b-jet production in pp collisions at (sqrt {s} = 7TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 30 |
| 274 | Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt $\{s\}$ = $7\{\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 12 |
| 273 | Suppression of non-prompt J/ \square prompt J/ \square and (Upsilon)(1S) in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 184 |
| 272 | Search for heavy bottom-like quarks in 4.9 fb \blacksquare of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 44 |
| 271 | Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 3 |
| 270 | Measurement of the $Z/B + b$ -jet cross section in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 24 |
| 269 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 27 |
| 268 | Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, 2012, 2012, 1 | 5.4 | 65 |
| 267 | Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\} = 7; TeV$). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 101 |
| 266 | Search for leptonic decays of W? bosons in pp collisions at (sqrt $\{s\} = \{7\}$) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 43 |
| 265 | Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 17 |
| 264 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 24 |
| 263 | Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 11 |
| 262 | Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 57 |

| 261 | Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 155 |
|-----|--|------|-----|
| 260 | Search for a fermiophobic Higgs boson in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 13 |
| 259 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 92 |
| 258 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at (sqrt{{{s_{mathrm{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 73 |
| 257 | Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 64 |
| 256 | Search for exclusive or semi-exclusive [production and observation of exclusive and semi-exclusive e+e[production in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 45 |
| 255 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 6 |
| 254 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 41 |
| 253 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 10 |
| 252 | Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 25 |
| 251 | Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 30 |
| 250 | Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1 | 5.4 | 70 |
| 249 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 12 |
| 248 | Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 30 |
| 247 | A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75 | 33.3 | 71 |
| 246 | Measurement of the underlying event in the Drell $\mathbb B$ an process in proton $\mathbb B$ roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, 2012 , 72, 1 | 4.2 | 30 |
| 245 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($sqrt{s} = 0.9, 2.76, mbox{and} 7\sim mbox{TeV}$). European Physical Journal C, 2012 , 72, 1 | 4.2 | 133 |
| 244 | A search for a doubly-charged Higgs boson in pp collisions at (sqrt{s} = 7 mbox{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 111 |

| 243 | Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with dilepton final states in pp collisions at (sqrt{s}=7 mbox{TeV}). European Physical Journal C, 2012, 72, 1 | 4.2 | 36 |
|-----|---|-----|-----|
| 242 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton β roton collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, 2012 , 72, 1 | 4.2 | 17 |
| 241 | Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251 | 4.2 | 46 |
| 240 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ($sqrt{s}=7$) TeV. European Physical Journal C, 2012 , 72, 1 | 4.2 | 11 |
| 239 | J/ \triangle (PS) production in pp collisions at (sqrt {s} = 7{text{Tev}}). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 69 |
| 238 | Search for the standard model Higgs boson in the H -> ZZ -> 2012 thannel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 24 |
| 237 | Search for the standard model Higgs boson in the H -> ZZ -> \square decay channel in pp collisions at (sqrt {s} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 11 |
| 236 | Search for ({text{B}}_{text{s}}^0) -> 🕒 🖾 nd B0 -> 🗗 🖾 ecays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 52 |
| 235 | Search for a Higgs boson in the decay channel H -> $ZZ(*)$ -> $q($ overline $\{text\{q\}\})$ \blacksquare in pp collisions at ($sqrt\{s\} = 7$)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 21 |
| 234 | Search for microscopic black holes in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1 | 5.4 | 34 |
| 233 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 13 |
| 232 | Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 13 |
| 231 | Measuring and understanding computer resource utilization in CMS. <i>Journal of Physics: Conference Series</i> , 2011 , 331, 072051 | 0.3 | |
| 230 | Prompt and non-prompt J/ Φ roduction in pp collisions at (sqrt{s} = 7) TeV. European Physical Journal C, 2011 , 71, 1 | 4.2 | 118 |
| 229 | Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1 | 4.2 | 35 |
| 228 | Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 89 |
| 227 | Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 104 |
| 226 | Search for heavy stable charged particles in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 34 |

| 225 | Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7;\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 21 |
|-----|--|-----|----|
| 224 | Measurement of ($\{\text{text}\{B\}\}$) overline $\{\text{text}\{B\}\}$) angular correlations based on secondary vertex reconstruction at ($\text{sqrt}\{s\} = 7$, $\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 27 |
| 223 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 38 |
| 222 | Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 22 |
| 221 | Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 78 |
| 220 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 21 |
| 219 | Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 32 |
| 218 | Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at (sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 26 |
| 217 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 46 |
| 216 | Measurement of the ($\{\{rm t\}bar\{rm t\}\}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($sqrt \{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 48 |
| 215 | Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 56 |
| 214 | Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 12 |
| 213 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 28 |
| 212 | Search for same-sign top-quark pair production at (sqrt $\{s\} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 39 |
| 211 | Charged particle transverse momentum spectra in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 44 |
| 210 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 17 |
| 209 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 87 |
| 208 | Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 46 |

| 207 | Search for supersymmetry in pp collisions at (sqrt $\{s\} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 32 |
|-----|--|---------|------|
| 206 | Measurement of the underlying event activity at the LHC with (sqrt $\{s\} = 7$) TeV and comparison with (sqrt $\{s\} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 70 |
| 205 | Measurement of the Drell-Yan cross section in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1 | 5.4 | 32 |
| 204 | Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 121 |
| 203 | Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1 | 5.4 | 19 |
| 202 | Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV 2011 , 2011, 1 | | 5 |
| 201 | Debugging data transfers in CMS. Journal of Physics: Conference Series, 2010, 219, 062055 | 0.3 | 3 |
| 200 | Bringing the CMS distributed computing system into scalable operations. <i>Journal of Physics: Conference Series</i> , 2010 , 219, 062015 | 0.3 | 1 |
| 199 | Use of the gLite-WMS in CMS for production and analysis. <i>Journal of Physics: Conference Series</i> , 2010 , 219, 062007 | 0.3 | 2 |
| 198 | First measurement of the underlying event activity at the LHC with ($sqrt{s} = 0.9$) TeV. European Physical Journal C, 2010 , 70, 555-572 | 4.2 | 36 |
| 197 | CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 11 | 6541219 | 2 99 |
| 196 | Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $(sqrt{s} = 0.9)$ and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1 | 5.4 | 201 |
| 195 | Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1 | 5.4 | 389 |
| 194 | Distributed Analysis in CMS. <i>Journal of Grid Computing</i> , 2010 , 8, 159-179 | 4.2 | 9 |
| 193 | Measurement of the ratio of branching fractions B(B \boxplus ->J/ \boxplus)/B(B \boxplus ->J/ \blacksquare). <i>Physical Review D</i> , 2009 , 79, | 4.9 | 2 |
| 192 | Cross section measurements of high-pT dilepton final-state processes using a global fitting method. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 8 |
| 191 | CMS offline web tools. <i>Journal of Physics: Conference Series</i> , 2008 , 119, 082007 | 0.3 | 3 |
| 190 | Measurement of the B+ production cross section in pp□collisions at s=1960 GeV. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 45 |

| 189 | Precision measurement of the top-quark mass from dilepton events at CDF II. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 26 |
|-----|--|-------|-----|
| 188 | Search for W? boson decaying to electron-neutrino pairs in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 20 |
| 187 | Search for new physics in lepton+photon+X events with 929 pb¶ of pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 10 |
| 186 | Measurement of the top quark mass in pp□ collisions at s=1.96 TeV using the decay length technique. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 12 |
| 185 | Measurement of the helicity fractions of W bosons from top quark decays using fully reconstructed tt∏events with CDF II. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 24 |
| 184 | Analysis of the quantum numbers J(PC) of the X(3872) particle. <i>Physical Review Letters</i> , 2007 , 98, 1320 | 027.4 | 159 |
| 183 | Measurement of the Lambda b0 lifetime in Lambda b0>J/psi Lambda 0 in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2007 , 98, 122001 | 7.4 | 22 |
| 182 | Measurement of the ratios of branching fractions B(B0s> Ds- pi+ pi+ pi-)/B(B0>D- pi+ pi+ pi-) and B(B0s> Ds- pi+)/B(B0>D- pi+). <i>Physical Review Letters</i> , 2007 , 98, 061802 | 7.4 | 12 |
| 181 | Measurement of the inclusive jet cross section using the kT algorithm in pp□collisions at s=1.96 TeV with the CDF II detector. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 89 |
| 180 | Measurement of (pp□->Z) (Z->) in pp□ collisions at s=1.96 TeV. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 23 |
| 179 | Search for V+A current in top-quark decays in pp collisions at sqrts=1.96 TeV. <i>Physical Review Letters</i> , 2007 , 98, 072001 | 7.4 | 21 |
| 178 | Measurement of sigma Lambda b0/sigma B0 x B(Lambda b0>Lambda c+pi-)/B(B0>D+pi-) in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2007 , 98, 122002 | 7.4 | 19 |
| 177 | Search for anomalous production of multilepton events in pp collisions at sqrt s=1.96 TeV. <i>Physical Review Letters</i> , 2007 , 98, 131804 | 7.4 | 14 |
| 176 | Observation of exclusive electron-positron production in hadron-hadron collisions. <i>Physical Review Letters</i> , 2007 , 98, 112001 | 7.4 | 67 |
| 175 | Measurement of the top-quark mass in all-hadronic decays in pp collisions at CDF II. <i>Physical Review Letters</i> , 2007 , 98, 142001 | 7.4 | 24 |
| 174 | Measurement of sigma chi c2 B(chi c2>J/psi gamma)/sigma chi c1 B(chi c1>J/psi gamma) in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2007 , 98, 232001 | 7.4 | 47 |
| 173 | Search for high-mass resonances decaying to emu in pp collisions at square root = 1.69 TeV. <i>Physical Review Letters</i> , 2006 , 96, 211802 | 7.4 | 28 |
| 172 | Evidence for the exclusive decay B(c)+> J/psi pi+- and measurement of the mass of the B(c)+- meson. <i>Physical Review Letters</i> , 2006 , 96, 082002 | 7.4 | 69 |

(2006-2006)

| 171 | Precision top-quark mass measurement in the lepton+jets topology in p p collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2006 , 96, 022004 | 7.4 | 30 |
|-----|---|-----|-----|
| 170 | Measurement of the ratios of branching fractions and. <i>Physical Review Letters</i> , 2006 , 96, 191801 | 7.4 | 14 |
| 169 | Measurement of the inclusive jet cross section using the kT algorithm in pp collisions at (square root s)=1.96 TeV. <i>Physical Review Letters</i> , 2006 , 96, 122001 | 7.4 | 33 |
| 168 | Search for neutral Higgs bosons of the minimal supersymmetric standard model decaying to tau pairs in pp collisions at square root of $s = 1.96$ TeV. <i>Physical Review Letters</i> , 2006 , 96, 011802 | 7.4 | 61 |
| 167 | Top-quark mass measurement from dilepton events at CDF II. <i>Physical Review Letters</i> , 2006 , 96, 152002 | 7.4 | 21 |
| 166 | Measurement of the tt production cross section in pp collisions at square root s = 1.96 TeV using missing E(T) + jets events with secondary vertex b tagging. <i>Physical Review Letters</i> , 2006 , 96, 202002 | 7.4 | 14 |
| 165 | Measurement of the tt production cross section in pp collisions at square root of $s = 1.96$ TeV. <i>Physical Review Letters</i> , 2006 , 97, 082004 | 7.4 | 59 |
| 164 | Search for large extra dimensions in the production of jets and missing transverse energy in pp collisions at square root of s = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 97, 171802 | 7.4 | 41 |
| 163 | Top quark mass measurement from dilepton events at CDF II with the matrix-element method. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 22 |
| 162 | Measurement of the top quark mass using template methods on dilepton events in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 37 |
| 161 | Search for a neutral Higgs boson decaying to a W boson pair in pp collisions at square root of s = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 97, 081802 | 7.4 | 17 |
| 160 | Measurement of the Bc+ meson lifetime using the decay mode Bc+> J/Psie+nue. <i>Physical Review Letters</i> , 2006 , 97, 012002 | 7.4 | 66 |
| 159 | Observation of B(0)(s)>Psi(2S)Phi and measurement of the ratio of branching fractions Beta(B(0)(s)>Psi(2S)Phi)/Beta(B(0)(s)>J/PsiPhi). <i>Physical Review Letters</i> , 2006 , 96, 231801 | 7.4 | 11 |
| 158 | Measurement of the dipion mass spectrum in decays. <i>Physical Review Letters</i> , 2006 , 96, 102002 | 7·4 | 104 |
| 157 | Search for Higgs bosons decaying to bb and produced in association with W bosons in pp collisions at square root of s = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 96, 081803 | 7.4 | 9 |
| 156 | Search for ZL> e+ e- using dielectron mass and angular distribution. <i>Physical Review Letters</i> , 2006 , 96, 211801 | 7.4 | 63 |
| 155 | Search for charged Higgs bosons from top quark decays in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2006 , 96, 042003 | 7.4 | 101 |
| 154 | Direct search for Dirac magnetic monopoles in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 96, 201801 | 7.4 | 37 |

| 153 | Search for scalar bottom quarks from gluino decays in collisions at. <i>Physical Review Letters</i> , 2006 , 96, 171802 | 7.4 | 11 |
|-----|---|-----|-----|
| 152 | Observation of B(s)0>K+ K- and measurements of branching fractions of charmless two-body decays of B0 and B(s)0 mesons in pp collisions at square root of s = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 97, 211802 | 7.4 | 50 |
| 151 | Measurement of the Bs0-Bs0 oscillation frequency. <i>Physical Review Letters</i> , 2006 , 97, 062003 | 7.4 | 133 |
| 150 | Measurement of bottom-quark hadron masses in exclusive J/psi decays with the CDF detector. <i>Physical Review Letters</i> , 2006 , 96, 202001 | 7.4 | 78 |
| 149 | Observation of Bs(0)-Bs(0) oscillations. <i>Physical Review Letters</i> , 2006 , 97, 242003 | 7.4 | 274 |
| 148 | Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 8 |
| 147 | Search for excited and exotic muons in the mugamma decay channel in p-p collisions at sqrt s =1.96 TeV. <i>Physical Review Letters</i> , 2006 , 97, 191802 | 7.4 | 14 |
| 146 | Measurement of the helicity of W bosons in top-quark decays. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 17 |
| 145 | Measurement of the ratio of branching fractions B(D0->K+ \slash B(D0->K \slash) using the CDF II detector. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 13 |
| 144 | Search for second-generation scalar leptoquarks in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 21 |
| 143 | Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 20 |
| 142 | Measurement of the inclusive jet cross section in pp□interactions at s=1.96 TeV using a cone-based jet algorithm. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 30 |
| 141 | Search for new physics in lepton+photon+X events with 305 pb(-1) of pp collisions at [square root of s] = 1.96 TeV. <i>Physical Review Letters</i> , 2006 , 97, 031801 | 7.4 | 7 |
| 140 | Measurement of the ttll production cross section in ppll collisions at s=1.96 TeV using lepton+jets events with jet probability b-tagging. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 68 |
| 139 | Measurement of the tt \square production cross section in pp \square collisions at s=1.96 TeV in the all hadronic decay mode. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 13 |
| 138 | Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 3 |
| 137 | Measurement of mass and width of the excited charmed meson states D10 and D2*0 at CDF. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 15 |
| 136 | Top quark mass measurement using the template method in the lepton+jets channel at CDF II. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 112 |

(2005-2006)

| 135 | A search for t->¶ in tt∏production. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 639, 172-178 | 4.2 | 9 |
|-----|---|-----------------|-----|
| 134 | KS0 and D production studies in pp□ collisions at s=1800 and 630 GeV. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 23 |
| 133 | Measurement of the forward-backward charge asymmetry from W->elproduction in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 61 |
| 132 | Study of jet shapes in inclusive jet production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 58 |
| 131 | Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at s=1.8 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 25 |
| 130 | Measurement of the tt□production cross section in pp□collisions at s=1.96 TeV using lepton plus jets events with semileptonic B decays to muons. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 31 |
| 129 | Measurement of the forward-backward charge asymmetry of electron-positron pairs in p□p collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 44 |
| 128 | Search for scalar leptoquark pairs decaying to [qq□in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 7 |
| 127 | Search for B0->pland B0->pK decays in pp□ collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 3 |
| 126 | Measurement of the J/Imeson and b-hadron production cross sections in pp□ collisions at s=1960 GeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 596 |
| 125 | Search for first-generation scalar leptoquarks in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 24 |
| 124 | Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 27 |
| 123 | Measurement of the $tt\Box$ production cross section in pp[collisions at s=1.96 TeV using kinematic fitting of b-tagged lepton+jet events. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 28 |
| 122 | Search for ZZ and ZW production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 7 |
| 121 | Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 21 |
| 120 | Search for electroweak single-top-quark production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 32 |
| 119 | Measurement of the W boson polarization in top decay at CDF at s=1.8 TeV. Physical Review D, | 4.9 | 22 |
| | 2005 , 71, | 1 .7 | |

| 117 | Measurement of the tt \Box production cross section in pp \Box collisions at s=1.96 TeV using lepton + jets events with secondary vertex b -tagging. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 217 |
|-----|---|--------------------|-----|
| 116 | Measurement of the cross section for tt□production in pp□collisions using the kinematics of lepton+jets events. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 34 |
| 115 | Search for Higgs bosons decaying into bb and produced in association with a vector boson in pp collisions at square root of s = 1.8 TeV. <i>Physical Review Letters</i> , 2005 , 95, 051801 | 7.4 | 13 |
| 114 | Measurement of the W(+)W(-) production cross section in pp collisions at square root[s]=1.96 TeV using dilepton events. <i>Physical Review Letters</i> , 2005 , 94, 211801 | 7.4 | 23 |
| 113 | Measurement of B(t> Wb)/B(t> Wq) at the collider detector at fermilab. <i>Physical Review Letters</i> , 2005 , 95, 102002 | 7.4 | 38 |
| 112 | Search for new physics using high-mass tau pairs from 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2005 , 95, 131801 | 7.4 | 38 |
| 111 | Search for anomalous kinematics in tt dilepton events at CDF II. <i>Physical Review Letters</i> , 2005 , 95, 02200 | 0 1 y.4 | 8 |
| 110 | Measurement of the lifetime difference between Bs mass eigenstates. <i>Physical Review Letters</i> , 2005 , 94, 101803 | 7.4 | 50 |
| 109 | Search for new high-mass particles decaying to Lepton pairs in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2005 , 95, 252001 | 7.4 | 39 |
| 108 | Search for supersymmetric Higgs bosons in the di-tau decay mode in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 8 |
| 107 | Evidence for B0 s>phiphi decay and measurements of branching ratio and A(CP) for B+>phiK+. <i>Physical Review Letters</i> , 2005 , 95, 031801 | 7.4 | 31 |
| 106 | Search for [corrected] B0(s)> mu+ mu- and B0(d) [corrected]> mu + mu- decays in pp collisions with CDF II. <i>Physical Review Letters</i> , 2005 , 95, 221805 | 7.4 | 33 |
| 105 | Search for long-lived doubly charged Higgs bosons in pp collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2005 , 95, 071801 | 7.4 | 27 |
| 104 | First measurements of inclusive W and Z cross sections from run II of the fermilab tevatron collider. <i>Physical Review Letters</i> , 2005 , 94, 091803 | 7.4 | 97 |
| 103 | Measurement of the cross section for prompt diphoton production in pp collisions at square root of s=1.96 TeV. <i>Physical Review Letters</i> , 2005 , 95, 022003 | 7.4 | 33 |
| 102 | Measurement of partial widths and search for direct CP violation in D0 meson decays to K-K+ and pi-pi+. <i>Physical Review Letters</i> , 2005 , 94, 122001 | 7.4 | 36 |
| 101 | Measurement of Wgamma and Zgamma production in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2005 , 94, 041803 | 7.4 | 30 |
| 100 | Observation of the narrow state X(3872)>J/psipi+pi- in pp collisions at sqaure root of s=1.96 TeV. <i>Physical Review Letters</i> , 2004 , 93, 072001 | 7.4 | 469 |

(2003-2004)

| 99 | Search for doubly charged Higgs bosons decaying to dileptons in pp collisions at square root of s=1.96 TeV. <i>Physical Review Letters</i> , 2004 , 93, 221802 | 7.4 | 88 |
|----|--|-----|-----|
| 98 | Measurement of the average time-integrated mixing probability of b-flavored hadrons produced at the Fermilab Tevatron. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 14 |
| 97 | Search for B0s>micro+micro- and B0d>micro+micro- decays in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2004 , 93, 032001 | 7.4 | 57 |
| 96 | Search for Kaluza-Klein graviton emission in pp collisions at square root[s] = 1.8 TeV using the missing energy signature. <i>Physical Review Letters</i> , 2004 , 92, 121802 | 7.4 | 21 |
| 95 | Optimized search for single-top-quark production at the Fermilab Tevatron. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 24 |
| 94 | Underlying event in hard interactions at the Fermilab Tevatron p□p collider. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 62 |
| 93 | Inclusive double-pomeron exchange at the fermilab tevatron p p collider. <i>Physical Review Letters</i> , 2004 , 93, 141601 | 7.4 | 10 |
| 92 | Measurement of the tt production cross section in pp collisions at sqrt[s]=1.96 TeV using dilepton events. <i>Physical Review Letters</i> , 2004 , 93, 142001 | 7.4 | 55 |
| 91 | Direct photon cross section with conversions at CDF. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 23 |
| 90 | The CDF Silicon Vertex Trigger. <i>Nuclear Instruments and Methods in Physics Research, Section A:</i> Accelerators, Spectrometers, Detectors and Associated Equipment, 2004 , 518, 532-536 | 1.2 | 113 |
| 89 | Search for lepton flavor violating decays of a heavy neutral particle in p(-)p collisions at sqrt[s]=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 91, 171602 | 7.4 | 9 |
| 88 | Momentum distribution of charged particles in jets in dijet events in pp□collisions at s=1.8TeV and comparisons to perturbative QCD predictions. <i>Physical Review D</i> , 2003 , 68, | 4.9 | 36 |
| 87 | Search for the supersymmetric partner of the top quark in dilepton events from pp collisions at square root of s=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 90, 251801 | 7:4 | 17 |
| 86 | Search for associated production of Upsilon and vector boson in pp collisions at sqrt[s]=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 90, 221803 | 7.4 | 11 |
| 85 | Measurement of prompt charm meson production cross sections in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2003 , 91, 241804 | 7.4 | 125 |
| 84 | Central pseudorapidity gaps in events with a leading antiproton at the fermilab tevatron pp collider. <i>Physical Review Letters</i> , 2003 , 91, 011802 | 7.4 | 8 |
| 83 | Search for the flavor-changing neutral current decay D0->⊞In pp collisions at s=1.96TeV. <i>Physical Review D</i> , 2003 , 68, | 4.9 | 8 |
| 82 | Measurement of the mass difference m(Ds+)[h(D+) at CDF II. Physical Review D, 2003, 68, | 4.9 | 10 |

| 81 | Charged jet evolution and the underlying event in proton-antiproton collisions at 1.8 TeV. <i>Physical Review D</i> , 2002 , 65, | 4.9 | 125 |
|----|--|-----|-----|
| 80 | Branching ratio measurements of exclusive B+ decays to charmonium with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2002 , 66, | 4.9 | 12 |
| 79 | Measurement of the strong coupling constant from inclusive jet production at the Tevatron pp collider. <i>Physical Review Letters</i> , 2002 , 88, 042001 | 7.4 | 35 |
| 78 | Search for new physics in photon-lepton events in pp□ collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 66, | 4.9 | 14 |
| 77 | Measurement of the ratio of b quark production cross sections in p \Box p collisions at s=630 GeV and s=1800 GeV. <i>Physical Review D</i> , 2002 , 66, | 4.9 | 22 |
| 76 | Upsilon production and polarization in p p macro collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2002 , 88, 161802 | 7.4 | 125 |
| 75 | Diffractive dijet production at sqrt[s] = 630 and 1800 GeV at the Fermilab Tevatron. <i>Physical Review Letters</i> , 2002 , 88, 151802 | 7.4 | 18 |
| 74 | Search for gluinos and scalar quarks in pp collisions at square root[s] = 1.8 TeV using the missing energy plus multijets signature. <i>Physical Review Letters</i> , 2002 , 88, 041801 | 7.4 | 73 |
| 73 | Limits on extra dimensions and new particle production in the exclusive photon and missing energy signature in pp collisions at square root [s]=1.8 TeV. <i>Physical Review Letters</i> , 2002 , 89, 281801 | 7.4 | 37 |
| 72 | Soft and hard interactions in pp□collisions at s=1800 and 630 GeV. <i>Physical Review D</i> , 2002 , 65, | 4.9 | 40 |
| 71 | Comparison of the isolated direct photon cross sections in pp□collisions at s=1.8 TeV and s=0.63 TeV. <i>Physical Review D</i> , 2002 , 65, | 4.9 | 47 |
| 70 | Search for new physics in photon-lepton events in pp collisions at sqrt[s] = 1.8 TeV. <i>Physical Review Letters</i> , 2002 , 89, 041802 | 7.4 | 16 |
| 69 | Measurement of the B+ total cross section and B+ differential cross section d¶dpT in pp□ collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 65, | 4.9 | 72 |
| 68 | Measurement of the tt□production cross section in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2001 , 64, | 4.9 | 58 |
| 67 | Measurement of d sigma/dM and forward-backward charge asymmetry for high-mass Drell-Yan $e(+)e(-)$ pairs from pp macro collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2001 , 87, 131802 | 7:4 | 26 |
| 66 | Measurement of the inclusive jet cross section in pp□ collisions at s=1.8 TeV. <i>Physical Review D</i> , 2001 , 64, | 4.9 | 73 |
| 65 | First measurement of the ratio B(t> Wb)/B(t> Wq) and associated limit on the Cabibbo-Kobayashi-Maskawa element /V(tb)/. <i>Physical Review Letters</i> , 2001 , 86, 3233-8 | 7.4 | 32 |
| 64 | Measurement of the W boson mass with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2001 , 64, | 4.9 | 52 |

| 63 | Measurement of the two-jet differential cross section in pp□collisions at s=1800 GeV. <i>Physical Review D</i> , 2001 , 64, | 4.9 | 4 | |
|----|--|--------------------------------|-----|--|
| 62 | Double diffraction dissociation at the Fermilab Tevatron collider. <i>Physical Review Letters</i> , 2001 , 87, 14 | 18 9 2 ₄ | 34 | |
| 61 | Silicon vertex tracker: a fast precise tracking trigger for CDF. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2000 , 447, 218-222 | 1.2 | 19 | |
| 60 | Measurement of the differential dijet mass cross section in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2000 , 61, | 4.9 | 7 | |
| 59 | Search for the charged Higgs boson in the decays of top quark pairs in the eland lehannels at s=1.8 TeV. <i>Physical Review D</i> , 2000 , 62, | 4.9 | 35 | |
| 58 | Diffractive dijets with a leading antiproton in &pmacrp collisions at sqrt. <i>Physical Review Letters</i> , 2000 , 84, 5043-8 | 7.4 | 105 | |
| 57 | Measurement of the decay amplitudes of B0> J/psiK*0 and B(s)(0)> J/psistraight phi decays. <i>Physical Review Letters</i> , 2000 , 85, 4668-73 | 7.4 | 26 | |
| 56 | Measurement of b-quark fragmentation fractions in p&pmacr collisions at sqrt. <i>Physical Review Letters</i> , 2000 , 84, 1663-8 | 7.4 | 28 | |
| 55 | Transverse momentum and total cross section of e(+)e(-) pairs in the Z-boson region from p&pmacr collisions at sqrt. <i>Physical Review Letters</i> , 2000 , 84, 845-50 | 7.4 | 101 | |
| 54 | Search for scalar top and scalar bottom quarks in pp collisions at square root s=1.8 TeV. <i>Physical Review Letters</i> , 2000 , 84, 5704-9 | 7.4 | 49 | |
| 53 | Production of Upsilon(1S) mesons from chi(b) decays in p&pmacr collisions at sqrt. <i>Physical Review Letters</i> , 2000 , 84, 2094-9 | 7.4 | 97 | |
| 52 | Measurement of the Top Quark Mass with the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 1999 , 82, 271-276 | 7.4 | 68 | |
| 51 | Searches for new physics in diphoton events in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 1999 , 59, | 4.9 | 40 | |
| 50 | Search for New Particles Decaying to bb□in pp□Collisions at 🗷=1.8TeV. <i>Physical Review Letters</i> , 1999 , 82, 2038-2043 | 7.4 | 21 | |
| 49 | Search for Higgs Bosons Produced in Association with a Vector Boson in pp□Collisions at 屆=1.8TeV. <i>Physical Review Letters</i> , 1998 , 81, 5748-5753 | 7.4 | 17 | |
| 48 | Observation of B+->(2S)K+ and B0->(2S)K*(892)0 decays and measurements of B-meson branching fractions into J/Land (2S) final states. <i>Physical Review D</i> , 1998 , 58, | 4.9 | 19 | |
| 47 | Searches for New Physics in Diphoton Events in pp□Collisions at 目=1.8TeV. <i>Physical Review Letters</i> , 1998 , 81, 1791-1796 | 7.4 | 42 | |
| 46 | Events with a Rapidity Gap between Jets in p□p Collisions at 🛭=630GeV. <i>Physical Review Letters</i> , 1998 , 81, 5278-5283 | 7.4 | 30 | |

| 45 | Search for the decays Bd0->⊕@nd Bs0->⊕@n pp@collisions at s=1.8 TeV. <i>Physical Review D</i> , 1998 , 57, R3811-R3816 | 4.9 | 59 |
|----|--|-------------------|-----|
| 44 | Measurement of the Lepton Charge Asymmetry in W-Boson Decays Produced in pp□Collisions. <i>Physical Review Letters</i> , 1998 , 81, 5754-5759 | 7.4 | 65 |
| 43 | Observation of the Bc Meson in pp□Collisions at 🖺=1.8 TeV. <i>Physical Review Letters</i> , 1998 , 81, 2432-243 | 57 _{7.4} | 242 |
| 42 | Observation of Bc mesons in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 1998 , 58, | 4.9 | 173 |
| 41 | Dijet Production by Color-Singlet Exchange at the Fermilab Tevatron. <i>Physical Review Letters</i> , 1998 , 80, 1156-1161 | 7.4 | 59 |
| 40 | Measurement of the Top Quark Mass and tt Production Cross Section from Dilepton Events at the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 1998 , 80, 2779-2784 | 7.4 | 73 |
| 39 | Search for New Particles Decaying into bb[] and Produced in Association with W Bosons Decaying into elbr [at the Fermilab Tevatron. <i>Physical Review Letters</i> , 1997 , 79, 3819-3824 | 7.4 | 21 |
| 38 | Observation of B 0->J/ B at the Fermilab proton-antiproton collider. <i>Physical Review D</i> , 1997 , 55, 1142-11 | 1 52 .9 | 38 |
| 37 | Limits on Quark-Lepton Compositeness Scales from Dileptons Produced in 1.8 TeV pp□ Collisions. <i>Physical Review Letters</i> , 1997 , 79, 2198-2203 | 7.4 | 68 |
| 36 | Search for Charged Higgs Boson Decays of the Top Quark using Hadronic Decays of the Tau Lepton. <i>Physical Review Letters</i> , 1997 , 79, 357-362 | 7.4 | 87 |
| 35 | Evidence for W+WIProduction in pIp Collisions at s=1.8TeV. <i>Physical Review Letters</i> , 1997 , 78, 4536-454 | 40 _{7.4} | 36 |
| 34 | Production of J/IMesons from II Meson Decays in pp□ Collisions at II=1.8TeV. <i>Physical Review Letters</i> , 1997 , 79, 578-583 | 7.4 | 221 |
| 33 | Search for New Gauge Bosons Decaying into Dileptons in p□p Collisions at s}=1.8TeV. <i>Physical Review Letters</i> , 1997 , 79, 2192-2197 | 7.4 | 140 |
| 32 | Double parton scattering in p□p collisions at s=1.8TeV. <i>Physical Review D</i> , 1997 , 56, 3811-3832 | 4.9 | 199 |
| 31 | Measurement of Diffractive Dijet Production at the Fermilab Tevatron. <i>Physical Review Letters</i> , 1997 , 79, 2636-2641 | 7.4 | 69 |
| 30 | Observation of Diffractive W-Boson Production at the Fermilab Tevatron. <i>Physical Review Letters</i> , 1997 , 78, 2698-2703 | 7.4 | 78 |
| 29 | J/land (PS) Production in pp[Collisions at E=1.8TeV. <i>Physical Review Letters</i> , 1997 , 79, 572-577 | 7.4 | 278 |
| 28 | Ratios of bottom meson branching fractions involving J/psi mesons and determination of b quark fragmentation fractions. <i>Physical Review D</i> , 1996 , 54, 6596-6609 | 4.9 | 28 |

| 27 | Measurement of Dijet Angular Distributions by the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 1996 , 77, 5336-5341 | 7.4 | 70 |
|----|---|--------------------|------|
| 26 | Measurement of Lambda 0b Lifetime Using Lambda 0b> Lambda +c. <i>Physical Review Letters</i> , 1996 , 77, 1439-1443 | 7.4 | 26 |
| 25 | Measurement of the Branching Fraction B(B+u>J/ psi pi +) and Search for B+c>J/ psi pi +. <i>Physical Review Letters</i> , 1996 , 77, 5176-5181 | 7.4 | 17 |
| 24 | Further properties of high-mass multijet events at the Fermilab proton-antiproton collider. <i>Physical Review D</i> , 1996 , 54, 4221-4233 | 4.9 | 12 |
| 23 | Upsilon production in pp-bar collisions at sqrt s=1.8 TeV. <i>Physical Review Letters</i> , 1995 , 75, 4358-4363 | 7.4 | 77 |
| 22 | Limits on Z-photon couplings from p-p-bar interactions at sqrt s=1.8TeV. <i>Physical Review Letters</i> , 1995 , 74, 1941-1945 | 7.4 | 33 |
| 21 | Observation of rapidity gaps in p-barp collisions at 1.8 TeV. <i>Physical Review Letters</i> , 1995 , 74, 855-859 | 7.4 | 64 |
| 20 | Measurement of W-photon couplings in p-p-bar collisions at sqrt s=1.8 TeV. <i>Physical Review Letters</i> , 1995 , 74, 1936-1940 | 7.4 | 57 |
| 19 | Observation of Top Quark Production in p-barp Collisions with the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 1995 , 74, 2626-2631 | 7.4 | 1067 |
| 18 | Measurement of p-barp single diffraction dissociation at sqrt s =546 and 1800 GeV. <i>Physical Review D</i> , 1994 , 50, 5535-5549 | 4.9 | 96 |
| 17 | Evidence for top quark production in p-barp collisions at sqrt s =1.8 TeV. <i>Physical Review D</i> , 1994 , 50, 2966-3026 | 4.9 | 384 |
| 16 | Search for excited quarks in pp-bar collisions at sqrt s =1.8 TeV. <i>Physical Review Letters</i> , 1994 , 72, 3004- | 3 9.0 48 | 29 |
| 15 | Evidence for color coherence in pp-bar collisions at sqrt s =1.8 TeV. <i>Physical Review D</i> , 1994 , 50, 5562-55 | 5 749 9 | 34 |
| 14 | Measurement of the antiproton-proton total cross section at sqrt s =546 and 1800 GeV. <i>Physical Review D</i> , 1994 , 50, 5550-5561 | 4.9 | 164 |
| 13 | Comparison of jet production in p-barp collisions at sqrt s =546 and 1800 GeV. <i>Physical Review Letters</i> , 1993 , 70, 1376-1380 | 7.4 | 42 |
| 12 | Prompt photon cross section measurement in p-barp collisions at sqrt s =1.8 TeV. <i>Physical Review D</i> , 1993 , 48, 2998-3025 | 4.9 | 61 |
| 11 | Measurement of jet shapes in p-barp collisions at sqrt s =1.8 TeV. <i>Physical Review Letters</i> , 1993 , 70, 713 | -7 ₇ 14 | 36 |
| 10 | Measurement of the cross section for production of two isolated prompt photons in pp-bar collisions at sqrt s = 1.8 TeV. <i>Physical Review Letters</i> , 1993 , 70, 2232-2236 | 7.4 | 30 |

| 9 | Measurement of the dijet mass distribution in pp-bar collisions at sqrt s =1.8 TeV. <i>Physical Review D</i> , 1993 , 48, 998-1008 | 4.9 | 15 |
|---|---|------------------|-----|
| 8 | Inclusive J/ psi, psi (2S), and b-quark production in p-barp collisions at sqrt s =1.8 TeV. <i>Physical Review Letters</i> , 1992 , 69, 3704-3708 | 7.4 | 230 |
| 7 | Two-jet differential cross section in pp-bar collisions at sqrt s-bar11.8 TeV. <i>Physical Review Letters</i> , 1990 , 64, 157-160 | 7.4 | 15 |
| 6 | Jet-fragmentation properties in p-barp collisions at sqrt s =1.8 TeV. <i>Physical Review Letters</i> , 1990 , 65, 968-971 | 7.4 | 27 |
| 5 | Two-jet invariant-mass distribution at sqrt s =1.8 TeV. <i>Physical Review D</i> , 1990 , 41, 1722-1725 | 4.9 | 37 |
| 4 | Pseudorapidity distributions of charged particles produced in p-barp interactions at sqrt s =630 and 1800 GeV. <i>Physical Review D</i> , 1990 , 41, 2330-2333 | 4.9 | 171 |
| 3 | The CDF detector: an overview. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> 1988 , 271, 387-403 | 1.2 | 415 |
| 2 | The CDF central and endwall hadron calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1988 , 267, 301-31- | 4 ^{1.2} | 131 |
| 1 | Transverse-momentum distributions of charged particles produced in p-barp interactions at sqrt | 7.4 | 172 |