

Francesco Soria

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1650106/francesco-soria-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,051
papers

32,925
citations

97
h-index

149
g-index

1,136
ext. papers

41,037
ext. citations

4.2
avg, IF

7.16
L-index

| # | Paper | IF | Citations |
|------|---|------|-----------|
| 1051 | En bloc Resection for Bladder Tumors: An Updated Systematic Review and Meta-Analysis of Its Differential Effect on Its Safety, Recurrence, and Histopathology.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000024 | 2.5 | 0 |
| 1050 | Up- and downgrading in single intermediate-risk positive biopsy core prostate cancer.. <i>Prostate International</i> , 2022 , 10, 21-27 | 3.4 | 0 |
| 1049 | Ischemic priapism in a 12-year old patient associated with coronavirus disease 2019 (COVID-19): a case report.. <i>Urology</i> , 2022 , | 1.6 | 0 |
| 1048 | Current Advances in Immune Checkpoint Inhibition and Clinical Genomics in Upper Tract Urothelial Carcinoma: State of the Art.. <i>Current Oncology</i> , 2022 , 29, 687-697 | 2.8 | 1 |
| 1047 | Plasmacytoid variant urothelial carcinoma of the bladder: effect of radical cystectomy and chemotherapy in non-metastatic and metastatic patients.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | 2 |
| 1046 | Comparison of short-term and long-term neoadjuvant hormone therapy prior to radical prostatectomy: a systematic review and meta-analysis.. <i>Scandinavian Journal of Urology</i> , 2022 , 1-9 | 1.6 | 1 |
| 1045 | Carboplatin-based adjuvant chemotherapy versus observation after radical cystectomy in patients with pN1-3 urothelial bladder cancer.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | 0 |
| 1044 | Association of statin use and oncological outcomes in patients with first diagnosis of T1 high grade non-muscle invasive urothelial bladder cancer: results from a multicenter study. <i>Minerva Urology and Nephrology</i> , 2022 , 73, | 2.3 | 2 |
| 1043 | Identification of tumor tissue-derived DNA methylation biomarkers for the detection and therapy response evaluation of metastatic castration resistant prostate cancer in liquid biopsies.. <i>Molecular Cancer</i> , 2022 , 21, 7 | 42.1 | 0 |
| 1042 | Prognostic value of hepatocyte growth factor for muscle-invasive bladder cancer.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1 | 4.9 | 1 |
| 1041 | Rectal preparation significantly improves prostate imaging quality: Assessment of the PI-QUAL score with visual grading characteristics.. <i>European Journal of Radiology</i> , 2022 , 147, 110145 | 4.7 | 3 |
| 1040 | A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 74, | 2.3 | 1 |
| 1039 | Cancer-specific survival after radical prostatectomy versus external beam radiotherapy in high-risk and very high-risk African American prostate cancer patients. <i>Prostate</i> , 2022 , 82, 120-131 | 4.2 | 1 |
| 1038 | Immunotherapy-based combinations in the first-line treatment of metastatic renal cell carcinoma with sarcomatoid features: a systematic review and network meta-analysis. <i>Current Opinion in Urology</i> , 2022 , 32, 61-68 | 2.8 | 2 |
| 1037 | Identifying the Optimal Number of Neoadjuvant Chemotherapy Cycles in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2022 , 207, 70-76 | 2.5 | 1 |
| 1036 | Clinical Outcomes and Adverse Events after First-Line Treatment in Metastatic Renal Cell Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Urology</i> , 2022 , 207, 16-24 | 2.5 | 4 |
| 1035 | Preoperative plasma level of endoglin as a predictor for disease outcomes after radical cystectomy for nonmetastatic urothelial carcinoma of the bladder. <i>Molecular Carcinogenesis</i> , 2022 , 61, 5-18 | 5 | 2 |

| | | | |
|------|--|------|---|
| 1034 | Survival after radical prostatectomy versus radiation therapy in clinical node-positive prostate cancer.. <i>Prostate</i> , 2022 , | 4.2 | 1 |
| 1033 | Molecular characterization to delineate the clonal evolution of primary prostate cancer with synchronous lymph node metastasis.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 266-266 | 2.2 | |
| 1032 | Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | 0 |
| 1031 | MRI as a screening tool for prostate cancer: current evidence and future challenges.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | 0 |
| 1030 | Modified Glasgow Prognostic Score as a Predictor of Recurrence in Patients with High Grade Non-Muscle Invasive Bladder Cancer Undergoing Intravesical Bacillus Calmette-Guerin Immunotherapy.. <i>Diagnostics</i> , 2022 , 12, | 3.8 | 3 |
| 1029 | Race/Ethnicity may be an Important Predictor of Life Expectancy in Localized Prostate Cancer Patients: Novel Analyses Using Social Security Administration Life Tables.. <i>Journal of Racial and Ethnic Health Disparities</i> , 2022 , 1 | 3.5 | 0 |
| 1028 | Effect of Neoadjuvant Chemotherapy on Complications, in-Hospital Mortality, Length of Stay and Total Hospital Costs in Bladder Cancer Patients Undergoing Radical Cystectomy.. <i>Cancers</i> , 2022 , 14, | 6.6 | 2 |
| 1027 | Lower urinary tract symptoms are associated with clinically relevant depression, anxiety, and stress symptoms.. <i>Aging Male</i> , 2022 , 25, 62-66 | 2.1 | 1 |
| 1026 | Comparative effectiveness of moderate hypofractionation with volumetric modulated arc therapy versus conventional 3D-radiotherapy after radical prostatectomy.. <i>Strahlentherapie Und Onkologie</i> , 2022 , 1 | 4.3 | |
| 1025 | Radiation therapy compared to radical prostatectomy as first-line definitive therapy for patients with high-risk localised prostate cancer: An updated systematic review and meta-analysis.. <i>Arab Journal of Urology Arab Association of Urology</i> , 2022 , 20, 71-80 | 1.7 | 0 |
| 1024 | Association between previous negative biopsies and lower rates of progression during active surveillance for prostate cancer.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | |
| 1023 | Comment on: Postoperative outcomes of Fast-Track-enhanced recovery protocol in open radical cystectomy: comparison with standard management in a high-volume center and Trifecta proposal.. <i>Minerva Urology and Nephrology</i> , 2022 , 74, 119-121 | 2.3 | |
| 1022 | Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | 2 |
| 1021 | Deconstructing, Addressing, and Eliminating Racial and Ethnic Inequities in Prostate Cancer Care.. <i>European Urology</i> , 2022 , | 10.2 | 5 |
| 1020 | Comparative Outcomes of Primary Versus Recurrent High-risk Non-muscle-invasive and Primary Versus Secondary Muscle-invasive Bladder Cancer After Radical Cystectomy: Results from a Retrospective Multicenter Study.. <i>European Urology Open Science</i> , 2022 , 39, 14-21 | 0.9 | 1 |
| 1019 | The effect of immune checkpoint inhibitor combination therapies in metastatic renal cell carcinoma patients with and without previous cytoreductive nephrectomy: A systematic review and meta-analysis.. <i>International Immunopharmacology</i> , 2022 , 108, 108720 | 5.8 | 1 |
| 1018 | ASO Author Reflections: Is Vascular Cell Adhesion Molecule-1 (VCAM-1) a Promising Biomarker in Urothelial Carcinoma of the Bladder?. <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 1017 | The Search for the Optimal cut-off Value of p53-Immunohistochemistry to Predict Prognosis of Invasive Bladder Cancer: A Multi-Center, Multi-Laboratory Analysis.. <i>International Journal of Surgical Pathology</i> , 2022 , 10668969221095173 | 1.2 | 0 |

| | | | |
|------|--|------|---|
| 1016 | Quality indicators for the management of muscle-invasive bladder cancer in the perioperative setting of radical cystectomy: a narrative review.. <i>Translational Cancer Research</i> , 2022 , 11, 908-917 | 0.3 | 1 |
| 1015 | Re: Phase II Study of Gemcitabine and Split-dose Cisplatin plus Pembrolizumab as Neoadjuvant Therapy Before Radical Cystectomy in Patients with Muscle-invasive Bladder Cancer.. <i>European Urology</i> , 2022 , | 10.2 | 0 |
| 1014 | Life expectancy in metastatic urothelial bladder cancer patients according to race/ethnicity.. <i>International Urology and Nephrology</i> , 2022 , 1 | 2.3 | 1 |
| 1013 | ASO Visual Abstract: Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 1012 | The Impact of Primary Versus Secondary Muscle-invasive Bladder Cancer at Diagnosis on the Response to Neoadjuvant Chemotherapy. <i>European Urology Open Science</i> , 2022 , 41, 74-80 | 0.9 | |
| 1011 | Nocebo Response in the Pharmacological Management of Overactive Bladder: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2021 , 7, 1143-1156 | 5.1 | 1 |
| 1010 | Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 580-593 | 6.7 | 7 |
| 1009 | Stratification of Intermediate-risk Non-muscle-invasive Bladder Cancer Patients: Implications for Adjuvant Therapies. <i>European Urology Focus</i> , 2021 , 7, 566-573 | 5.1 | 6 |
| 1008 | Synchronous Metastasis Rates in T1 Renal Cell Carcinoma: A Surveillance, Epidemiology, and End Results Database-based Study. <i>European Urology Focus</i> , 2021 , 7, 818-826 | 5.1 | 2 |
| 1007 | A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 , | 4.4 | 2 |
| 1006 | Prognostic effect of preoperative systemic immune-inflammation index in patients treated with cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 2 |
| 1005 | Sex- and Age-Related Differences in the Distribution of Metastases in Patients With Upper Urinary Tract Urothelial Carcinoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 534-540 | 7.3 | 0 |
| 1004 | Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 2 |
| 1003 | The Value of Preoperative Plasma VEGF Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>European Urology Focus</i> , 2021 , | 5.1 | 1 |
| 1002 | Selection and evaluation of preoperative systemic inflammatory response biomarkers model prior to cytoreductive nephrectomy using a machine-learning approach. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 2 |
| 1001 | Diagnostic Accuracy of Novel Urinary Biomarker Tests in Non-muscle-invasive Bladder Cancer: A Systematic Review and Network Meta-analysis. <i>European Urology Oncology</i> , 2021 , | 6.7 | 5 |
| 1000 | Response to Re: External beam radiotherapy and radical prostatectomy are associated with better survival in Asian prostate cancer patients. <i>International Journal of Urology</i> , 2021 , | 2.3 | 2 |
| 999 | Impact of preoperative systemic immune-inflammation Index on oncologic outcomes in bladder cancer patients treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 106.e11-106.e11 | 2.8 | 1 |

| | | | |
|-----|--|-----|----|
| 998 | Immuno-oncology therapy in metastatic bladder cancer: A systematic review and network meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 169, 103534 | 7 | 0 |
| 997 | Survival after radical prostatectomy vs. radiation therapy in ductal carcinoma of the prostate. <i>International Urology and Nephrology</i> , 2021 , 1 | 2.3 | 0 |
| 996 | Effect of Chemotherapy on Overall Survival in Contemporary Metastatic Prostate Cancer Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 778858 | 5.3 | 1 |
| 995 | Cancer-specific mortality after radical prostatectomy vs external beam radiotherapy in high-risk Hispanic/Latino prostate cancer patients. <i>International Urology and Nephrology</i> , 2021 , 54, 81 | 2.3 | 1 |
| 994 | Pretreatment clinical and hematologic prognostic factors of metastatic urothelial carcinoma treated with pembrolizumab: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 27, 59 | 4.2 | 2 |
| 993 | Intravesical Chemohyperthermia vs. Bacillus Calmette-Guerin Instillation for Intermediate- and High-Risk Non-muscle Invasive Bladder Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Surgery</i> , 2021 , 8, 775527 | 2.3 | 0 |
| 992 | Treatment and Outcome of Metastatic Renal Cell Carcinoma With Sarcomatoid Differentiation: A Single-Center, Real-World Analysis of Retrospective Data. <i>Frontiers in Surgery</i> , 2021 , 8, 763271 | 2.3 | 1 |
| 991 | Prognostic value of preoperative albumin to globulin ratio in patients treated with salvage radical prostatectomy for radiation recurrent prostate cancer. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 610-613 | 2.3 | 4 |
| 990 | Association of statins use and mortality outcomes in prostate cancer patients who received androgen deprivation therapy: a systematic review and meta-analysis.. <i>Central European Journal of Urology</i> , 2021 , 74, 484-490 | 0.9 | 0 |
| 989 | Chemotherapy is superior to checkpoint inhibitors after radical surgery for urothelial carcinoma: a systematic review and network meta-analysis of oncologic and toxicity outcomes.. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 169, 103570 | 7 | 4 |
| 988 | Systemic combining inflammatory score (SCIS): a new score for prediction of oncologic outcomes in patients with high-risk non-muscle-invasive urothelial bladder cancer. <i>Translational Andrology and Urology</i> , 2021 , 10, 626-635 | 2.3 | 10 |
| 987 | Combination of urinary fibrinogen E-chain and tyrosine-phosphorylated proteins for the detection of bladder cancer. <i>Future Science OA</i> , 2021 , 7, FSO758 | 2.7 | |
| 986 | Adverse events of different chemotherapy regimens in the first-line treatment of patients with advanced or metastatic urothelial cancer: A systematic review and network meta-analysis of randomized controlled trials. <i>Seminars in Oncology</i> , 2021 , 48, 181-192 | 5.5 | 1 |
| 985 | Comparison of Clinicopathologic and Oncological Outcomes Between Transurethral En Bloc Resection and Conventional Transurethral Resection of Bladder Tumor: A Systematic Review, Meta-Analysis and Network Meta-Analysis with Focus on Different Energy Sources. <i>Journal of Endourology</i> , 2021 , | 2.7 | 1 |
| 984 | Survival benefit of chemotherapy in a contemporary cohort of metastatic urachal carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , | 2.8 | 3 |
| 983 | Active surveillance for prostate cancer: comparison between incidental tumors vs. tumors diagnosed at prostate biopsies. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 0 |
| 982 | Urological adverse drug reactions of psychotropic medication in psychiatric inpatients - A drug surveillance report from German-speaking countries. <i>Journal of Psychiatric Research</i> , 2021 , 144, 412-420 | 5.2 | 0 |
| 981 | Prediction of the Need for an Extended Lymphadenectomy at the Time of Radical Cystectomy in Patients with Bladder Cancer. <i>European Urology Focus</i> , 2021 , 7, 1067-1074 | 5.1 | 2 |

| | | | |
|-----|--|------|----|
| 980 | Pre-therapy serum albumin-to-globulin ratio in patients treated with neoadjuvant chemotherapy and radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2021 , 39, 2567-2577 | 4 | 3 |
| 979 | Prevalence and Trends in Kidney Stone Among Adults in the USA: Analyses of National Health and Nutrition Examination Survey 2007-2018 Data. <i>European Urology Focus</i> , 2021 , 7, 1468-1475 | 5.1 | 19 |
| 978 | Incidence and outcome of salvage cystectomy after bladder sparing therapy for muscle invasive bladder cancer: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2021 , 39, 1757-1768 | 4 | 7 |
| 977 | The Performance of Tumor Size as Risk Stratification Parameter in Upper Tract Urothelial Carcinoma (UTUC). <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 272.e1-272.e7 | 3.3 | 5 |
| 976 | Micropapillary Versus Urothelial Carcinoma of the Urinary Bladder: Stage at Presentation and Efficacy of Chemotherapy Across All Stages-A SEER-based Study. <i>European Urology Focus</i> , 2021 , 7, 1332-1338 | 5.1 | 3 |
| 975 | Incidence and Survival Rates of Contemporary Patients with Invasive Upper Tract Urothelial Carcinoma. <i>European Urology Oncology</i> , 2021 , 4, 792-801 | 6.7 | 12 |
| 974 | Neoadjuvant chemotherapy plus radical cystectomy versus radical cystectomy alone in clinical T2 bladder cancer without hydronephrosis. <i>BJU International</i> , 2021 , 128, 79-87 | 5.6 | 7 |
| 973 | Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953 | 4 | 1 |
| 972 | Association of De Ritis ratio with oncological outcomes in patients with non-muscle invasive bladder cancer (NMIBC). <i>World Journal of Urology</i> , 2021 , 39, 1961-1968 | 4 | 4 |
| 971 | The effect of lymph node dissection on cancer-specific survival in salvage radical prostatectomy patients. <i>Prostate</i> , 2021 , 81, 339-346 | 4.2 | 8 |
| 970 | Predictive value of De Ritis ratio in metastatic renal cell carcinoma treated with tyrosine-kinase inhibitors. <i>World Journal of Urology</i> , 2021 , 39, 2977-2985 | 4 | 2 |
| 969 | What is next in second- and later-line treatment of metastatic renal cell carcinoma? review of the recent literature. <i>Current Opinion in Urology</i> , 2021 , 31, 276-284 | 2.8 | 3 |
| 968 | Incidence rates and contemporary trends in primary urethral cancer. <i>Cancer Causes and Control</i> , 2021 , 32, 627-634 | 2.8 | 4 |
| 967 | Association Between Body Fat Mass and Kidney Stones in US Adults: Analysis of the National Health and Nutrition Examination Survey 2011-2018. <i>European Urology Focus</i> , 2021 , | 5.1 | 2 |
| 966 | Placebo Response in Patients with Oral Therapy for Overactive Bladder: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2021 , | 5.1 | 3 |
| 965 | Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2021 , | 5.1 | 2 |
| 964 | Re: Enzalutamide and Survival in Nonmetastatic Castration-Resistant Prostate Cancer. <i>European Urology</i> , 2021 , 79, 430-431 | 10.2 | |
| 963 | Higher Cancer Mortality in Rural Upper Urinary Tract Urothelial Carcinoma Patients. <i>Urologia Internationalis</i> , 2021 , 105, 624-630 | 1.9 | 1 |

| | | | |
|-----|--|------|----|
| 962 | Surgical intervention in patients with urothelial carcinoma of the bladder and lymph node metastasis. <i>Current Opinion in Urology</i> , 2021 , 31, 220-225 | 2.8 | 1 |
| 961 | Dual immune check point blockade or immune check point-tyrosine kinase inhibitor combination: as a first-line treatment in metastatic renal cell carcinoma?. <i>Current Opinion in Urology</i> , 2021 , 31, 270-275 | 2.8 | 3 |
| 960 | Catalog of prognostic tissue-based biomarkers in patients treated with neoadjuvant systemic therapy for urothelial carcinoma of the bladder: a systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 180-190 | 2.8 | 6 |
| 959 | A systematic review and meta-analysis of prognostic impact of different Gleason patterns in ISUP grade group 4. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 42-49 | 2.3 | 2 |
| 958 | Tumor Size Predicts Muscle-invasive and Non-organ-confined Disease in Upper Tract Urothelial Carcinoma at Radical Nephroureterectomy. <i>European Urology Focus</i> , 2021 , | 5.1 | 5 |
| 957 | First-line Immunotherapy-based Combinations for Metastatic Renal Cell Carcinoma: A Systematic Review and Network Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 755-765 | 6.7 | 27 |
| 956 | Penile Rehabilitation Strategy after Nerve Sparing Radical Prostatectomy: A Systematic Review and Network Meta-Analysis of Randomized Trials. <i>Journal of Urology</i> , 2021 , 205, 1018-1030 | 2.5 | 9 |
| 955 | Overall Survival After Systemic Treatment in High-volume Versus Low-volume Metastatic Hormone-sensitive Prostate Cancer: Systematic Review and Network Meta-analysis. <i>European Urology Focus</i> , 2021 , | 5.1 | 7 |
| 954 | Genetic Differences Between Bladder and Upper Urinary Tract Carcinoma: Implications for Therapy. <i>European Urology Oncology</i> , 2021 , 4, 170-179 | 6.7 | 7 |
| 953 | A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2021 , | 5.6 | 7 |
| 952 | Reply to Johanna Noel, Olivier Huillard, and Francois Goldwasser Letter to the Editor re: Keiichiro Mori, Mohammad Abufaraj, Hadi Mostafaei, et al. The Predictive Value of Programmed Death Ligand 1 in Patients with Metastatic Renal Cell Carcinoma Treated with Immune-checkpoint Inhibitors: A Systematic Review and Meta-analysis. <i>Eur Urol</i> . In press. | 10.2 | |
| 951 | Pattern of Biopsy Gleason Grade Group 5 (4 + 5 vs 5 + 4 vs 5 + 5) Predicts Survival After Radicals: Is Prostatectomy or External Beam Radiation Therapy. <i>European Urology Focus</i> , 2021 , | 5.1 | 6 |
| 950 | Sex-Related Differences Include Stage, Histology, and Survival in Urethral Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 135-143 | 3.3 | 2 |
| 949 | Comparison between small renal masses 0-2 cm vs. 2.1-4 cm in size: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 239.e1-239.e7 | 2.8 | 0 |
| 948 | Upper Urinary Tract Tumors: Variant Histology Versus Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 117-124 | 3.3 | 5 |
| 947 | Trimodal therapy with high-dose-rate brachytherapy and hypofractionated external beam radiation combined with long-term androgen deprivation for unfavorable-risk prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 976-985 | 4.3 | 0 |
| 946 | European Association of Urology (EAU) Prognostic Factor Risk Groups for Non-muscle-invasive Bladder Cancer (NMIBC) Incorporating the WHO 2004/2016 and WHO 1973 Classification Systems for Grade: An Update from the EAU NMIBC Guidelines Panel. <i>European Urology</i> , 2021 , 79, 480-488 | 10.2 | 51 |
| 945 | Reply to Francesco Montorsi, Marco Bandini, and Andrea Necchi Letter to the Editor re: Francesco Soria, Marco Moschini, David D'Andrea, et al. Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> 2020 , 6, 1222-9. <i>European Urology Focus</i> , 2021 , | 5.1 | |

| | | | |
|-----|---|------|----|
| 944 | Prognostic Value of the WHO1973 and WHO2004/2016 Classification Systems for Grade in Primary Ta/T1 Non-muscle-invasive Bladder Cancer: A Multicenter European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel Study. <i>European Urology Oncology</i> , 2021 , 4, 182-191 | 6.7 | 15 |
| 943 | Association Between Systemic Therapy and/or Cytoreductive Nephrectomy and Survival in Contemporary Metastatic Non-clear Cell Renal Cell Carcinoma Patients. <i>European Urology Focus</i> , 2021 , 7, 598-607 | 5.1 | 1 |
| 942 | Benefit of Adjuvant Chemotherapy After Radical Cystectomy for Treatment of Urothelial Carcinoma of the Bladder in the Elderly An International Multicenter Study. <i>Bladder Cancer</i> , 2021 , 7, 173-185 | 1 | |
| 941 | Adverse events of systemic immune-based combination therapies in the first-line treatment of patients with metastatic renal cell carcinoma: systematic review and network meta-analysis. <i>Current Opinion in Urology</i> , 2021 , 31, 332-339 | 2.8 | 6 |
| 940 | Artificial intelligence in prostate histopathology: where are we in 2021?. <i>Current Opinion in Urology</i> , 2021 , 31, 430-435 | 2.8 | 1 |
| 939 | Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1 | 7.4 | 2 |
| 938 | Non-cancer mortality in elderly prostate cancer patients treated with combination of radical prostatectomy and external beam radiation therapy. <i>Prostate</i> , 2021 , 81, 728-735 | 4.2 | 9 |
| 937 | Reliability of Serial Prostate Magnetic Resonance Imaging to Detect Prostate Cancer Progression During Active Surveillance: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2021 , 80, 549-563 ^{10.2} | 10.2 | 10 |
| 936 | The effect of race/ethnicity on active treatment rates among septuagenarian or older low risk prostate cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 785.e11-785.e17 | 2.8 | 4 |
| 935 | A Systematic Review and Scoping Analysis of Smoking Cessation after a Urological Cancer Diagnosis. <i>Journal of Urology</i> , 2021 , 205, 1275-1285 | 2.5 | 1 |
| 934 | Response and Toxicity to the Second Course of 3 Cycles of Lu-PSMA Therapy Every 4 Weeks in Patients with Metastatic Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
| 933 | Differential Prognosis and Response of De novo vs. Secondary Muscle-Invasive Bladder Cancer: An Updated Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021 , 13, | 6.6 | 4 |
| 932 | Association between male infertility and prostate cancer: a systematic review and meta-analysis. <i>Current Opinion in Urology</i> , 2021 , 31, 346-353 | 2.8 | 1 |
| 931 | Oncologic impact of delaying radical prostatectomy in men with intermediate- and high-risk prostate cancer: a systematic review. <i>World Journal of Urology</i> , 2021 , 39, 4085-4099 | 4 | 2 |
| 930 | Survival advantage of Asian metastatic prostate cancer patients treated with external beam radiotherapy over other races/ethnicities. <i>World Journal of Urology</i> , 2021 , 39, 3781-3787 | 4 | 4 |
| 929 | Impact of enhanced optical techniques at time of transurethral resection of bladder tumour, with or without single immediate intravesical chemotherapy, on recurrence rate of non-muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized trials. <i>BJU International</i> , 2021 , 123, 888-898 | 5.6 | 5 |
| 928 | Overall survival and adverse events after treatment with darolutamide vs. apalutamide vs. enzalutamide for high-risk non-metastatic castration-resistant prostate cancer: a systematic review and network meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , | 6.2 | 4 |
| 927 | Acute kidney injury in COVID-19: are kidneys the target or just collateral damage? A comprehensive assessment of viral RNA and AKI rate in patients with COVID-19. <i>Current Opinion in Urology</i> , 2021 , 31, 363-368 | 2.8 | 5 |

| | | | |
|-----|---|-----|----|
| 926 | The role of lymph node dissection in salvage radical prostatectomy for patients with radiation recurrent prostate cancer. <i>Prostate</i> , 2021 , 81, 765-771 | 4.2 | 1 |
| 925 | Contemporary patterns of presentation, diagnostics and management of upper tract urothelial cancer in 101 centres: the Clinical Research Office of the Endourological Society Global upper tract urothelial carcinoma registry. <i>Current Opinion in Urology</i> , 2021 , 31, 354-362 | 2.8 | 1 |
| 924 | Novel transurethral resection technologies and training modalities in the management of nonmuscle invasive bladder cancer: a comprehensive review. <i>Current Opinion in Urology</i> , 2021 , 31, 324-331 | 3.8 | 3 |
| 923 | The prognostic value of sarcopenia in patients with prostate cancer: a systematic review. <i>Current Opinion in Urology</i> , 2021 , 31, 315-323 | 2.8 | 2 |
| 922 | COVID-19 crisis and minimally invasive surgery: a narrative review on intraoperative aerosol viral transmission and their impact on guidelines and clinical practice in Austria. <i>Current Opinion in Urology</i> , 2021 , 31, 340-345 | 2.8 | |
| 921 | Health-related quality of life in bladder cancer patients: general and cancer-specific instruments. Part 1. <i>Current Opinion in Urology</i> , 2021 , 31, 297-303 | 2.8 | 1 |
| 920 | Role of systemic immune-inflammation index in patients treated with salvage radical prostatectomy. <i>World Journal of Urology</i> , 2021 , 39, 3771-3779 | 4 | 0 |
| 919 | Evaluation of the New American Urological Association Guidelines Risk Classification for Hematuria. <i>Journal of Urology</i> , 2021 , 205, 1387-1393 | 2.5 | 4 |
| 918 | Differential prognostic impact of different Gleason patterns in grade group 4 in radical prostatectomy specimens. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1172-1178 | 3.6 | 4 |
| 917 | Presence of biopsy Gleason pattern 5 + 3 is associated with higher mortality after radical prostatectomy but not after external beam radiotherapy compared to other Gleason Grade Group IV patterns. <i>Prostate</i> , 2021 , 81, 778-784 | 4.2 | 1 |
| 916 | Life expectancy in metastatic prostate cancer patients according to racial/ethnic groups. <i>International Journal of Urology</i> , 2021 , 28, 862-869 | 2.3 | 8 |
| 915 | Quality indicators for the management of high-risk upper tract urothelial carcinoma requiring radical nephroureterectomy. <i>Current Opinion in Urology</i> , 2021 , 31, 291-296 | 2.8 | 0 |
| 914 | Health-related quality of life in bladder cancer patients: bladder cancer-specific instruments and domains. Part 2. <i>Current Opinion in Urology</i> , 2021 , 31, 304-314 | 2.8 | 1 |
| 913 | Contemporary Age-adjusted Incidence and Mortality Rates of Renal Cell Carcinoma: Analysis According to Gender, Race, Stage, Grade, and Histology. <i>European Urology Focus</i> , 2021 , 7, 644-652 | 5.1 | 11 |
| 912 | ASO Author Reflections: Is There Any Difference Among Various Gleason Scores Classified as Grade Group 4 Prostate Cancer?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 9188-9189 | 3.1 | |
| 911 | Comparison between 1973 and 2004/2016 World Health Organization grading in upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 1707-1713 | 4.2 | 1 |
| 910 | Prognostic Impact of Different Gleason Patterns on Biopsy Within Grade Group 4 Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2021 , 28, 9179-9187 | 3.1 | 1 |
| 909 | Association of Negative Followup Biopsy and Reclassification during Active Surveillance of Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2021 , 205, 1559-1568 | 2.5 | 1 |

| | | | |
|-----|---|------|----|
| 908 | Intracorporeal versus extracorporeal urinary diversion in robot-assisted radical cystectomy: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 1587-1599 | 4.2 | 5 |
| 907 | Accuracy of Frozen Section Analysis of Urethral and Ureteral Margins During Radical Cystectomy for Bladder Cancer: A Systematic Review and Diagnostic Meta-Analysis. <i>European Urology Focus</i> , 2021 , | 5.1 | 3 |
| 906 | Flexible fibre optic vs digital ureteroscopy and enhanced vs unenhanced imaging for diagnosis and treatment of upper tract urothelial carcinoma (UTUC): results from the Clinical Research Office of the Endourology Society (CROES)-UTUC registry. <i>BJU International</i> , 2021 , 128, 734-743 | 5.6 | 0 |
| 905 | Metabolic syndrome predicts worse perioperative outcomes in patients treated with radical prostatectomy for non-metastatic prostate cancer. <i>Surgical Oncology</i> , 2021 , 37, 101519 | 2.5 | 1 |
| 904 | Contemporary analysis of the effect of marital status on survival in upper tract urothelial carcinoma patients treated with radical nephroureterectomy: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 789.e9-789.e17 | 2.8 | 1 |
| 903 | The Genitourinary Pathology Society Update on Classification of Variant Histologies, T1 Substaging, Molecular Taxonomy, and Immunotherapy and PD-L1 Testing Implications of Urothelial Cancers. <i>Advances in Anatomic Pathology</i> , 2021 , 28, 196-208 | 5.1 | 2 |
| 902 | Prognostic Impact of Preoperative Plasma Levels of Urokinase Plasminogen Activator Proteins on Disease Outcomes after Radical Cystectomy. <i>Journal of Urology</i> , 2021 , 206, 1122-1131 | 2.5 | 2 |
| 901 | Impact of systemic Immune-inflammation Index on oncologic outcomes in patients treated with radical prostatectomy for clinically nonmetastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 785.e19-785.e27 | 2.8 | 1 |
| 900 | Das Harnblasenkarzinom der Frau. <i>Journal Fur Urologie Und Urogynakologie</i> , 2021 , 28, 29-33 | 0 | |
| 899 | Role of Radiomics in the Prediction of Muscle-invasive Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2021 , | 5.1 | 2 |
| 898 | Prognostic value of the systemic immune-inflammation index in non-muscle invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 4355-4361 | 4 | 2 |
| 897 | Effects of Delayed Radical Prostatectomy and Active Surveillance on Localised Prostate Cancer-A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021 , 13, | 6.6 | 2 |
| 896 | Prognostic value of the pre-operative serum albumin to globulin ratio in patients with non-metastatic prostate cancer undergoing radical prostatectomy. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 1729-1735 | 4.2 | 0 |
| 895 | Adjuvant Nivolumab versus Placebo in Muscle-Invasive Urothelial Carcinoma. <i>New England Journal of Medicine</i> , 2021 , 384, 2102-2114 | 59.2 | 83 |
| 894 | Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 79 | 2.5 | |
| 893 | Incidence, risk factors and outcomes of urethral recurrence after radical cystectomy for bladder cancer: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 806-815 | 2.8 | 0 |
| 892 | Nomogram Predicting Downgrading in National Comprehensive Cancer Network High-risk Prostate Cancer Patients Treated with Radical Prostatectomy. <i>European Urology Focus</i> , 2021 , | 5.1 | 4 |
| 891 | Assessment of the optimal number of positive biopsy cores to discriminate between cancer-specific mortality in high-risk versus very high-risk prostate cancer patients. <i>Prostate</i> , 2021 , 81, 1055-1063 | 4.2 | 2 |

| | | | |
|-----|--|------|-----|
| 890 | Androgen receptor axis-targeted agents for non-metastatic castration-resistant prostate cancer impact on overall survival and safety profile: an updated systematic review and meta-analysis. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 1 |
| 889 | Salvage Radical Prostatectomy for Radio-Recurrent Prostate Cancer: An Updated Systematic Review of Oncologic, Histopathologic and Functional Outcomes and Predictors of Good Response. <i>Current Oncology</i> , 2021 , 28, 2881-2892 | 2.8 | 0 |
| 888 | The effect of race on stage at presentation and survival in upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 788.e7-788.e13 | 2.8 | 2 |
| 887 | First-line immune-checkpoint inhibitor combination therapy for chemotherapy-eligible patients with metastatic urothelial carcinoma: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2021 , 151, 35-48 | 7.5 | 7 |
| 886 | Comprehensive analysis of serum chromogranin A and neuron-specific enolase levels in localized and castration-resistant prostate cancer. <i>BJU International</i> , 2021 , 127, 44-55 | 5.6 | 5 |
| 885 | Comparison of survival outcomes in patients with metastatic papillary vs. clear-cell renal cell carcinoma: a propensity-score analysis. <i>World Journal of Urology</i> , 2021 , 39, 461-472 | 4 | 8 |
| 884 | Intravesical therapy for bladder cancer in the pandemic of Covid-19. <i>World Journal of Urology</i> , 2021 , 39, 1313-1314 | 4 | 6 |
| 883 | The impact of treatment modality on survival in patients with clinical node-positive bladder cancer: results from a multicenter collaboration. <i>World Journal of Urology</i> , 2021 , 39, 443-451 | 4 | 4 |
| 882 | Radical cystectomy improves survival in patients with stage T1 squamous cell carcinoma and neuroendocrine carcinoma of the urinary bladder. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 463-469 | 2.6 | 6 |
| 881 | Radical cystectomy plus chemotherapy in patients with pure squamous cell bladder carcinoma: a population-based study. <i>World Journal of Urology</i> , 2021 , 39, 813-822 | 4 | 3 |
| 880 | The recurrence and progression risk after simultaneous endoscopic surgery of urothelial bladder tumour and benign prostatic hyperplasia: a systematic review and meta-analysis. <i>BJU International</i> , 2021 , 127, 143-152 | 5.6 | 3 |
| 879 | European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. <i>European Urology</i> , 2021 , 79, 62-79 | 10.2 | 176 |
| 878 | Differential Impact of Gonadotropin-releasing Hormone Antagonist Versus Agonist on Clinical Safety and Oncologic Outcomes on Patients with Metastatic Prostate Cancer: A Meta-analysis of Randomized Controlled Trials. <i>European Urology</i> , 2021 , 79, 44-53 | 10.2 | 29 |
| 877 | Systemic therapy for metastatic renal cell carcinoma in the first-line setting: a systematic review and network meta-analysis. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 265-273 | 7.4 | 23 |
| 876 | Primary Ta high grade bladder tumors: Determination of the risk of progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 132.e7-132.e11 | 2.8 | 7 |
| 875 | Obesity is associated with adverse short-term perioperative outcomes in patients treated with open and robot-assisted radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 75.e17-75.e25 | 2.8 | 4 |
| 874 | Bladder Cancer: A Comparison Between Non-urothelial Variant Histology and Urothelial Carcinoma Across All Stages and Treatment Modalities. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 60-68.e1 | 3.3 | 6 |
| 873 | The value and limitations of urothelial bladder carcinoma molecular classifications to predict oncological outcomes and cancer treatment response: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 15-33 | 2.8 | 3 |

| | | | |
|-----|--|------|----|
| 872 | Comparative effectiveness of neoadjuvant chemotherapy in bladder and upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2021 , 127, 528-537 | 5.6 | 1 |
| 871 | Thyroid and androgen receptor signaling are antagonized by ECrystallin in prostate cancer. <i>International Journal of Cancer</i> , 2021 , 148, 731-747 | 7.5 | 4 |
| 870 | The effect of sex on disease stage and survival after radical cystectomy: a population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 236.e1-236.e7 | 2.8 | 6 |
| 869 | Intraoperative aerosol viral transmission in minimally invasive surgery: a scoping review and impact on clinical guidelines and practice during the onset of the coronavirus disease 2019 (COVID-19) pandemic. <i>BJU International</i> , 2021 , 127, 349-360 | 5.6 | 2 |
| 868 | Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e5-235.e14 | 2.8 | 3 |
| 867 | Association of erectile dysfunction and cardiovascular disease: an umbrella review of systematic reviews and meta-analyses. <i>BJU International</i> , 2021 , 128, 3-11 | 5.6 | 3 |
| 866 | Visibility of significant prostate cancer on multiparametric magnetic resonance imaging (MRI)-do we still need contrast media?. <i>European Radiology</i> , 2021 , 31, 3754-3764 | 8 | 4 |
| 865 | Prognostic factors in patients with small renal masses: a comparison between . <i>Cancer Causes and Control</i> , 2021 , 32, 119-126 | 2.8 | 0 |
| 864 | Predicting the risk of pT3a stage in cT1 clear cell renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1187-1190 | 3.6 | 4 |
| 863 | The Predictive Value of Programmed Death Ligand 1 in Patients with Metastatic Renal Cell Carcinoma Treated with Immune-checkpoint Inhibitors: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2021 , 79, 783-792 | 10.2 | 18 |
| 862 | Contemporary rates and predictors of open conversion during minimally invasive partial nephrectomy for kidney cancer. <i>Surgical Oncology</i> , 2021 , 36, 131-137 | 2.5 | 2 |
| 861 | The effect of race/ethnicity on histological subtype distribution, stage at presentation and cancer specific survival in urethral cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 369.e8-369.e17 | 2.8 | 1 |
| 860 | Bladder cancer stage and mortality: urban vs. rural residency. <i>Cancer Causes and Control</i> , 2021 , 32, 139-145 | 4.8 | 3 |
| 859 | Differential impact of radiation therapy after radical prostatectomy on recurrence patterns: an assessment using [Ga]Ga-PSMA ligand PET/CT(MRI). <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 439-447 | 6.2 | |
| 858 | Value of tumour-infiltrating immune cells in predicting response to intravesical BCG in patients with non-muscle-invasive bladder cancer: a systematic review and meta-analysis. <i>BJU International</i> , 2021 , 127, 617-625 | 5.6 | 3 |
| 857 | Re: Adjuvant Chemotherapy in Upper Tract Urothelial Carcinoma (the POUT Trial): A Phase 3, Open-label, Randomised Controlled Trial. <i>European Urology</i> , 2021 , 79, 163-164 | 10.2 | |
| 856 | Sex-specific Differences in the Quality of Treatment of Muscle-invasive Bladder Cancer Do Not Explain the Overall Survival Discrepancy. <i>European Urology Focus</i> , 2021 , 7, 124-131 | 5.1 | 16 |
| 855 | Defining the Most Informative Intermediate Clinical Endpoints for Patients Treated with Salvage Radiotherapy for Prostate-specific Antigen Rise After Radical Prostatectomy. <i>European Urology Oncology</i> , 2021 , 4, 301-304 | 6.7 | 1 |

| | | | |
|-----|---|-----|---|
| 854 | Functional Outcomes after Local Salvage Therapies for Radiation-Recurrent Prostate Cancer Patients: A Systematic Review. <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
| 853 | Prognostic value of the preoperative albumin-globulin ratio in patients with upper urinary tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1149-1157 | 2.8 | 1 |
| 852 | Further Understanding of Urokinase Plasminogen Activator Overexpression in Urothelial Bladder Cancer Progression, Clinical Outcomes and Potential Therapeutic Targets. <i>OncoTargets and Therapy</i> , 2021 , 14, 315-324 | 4.4 | 2 |
| 851 | Prognostic value of albumin to globulin ratio in non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 3345-3352 | 4 | 3 |
| 850 | The Risk of New Onset Dementia and/or Alzheimer Disease among Patients with Prostate Cancer Treated with Androgen Deprivation Therapy: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2021 , 205, 60-67 | 2.5 | 9 |
| 849 | The microbiome in urinary tract infections in children - an update. <i>Current Opinion in Urology</i> , 2021 , 31, 147-154 | 2.8 | 3 |
| 848 | Sex- and age-related differences in the distribution of bladder cancer metastases. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 976-983 | 2.8 | 2 |
| 847 | Diagnostic challenges and treatment strategies in the management of upper-tract urothelial carcinoma. <i>Turkish Journal of Urology</i> , 2021 , 47, S33-S44 | 1.3 | 0 |
| 846 | Prognostic role of the systemic immune-inflammation index in upper tract urothelial carcinoma treated with radical nephroureterectomy: results from a large multicenter international collaboration. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 2641-2650 | 7.4 | 5 |
| 845 | Prognostic effect of preoperative serum albumin to globulin ratio in patients treated with cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>Translational Andrology and Urology</i> , 2021 , 10, 609-619 | 2.3 | 3 |
| 844 | Ejaculation-sparing versus non-ejaculation-sparing anatomic GreenLight laser enucleo-vaporization of the prostate: first comparative study. <i>World Journal of Urology</i> , 2021 , 39, 3455-3463 | 4 | 0 |
| 843 | Tumor Stage and Substage Predict Cancer-specific Mortality After Nephrectomy for Nonmetastatic Renal Cancer: Histological Subtype-specific Validation. <i>European Urology Focus</i> , 2021 , | 5.1 | 4 |
| 842 | Race/Ethnicity Determines Life Expectancy in Surgically Treated T1aN0M0 Renal Cell Carcinoma Patients. <i>European Urology Focus</i> , 2021 , | 5.1 | 3 |
| 841 | Impact of Adjuvant Chemotherapy on Survival of Patients with Advanced Residual Disease at Radical Cystectomy following Neoadjuvant Chemotherapy: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 4 |
| 840 | Comparison between 1973 and 2004/2016 WHO grading systems in patients with Ta urothelial carcinoma of urinary bladder. <i>Journal of Clinical Pathology</i> , 2021 , | 3.9 | 3 |
| 839 | Association of patients' sex with treatment outcomes after intravesical bacillus Calmette-Guérin immunotherapy for T1G3/HG bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 3337-3344 | 4 | 3 |
| 838 | Risk factors associated with positive surgical margins location at radical cystectomy and their impact on bladder cancer survival. <i>World Journal of Urology</i> , 2021 , 39, 4363-4371 | 4 | 2 |
| 837 | Fibroblast growth factor receptor: A systematic review and meta-analysis of prognostic value and therapeutic options in patients with urothelial bladder carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 409-421 | 2.8 | 7 |

| | | | |
|-----|--|-----|----|
| 836 | Racial/Ethnic Disparities in Tumor Characteristics and Treatments in Favorable and Unfavorable Intermediate Risk Prostate Cancer. <i>Journal of Urology</i> , 2021 , 206, 69-79 | 2.5 | 7 |
| 835 | Systemic therapies for metastatic hormone-sensitive prostate cancer: network meta-analysis. <i>BJU International</i> , 2021 , | 5.6 | 6 |
| 834 | Neutrophil percentage-to-albumin ratio predicts mortality in bladder cancer patients treated with neoadjuvant chemotherapy followed by radical cystectomy. <i>Future Science OA</i> , 2021 , 7, FSO709 | 2.7 | 8 |
| 833 | The Consequences of Inadvertent Radical Nephrectomy in the Treatment of Upper Tract Urothelial Carcinoma. <i>Urology</i> , 2021 , 154, 127-135 | 1.6 | 1 |
| 832 | Single-lesion Prostate-specific Membrane Antigen Protein Expression (PSMA) and Response to [Lu]-PSMA-ligand Therapy in Patients with Castration-resistant Prostate Cancer. <i>European Urology Open Science</i> , 2021 , 30, 63-66 | 0.9 | 1 |
| 831 | Adjuvant therapy with tyrosine kinase inhibitors for localized and locally advanced renal cell carcinoma: an updated systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 764-773 | 2.8 | 1 |
| 830 | Radical Cystectomy vs. Multimodality Treatment in T2N0M0 Bladder Cancer: A Population-based, Age-matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, e264-e271 | 3.3 | 0 |
| 829 | Association of age with response to preoperative chemotherapy in patients with muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 4345-4354 | 4 | 2 |
| 828 | The impact of race/ethnicity on upstaging and/or upgrading rates among intermediate risk prostate cancer patients treated with radical prostatectomy. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 4 |
| 827 | Adverse events of the second-line treatment for patients with locally advanced or metastatic urothelial carcinoma of the bladder: network meta-analysis. <i>Immunotherapy</i> , 2021 , 13, 917-929 | 3.8 | 0 |
| 826 | Alternating Cystoscopy with Bladder EpiCheck [®] in the Surveillance of Low-Grade Intermediate-Risk NMIBC: A Cost Comparison Model. <i>Bladder Cancer</i> , 2021 , 7, 307-315 | 1 | 1 |
| 825 | Prognostic blood-based biomarkers in patients treated with neoadjuvant chemotherapy for urothelial carcinoma of the bladder: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 471-479 | 2.8 | 2 |
| 824 | Salvage Radical Prostatectomy: Baseline Prostate Cancer Characteristics and Survival Across SEER Registries. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, e255-e263 | 3.3 | 1 |
| 823 | Prevalence and trends in urinary incontinence among women in the United States, 2005-2018. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 166.e1-166.e12 | 6.4 | 12 |
| 822 | Median time to progression with TKI-based therapy after failure of immuno-oncology therapy in metastatic kidney cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2021 , 155, 245-255 | 7.5 | |
| 821 | External beam radiotherapy and radical prostatectomy are associated with better survival in Asian prostate cancer patients. <i>International Journal of Urology</i> , 2021 , | 2.3 | 4 |
| 820 | Partial nephrectomy in frail patients: Benefits of robot-assisted surgery. <i>Surgical Oncology</i> , 2021 , 38, 101588 | 2.5 | 3 |
| 819 | Temporal trends, tumor characteristics and stage-specific survival in penile non-squamous cell carcinoma vs. squamous cell carcinoma. <i>Cancer Causes and Control</i> , 2021 , 1 | 2.8 | 2 |

| | | | |
|-----|---|------|----|
| 818 | Association between SARS-CoV-2 infection and disease severity among prostate cancer patients on androgen deprivation therapy: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 4 |
| 817 | Improvement in overall and cancer-specific survival in contemporary, metastatic prostate cancer chemotherapy exposed patients. <i>Prostate</i> , 2021 , 81, 1374-1381 | 4.2 | 2 |
| 816 | The Prognostic Association of Prostate MRI PI-RADSv2 Assessment Category and Risk of Biochemical Recurrence after Definitive Local Therapy for Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2021 , 206, 507-516 | 2.5 | 2 |
| 815 | Reply to Xiaoshuai Gao, Guo Chen, and Xin Wei Letter to the Editor re: Keiichiro Mori, Mohammad Abufaraj, Hadi Mostafaei, et al. The Predictive Value of Programmed Death Ligand 1 in Patients with Metastatic Renal Cell Carcinoma Treated with Immune-checkpoint Inhibitors: A Systematic Review and Meta-analysis. <i>Eur Urol</i> 2021;79:783-92. <i>European Urology</i> , 2021 , 80, e145-e146 | 10.2 | |
| 814 | European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (Ta, T1, and Carcinoma in Situ). <i>European Urology</i> , 2021 , | 10.2 | 51 |
| 813 | Increased risk of postoperative in-hospital complications after radical prostatectomy in patients with prior organ transplant. <i>Prostate</i> , 2021 , 81, 1294-1302 | 4.2 | |
| 812 | Cancer Spectrum, Family History of Cancer and Overall Survival in Men with Germline or Mutations. <i>Journal of Personalized Medicine</i> , 2021 , 11, | 3.6 | 1 |
| 811 | Differences in oncological and toxicity outcomes between programmed cell death-1 and programmed cell death ligand-1 inhibitors in metastatic renal cell carcinoma: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2021 , 99, 102242 | 14.4 | 6 |
| 810 | COVID-19 pandemic impact on uro-oncological disease outcomes at an Italian tertiary referral center. <i>World Journal of Urology</i> , 2021 , 1 | 4 | 2 |
| 809 | Vesical Imaging Reporting and Data System (VI-RADS): Are the individual MRI sequences equivalent in diagnostic performance of high grade NMIBC and MIBC?. <i>European Journal of Radiology</i> , 2021 , 142, 109829 | 4.7 | 3 |
| 808 | Stage and cancer-specific mortality differ within specific Asian ethnic groups for upper tract urothelial carcinoma: North American population-based study. <i>International Journal of Urology</i> , 2021 , 28, 1247-1252 | 2.3 | 3 |
| 807 | Survival after Radical Prostatectomy versus Radiation Therapy in High-Risk and Very High-Risk Prostate Cancer. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002250 | 2.5 | 3 |
| 806 | Renal and Salivary Gland Functions after Three Cycles of PSMA-617 Therapy Every Four Weeks in Patients with Metastatic Castration-Resistant Prostate Cancer. <i>Current Oncology</i> , 2021 , 28, 3692-3704 | 2.8 | 1 |
| 805 | Oncologic Surveillance for Variant Histology Bladder Cancer after Radical Cystectomy. <i>Journal of Urology</i> , 2021 , 206, 885-893 | 2.5 | 1 |
| 804 | Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021 , 80, 507-515 | 10.2 | 2 |
| 803 | Regional differences in patient age and prostate cancer characteristics and rates of treatment modalities in favorable and unfavorable intermediate risk prostate cancer across United States SEER registries. <i>Cancer Epidemiology</i> , 2021 , 74, 101994 | 2.8 | 2 |
| 802 | The impact of sex and age on distribution of metastases in patients with renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 962-970 | 4.2 | 0 |
| 801 | Update on systemic treatment of upper tract urothelial carcinoma: a narrative review of the literature. <i>Translational Andrology and Urology</i> , 2021 , 10, 4051-4061 | 2.3 | 0 |

800 Risk Stratification of Upper Tract Urothelial Carcinoma for Kidney-Sparing Surgery **2021**, 387-402

| | | | |
|-----|--|-----|----|
| 799 | Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors.. <i>European Urology Oncology</i> , 2021 , | 6.7 | 1 |
| 798 | Prognostic markers in invasive bladder cancer: FGFR3 mutation status versus P53 and KI-67 expression: a multi-center, multi-laboratory analysis in 1058 radical cystectomy patients.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , | 2.8 | 2 |
| 797 | Contemporary Trends of Systemic Neoadjuvant and Adjuvant Intravesical Chemotherapy in Patients With Upper Tract Urothelial Carcinomas Undergoing Minimally Invasive or Open Radical Nephroureterectomy: Analysis of US Claims on Perioperative Outcomes and Health Care Costs.. <i>Clinical Genitourinary Cancer</i> , 2021 | 3.3 | 3 |
| 796 | Influence of steep Trendelenburg position on postoperative complications: a systematic review and meta-analysis.. <i>Journal of Robotic Surgery</i> , 2021 , 1 | 2.9 | 1 |
| 795 | Association of Processed Meats and Alcohol Consumption with Renal Cell Carcinoma: A Worldwide Population-Based Study. <i>Nutrition and Cancer</i> , 2020 , 1-6 | 2.8 | 4 |
| 794 | Association of Prostate Cancer with Nuts, Seeds, Alcohol and Processed Meats: A Worldwide Population-Based Study. <i>Nutrition and Cancer</i> , 2020 , 1-8 | 2.8 | 1 |
| 793 | Regular Coffee Consumption Is Associated with Lower Regional Adiposity Measured by DXA among US Women. <i>Journal of Nutrition</i> , 2020 , 150, 1909-1915 | 4.1 | 2 |
| 792 | Contemporary Cytoreductive Nephrectomy Provides Survival Benefit in Clear-cell Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e730-e738 | 3.3 | 4 |
| 791 | Prognostic models to help predict patient responses to intravesical immunotherapy. <i>Expert Review of Precision Medicine and Drug Development</i> , 2020 , 5, 243-251 | 1.6 | 0 |
| 790 | Fibroblast growth factor receptors across urothelial carcinoma landscape. <i>Current Opinion in Urology</i> , 2020 , 30, 557-565 | 2.8 | 3 |
| 789 | Immune checkpoint inhibition in muscle-invasive and locally advanced bladder cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 547-556 | 2.8 | 8 |
| 788 | Prognostic value of preoperative hematologic biomarkers in urothelial carcinoma of the bladder treated with radical cystectomy: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1459-1474 | 4.2 | 14 |
| 787 | Poly(ADP-ribose) polymerase inhibitors in prostate and urothelial cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 519-526 | 2.8 | 7 |
| 786 | Bladder sparing landscape for bacillus Calmette-Guérin unresponsive bladder cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 542-546 | 2.8 | 3 |
| 785 | The clinical pharmacology of the medical treatment for overactive bladder in adults. <i>Expert Review of Clinical Pharmacology</i> , 2020 , 13, 707-720 | 3.8 | 2 |
| 784 | The role of taxane-based chemotherapy in the treatment of prostate cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 527-533 | 2.8 | 3 |
| 783 | Where do urologists stand in the era of novel coronavirus-2019 disease. <i>Current Opinion in Urology</i> , 2020 , 30, 610-616 | 2.8 | 8 |

| | | | |
|-----|---|------|----|
| 782 | An overview of current and emerging diagnostic, staging and prognostic markers for prostate cancer. <i>Expert Review of Molecular Diagnostics</i> , 2020 , 20, 841-850 | 3.8 | 7 |
| 781 | Molecular Characterization of Upper Tract Urothelial Carcinoma in the Era of Next-generation Sequencing: A Systematic Review of the Current Literature. <i>European Urology</i> , 2020 , 78, 209-220 | 10.2 | 29 |
| 780 | Metabolic Syndrome Predicts Worse Perioperative Outcomes in Patients Treated With Partial Nephrectomy for Renal Cell Carcinoma. <i>Urology</i> , 2020 , 140, 91-97 | 1.6 | 2 |
| 779 | Sequential therapy of abiraterone and enzalutamide in castration-resistant prostate cancer: a systematic review and meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 539-548 | 6.2 | 14 |
| 778 | Effect of stage and grade migration on cancer specific mortality in renal cell carcinoma patients, according to clear cell vs. non-clear cell histology: A contemporary population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 506-514 | 2.8 | 2 |
| 777 | Prognostic role of preoperative De Ritis ratio in upper tract urothelial carcinoma treated with nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e17-601.e24 | 2.8 | 5 |
| 776 | Contemporary Rates and Predictors of Open Conversion During Minimally Invasive Radical Prostatectomy for Nonmetastatic Prostate Cancer. <i>Journal of Endourology</i> , 2020 , 34, 600-607 | 2.7 | 5 |
| 775 | Efficacy of neoadjuvant and adjuvant chemotherapy for localized and locally advanced upper tract urothelial carcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1037-1054 | 4.2 | 15 |
| 774 | Medical practice and placebo response: an inseparable bond?. <i>Wiener Klinische Wochenschrift</i> , 2020 , 132, 228-231 | 2.3 | 3 |
| 773 | Preoperative frailty predicts adverse short-term postoperative outcomes in patients treated with radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 573-580 | 6.2 | 9 |
| 772 | Adherence to guideline recommendations for multimodality treatment of patients with pT2-3 M0 non-urothelial carcinoma of the urinary bladder: Temporal trends and survival outcomes. <i>International Journal of Urology</i> , 2020 , 27, 402-407 | 2.3 | 1 |
| 771 | Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>European Urology</i> , 2020 , 78, 661-669 | 10.2 | 30 |
| 770 | Assessing the Best Surgical Template at Salvage Pelvic Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: When Can Bilateral Dissection be Omitted? Results from a Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 779-782 | 10.2 | 6 |
| 769 | Safety and Short-Term Oncological Outcomes of Thulium Fiber Laser En Bloc Resection of Non-Muscle-Invasive Bladder Cancer: A Prospective Non-Randomized Phase II Trial. <i>Bladder Cancer</i> , 2020 , 6, 201-210 | 1 | 3 |
| 768 | The impact of cytoreductive nephrectomy on survival outcomes in patients treated with tyrosine kinase inhibitors for metastatic renal cell carcinoma in a real-world cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 739.e9-739.e15 | 2.8 | 7 |
| 767 | Renal cell carcinoma incidence rates and trends in young adults aged 20-39 years. <i>Cancer Epidemiology</i> , 2020 , 67, 101762 | 2.8 | 7 |
| 766 | The Cancer of the Bladder Risk Assessment (COBRA) score for estimating cancer-specific survival after radical cystectomy: external validation in a large bi-institutional cohort. <i>BJU International</i> , 2020 , 126, 704-714 | 5.6 | 2 |
| 765 | Trends in Sexual Activity and Associations With All-Cause and Cause-Specific Mortality Among US Adults. <i>Journal of Sexual Medicine</i> , 2020 , 17, 1903-1913 | 1.1 | 6 |

| | | | |
|-----|--|------|----|
| 764 | Low compliance to guidelines in nonmuscle-invasive bladder carcinoma: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 774-782 | 2.8 | 7 |
| 763 | Prognostic value of the systemic inflammation modified Glasgow prognostic score in patients with upper tract urothelial carcinoma (UTUC) treated with radical nephroureterectomy: Results from a large multicenter international collaboration. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 602.e11-602.e19 | 2.8 | 8 |
| 762 | The prognostic impact of tumour NSD2 expression in advanced prostate cancer. <i>Biomarkers</i> , 2020 , 25, 268-273 | 2.6 | 4 |
| 761 | Contemporary conditional cancer-specific survival after radical nephroureterectomy in patients with nonmetastatic urothelial carcinoma of upper urinary tract. <i>Journal of Surgical Oncology</i> , 2020 , 121, 1154-1161 | 2.8 | 4 |
| 760 | An update on systemic therapy for penile cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 229-233 | 2.8 | 5 |
| 759 | The effect of age on cancer-specific mortality in patients with prostate cancer: a population-based study across all stages. <i>Cancer Causes and Control</i> , 2020 , 31, 283-290 | 2.8 | 3 |
| 758 | Prognostic value of preoperative blood-based biomarkers in upper tract urothelial carcinoma treated with nephroureterectomy: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 315-333 | 2.8 | 13 |
| 757 | Histotype predicts the rate of lymph node invasion at nephrectomy in patients with nonmetastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 537-544 | 2.8 | 2 |
| 756 | Histomorphological analysis of false positive PI-RADS 4 and 5 lesions. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 636.e7-636.e12 | 2.8 | 1 |
| 755 | Impact of sex on response to neoadjuvant chemotherapy in patients with bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 639.e1-639.e9 | 2.8 | 7 |
| 754 | Management of bladder cancer in older patients: Position paper of a SIOG Task Force. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 1043-1053 | 3.6 | 22 |
| 753 | Comparative effectiveness of radical cystectomy and radiotherapy without chemotherapy in frail patients with bladder cancer. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 52-57 | 1.6 | 3 |
| 752 | Development of a prognostic model for survival time prediction in castration-resistant prostate cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 600.e9-600.e15 | 2.8 | 6 |
| 751 | Preoperative frailty predicts adverse short-term postoperative outcomes in patients treated with radical nephroureterectomy. <i>Journal of Surgical Oncology</i> , 2020 , 121, 688-696 | 2.8 | 10 |
| 750 | The promise and challenges of neoadjuvant immunotherapy in the management of non-metastatic muscle-invasive bladder cancer. <i>BJU International</i> , 2020 , 125, 753-755 | 5.6 | 3 |
| 749 | Racial and ethnic differences in survival in contemporary metastatic renal cell carcinoma patients, according to alternative treatment modalities. <i>Cancer Causes and Control</i> , 2020 , 31, 263-272 | 2.8 | 5 |
| 748 | The Impact of COVID-19 Outbreak on Uro-oncological Practice Across Europe: Which Burden of Activity Are We Facing Ahead?. <i>European Urology</i> , 2020 , 78, 124-126 | 10.2 | 24 |
| 747 | Rates of other-cause mortality after radical cystectomy are decreasing over time-A population-based analysis over two decades. <i>Journal of Surgical Oncology</i> , 2020 , 121, 1329-1336 | 2.8 | 1 |

| | | | |
|-----|---|------|---|
| 746 | Prognostic Value of Gleason Score at Positive Surgical Margin in Prostate Cancer: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e517-e522 | 3.3 | 4 |
| 745 | Differences in short-term outcomes between open versus robot-assisted radical cystectomy in frail malnourished patients. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1347-1352 | 3.6 | 3 |
| 744 | A Plea for the Evaluation of the Carbon Footprint of New Mini-invasive Surgical Technologies in Urology. <i>European Urology</i> , 2020 , 78, 474-476 | 10.2 | 1 |
| 743 | Novel technologies that change the diagnostic and treatment paradigm in urology: En-bloc as the new treatment standard. <i>Current Opinion in Urology</i> , 2020 , 30, 475-476 | 2.8 | 1 |
| 742 | Ureteral and urethral recurrence after radical cystectomy: a systematic review. <i>Current Opinion in Urology</i> , 2020 , 30, 441-448 | 2.8 | 5 |
| 741 | Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 2 |
| 740 | Transurethral resection of bladder tumor and the need for re-transurethral resection of bladder tumor: time to change our practice?. <i>Current Opinion in Urology</i> , 2020 , 30, 370-376 | 2.8 | 2 |
| 739 | Comprehensive analysis of in-hospital delirium after major surgical oncology procedures: A population-based study. <i>Canadian Urological Association Journal</i> , 2020 , 14, E84-E93 | 1.2 | 4 |
| 738 | Phase III study of pembrolizumab (pembro) plus chemoradiotherapy (CRT) versus CRT alone for patients (pts) with muscle-invasive bladder cancer (MIBC): KEYNOTE-992.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS5093-TPS5093 | 2.2 | 4 |
| 737 | Phase I study of AMG 160, a half-life extended bispecific T-cell engager (HLE BiTE immune therapy) targeting prostate-specific membrane antigen, in patients with metastatic castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS5590-TPS5590 | 2.2 | 1 |
| 736 | Effect of Age on Cancer-specific Mortality in Patients With Urothelial Carcinoma of the Urinary Bladder: A Population-based Competing-risks Analysis Across Disease Stages. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2020 , 43, 880-888 | 2.7 | 2 |
| 735 | Small Renal Masses With Tumor Size 0 to 2 cm: A SEER-Based Study and Validation of NCCN Guidelines. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1340-1347 | 7.3 | 1 |
| 734 | Assessment of local tumor ablation and non-interventional management versus partial nephrectomy in T1a renal cell carcinoma. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 350-359 | 4.4 | 6 |
| 733 | Metastasis-directed therapy and prostate-targeted therapy in oligometastatic prostate cancer: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 531-542 | 4.4 | 5 |
| 732 | Conditional Survival of Patients With Nonmetastatic Renal Cell Carcinoma: How Cancer-Specific Mortality Changes After Nephrectomy. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 44-51 | 7.3 | 6 |
| 731 | Prostate Cancer Grade and Stage Misclassification in Active Surveillance Candidates: Black Versus White Patients. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1492-1499 | 7.3 | 4 |
| 730 | Exploring the molecular basis of sexual dimorphism in bladder cancer. <i>Nature Reviews Urology</i> , 2020 , 17, 487-488 | 5.5 | |
| 729 | Atezolizumab (atezo) therapy for locally advanced/metastatic urinary tract carcinoma (mUTC) in patients (pts) with poor performance status (PS): Analysis of the prospective global SAUL study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5035-5035 | 2.2 | |

| | | | |
|-----|---|-----|----|
| 728 | Dissection of primary prostate cancer to determine the clonal origin of synchronous lymph node metastasis.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e17614-e17614 | 2.2 | |
| 727 | The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 685.e17-685.e25 | 2.8 | 1 |
| 726 | Racial differences in the distribution of bladder cancer metastases: a population-based analysis. <i>Central European Journal of Urology</i> , 2020 , 73, 407-415 | 0.9 | |
| 725 | Survival of contemporary patients with non-metastatic urachal vs. non-urachal adenocarcinoma of the urinary bladder. <i>World Journal of Urology</i> , 2020 , 38, 2819-2826 | 4 | 4 |
| 724 | Systematic Review of the Impact of Testosterone Replacement Therapy on Depression in Patients with Late-onset Testosterone Deficiency. <i>European Urology Focus</i> , 2020 , 6, 170-177 | 5.1 | 11 |
| 723 | Prognostic Value of Variant Histology in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 1075-1084 | 2.5 | 8 |
| 722 | Efficacy of Preoperative Chemotherapy for High Risk Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2020 , 203, 1101-1108 | 2.5 | 23 |
| 721 | Differential Effect of Sex on Outcomes after Radical Surgery for Upper Tract and Bladder Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 204, 58-62 | 2.5 | 7 |
| 720 | Renal Cell Carcinoma: Comparison between Variant Histology and Clear Cell Carcinoma across All Stages and Treatment Modalities. <i>Journal of Urology</i> , 2020 , 204, 671-676 | 2.5 | 12 |
| 719 | The Prognostic Impact of Intraductal Carcinoma of the Prostate: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 204, 909-917 | 2.5 | 6 |
| 718 | A Systematic Review and Meta-Analysis of Variant Histology in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>Journal of Urology</i> , 2020 , 204, 1129-1140 | 2.5 | 11 |
| 717 | Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , 2020 , 38, 1959-1968 | 4 | 12 |
| 716 | Papillary urothelial neoplasm of low malignant potential (PUN-LMP): Still a meaningful histo-pathological grade category for Ta, noninvasive bladder tumors in 2019?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 440-448 | 2.8 | 14 |
| 715 | Impact of Patients Gender on Efficacy of Immunotherapy in Patients With Metastatic Kidney Cancer: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 88-94.e2 | 3.3 | 10 |
| 714 | Temporal trends and social barriers for inpatient palliative care delivery in metastatic prostate cancer patients receiving critical care therapies. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 260-268 | 6.2 | 2 |
| 713 | The prognostic value of the neutrophil-to-lymphocyte ratio in patients with muscle-invasive bladder cancer treated with neoadjuvant chemotherapy and radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 3.e17-3.e27 | 2.8 | 15 |
| 712 | Patient frailty predicts worse perioperative outcomes and higher cost after radical cystectomy. <i>Surgical Oncology</i> , 2020 , 32, 8-13 | 2.5 | 16 |
| 711 | Increasing Rates of Perioperative Chemotherapy are Associated With Improved Survival in Men With Urothelial Bladder Cancer With Prostatic Stromal Invasion. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 35-44.e1 | 3.3 | 2 |

| | | | |
|-----|---|------|----|
| 710 | Response assessment using [Ga]Ga-PSMA ligand PET in patients undergoing systemic therapy for metastatic castration-resistant prostate cancer. <i>Prostate</i> , 2020 , 80, 74-82 | 4.2 | 27 |
| 709 | A Plea for Optimizing Selection in Current Adjuvant Immunotherapy Trials for High-risk Nonmetastatic Renal Cell Carcinoma According to Expected Cancer-specific Mortality. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 314-321.e1 | 3.3 | 3 |
| 708 | Bladder Cancer: Depression, Anxiety, and Suicidality Among the Highest-risk Oncology Patients. <i>European Urology Focus</i> , 2020 , 6, 1158-1161 | 5.1 | 8 |
| 707 | PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 496-505 | 2.8 | 2 |
| 706 | Comparative Effectiveness of Intravesical BCG-Tice and BCG-Moreau in Patients With Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 20-25.e2 | 3.3 | 10 |
| 705 | Survival of Contemporary Patients With Non-metastatic Small-cell Carcinoma of Urinary Bladder, According to Alternative Treatment Modalities. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e450-e456 | 3.3 | 0 |
| 704 | Primary lymphomas of the genitourinary tract: A population-based study. <i>Asian Journal of Urology</i> , 2020 , 7, 332-339 | 2.7 | 0 |
| 703 | Expression of urokinase-type plasminogen activator system in non-metastatic prostate cancer. <i>World Journal of Urology</i> , 2020 , 38, 2501-2511 | 4 | 5 |
| 702 | Prognostic Value of Hemoglobin in Metastatic Hormone-sensitive Prostate Cancer: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e402-e409 | 3.3 | 4 |
| 701 | Impact of Gender on Chemotherapeutic Response and Oncologic Outcomes in Patients Treated With Radical Cystectomy and Perioperative Chemotherapy for Bladder Cancer: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 78-87 | 3.3 | 9 |
| 700 | Assessment of body composition in the advanced stage of castration-resistant prostate cancer: special focus on sarcopenia. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 309-315 | 6.2 | 12 |
| 699 | EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250 | 10.2 | 60 |
| 698 | Non-visible haematuria for the Detection of Bladder, Upper Tract, and Kidney Cancer: An Updated Systematic Review and Meta-analysis. <i>European Urology</i> , 2020 , 77, 583-598 | 10.2 | 16 |
| 697 | Unmarried men have worse oncologic outcomes after radical cystectomy for nonmetastatic urothelial bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 76.e1-76.e9 | 2.8 | 10 |
| 696 | Prognostic value of alkaline phosphatase in hormone-sensitive prostate cancer: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 247-257 | 4.2 | 11 |
| 695 | Survival After Partial Cystectomy for Variant Histology Bladder Cancer Compared With Urothelial Carcinoma: A Population-based Study. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 117-128.e5 | 3.3 | 3 |
| 694 | Pathomics in urology. <i>Current Opinion in Urology</i> , 2020 , 30, 823-831 | 2.8 | 7 |
| 693 | Association of preoperative serum De Ritis ratio with oncological outcomes in patients treated with cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 936.e7-936.e14 | 2.8 | 2 |

| | | | |
|-----|--|-----|----|
| 692 | Impact of hospital and surgeon volumes on short-term and long-term outcomes of radical cystectomy. <i>Current Opinion in Urology</i> , 2020 , 30, 701-710 | 2.8 | 5 |
| 691 | The association of cigarette smoking and pathological response to neoadjuvant platinum-based chemotherapy in patients undergoing treatment for urinary bladder cancer - A prospective European multicenter observational study of the EAU Young Academic Urologists (YAU) urothelial carcinoma working group. <i>Surgical Oncology</i> , 2020 , 34, 312-317 | 2.5 | 3 |
| 690 | Bladder cancer incidence rates and trends in young adults aged 20-39 years. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 934.e11-934.e19 | 2.8 | 1 |
| 689 | Prognostic value of testosterone for the castration-resistant prostate cancer patients: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1881-1891 | 4.2 | 1 |
| 688 | Inflammatory bowel disease and prostate cancer risk: A systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 207-212 | 1.7 | 1 |
| 687 | The significance of De Ritis ratio in patients with radiation-recurrent prostate cancer undergoing salvage radical prostatectomy. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 213-218 | 1.7 | 3 |
| 686 | Discovery of Molecular DNA Methylation-Based Biomarkers through Genome-Wide Analysis of Response Patterns to BCG for Bladder Cancer. <i>Cells</i> , 2020 , 9, | 7.9 | 5 |
| 685 | The Effect of Systemic Chemotherapy on Survival in Patients With Localized, Regional, or Metastatic Adenocarcinoma of the Urinary Bladder. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2020 , 43, 567-574 | 2.7 | 3 |
| 684 | Impact of tumor size on the oncological outcome of high-grade nonmuscle invasive bladder cancer - examining the utility of classifying Ta bladder cancer based on size. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 851.e19-851.e25 | 2.8 | 2 |
| 683 | Impact of Sex on Response to Neoadjuvant Chemotherapy in Patients with Upper-tract Urothelial Cancer. <i>European Urology Open Science</i> , 2020 , 19, 16-19 | 0.9 | 0 |
| 682 | Secretion of severe acute respiratory syndrome coronavirus 2 in urine. <i>Current Opinion in Urology</i> , 2020 , 30, 735-739 | 2.8 | 9 |
| 681 | Smoking and bladder cancer: review of the recent literature. <i>Current Opinion in Urology</i> , 2020 , 30, 720-725 | | 3 |
| 680 | Volume outcome relationship in penile cancer: a systematic review. <i>Current Opinion in Urology</i> , 2020 , 30, 696-700 | 2.8 | 3 |
| 679 | Aristolochic acid and its effect on different cancers in uro-oncology. <i>Current Opinion in Urology</i> , 2020 , 30, 689-695 | 2.8 | 2 |
| 678 | Risk stratification for upper tract urinary carcinoma. <i>Translational Andrology and Urology</i> , 2020 , 9, 1799-1808 | | 1 |
| 677 | Apalutamide, enzalutamide, and darolutamide for non-metastatic castration-resistant prostate cancer: a systematic review and network meta-analysis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1892-1900 | 4.2 | 18 |
| 676 | Assessment of other-cause mortality in localized renal cell carcinoma patients within 15 years: A population-based analysis. <i>Journal of Surgical Oncology</i> , 2020 , 122, 1506-1513 | 2.8 | |
| 675 | An up-to-date catalogue of urinary markers for the management of prostate cancer. <i>Current Opinion in Urology</i> , 2020 , 30, 684-688 | 2.8 | 1 |

| | | | |
|-----|---|------|----|
| 674 | Effect of external beam radiotherapy on second primary cancer risk after radical prostatectomy. <i>Canadian Urological Association Journal</i> , 2020 , 14, E173-E179 | 1.2 | 1 |
| 673 | Nephroureterectomy with or without Bladder Cuff Excision for Localized Urothelial Carcinoma of the Renal Pelvis. <i>European Urology Focus</i> , 2020 , 6, 298-304 | 5.1 | 10 |
| 672 | Impact of Age on Perioperative Outcomes at Radical Prostatectomy: A Population-Based Study. <i>European Urology Focus</i> , 2020 , 6, 1213-1219 | 5.1 | 3 |
| 671 | Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> , 2020 , 6, 1233-1239 | 5.1 | 21 |
| 670 | Risk Stratification Tools and Prognostic Models in Non-muscle-invasive Bladder Cancer: A Critical Assessment from the European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel. <i>European Urology Focus</i> , 2020 , 6, 479-489 | 5.1 | 39 |
| 669 | Performance of [Ga] Ga-PSMA 11 PET for detecting prostate cancer in the lymph nodes before salvage lymph node dissection: a systematic review and meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 1-10 | 6.2 | 18 |
| 668 | Association of super-extended lymphadenectomy at radical cystectomy with perioperative complications and re-hospitalization. <i>World Journal of Urology</i> , 2020 , 38, 121-128 | 4 | 6 |
| 667 | Partial Cystectomy With Pelvic Lymph Node Dissection for Patients With Nonmetastatic Stage pT2-T3 Urothelial Carcinoma of Urinary Bladder: Temporal Trends and Survival Outcomes. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 129-137.e3 | 3.3 | 2 |
| 666 | Predictive factors of the absence of residual disease at repeated transurethral resection of the bladder. Is there a possibility to avoid it in well-selected patients?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 77.e1-77.e7 | 2.8 | 9 |
| 665 | Quality Indicators for Bladder Cancer Services: A Collaborative Review. <i>European Urology</i> , 2020 , 78, 43-52 | 5.2 | 13 |
| 664 | What Is the Significance of Variant Histology in Urothelial Carcinoma?. <i>European Urology Focus</i> , 2020 , 6, 653-663 | 5.1 | 46 |
| 663 | Re: Enzalutamide with Standard First-line Therapy in Metastatic Prostate Cancer. <i>European Urology</i> , 2020 , 77, 132-133 | 10.2 | |
| 662 | Diagnostic Value of F-fluorodeoxyglucose Positron Emission Tomography with Computed Tomography for Lymph Node Staging in Patients with Upper Tract Urothelial Carcinoma. <i>European Urology Oncology</i> , 2020 , 3, 73-79 | 6.7 | 12 |
| 661 | Complication rates, failure to rescue and in-hospital mortality after cytoreductive nephrectomy in the older patients. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 718-723 | 3.6 | 11 |
| 660 | Diagnostic performance of multidetector computed tomographic (MDCTU) in upper tract urothelial carcinoma (UTUC): a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2020 , 38, 1165-1175 | 4 | 25 |
| 659 | Conditional survival of patients with stage I-III squamous cell carcinoma of the penis: temporal changes in cancer-specific mortality. <i>World Journal of Urology</i> , 2020 , 38, 725-732 | 4 | 6 |
| 658 | Prognostic value of T1 substaging on oncological outcomes in patients with non-muscle-invasive bladder urothelial carcinoma: a systematic literature review and meta-analysis. <i>World Journal of Urology</i> , 2020 , 38, 1437-1449 | 4 | 10 |
| 657 | Contemporary North-American population-based validation of the International Germ Cell Consensus Classification for metastatic germ cell tumors of the testis. <i>World Journal of Urology</i> , 2020 , 38, 1535-1544 | 4 | 4 |

| | | | |
|-----|--|------|----|
| 656 | Histologic Subtype, Tumor Grade, Tumor Size, and Race Can Accurately Predict the Probability of Synchronous Metastases in T2 Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e610-e618 | 3.3 | 3 |
| 655 | Re: Cabazitaxel Versus Abiraterone or Enzalutamide in Metastatic Prostate Cancer. <i>European Urology</i> , 2020 , 77, 758-759 | 10.2 | |
| 654 | The prognostic value of the urokinase-plasminogen activator system (uPA) in bladder cancer patients treated with radical cystectomy (RC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 423-432 | 2.8 | 1 |
| 653 | Frontiers in combining immune checkpoint inhibitors for advanced urothelial cancer management. <i>Current Opinion in Urology</i> , 2020 , 30, 457-466 | 2.8 | 1 |
| 652 | Catalog of exogenous risk factors for bladder carcinogenesis. <i>Current Opinion in Urology</i> , 2020 , 30, 449-458 | | 6 |
| 651 | Role and efficacy of current biomarkers in bladder cancer. <i>AME Medical Journal</i> , 2020 , 5, 6-6 | 1 | 5 |
| 650 | Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 9-23 | 1.7 | 3 |
| 649 | Performance of fluoro-2-deoxy-D-glucose positron emission tomography-computed tomography imaging for lymph node staging in bladder and upper tract urothelial carcinoma: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 59-66 | 1.7 | 1 |
| 648 | Comparing oncological outcomes of laparoscopic vs open radical nephroureterectomy for the treatment of upper tract urothelial carcinoma: A propensity score-matched analysis. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 31-36 | 1.7 | 4 |
| 647 | Comparison Between Urothelial and Non-Urothelial Urethral Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 629692 | 5.3 | 3 |
| 646 | Bladder-preserving strategies for Bacillus Calmette-Guérin unresponsive non-muscle invasive bladder cancer; where are we and what will be expected?. <i>Current Opinion in Urology</i> , 2020 , 30, 584-593 | 2.8 | 3 |
| 645 | The effect of radical cystectomy on survival in patients with metastatic urothelial carcinoma of the urinary bladder. <i>Journal of Surgical Oncology</i> , 2019 , 120, 1266-1275 | 2.8 | 4 |
| 644 | Re: Pembrolizumab as Neoadjuvant Therapy Before Radical Cystectomy in Patients with Muscle-invasive Urothelial Bladder Carcinoma (PURE-01): An Open-label, Single-arm, Phase II Study. <i>European Urology</i> , 2019 , 75, 695-696 | 10.2 | 4 |
| 643 | Unmarried status is a barrier for access to treatment in patients with metastatic renal cell carcinoma. <i>International Urology and Nephrology</i> , 2019 , 51, 2181-2188 | 2.3 | 6 |
| 642 | The Effect of Lymph Node Dissection in Metastatic Prostate Cancer Patients Treated with Radical Prostatectomy: A Contemporary Analysis of Survival and Early Postoperative Outcomes. <i>European Urology Oncology</i> , 2019 , 2, 541-548 | 6.7 | 17 |
| 641 | Do Younger Patients with Muscle-Invasive Bladder Cancer have Better Outcomes?. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 8 |
| 640 | Role of lasers in urology. <i>Photochemical and Photobiological Sciences</i> , 2019 , 18, 295-303 | 4.2 | 7 |
| 639 | Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019 , 102, 269-276 | 1.9 | 4 |

| | | | |
|-----|--|------|----|
| 638 | The impact of variant histological differentiation on extranodal extension and survival in node positive bladder cancer treated with radical cystectomy. <i>Surgical Oncology</i> , 2019 , 28, 208-213 | 2.5 | 7 |
| 637 | Postoperative paralytic ileus after major oncological procedures in the enhanced recovery after surgery era: A population based analysis. <i>Surgical Oncology</i> , 2019 , 28, 201-207 | 2.5 | 10 |
| 636 | Reply to Nicholas G. Zaorsky, Daniel E. Spratt, and Pierre Blanchard Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>Eur Urol</i> 2019;75:319-28. <i>European Urology</i> , 2019 , 75, e98-e99 | 10.2 | 1 |
| 635 | Prognostic role of the urokinase plasminogen activator (uPA) system in patients with nonmuscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 774-783 | 2.8 | 3 |
| 634 | Impact of alcohol consumption on the risk of developing bladder cancer: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2019 , 37, 2313-2324 | 4 | 6 |
| 633 | Urinary expression of genes involved in DNA methylation and histone modification for diagnosis of bladder cancer in patients with asymptomatic microscopic haematuria. <i>Oncology Letters</i> , 2019 , 18, 57-62 | 2.6 | 4 |
| 632 | Association of an organ transplant-based approach with a dramatic reduction in postoperative complications following radical nephrectomy and tumor thrombectomy in renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1983-1992 | 3.6 | 12 |
| 631 | Long-term incidence of secondary bladder and rectal cancer in patients treated with brachytherapy for localized prostate cancer: a large-scale population-based analysis. <i>BJU International</i> , 2019 , 124, 1006-1013 | 5.6 | 5 |
| 630 | Contemporary Assessment of Survival Rates in Stage I Testicular Seminoma: A Population-Based Comparison Between Surveillance and Active Treatment After Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e793-e801 | 3.3 | 2 |
| 629 | Risk stratification of upper tract urothelial carcinoma: A Review of the Current Literature. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 503-513 | 3.5 | 4 |
| 628 | Contemporary analysis of the effect of marital status on survival of prostate cancer patients across all stages: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 702-710 | 2.8 | 4 |
| 627 | Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656 | 5.6 | 25 |
| 626 | Drug strategies for bladder cancer in the elderly: is there promise for the future?. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1387-1396 | 4 | 1 |
| 625 | Comparison of perioperative complications and health-related quality of life between robot-assisted and open radical cystectomy: A systematic review and meta-analysis. <i>International Journal of Urology</i> , 2019 , 26, 760-774 | 2.3 | 17 |
| 624 | The effect of age and comorbidities on early postoperative complications after radical cystectomy: A contemporary population-based analysis. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 623-631 | 3.6 | 9 |
| 623 | Impact of Tumor Size on Cancer-Specific Mortality Rate After Local Tumor Ablation in T1a Renal-Cell Carcinoma. <i>Journal of Endourology</i> , 2019 , 33, 606-613 | 2.7 | 10 |
| 622 | Re: Extended Versus Limited Lymph Node Dissection in Bladder Cancer Patients Undergoing Radical Cystectomy: Survival Results from a Prospective, Randomized Trial. <i>European Urology</i> , 2019 , 76, 408-409 | 10.2 | |
| 621 | Endocavitary treatment for upper tract urothelial carcinoma: A meta-analysis of the current literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 430-436 | 2.8 | 24 |

| | | | |
|-----|---|-----|----|
| 620 | Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745 | 5.6 | 14 |
| 619 | Focal Neuroendocrine Differentiation of Conventional Prostate Adenocarcinoma as a Prognostic Factor after Radical Prostatectomy: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 5 |
| 618 | Is it worth to perform salvage radical prostatectomy for radio-recurrent prostate cancer? A literature review. <i>World Journal of Urology</i> , 2019 , 37, 1469-1483 | 4 | 15 |
| 617 | Oncologic outcomes after robot-assisted versus open radical cystectomy: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2019 , 37, 1557-1570 | 4 | 10 |
| 616 | Intravesical bacillus Calmette-Guérin for bladder cancer: are all the strains equal?. <i>Translational Andrology and Urology</i> , 2019 , 8, 85-93 | 2.3 | 7 |
| 615 | The rational and benefits of the second look transurethral resection of the bladder for T1 high grade bladder cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 46-53 | 2.3 | 16 |
| 614 | Optimal Management of Upper Tract Urothelial Carcinoma: an Unmet Need. <i>Current Treatment Options in Oncology</i> , 2019 , 20, 40 | 5.4 | 9 |
| 613 | Survival Effect of Nephroureterectomy in Metastatic Upper Urinary Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e602-e611 | 3.3 | 9 |
| 612 | Contemporary National Assessment of Robot-Assisted Surgery Rates and Total Hospital Charges for Major Surgical Uro-Oncological Procedures in the United States. <i>Journal of Endourology</i> , 2019 , 33, 438-447 | 2.7 | 30 |
| 611 | Perioperative blood transfusion affects oncologic outcomes after nephrectomy for renal cell carcinoma: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 273-281 | 2.8 | 8 |
| 610 | Contemporary trends of pelvic lymph node dissection at radical cystectomy for urothelial carcinoma of urinary bladder and associated cancer specific mortality and complications: comparison between octogenarian versus younger patients. <i>Cancer Epidemiology</i> , 2019 , 59, 135-142 | 2.8 | 3 |
| 609 | Contemporary use and survival after perioperative systemic chemotherapy in patients with locally advanced non-metastatic urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1253-1259 | 3.6 | 4 |
| 608 | Validation of the Social Security Administration Life Tables (2004-2014) in Localized Prostate Cancer Patients within the Surveillance, Epidemiology, and End Results database. <i>European Urology Focus</i> , 2019 , 5, 807-814 | 5.1 | 15 |
| 607 | A systematic review and meta-analysis of the impact of lymphovascular invasion in bladder cancer transurethral resection specimens. <i>BJU International</i> , 2019 , 123, 11-21 | 5.6 | 26 |
| 606 | Cost analysis of prostate cancer detection including the prostate health index (phi). <i>World Journal of Urology</i> , 2019 , 37, 481-487 | 4 | 8 |
| 605 | Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 7 |
| 604 | Survival and Complication Rates of Metastasectomy in Patients With Metastatic Renal Cell Carcinoma Treated Exclusively With Targeted Therapy: A Combined Population-based Analysis. <i>Anticancer Research</i> , 2019 , 39, 4357-4361 | 2.3 | 10 |
| 603 | Epidemiology and Sociocultural Differences for Bladder Cancer 2019 , 291-301 | | 0 |

| | | | |
|-----|---|------|-----|
| 602 | Contemporary Incidence and Mortality Rates in Patients With Testicular Germ Cell Tumors. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1026-e1035 | 3.3 | 9 |
| 601 | European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (TaT1 and Carcinoma In Situ) - 2019 Update. <i>European Urology</i> , 2019 , 76, 639-657 | 10.2 | 531 |
| 600 | Adherence to guideline recommendations for lymph node dissection in squamous cell carcinoma of the penis: Effect on survival and complication rates. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 578.e11-578.e19 | 2.8 | 4 |
| 599 | How cancer-specific mortality changes over time after radical cystectomy: Conditional survival of patients with nonmetastatic urothelial carcinoma of the urinary bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 893-899 | 2.8 | 5 |
| 598 | Current Disease Management of Primary Urethral Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 722-734 | 5.1 | 17 |
| 597 | Oncological safety of testosterone replacement therapy in prostate cancer survivors after definitive local therapy: A systematic literature review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 637-646 | 2.8 | 14 |
| 596 | Prevalence and Prognostic Value of the Polymorphic Variant 1245A>C of HSD3B1 in Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 389-394 | 3.3 | 1 |
| 595 | Comparison of Open Versus Robotically Assisted Cytoreductive Radical Prostatectomy for Metastatic Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e939-e945 | 3.3 | 5 |
| 594 | Prognostic Value of Lactate Dehydrogenase in Metastatic Prostate Cancer: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 409-418 | 3.3 | 14 |
| 593 | Prospective evaluation of the performance of [Ga]Ga-PSMA-11 PET/CT(MRI) for lymph node staging in patients undergoing superextended salvage lymph node dissection after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2169-2177 | 8.8 | 19 |
| 592 | The role of adjuvant radiotherapy after surgery for upper and lower urinary tract urothelial carcinoma: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 659-671 | 2.8 | 8 |
| 591 | Upper tract urothelial carcinoma has a luminal-papillary T-cell depleted contexture and activated FGFR3 signaling. <i>Nature Communications</i> , 2019 , 10, 2977 | 17.4 | 71 |
| 590 | Nonmuscle invasive urothelial cancer: Bacillus Calmette-Guérin instillation or checkpoint inhibitor immunotherapy?. <i>Memo - Magazine of European Medical Oncology</i> , 2019 , 12, 319-323 | 0.3 | 0 |
| 589 | Contemporary Assessment of Long-Term Survival Rates in Patients With Stage I Nonseminoma Germ-Cell Tumor of the Testis: Population-Based Comparison Between Surveillance and Active Treatment After Initial Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1153-e1162 | 3.3 | 6 |
| 588 | Neoadjuvant therapy in urothelial cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2019 , 12, 329-333 | 0.3 | 0 |
| 587 | Bacillus Calmette-Guerin (BCG) with or without pembrolizumab (pembro) for high-risk (HR) nonmuscle invasive bladder cancer (NMIBC) that is persistent or recurrent following BCG induction: Phase III KEYNOTE-676 study.. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS4591-TPS4591 | 2.2 | 2 |
| 586 | Trends and Social Barriers for Inpatient Palliative Care in Patients With Metastatic Bladder Cancer Receiving Critical Care Therapies. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 1344-1352 | 7.3 | 4 |
| 585 | MP32-10 COMPARATIVE EFFECTIVENESS OF ROBOTIC ASSISTED AND OPEN RADICAL CYSTECTOMY IN CONTEMPORARY COHORTS OF BLADDER CANCER PATIENTS: AN INTERNATIONAL MULTICENTER COLLABORATION. <i>Journal of Urology</i> , 2019 , 201, | 2.5 | 1 |

| | | | |
|-----|---|------|----|
| 584 | Association between Inflammatory Potential of Diet and Bladder Cancer Risk: Results of 3 United States Prospective Cohort Studies. <i>Journal of Urology</i> , 2019 , 202, 484-489 | 2.5 | 9 |
| 583 | Cryoablation Predisposes to Higher Cancer Specific Mortality Relative to Partial Nephrectomy in Patients with Nonmetastatic pT1b Kidney Cancer. <i>Journal of Urology</i> , 2019 , 202, 1120-1126 | 2.5 | 13 |
| 582 | Urinary Diversion 2019 , 447-464 | | |
| 581 | Prognostic significance of BAP1 expression in high-grade upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2019 , 37, 2419-2427 | 4 | 4 |
| 580 | Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e541-e548 | 3.3 | 3 |
| 579 | Comparison of perioperative outcomes between open and minimally invasive nephroureterectomy: A population-based analysis. <i>International Journal of Urology</i> , 2019 , 26, 487-492 | 2.3 | 8 |
| 578 | Association of Hyponatremia With Survival in Patients With Castration-resistant Prostate Cancer: A Clinical Commentary. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1188-e1192 | 3.3 | |
| 577 | Salvage therapeutic strategies for bacillus Calmette-Guerin failure. <i>Current Opinion in Urology</i> , 2019 , 29, 239-246 | 2.8 | 6 |
| 576 | The interaction of gender and smoking on bladder cancer risks. <i>Current Opinion in Urology</i> , 2019 , 29, 249-255 | 2.5 | 15 |
| 575 | The impact of gender on oncologic outcomes of bladder cancer. <i>Current Opinion in Urology</i> , 2019 , 29, 279-285 | 2.8 | 10 |
| 574 | 4D perfusion CT of prostate cancer for image-guided radiotherapy planning: A proof of concept study. <i>PLoS ONE</i> , 2019 , 14, e0225673 | 3.7 | 3 |
| 573 | Enhanced Recovery after Radical Cystectomy. <i>Current Opinion in Urology</i> , 2019 , 29, 227-238 | 2.8 | 9 |
| 572 | Effect of Immunotherapy on Local Treatment of Genitourinary Malignancies. <i>European Urology Oncology</i> , 2019 , 2, 355-364 | 6.7 | 15 |
| 571 | Transfer of Knowledge in Urology: A Case Study of Jacob Eduard Polak (1818-1891) and the Introduction of Contemporary Techniques of Lithotomy and Lithotripsy from Vienna to Persia in the Mid-19th Century: A New Analysis of Scientific Papers from the 19th Century. <i>Urologia Internationalis</i> , 2019 , 102, 1-12 | 1.9 | 2 |
| 570 | Prognostic value of modified Glasgow Prognostic Score in non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 179.e19-179.e28 | 2.8 | 19 |
| 569 | Prognostic value of nutritional indices and body composition parameters including sarcopenia in patients treated with radiotherapy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 372-379 | 2.8 | 14 |
| 568 | Micropapillary Urothelial Carcinoma of the Bladder: A Systematic Review and Meta-analysis of Disease Characteristics and Treatment Outcomes. <i>European Urology</i> , 2019 , 75, 649-658 | 10.2 | 48 |
| 567 | Role of serum cholinesterase in patients treated with salvage radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 123-129 | 2.8 | 5 |

| | | | |
|-----|--|------|----|
| 566 | Response assessment using Ga-PSMA ligand PET in patients undergoing Lu-PSMA radioligand therapy for metastatic castration-resistant prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1063-1072 | 8.8 | 63 |
| 565 | Rates of lymph node invasion and their impact on cancer specific mortality in upper urinary tract urothelial carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1238-1245 | 3.6 | 11 |
| 564 | Development and external validation of a pathological nodal staging score for patients with clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 1631-1637 | 4 | 1 |
| 563 | Propensity-score-matched comparison of soft tissue surgical margins status between open and robotic-assisted radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 179.e1-179.e7 | 2.8 | 8 |
| 562 | More Extensive Lymph Node Dissection Improves Survival Benefit of Radical Cystectomy in Metastatic Urothelial Carcinoma of the Bladder. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 105-113.e2 | 3.3 | 11 |
| 561 | Diagnostic accuracy, clinical utility and influence on decision-making of a methylation urine biomarker test in the surveillance of non-muscle-invasive bladder cancer. <i>BJU International</i> , 2019 , 123, 959-967 | 5.6 | 42 |
| 560 | Impact of adjuvant chemotherapy in patients with adverse features and variant histology at radical cystectomy for muscle-invasive carcinoma of the bladder: Does histologic subtype matter?. <i>Cancer</i> , 2019 , 125, 1449-1458 | 6.4 | 28 |
| 559 | Survival Effect of Chemotherapy in Metastatic Upper Urinary Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e97-e103 | 3.3 | 5 |
| 558 | Rates of Positive Surgical Margins and Their Effect on Cancer-specific Mortality at Radical Prostatectomy for Patients With Clinically Localized Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e130-e139 | 3.3 | 16 |
| 557 | Regional differences in total hospital charges between open and robotically assisted radical prostatectomy in the United States. <i>World Journal of Urology</i> , 2019 , 37, 1305-1313 | 4 | 8 |
| 556 | Is neoadjuvant chemotherapy for pT2 bladder cancer associated with a survival benefit in a population-based analysis?. <i>Cancer Epidemiology</i> , 2019 , 58, 83-88 | 2.8 | 9 |
| 555 | Reply to Alba Fiorentino, Angelo Errico, and Marcello Scarcia Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer. <i>European Urology</i> , 2019 , 75, 319-328 | 10.2 | |
| 554 | Survival effect of perioperative systemic chemotherapy on overall mortality in locally advanced and/or positive regional lymph node non-metastatic urothelial carcinoma of the upper urinary tract. <i>World Journal of Urology</i> , 2019 , 37, 1329-1337 | 4 | 4 |
| 553 | Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 72-78.e4 | 3.3 | 5 |
| 552 | Molecular markers in bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 31-40 | 4 | 58 |
| 551 | Surgical checklist impact on recurrence-free survival of patients with non-muscle-invasive bladder cancer undergoing transurethral resection of bladder tumour. <i>BJU International</i> , 2019 , 123, 646-650 | 5.6 | 17 |
| 550 | The effect of androgen deprivation treatment on subsequent risk of bladder cancer diagnosis in male patients treated for prostate cancer. <i>World Journal of Urology</i> , 2019 , 37, 1127-1135 | 4 | 6 |
| 549 | External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>European Urology</i> , 2019 , 75, 319-328 | 10.2 | 22 |

| | | | |
|-----|--|------|-----|
| 548 | Discrepancy Between European Association of Urology Guidelines and Daily Practice in the Management of Non-muscle-invasive Bladder Cancer: Results of a European Survey. <i>European Urology Focus</i> , 2019 , 5, 681-688 | 5.1 | 26 |
| 547 | Contemporary Trends and Survival Outcomes After Aborted Radical Prostatectomy in Lymph Node Metastatic Prostate Cancer Patients. <i>European Urology Focus</i> , 2019 , 5, 381-388 | 5.1 | 9 |
| 546 | Grading of Urothelial Carcinoma and The New "World Health Organisation Classification of Tumours of the Urinary System and Male Genital Organs 2016". <i>European Urology Focus</i> , 2019 , 5, 457-466 | 5.1 | 73 |
| 545 | Comparison of Partial Versus Radical Nephrectomy Effect on Other-cause Mortality, Cancer-specific Mortality, and 30-day Mortality in Patients Older Than 75 Years. <i>European Urology Focus</i> , 2019 , 5, 467-473 | 5.1 | 10 |
| 544 | Potential Benefit of Lymph Node Dissection During Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the European Association of Urology Guidelines Panel on Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2019 , 5, 224-241 | 5.1 | 33 |
| 543 | Survival after Cytoreductive Nephrectomy in Metastatic Non-clear Cell Renal Cell Carcinoma Patients: A Population-based Study. <i>European Urology Focus</i> , 2019 , 5, 488-496 | 5.1 | 25 |
| 542 | A Head-to-head Comparison of Four Prognostic Models for Prediction of Lymph Node Invasion in African American and Caucasian Individuals. <i>European Urology Focus</i> , 2019 , 5, 449-456 | 5.1 | 8 |
| 541 | Is neutrophil-to-lymphocytes ratio a clinical relevant preoperative biomarker in upper tract urothelial carcinoma? A meta-analysis of 4385 patients. <i>World Journal of Urology</i> , 2018 , 36, 1019-1029 | 4 | 39 |
| 540 | Repeat Transurethral Resection in Non-muscle-invasive Bladder Cancer: A Systematic Review. <i>European Urology</i> , 2018 , 73, 925-933 | 10.2 | 114 |
| 539 | Extent of lymph node dissection improves survival in prostate cancer patients treated with radical prostatectomy without lymph node invasion. <i>Prostate</i> , 2018 , 78, 469-475 | 4.2 | 29 |
| 538 | Body Mass Index, Diet-Related Factors, and Bladder Cancer Prognosis: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018 , 4, 91-112 | 1 | 21 |
| 537 | Contemporary approach to predict early biochemical recurrence after radical prostatectomy: update of the Walz nomogram. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 386-393 | 6.2 | 8 |
| 536 | Conditional analyses of recurrence and progression in patients with TaG1 non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 238.e19-238.e27 | 2.8 | 2 |
| 535 | Accurate prediction of progression to muscle-invasive disease in patients with pT1G3 bladder cancer: A clinical decision-making tool. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e1-239.e7 | 2.8 | 21 |
| 534 | A systematic review and meta-analysis of lymphovascular invasion in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 293-305 | 2.8 | 22 |
| 533 | PD-1 and PD-L1 inhibitors after platinum-based chemotherapy or in first-line therapy in cisplatin-ineligible patients: Dramatic improvement of prognosis and overall survival after decades of hopelessness in patients with metastatic urothelial cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2018 , 11, 43-46 | 0.3 | 19 |
| 532 | A contemporary analysis of radiotherapy effect in surgically treated retroperitoneal sarcoma. <i>Radiotherapy and Oncology</i> , 2018 , 127, 318-325 | 5.3 | 11 |
| 531 | Circulating syndecan-1 is associated with chemotherapy-resistance in castration-resistant prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 312.e9-312.e15 | 2.8 | 17 |

| | | | |
|-----|--|-----|----|
| 530 | Adjuvant Therapies in Nonmetastatic Renal-Cell Carcinoma: A Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 176-183 | 3.3 | 10 |
| 529 | Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018 , 36, 639-644 | 4 | 12 |
| 528 | Neoadjuvant and adjuvant treatment in high-risk prostate cancer. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 425-438 | 3.8 | 8 |
| 527 | Impact of Primary Tumor Location on Survival from the European Organization for the Research and Treatment of Cancer Advanced Urothelial Cancer Studies. <i>Journal of Urology</i> , 2018 , 199, 1149-1157 | 2.5 | 17 |
| 526 | Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 158.e1-158.e6 | 2.8 | 8 |
| 525 | Oncologic outcomes after minimally invasive surgery for cT1 renal masses: a comprehensive review. <i>Current Opinion in Urology</i> , 2018 , 28, 132-138 | 2.8 | 3 |
| 524 | Robot-assisted partial nephrectomy: systematic review of functional results. <i>Current Opinion in Urology</i> , 2018 , 28, 123-131 | 2.8 | |
| 523 | Oncologic Effect of Cumulative Smoking Exposure in Patients Treated With Salvage Radical Prostatectomy for Radiation-recurrent Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e619-e627 | 3.7 | 2 |
| 522 | Survival after radical prostatectomy or radiotherapy for locally advanced (cT3) prostate cancer. <i>World Journal of Urology</i> , 2018 , 36, 1399-1407 | 4 | 9 |
| 521 | Contemporary rates of adherence to international guidelines for pelvic lymph node dissection in radical cystectomy: a population-based study. <i>World Journal of Urology</i> , 2018 , 36, 1417-1422 | 4 | 10 |
| 520 | Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 307.e9-307.e14 | 2.8 | 10 |
| 519 | Predictors of Cancer-specific Survival After Disease Recurrence in Patients With Renal Cell Carcinoma: The Effect of Time to Recurrence. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e903-e908 | 3.3 | 9 |
| 518 | Pseudoprogression and hyperprogression during immune checkpoint inhibitor therapy for urothelial and kidney cancer. <i>World Journal of Urology</i> , 2018 , 36, 1703-1709 | 4 | 45 |
| 517 | Waiting in the wings: the emerging role of molecular biomarkers in bladder cancer. <i>Expert Review of Molecular Diagnostics</i> , 2018 , 18, 347-356 | 3.8 | 10 |
| 516 | Robotic assisted simple prostatectomy: recent advances. <i>Current Opinion in Urology</i> , 2018 , 28, 309-314 | 2.8 | 14 |
| 515 | Effectiveness of Adjuvant Chemotherapy After Radical Cystectomy for Locally Advanced and/or Pelvic Lymph Node-Positive Muscle-invasive Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Competing Risks Analysis. <i>European Urology Focus</i> , 2018 , 4, 252-259 | 5.1 | 12 |
| 514 | Novel endoscopic visualization techniques for bladder cancer detection: a review of the contemporary literature. <i>Current Opinion in Urology</i> , 2018 , 28, 214-218 | 2.8 | 13 |
| 513 | Radical prostatectomy or radiotherapy reduce prostate cancer mortality in elderly patients: a population-based propensity score adjusted analysis. <i>World Journal of Urology</i> , 2018 , 36, 7-13 | 4 | 17 |

| | | | |
|-----|--|------|-----|
| 512 | Comparison of the EORTC tables and the EAU categories for risk stratification of patients with nonmuscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 8.e17-8.e24 | 2.8 | 31 |
| 511 | Effect of pathological high-risk features on cancer-specific mortality in non-metastatic clear cell renal cell carcinoma: a tool for optimizing patient selection for adjuvant therapy. <i>World Journal of Urology</i> , 2018 , 36, 51-57 | 4 | 11 |
| 510 | Prevention of bladder cancer incidence and recurrence: tobacco use. <i>Current Opinion in Urology</i> , 2018 , 28, 80-87 | 2.8 | 15 |
| 509 | The impact of lymph node dissection and positive lymph nodes on cancer-specific mortality in contemporary pT non-metastatic renal cell carcinoma treated with radical nephrectomy. <i>BJU International</i> , 2018 , 121, 383-392 | 5.6 | 19 |
| 508 | European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2017 Update. <i>European Urology</i> , 2018 , 73, 111-122 | 10.2 | 507 |
| 507 | Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 252-258 | 5.6 | 41 |
| 506 | An up-to-date catalog of available urinary biomarkers for the surveillance of non-muscle invasive bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 1981-1995 | 4 | 52 |
| 505 | Re: Docetaxel Versus Surveillance After Radical Prostatectomy for High-risk Prostate Cancer: Results from the Prospective Randomised, Open-label Phase 3 Scandinavian Prostate Cancer Group 12 Trial. <i>European Urology</i> , 2018 , 74, 680-681 | 10.2 | |
| 504 | The impact of moderate wine consumption on the risk of developing prostate cancer. <i>Clinical Epidemiology</i> , 2018 , 10, 431-444 | 5.9 | 13 |
| 503 | Comparison of Perioperative Outcomes Between Cytoreductive Radical Prostatectomy and Radical Prostatectomy for Nonmetastatic Prostate Cancer. <i>European Urology</i> , 2018 , 74, 693-696 | 10.2 | 13 |
| 502 | The effect of age on cancer-specific mortality in patients with small renal masses: A population-based analysis. <i>Canadian Urological Association Journal</i> , 2018 , 12, E325-E330 | 1.2 | 11 |
| 501 | Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 445-452 | 3.3 | 44 |
| 500 | Management of upper tract urothelial carcinoma 2018 , 373-382 | | |
| 499 | Prognostic Value of Serum Cholinesterase in Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1123-e1132 | 3.3 | 11 |
| 498 | Diagnosis and kidney-sparing treatments for upper tract urothelial carcinoma: state of the art. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 242-251 | 2.3 | 7 |
| 497 | Multi-institutional evaluation of the prognostic significance of EZH2 expression in high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 343.e1-343.e8 | 2.8 | 2 |
| 496 | In-hospital length of stay after major surgical oncological procedures. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 969-974 | 3.6 | 24 |
| 495 | The Effect of Institution Teaching Status on Perioperative Outcomes After Robotic Partial or Radical Nephrectomy. <i>Journal of Endourology</i> , 2018 , 32, 621-629 | 2.7 | 7 |

| | | | |
|-----|---|------|----|
| 494 | Progressive tissue biomarker profiling in non-muscle-invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2018 , 18, 695-703 | 3.5 | 4 |
| 493 | Systematic Review: Depression and Anxiety Prevalence in Bladder Cancer Patients. <i>Bladder Cancer</i> , 2018 , 4, 319-326 | 1 | 12 |
| 492 | Epidemiology and Sociocultural Differences for Bladder Cancer 2018 , 1-11 | | |
| 491 | PSMA Ligand PET/MRI for Primary Prostate Cancer: Staging Performance and Clinical Impact. <i>Clinical Cancer Research</i> , 2018 , 24, 6300-6307 | 12.9 | 67 |
| 490 | Sarcopenia as a Predictive Factor for Response to Upfront Cisplatin-Based Chemotherapy in Patients with Muscle-Invasive Urothelial Bladder Cancer. <i>Urologia Internationalis</i> , 2018 , 101, 197-200 | 1.9 | 7 |
| 489 | Prognostic role of pretreatment neutrophil-to-lymphocyte ratio (NLR) in patients with non-muscle-invasive bladder cancer (NMIBC): A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 389-399 | 2.8 | 44 |
| 488 | Location of Metastases in Contemporary Prostate Cancer Patients Affects Cancer-Specific Mortality. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 376-384.e1 | 3.3 | 17 |
| 487 | The evolving role of percutaneous biopsy in renal masses. <i>Current Opinion in Urology</i> , 2018 , 28, 364-368 | 2.8 | 7 |
| 486 | Psychotherapeutic Interventions Targeting Prostate Cancer Patients: A Systematic Review of the Literature. <i>European Urology Oncology</i> , 2018 , 1, 283-291 | 6.7 | 7 |
| 485 | Transcriptomic heterogeneity in multifocal prostate cancer. <i>JCI Insight</i> , 2018 , 3, | 9.9 | 41 |
| 484 | Integrative molecular profiling challenges robustness of prognostic signature scores in multifocal prostate cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 96-96 | 2.2 | 1 |
| 483 | Impact of age on outcomes of patients with non-muscle-invasive bladder cancer treated with immediate postoperative instillation of mitomycin C. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 89.e1-89.e5 | 2.8 | 2 |
| 482 | Elevated preoperative neutrophil-lymphocyte ratio predicts upgrading at radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 100-105 | 6.2 | 9 |
| 481 | Use of Concomitant Androgen Deprivation Therapy in Patients Treated with Early Salvage Radiotherapy for Biochemical Recurrence After Radical Prostatectomy: Long-term Results from a Large, Multi-institutional Series. <i>European Urology</i> , 2018 , 73, 512-518 | 10.2 | 27 |
| 480 | The Role of Surgery in Metastatic Bladder Cancer: A Systematic Review. <i>European Urology</i> , 2018 , 73, 543-557 | 15.7 | 66 |
| 479 | Patterns and predictors of recurrence after open radical cystectomy for bladder cancer: a comprehensive review of the literature. <i>World Journal of Urology</i> , 2018 , 36, 157-170 | 4 | 60 |
| 478 | Accuracy and prognostic value of variant histology and lymphovascular invasion at transurethral resection of bladder. <i>World Journal of Urology</i> , 2018 , 36, 231-240 | 4 | 24 |
| 477 | First North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. <i>BJU International</i> , 2018 , 121, 592-599 | 5.6 | 24 |

| | | | |
|-----|---|------|----|
| 476 | Impact of lymph node dissection at the time of radical nephrectomy with tumor thrombectomy on oncological outcomes: Results from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 79.e11-79.e17 | 2.8 | 9 |
| 475 | Impact of Early Salvage Radiation Therapy in Patients with Persistently Elevated or Rising Prostate-specific Antigen After Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 436-444 | 10.2 | 41 |
| 474 | Microvascular and lymphovascular tumour invasion are associated with poor prognosis and metastatic spread in renal cell carcinoma: a validation study in clinical practice. <i>BJU International</i> , 2018 , 121, 84-92 | 5.6 | 16 |
| 473 | Retreatment after focal therapy for failure: a bridge too far?. <i>Current Opinion in Urology</i> , 2018 , 28, 544-548 | 2.8 | 2 |
| 472 | Focal therapy of prostate cancer. <i>Current Opinion in Urology</i> , 2018 , 28, 550-554 | 2.8 | 3 |
| 471 | Location of Metastatic Bladder Cancer as a Determinant of In-hospital Mortality After Radical Cystectomy. <i>European Urology Oncology</i> , 2018 , 1, 169-175 | 6.7 | 12 |
| 470 | Systematic Review of Comorbidity and Competing-risks Assessments for Bladder Cancer Patients. <i>European Urology Oncology</i> , 2018 , 1, 91-100 | 6.7 | 34 |
| 469 | The Effect of Other-cause Mortality Adjustment on Access to Alternative Treatment Modalities for Localized Prostate Cancer Among African American Patients. <i>European Urology Oncology</i> , 2018 , 1, 215-222 | 6.7 | 10 |
| 468 | Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Non-muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018 , 1, 403-410 | 6.7 | 41 |
| 467 | Clinical value of cholinesterase in the prediction of biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 528.e7-528.e13 | 2.8 | 3 |
| 466 | North American population-based validation of the National Comprehensive Cancer Network Practice Guideline Recommendations for locoregional lymph node and bone imaging in prostate cancer patients. <i>British Journal of Cancer</i> , 2018 , 119, 1552-1556 | 8.7 | 5 |
| 465 | Intermediate and long-term complications associated with adjuvant chemotherapy for stage I germ cell tumor patients. <i>Current Opinion in Urology</i> , 2018 , 28, 485-490 | 2.8 | 6 |
| 464 | Tissue biomarkers in nonmuscle-invasive bladder cancer: any role in clinical practice?. <i>Current Opinion in Urology</i> , 2018 , 28, 584-590 | 2.8 | 5 |
| 463 | Combination of High-Resolution Optical Coherence Tomography and Raman Spectroscopy for Improved Staging and Grading in Bladder Cancer. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2371 | 2.6 | 17 |
| 462 | Indication for a Single Postoperative Instillation of Chemotherapy in Non-muscle-invasive Bladder Cancer: What Factors Should Be Considered?. <i>European Urology Focus</i> , 2018 , 4, 525-528 | 5.1 | 4 |
| 461 | PD41-10 ROBOTIC RADICAL CYSTECTOMY IS ASSOCIATED WITH SHORTER LENGTH OF STAY AND LESS BLOOD LOSS THAN OPEN RADICAL CYSTECTOMY: RESULTS FROM A LARGE MULTICENTER RETROSPECTIVE COHORT. <i>Journal of Urology</i> , 2018 , 199, | 2.5 | 1 |
| 460 | A urinary microRNA (miR) signature for diagnosis of bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 531.e1-531.e8 | 2.8 | 28 |
| 459 | Predictors of oncological outcomes in T1G3 patients treated with BCG who undergo radical cystectomy. <i>World Journal of Urology</i> , 2018 , 36, 1775-1781 | 4 | 8 |

| | | | |
|-----|---|------|------|
| 458 | Partial nephrectomy seems to confer a survival benefit relative to radical nephrectomy in metastatic renal cell carcinoma. <i>Cancer Epidemiology</i> , 2018 , 56, 118-125 | 2.8 | 9 |
| 457 | What to do during Bacillus Calmette-Guérin shortage? Valid strategies based on evidence. <i>Current Opinion in Urology</i> , 2018 , 28, 570-576 | 2.8 | 11 |
| 456 | Diagnostic, prognostic and surveillance urinary markers in nonmuscle invasive bladder cancer: any role in clinical practice?. <i>Current Opinion in Urology</i> , 2018 , 28, 577-583 | 2.8 | 13 |
| 455 | Racial disparities in lymph node dissection at radical prostatectomy: A Surveillance, Epidemiology and End Results database analysis. <i>International Journal of Urology</i> , 2018 , 25, 929-936 | 2.3 | 1 |
| 454 | Effect of African-American race on cancer specific mortality differs according to clear cell vs. non-clear cell histologic subtype in metastatic renal cell carcinoma. <i>Cancer Epidemiology</i> , 2018 , 54, 112-118 | 2.8 | 8 |
| 453 | Association of Smoking Status With Recurrence, Metastasis, and Mortality Among Patients With Localized Prostate Cancer Undergoing Prostatectomy or Radiotherapy: A Systematic Review and Meta-analysis. <i>JAMA Oncology</i> , 2018 , 4, 953-961 | 13.4 | 26 |
| 452 | Comparison of Perioperative Outcomes Between Open and Robotic Radical Cystectomy: A Population-Based Analysis. <i>Journal of Endourology</i> , 2018 , 32, 701-709 | 2.7 | 9 |
| 451 | Matrix metalloproteinase 7, soluble Fas and Fas ligand serum levels for predicting docetaxel resistance and survival in castration-resistant prostate cancer. <i>BJU International</i> , 2018 , 122, 695-704 | 5.6 | 4 |
| 450 | Increase in the Annual Rate of Newly Diagnosed Metastatic Prostate Cancer: A Contemporary Analysis of the Surveillance, Epidemiology and End Results Database. <i>European Urology Oncology</i> , 2018 , 1, 314-320 | 6.7 | 11 |
| 449 | Surgically Treated Retroperitoneal Sarcoma: A Population-based Competing Risks Analysis. <i>European Urology Oncology</i> , 2018 , 1, 346-351 | 6.7 | 4 |
| 448 | High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , 2018 , 101, 7-15 | 1.9 | 12 |
| 447 | Molecularly-driven precision medicine for advanced bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 1749-1757 | 4 | 3 |
| 446 | The Role of YKL-40 in Predicting Resistance to Docetaxel Chemotherapy in Prostate Cancer. <i>Urologia Internationalis</i> , 2018 , 101, 65-73 | 1.9 | 10 |
| 445 | HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259 | 4 | 16 |
| 444 | EAU Guidelines on Non-Muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. <i>European Urology</i> , 2017 , 71, 447-461 | 10.2 | 1199 |
| 443 | Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238 | 5.6 | 11 |
| 442 | A proposal of a new nomogram for predicting upstaging in contemporary D'Amico low-risk prostate cancer patients. <i>World Journal of Urology</i> , 2017 , 35, 189-197 | 4 | 12 |
| 441 | Contemporary role of lymph node dissection at the time of radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 535-548 | 4 | 35 |

| | | | |
|-----|---|------|----|
| 440 | Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120 | 4 | 15 |
| 439 | Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017 , 35, 337-353 | 4 | 50 |
| 438 | Update of the ICUD-SIU consultation on upper tract urothelial carcinoma 2016: treatment of localized high-risk disease. <i>World Journal of Urology</i> , 2017 , 35, 327-335 | 4 | 23 |
| 437 | Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 121-130 | 4 | 25 |
| 436 | Preoperative nomogram to predict the likelihood of complications after radical nephroureterectomy. <i>BJU International</i> , 2017 , 119, 268-275 | 5.6 | 16 |
| 435 | North American Population-Based Validation of the National Comprehensive Cancer Network Practice Guideline Recommendation of Pelvic Lymphadenectomy in Contemporary Prostate Cancer. <i>Prostate</i> , 2017 , 77, 542-548 | 4.2 | 13 |
| 434 | Lymphocyte-to-monocyte ratio and neutrophil-to-lymphocyte ratio as biomarkers for predicting lymph node metastasis and survival in patients treated with radical cystectomy. <i>Journal of Surgical Oncology</i> , 2017 , 115, 455-461 | 2.8 | 32 |
| 433 | External validation of the pathological nodal staging score in upper tract urothelial carcinoma: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 33.e21-33.e26 | 2.8 | 6 |
| 432 | Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e603-e607 | 3.3 | 20 |
| 431 | Perioperative Allogenic Blood Transfusion in Renal Cell Carcinoma: Risk Factors and Effect on Long-term Outcomes. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e421-e427 | 3.3 | 11 |
| 430 | Population-Based Validation of the 2014 ISUP Gleason Grade Groups in Patients Treated With Radical Prostatectomy, Brachytherapy, External Beam Radiation, or no Local Treatment. <i>Prostate</i> , 2017 , 77, 686-693 | 4.2 | 25 |
| 429 | Perioperative chemotherapy in upper tract urothelial carcinoma: a comprehensive review. <i>World Journal of Urology</i> , 2017 , 35, 1401-1407 | 4 | 26 |
| 428 | Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 335-341 | 2.8 | 45 |
| 427 | Immune therapy meets precision medicine. <i>Lancet Oncology, The</i> , 2017 , 18, 271-273 | 21.7 | 10 |
| 426 | Impact of Intra- and Postoperative Blood Transfusion on the Incidence, Timing, and Pattern of Disease Recurrence After Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e681-e688 | 3.3 | 8 |
| 425 | Trends of lymphadenectomy in upper tract urothelial carcinoma (UTUC) patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 1541-1547 | 4 | 27 |
| 424 | Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e1-528.e5 | 2.8 | 10 |
| 423 | Obesity is associated with biochemical recurrence after radical prostatectomy: A multi-institutional extended validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 460.e1-460.e8 | 2.8 | 7 |

| | | | |
|-----|---|------|-----|
| 422 | Prognostic Performance and Reproducibility of the 1973 and 2004/2016 World Health Organization Grading Classification Systems in Non-muscle-invasive Bladder Cancer: A European Association of Urology Non-muscle Invasive Bladder Cancer Guidelines Panel Systematic Review. <i>European Urology</i> 2017 , 72, 801-813 | 10.2 | 124 |
| 421 | Preoperative anemia is associated with disease recurrence and progression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 113.e9-113.e14 | 2.8 | 5 |
| 420 | Re: Comparative Effectiveness of Treatment Strategies for Bladder Cancer with Clinical Evidence of Regional Lymph Node Involvement. <i>European Urology</i> , 2017 , 72, 474-475 | 10.2 | |
| 419 | Impact of diagnostic ureteroscopy on intravesical recurrence in patients undergoing radical nephroureterectomy for upper tract urothelial cancer: a systematic review and meta-analysis. <i>BJU International</i> , 2017 , 120, 313-319 | 5.6 | 54 |
| 418 | Characterization of Late Recurrence After Radical Cystectomy in a Large Multicenter Cohort of Bladder Cancer Patients. <i>Urology</i> , 2017 , 106, 119-124 | 1.6 | 4 |
| 417 | Prognostic role of N-cadherin expression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 264-271 | 2.8 | 15 |
| 416 | Impact of Prostate Involvement on Outcomes in Patients Treated with Radical Cystoprostatectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2017 , 98, 290-297 | 1.9 | 8 |
| 415 | Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Primary Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e755-e764 | 3.3 | 24 |
| 414 | Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 356-362 | 2.8 | 2 |
| 413 | The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 151.e17-151.e23 | 2.8 | 13 |
| 412 | Performance Characteristics of a Multigene Urine Biomarker Test for Monitoring for Recurrent Urothelial Carcinoma in a Multicenter Study. <i>Journal of Urology</i> , 2017 , 197, 1419-1426 | 2.5 | 66 |
| 411 | Re: Adjuvant Chemotherapy vs Observation for Patients with Adverse Pathologic Features at Radical Cystectomy Previously Treated With Neoadjuvant Chemotherapy. <i>European Urology</i> , 2017 , 72, 1025-1026 | 10.2 | |
| 410 | Use of adjuvant chemotherapy in radical cystectomy patients aged >65 years: a population-based study from the surveillance epidemiology and end results (SEER)-medicare database. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 173-180 | 2.3 | 4 |
| 409 | Genetic determinants for chemo- and radiotherapy resistance in bladder cancer. <i>Translational Andrology and Urology</i> , 2017 , 6, 1081-1089 | 2.3 | 20 |
| 408 | Prognostic Role of N-cadherin Expression in Patients With Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , | 3.3 | 7 |
| 407 | External Validation of the Pathologic Nodal Staging Score for Prostate Cancer: A Population-based Study. <i>Clinical Genitourinary Cancer</i> , 2017 , | 3.3 | 1 |
| 406 | Marital status and gender affect stage, tumor grade, treatment type and cancer specific mortality in T N M renal cell carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 1899-1905 | 4 | 19 |
| 405 | Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 672.e1-672.e6 | 2.8 | 3 |

| | | | |
|-----|---|------|----|
| 404 | The effect of ABO and Rhesus blood grouping systems on oncological outcome in patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 671.e17-671.e23 | 2.8 | 1 |
| 403 | Frequency and prognostic significance of incidental prostate cancer at radical cystectomy: Results from an international retrospective study. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2193-2199 | 3.6 | 6 |
| 402 | Characteristics and clinical significance of histological variants of bladder cancer. <i>Nature Reviews Urology</i> , 2017 , 14, 651-668 | 5.5 | 89 |
| 401 | Survival of metastatic renal cell carcinoma patients continues to improve over time, even in targeted therapy era. <i>International Urology and Nephrology</i> , 2017 , 49, 2143-2149 | 2.3 | 25 |
| 400 | Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045 | 3.3 | 7 |
| 399 | Hospitalization before surgery and subsequent risk of infective complications after radical cystectomy: A population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 659.e7-659.e12 | 2.8 | |
| 398 | Organ Preservation Is Less Frequently Performed in Women Surgically Treated for Papillary Renal Cell Carcinoma-Results of a Comprehensive Multicenter Study. <i>Urology</i> , 2017 , 109, 107-114 | 1.6 | 2 |
| 397 | Frequency and Prognostic Value of PTEN Loss in Patients with Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2017 , 198, 1269-1277 | 2.5 | 3 |
| 396 | Re: Radiation with or Without Antiandrogen Therapy in Recurrent Prostate Cancer. <i>European Urology</i> , 2017 , 72, 471-472 | 10.2 | |
| 395 | Prognostic Value of PD-1 and PD-L1 Expression in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 198, 1253-1262 | 2.5 | 41 |
| 394 | Malignancy rates and diagnostic performance of the Bosniak classification for the diagnosis of cystic renal lesions in computed tomography - a systematic review and meta-analysis. <i>European Radiology</i> , 2017 , 27, 2239-2247 | 8 | 55 |
| 393 | Androgen receptor expression is associated with adverse pathological features in ureteral but not in pelvicalyceal urothelial carcinomas of the upper urinary tract. <i>World Journal of Urology</i> , 2017 , 35, 943-949 | 4.4 | 4 |
| 392 | The impact of local treatment of the primary tumor site in node positive and metastatic prostate cancer patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2017 , 20, 7-11 | 6.2 | 9 |
| 391 | Cytoreductive radical prostatectomy in metastatic prostate cancer: Does it really make sense?. <i>World Journal of Urology</i> , 2017 , 35, 567-577 | 4 | 11 |
| 390 | Effect of Stage Migration on Bladder Cancer: A Slow but Steady Improvement in Long-Term Survival Rates After Radical Cystectomy in Previous 25 Years. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e223-e228 | 3.3 | 4 |
| 389 | Postoperative Nomogram for Relapse-Free Survival in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 197, 580-589 | 2.5 | 23 |
| 388 | Upper Urinary Tract Carcinoma In Situ: Current Knowledge, Future Direction. <i>Journal of Urology</i> , 2017 , 197, 287-295 | 2.5 | 25 |
| 387 | Early Postoperative Radiotherapy is Associated with Worse Functional Outcomes in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2017 , 197, 669-675 | 2.5 | 39 |

| | | | |
|-----|---|------|-----|
| 386 | The surgical management of patients with clinical stage T4 bladder cancer: A single institution experience. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 808-814 | 3.6 | 6 |
| 385 | Contemporary rates of pathological features and mortality for adenocarcinoma of the urinary bladder in the USA. <i>International Journal of Urology</i> , 2017 , 24, 117-123 | 2.3 | 12 |
| 384 | Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 1073-1080 | 4 | 8 |
| 383 | Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 379-387 | 4 | 132 |
| 382 | Validation of Preoperative Risk Grouping of the Selection of Patients Most Likely to Benefit From Neoadjuvant Chemotherapy Before Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e267-e273 | 3.3 | 25 |
| 381 | Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017 , 3, 161-169 | 1 | 7 |
| 380 | Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , 2017 , 84, 9-19 | 1.2 | 20 |
| 379 | Impact of the Ki-67 labeling index and p53 expression status on disease-free survival in pT1 urothelial carcinoma of the bladder. <i>Translational Andrology and Urology</i> , 2017 , 6, 1018-1026 | 2.3 | 8 |
| 378 | Radiofrequency Ablation for Renal Cancer in Von Hippel-Lindau Syndrome Patients: A Prospective Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , | 3.3 | 9 |
| 377 | The role of cytoreductive radical prostatectomy (cRP) in men with hormone-sensitive, metastatic prostate cancer (mPCA).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 241-241 | 2.2 | |
| 376 | Prognostic value of PD-1 and PD-L1 expression in patients with high-grade urothelial carcinoma of the upper urinary tract.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 358-358 | 2.2 | |
| 375 | Comprehensive molecular profiling of multi-focal prostate cancer and concomitant lymph node metastasis: Implications for tissue-based prognostic biomarkers.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 5061-5061 | 2.2 | |
| 374 | Prognostic impact of primary tumor location in advanced urothelial carcinoma: The EORTC series.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e16034-e16034 | 2.2 | |
| 373 | ABO Blood Group and Rhesus Factor Are Not Associated with Outcomes After Radical Cystectomy for Non-metastatic Urothelial Carcinoma of the Bladder. <i>Anticancer Research</i> , 2017 , 37, 5747-5753 | 2.3 | 3 |
| 372 | Circulating and Tissue Expression Levels of YKL-40 in Renal Cell Cancer. <i>Journal of Urology</i> , 2016 , 195, 1120-5 | 2.5 | 9 |
| 371 | Gender and Bladder Cancer: A Collaborative Review of Etiology, Biology, and Outcomes. <i>European Urology</i> , 2016 , 69, 300-10 | 10.2 | 285 |
| 370 | External Validation of Bladder Cancer Predictive Nomograms for Recurrence, Cancer-Free Survival and Overall Survival following Radical Cystectomy. <i>Journal of Urology</i> , 2016 , 195, 283-9 | 2.5 | 13 |
| 369 | Molecular profile of urothelial carcinoma of the upper urinary tract: are pelvicalyceal and ureteral tumors different?. <i>World Journal of Urology</i> , 2016 , 34, 105-12 | 4 | 6 |

| | | | |
|-----|---|------|----|
| 368 | Renal cell carcinoma with inferior vena cava involvement: Prognostic effect of tumor thrombus consistency on cancer specific survival. <i>Journal of Surgical Oncology</i> , 2016 , 114, 764-768 | 2.8 | 17 |
| 367 | Prognostic significance of markers of systemic inflammatory response in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 483.e17-483.e24 | 2.8 | 40 |
| 366 | Cell-cycle markers do not improve discrimination of EORTC and CUETO risk models in predicting recurrence and progression of non-muscle-invasive high-grade bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 485.e7-485.e14 | 2.8 | 16 |
| 365 | The Effect of Obesity on Perioperative Outcomes Following Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2016 , 30, 864-70 | 2.7 | 6 |
| 364 | Prediction of cancer-specific survival after radical cystectomy in pT4a urothelial carcinoma of the bladder: development of a tool for clinical decision-making. <i>BJU International</i> , 2016 , 117, 272-9 | 5.6 | 25 |
| 363 | A comprehensive review of genomic landscape, biomarkers and treatment sequencing in castration-resistant prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 48, 25-33 | 14.4 | 18 |
| 362 | The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , 2016 , 2, 79-85 | 5.1 | 29 |
| 361 | Words of Wisdom. Re: Chemohormonal Therapy in Metastatic Hormone-Sensitive Prostate Cancer. <i>European Urology</i> , 2016 , 69, 755-6 | 10.2 | |
| 360 | Comparison of oncologic outcomes between sarcomatoid and clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 1429-36 | 4 | 12 |
| 359 | Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016 , 88, 97-103 | 1.6 | 10 |
| 358 | Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016 , 195, 1354-1361 | 2.5 | 20 |
| 357 | Renal-cell carcinoma risk estimates based on participants in the prostate, lung, colorectal, and ovarian cancer screening trial and national lung screening trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 167.e9-16 | 2.8 | 19 |
| 356 | Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 233.e1-6 | 2.8 | 19 |
| 355 | Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e341-6 | 3.3 | 9 |
| 354 | Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 256.e7-256.e13 | 2.8 | 15 |
| 353 | The Moreau Strain of Bacillus Calmette-Guerin (BCG) for High-Risk Non-Muscle Invasive Bladder Cancer: An Alternative during Worldwide BCG Shortage?. <i>Urologia Internationalis</i> , 2016 , 96, 46-50 | 1.9 | 13 |
| 352 | Hyperthermia for non-muscle invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 313-21 | 3.5 | 2 |
| 351 | Dynamic Prognostication Using Conditional Recurrence and Progression Estimates for Patients with Nonmuscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2016 , 196, 46-51 | 2.5 | 11 |

| | | | |
|-----|---|-----|----|
| 350 | Impact of Perioperative Allogenic Blood Transfusion on Survival After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 96-104 | 3.3 | 13 |
| 349 | Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 1411-9 | 4 | 7 |
| 348 | Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61 | 4 | 4 |
| 347 | Current Status of Urinary Biomarkers for Detection and Surveillance of Bladder Cancer. <i>Urologic Clinics of North America</i> , 2016 , 43, 47-62 | 2.9 | 58 |
| 346 | Efficacy and safety of a new device for intravesical thermochemotherapy in non-grade 3 BCG recurrent NMIBC: a phase I-II study. <i>World Journal of Urology</i> , 2016 , 34, 189-95 | 4 | 25 |
| 345 | Comparison of Postoperative Complications and Mortality Between Laparoscopic and Percutaneous Local Tumor Ablation for T1a Renal Cell Carcinoma: A Population-based Study. <i>Urology</i> , 2016 , 89, 63-7 | 1.6 | 12 |
| 344 | Mutations of KRAS, NRAS, BRAF, EGFR, and PIK3CA genes in urachal carcinoma: Occurrence and prognostic significance. <i>Oncotarget</i> , 2016 , 7, 39293-39301 | 3.3 | 30 |
| 343 | Predictive models for improved prognostication and selection of neoadjuvant and adjuvant systemic chemotherapy in upper tract urothelial cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 456-456 | 2.2 | |
| 342 | Role of cigarette smoking in urological malignancies and clinical interventions for smoking cessation. <i>Central European Journal of Urology</i> , 2016 , 69, 366-369 | 0.9 | 6 |
| 341 | Contemporary concepts and controversies in the diagnosis and management of urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016 , 5, 633-635 | 2.3 | |
| 340 | Suboptimal use of neoadjuvant chemotherapy in radical cystectomy patients: A population-based study. <i>Canadian Urological Association Journal</i> , 2016 , 10, E82-6 | 1.2 | 17 |
| 339 | Concordance in Biomarker Status Between Bladder Tumors at Time of Transurethral Resection and Subsequent Radical Cystectomy: Results of a 5-year Prospective Study. <i>Bladder Cancer</i> , 2016 , 2, 91-99 | 1 | 5 |
| 338 | Suboptimal use of pelvic lymph node dissection: Differences in guideline adherence between robot-assisted and open radical prostatectomy. <i>Canadian Urological Association Journal</i> , 2016 , 10, 269-276 | 1.2 | 7 |
| 337 | Female with bladder cancer: what and why is there a difference?. <i>Translational Andrology and Urology</i> , 2016 , 5, 668-682 | 2.3 | 26 |
| 336 | How to optimally manage elderly bladder cancer patients?. <i>Translational Andrology and Urology</i> , 2016 , 5, 683-691 | 2.3 | 10 |
| 335 | Management of muscle invasive, locally advanced and metastatic urothelial carcinoma of the bladder: a literature review with emphasis on the role of surgery. <i>Translational Andrology and Urology</i> , 2016 , 5, 735-744 | 2.3 | 31 |
| 334 | Risk stratification for kidney sparing procedure in upper tract urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016 , 5, 711-719 | 2.3 | 6 |
| 333 | Predictive models and prognostic factors for upper tract urothelial carcinoma: a comprehensive review of the literature. <i>Translational Andrology and Urology</i> , 2016 , 5, 720-734 | 2.3 | 11 |

| | | | |
|-----|--|------|-----|
| 332 | An Epigenomic Approach to Improving Response to Neoadjuvant Cisplatin Chemotherapy in Bladder Cancer. <i>Biomolecules</i> , 2016 , 6, | 5.9 | 33 |
| 331 | Update on ablative therapies of renal tumors. <i>Current Opinion in Urology</i> , 2016 , 26, 410-6 | 2.8 | 11 |
| 330 | Association of human telomerase reverse transcriptase gene polymorphisms, serum levels, and telomere length with renal cell carcinoma risk and pathology. <i>Molecular Carcinogenesis</i> , 2016 , 55, 1458-65 | 5.5 | 25 |
| 329 | Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9 | 5.6 | 11 |
| 328 | Population-based assessment of cancer-specific mortality after local tumour ablation or observation for kidney cancer: a competing risks analysis. <i>BJU International</i> , 2016 , 118, 541-6 | 5.6 | 11 |
| 327 | Re: Prostate Cancer Incidence and PSA Testing Patterns in Relation to USPSTF Screening Recommendations. <i>European Urology</i> , 2016 , 70, 205-6 | 10.2 | 1 |
| 326 | Reply to Marco Borghesi, Gaetano La Manna, and Riccardo Schiavina@ Letter to the Editor re: Sabine D. Brookman-May, Matthias May, Ingmar Wolff, et al. Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA Project. Can We Improve Prognostic Discrimination for Patients with Stage pT1-pT3a Tumors? <i>European Urology</i> , 2016 , 70, 398-9 | 10.2 | |
| 325 | Re: Failure-Free Survival and Radiotherapy in Patients with Newly Diagnosed Nonmetastatic Prostate Cancer: Data from Patients in the Control Arm of the STAMPEDE Trial. <i>European Urology</i> , 2016 , 70, 398-9 | 10.2 | |
| 324 | Serum Adiponectin Predicts Cancer-specific Survival of Patients with Renal Cell Carcinoma. <i>European Urology Focus</i> , 2016 , 2, 197-203 | 5.1 | 9 |
| 323 | Development of a Preoperative Nomogram Incorporating Biomarkers of Systemic Inflammatory Response to Predict Nonorgan-confined Urothelial Carcinoma of the Bladder at Radical Cystectomy. <i>Urology</i> , 2016 , 95, 132-8 | 1.6 | 17 |
| 322 | The effect of HER2 status on oncological outcomes of patients with invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 533.e1-533.e10 | 2.8 | 11 |
| 321 | Current perspectives of sentinel lymph node dissection at the time of radical surgery for prostate cancer. <i>Cancer Treatment Reviews</i> , 2016 , 50, 228-239 | 14.4 | 10 |
| 320 | Improving diagnostic molecular tests to monitor urothelial carcinoma recurrence. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 1189-1199 | 3.8 | 7 |
| 319 | Cu-PSMA-617 PET/CT Imaging of Prostate Adenocarcinoma: First In-Human Studies. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2016 , 31, 277-286 | 3.9 | 44 |
| 318 | Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the EAU Non-muscle Invasive Bladder Cancer Guidelines Panel. <i>European Urology</i> , 2016 , 70, 1052-1068 | 10.2 | 122 |
| 317 | The prognostic role of lymphovascular invasion in urothelial carcinoma of the bladder. <i>Nature Reviews Urology</i> , 2016 , 13, 471-9 | 5.5 | 57 |
| 316 | The impact of re-transurethral resection on clinical outcomes in a large multicentre cohort of patients with T1 high-grade/Grade 3 bladder cancer treated with bacille Calmette-Guérin. <i>BJU International</i> , 2016 , 118, 44-52 | 5.6 | 72 |
| 315 | Prognostic and Prediction Tools in Bladder Cancer: A Comprehensive Review of the Literature. <i>European Urology</i> , 2015 , 68, 238-53 | 10.2 | 168 |

| | | | |
|-----|--|------|-----|
| 314 | Diagnosis and management of upper tract urothelial carcinoma. <i>Hematology/Oncology Clinics of North America</i> , 2015 , 29, 271-88, ix | 3.1 | 14 |
| 313 | Carbonic anhydrase IX as a diagnostic urinary marker for urothelial bladder cancer. <i>European Urology</i> , 2015 , 68, 552-4 | 10.2 | 22 |
| 312 | European Association of Urology Guidelines on Upper Urinary Tract Urothelial Cell Carcinoma: 2015 Update. <i>European Urology</i> , 2015 , 68, 868-79 | 10.2 | 395 |
| 311 | Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 949-56 | 10.2 | 37 |
| 310 | Validation of tertiary Gleason pattern 5 in Gleason score 7 prostate cancer as an independent predictor of biochemical recurrence and development of a prognostic model. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 71.e21-6 | 2.8 | 26 |
| 309 | Bladder cancer risk: Use of the PLCO and NLST to identify a suitable screening cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 65.e19-25 | 2.8 | 32 |
| 308 | Novel biomarkers to predict response and prognosis in localized bladder cancer. <i>Urologic Clinics of North America</i> , 2015 , 42, 225-33, ix | 2.9 | 8 |
| 307 | Histopathology and prognosis of de novo bladder tumors following solid organ transplantation. <i>World Journal of Urology</i> , 2015 , 33, 2087-93 | 4 | 6 |
| 306 | Comparison of the prognostic value of pretreatment measurements of systemic inflammatory response in patients undergoing curative resection of clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 2045-52 | 4 | 55 |
| 305 | Partial nephrectomy for renal tumors in solitary kidneys: postoperative renal function dynamics. <i>World Journal of Urology</i> , 2015 , 33, 2023-9 | 4 | 10 |
| 304 | Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308 | 2.5 | 22 |
| 303 | Low-Coverage Exome Sequencing Screen in Formalin-Fixed Paraffin-Embedded Tumors Reveals Evidence of Exposure to Carcinogenic Aristolochic Acid. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1873-81 | 4 | 16 |
| 302 | Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22 | 2.8 | 10 |
| 301 | TALL score for prediction of oncological outcomes after radical nephroureterectomy for high-grade upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 1965-72 | 4 | 8 |
| 300 | Gender differences in incidence and outcomes of urothelial and kidney cancer. <i>Nature Reviews Urology</i> , 2015 , 12, 585-92 | 5.5 | 49 |
| 299 | The role for surgery in high-risk prostate cancer. <i>Wiener Medizinische Wochenschrift</i> , 2015 , 165, 395-400 | 2.9 | 2 |
| 298 | Optimizing outcome reporting after radical cystectomy for organ-confined urothelial carcinoma of the bladder using oncological trifecta and pentapecta. <i>World Journal of Urology</i> , 2015 , 33, 1945-50 | 4 | 16 |
| 297 | Multi-institutional validation of the predictive value of Ki-67 in patients with high grade urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2015 , 193, 1486-93 | 2.5 | 28 |

| | | | |
|-----|---|------|-----|
| 296 | Re: nadir testosterone within first year of androgen-deprivation therapy (ADT) predicts for time to castration-resistant progression: a secondary analysis of the PR-7 trial of intermittent versus continuous ADT. <i>European Urology</i> , 2015 , 68, 537-8 | 10.2 | |
| 295 | Reply to Michael Froehner, Rainer Koch, Manfred P. Wirth@ Letter to the Editor: Malte Rieken, Shahrokh F. Shariat, Luis A. Kluth, et al. Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>Eur Urol</i> . In press. http://dx.doi.org/10.1016/j.eururo.2015.05.038 . <i>European Urology</i> , 2015 , 68, e104-5 | 10.2 | 0 |
| 294 | The preoperative prognostic nutritional index is an independent predictor of survival in patients with renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 68.e1-7 | 2.8 | 49 |
| 293 | A Systematic Review and Meta-analysis of Clinicopathologic Factors Linked to Intravesical Recurrence After Radical Nephroureterectomy to Treat Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2015 , 67, 1122-1133 | 10.2 | 142 |
| 292 | The role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma following radical nephroureterectomy: a retrospective study. <i>BJU International</i> , 2015 , 116, 72-8 | 5.6 | 26 |
| 291 | Prognostic factors and risk groups in T1G3 non-muscle-invasive bladder cancer patients initially treated with Bacillus Calmette-Guérin: results of a retrospective multicenter study of 2451 patients. <i>European Urology</i> , 2015 , 67, 74-82 | 10.2 | 149 |
| 290 | Prognostic Model for Predicting Survival in Patients with Disease Recurrence Following Radical Cystectomy. <i>European Urology Focus</i> , 2015 , 1, 75-81 | 5.1 | 4 |
| 289 | A randomized double-blind placebo controlled phase I-II study on clinical and molecular effects of dietary supplements in men with precancerous prostatic lesions. Chemoprevention or "chemopromotion"? <i>Prostate</i> , 2015 , 75, 1177-86 | 4.2 | 40 |
| 288 | Prostate cancer risk estimation tool use by members of the American Urological Association: a survey based study. <i>Journal of Urology</i> , 2015 , 193, 1933-7 | 2.5 | 4 |
| 287 | Partial nephrectomy driven by cavitron ultrasonic surgical aspirator under zero ischemia: a pilot study. <i>World Journal of Urology</i> , 2015 , 33, 2015-21 | 4 | 4 |
| 286 | Lynch Syndrome: A Primer for Urologists and Panel Recommendations. <i>Journal of Urology</i> , 2015 , 194, 21-9 | 2.5 | 53 |
| 285 | Cardiovascular mortality in patients with metastatic prostate cancer exposed to androgen deprivation therapy: a population-based study. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e123-30 | 3.3 | 29 |
| 284 | Smoking and Bladder Cancer: A Systematic Review of Risk and Outcomes. <i>European Urology Focus</i> , 2015 , 1, 17-27 | 5.1 | 57 |
| 283 | ERCC1 as a Prognostic and Predictive Biomarker for Urothelial Carcinoma of the Bladder following Radical Cystectomy. <i>Journal of Urology</i> , 2015 , 194, 1456-62 | 2.5 | 22 |
| 282 | Multicenter assessment of neoadjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2015 , 67, 241-9 | 10.2 | 178 |
| 281 | Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12 | 10.2 | 54 |
| 280 | Assessment of the quality-of-life and functional outcomes in patients undergoing cystectomy and urinary diversion for the management of radiation-induced refractory benign disease. <i>Urology</i> , 2015 , 85, 394-400 | 1.6 | 25 |
| 279 | Is continent cutaneous urinary diversion a suitable alternative to orthotopic bladder substitute and ileal conduit after cystectomy?. <i>BJU International</i> , 2015 , 116, 805-14 | 5.6 | 24 |

| | | | |
|-----|---|------|-----|
| 278 | Impact of synchronous metastasis distribution on cancer specific survival in renal cell carcinoma after radical nephrectomy with tumor thrombectomy. <i>Journal of Urology</i> , 2015 , 193, 436-42 | 2.5 | 21 |
| 277 | Prognostic significance of perirenal fat invasion and tumor size in pT1 to pT3a renal cell carcinoma: Results of a comprehensive multicenter study of the CORONA project. Can we improve prognostic discrimination of patients with stage pT3a tumors?. <i>Journal of Clinical Oncology</i> , 2015 , 33, 416-416 | 2.2 | 1 |
| 276 | Penile rehabilitation after radical prostatectomy: does it work?. <i>Translational Andrology and Urology</i> , 2015 , 4, 110-23 | 2.3 | 24 |
| 275 | Upper urinary tract disease: what we know today and unmet needs. <i>Translational Andrology and Urology</i> , 2015 , 4, 261-72 | 2.3 | 22 |
| 274 | Multi-institutional validation of the predictive value of Ki-67 in patients with high-grade urothelial carcinoma of the upper urinary tract.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 371-371 | 2.2 | |
| 273 | Individualized treatment schedule and investigator defined time to resistance (TTRi) may prolong survival in patients with metastatic renal cell carcinoma (mRCC). <i>Journal of Clinical Oncology</i> , 2015 , 33, e15585-e15585 | 2.2 | |
| 272 | Multi-institutional validation of the predictive value of Ki-67 in patients with high-grade urothelial carcinoma of the upper urinary tract.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4569-4569 | 2.2 | |
| 271 | Gonadotropin-releasing hormone agonists and acute kidney injury in patients with prostate cancer. <i>European Urology</i> , 2014 , 66, 1125-32 | 10.2 | 21 |
| 270 | Non-Muscle-Invasive Bladder Cancer in the Elderly Patient. <i>Current Geriatrics Reports</i> , 2014 , 3, 42-47 | 1.3 | 3 |
| 269 | Intravesical thermo-chemotherapy based on conductive heat: a first pharmacokinetic study with mitomycin C in superficial transitional cell carcinoma patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 503-9 | 3.5 | 19 |
| 268 | Blood- and tissue-based biomarkers for prediction of outcomes in urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 230-42 | 2.8 | 31 |
| 267 | Critical analysis of bladder sparing with trimodal therapy in muscle-invasive bladder cancer: a systematic review. <i>European Urology</i> , 2014 , 66, 120-37 | 10.2 | 190 |
| 266 | Effect of smoking on outcomes of urothelial carcinoma: a systematic review of the literature. <i>European Urology</i> , 2014 , 65, 742-54 | 10.2 | 127 |
| 265 | Urine markers for detection and surveillance of bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 222-9 | 2.8 | 77 |
| 264 | The effect of neoadjuvant chemotherapy on perioperative outcomes in patients who have bladder cancer treated with radical cystectomy: a population-based study. <i>European Urology</i> , 2014 , 66, 561-8 | 10.2 | 52 |
| 263 | Insulin-like growth factor messenger RNA-binding protein 3 expression helps prognostication in patients with upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 66, 379-85 | 10.2 | 21 |
| 262 | Evaluation of the prognostic significance of altered mammalian target of rapamycin pathway biomarkers in upper tract urothelial carcinoma. <i>Urology</i> , 2014 , 84, 1134-40 | 1.6 | 17 |
| 261 | Prospective evaluation of diffusion-weighted MRI of the bladder as a biomarker for prediction of bladder cancer aggressiveness. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1166-71 | 2.8 | 28 |

| | | | |
|-----|--|------|-----|
| 260 | Words of wisdom. Re: radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 386-7 | 10.2 | 2 |
| 259 | Molecular markers for urothelial bladder cancer prognosis: toward implementation in clinical practice. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1078-87 | 2.8 | 37 |
| 258 | Risk of fracture after radical cystectomy and urinary diversion for bladder cancer. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3291-8 | 2.2 | 27 |
| 257 | DKK-1 in prostate cancer diagnosis and follow up. <i>BMC Clinical Pathology</i> , 2014 , 14, 11 | 3 | 4 |
| 256 | Enhanced stromal syndecan-1 expression is an independent risk factor for poor survival in bladder cancer. <i>Human Pathology</i> , 2014 , 45, 674-82 | 3.7 | 38 |
| 255 | Pathologic nodal staging scores in patients treated with radical prostatectomy: a postoperative decision tool. <i>European Urology</i> , 2014 , 66, 439-46 | 10.2 | 18 |
| 254 | Re: impact of smoking status on bladder tumor recurrence after radical nephroureterectomy for upper tract urothelial carcinoma: M. Hagiwara, E. Kikuchi, N. Tanaka, K. Matsumoto, H. Ide, A. Miyajima, T. Masuda, S. Nakamura and M. Oya J Urol 2013; 189: 2062-2068. <i>Journal of Urology</i> , 2014 , 191, 557-9 | 2.5 | |
| 253 | Impact of ABO blood type on outcomes in patients with primary nonmuscle invasive bladder cancer. <i>Journal of Urology</i> , 2014 , 191, 1238-43 | 2.5 | 22 |
| 252 | Systematic review and meta-analysis of perioperative and oncologic outcomes of laparoscopic cryoablation versus laparoscopic partial nephrectomy for the treatment of small renal tumors. <i>Journal of Urology</i> , 2014 , 191, 1209-17 | 2.5 | 74 |
| 251 | Conditional survival after radical cystectomy for bladder cancer: evidence for a patient changing risk profile over time. <i>European Urology</i> , 2014 , 66, 361-70 | 10.2 | 94 |
| 250 | Surgical management of the distal ureter during radical nephroureterectomy is an independent predictor of oncological outcomes: results of a current series and a review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 54.e19-26 | 2.8 | 22 |
| 249 | Is there a relationship between leapfrog volume thresholds and perioperative outcomes after radical cystectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 27.e7-13 | 2.8 | 22 |
| 248 | Does increasing the nodal yield improve outcomes in contemporary patients without nodal metastasis undergoing radical prostatectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e1-8 | 2.8 | 7 |
| 247 | Incorporating biomarker research in a real-world setting: challenges of a prophecy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 219-21 | 2.8 | 1 |
| 246 | Highlights from the first symposium on upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 309-16 | 2.8 | 12 |
| 245 | A multinational, multi-institutional study comparing positive surgical margin rates among 22393 open, laparoscopic, and robot-assisted radical prostatectomy patients. <i>European Urology</i> , 2014 , 66, 450-6 | 10.2 | 85 |
| 244 | Prediction of 90-day mortality after radical cystectomy for bladder cancer in a prospective European multicenter cohort. <i>European Urology</i> , 2014 , 66, 156-63 | 10.2 | 114 |
| 243 | Prognostic effect of serum and tissue YKL-40 levels in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 663-9 | 2.8 | 17 |

| | | | |
|-----|---|------|-----|
| 242 | Impact of histologic subtype on cancer-specific survival in patients with renal cell carcinoma and tumor thrombus. <i>European Urology</i> , 2014 , 66, 577-83 | 10.2 | 63 |
| 241 | Prospective external validation of a bladder cancer detection model. <i>Journal of Urology</i> , 2014 , 192, 1343-8 | 2.8 | 30 |
| 240 | Comparative analysis of comorbidity and performance indices for prediction of oncological outcomes in patients with upper tract urothelial carcinoma who were treated with radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1141-50 | 2.8 | 10 |
| 239 | Predictors of cancer-specific mortality after disease recurrence in patients with squamous cell carcinoma of the penis. <i>European Urology</i> , 2014 , 66, 811-4 | 10.2 | 10 |
| 238 | Re: Global effects of smoking, of quitting, and of taxing tobacco. <i>European Urology</i> , 2014 , 66, 176-8 | 10.2 | 4 |
| 237 | Impact of preoperative anemia on oncologic outcomes of upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Journal of Urology</i> , 2014 , 191, 316-22 | 2.5 | 39 |
| 236 | Association of oncofetal protein expression with clinical outcomes in patients with urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2014 , 191, 830-41 | 2.5 | 15 |
| 235 | BAP1 immunohistochemistry predicts outcomes in a multi-institutional cohort with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 603-10 | 2.5 | 58 |
| 234 | The role of radical prostatectomy and lymph node dissection in lymph node-positive prostate cancer: a systematic review of the literature. <i>European Urology</i> , 2014 , 66, 191-9 | 10.2 | 76 |
| 233 | Impact of distal ureter management on oncologic outcomes following radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 65, 210-7 | 10.2 | 150 |
| 232 | The impact of hospital volume, residency, and fellowship training on perioperative outcomes after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 29.e13-20 | 2.8 | 28 |
| 231 | Robot-assisted versus laparoscopic nephroureterectomy for upper-tract urothelial cancer: A population-based assessment of costs and perioperative outcomes. <i>Canadian Urological Association Journal</i> , 2014 , 8, E695-701 | 1.2 | 28 |
| 230 | Re-assessment of 30-, 60- and 90-day mortality rates in non-metastatic prostate cancer patients treated either with radical prostatectomy or radiation therapy. <i>Canadian Urological Association Journal</i> , 2014 , 8, E75-80 | 1.2 | 4 |
| 229 | Postoperative nomogram to predict cancer-specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. <i>BJU International</i> , 2014 , 114, 733-40 | 5.6 | 48 |
| 228 | Impact of ERBB2 mutations on in vitro sensitivity of bladder cancer to lapatinib. <i>Cancer Biology and Therapy</i> , 2014 , 15, 1239-47 | 4.6 | 24 |
| 227 | Is there any evidence of a "July effect" in patients undergoing major cancer surgery?. <i>Canadian Journal of Surgery</i> , 2014 , 57, 82-8 | 2 | 23 |
| 226 | Venous thromboembolism after major cancer surgery: temporal trends and patterns of care. <i>JAMA Surgery</i> , 2014 , 149, 43-9 | 5.4 | 104 |
| 225 | Impact of peri-operative blood transfusion on the outcomes of patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>BJU International</i> , 2014 , 113, 393-8 | 5.6 | 48 |

| | | | |
|-----|---|------|----|
| 224 | Prospective evaluation of a preoperative biomarker panel for prediction of upstaging at radical cystectomy. <i>BJU International</i> , 2014 , 113, 70-6 | 5.6 | 33 |
| 223 | Impact of smoking status and cumulative exposure on intravesical recurrence of upper tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2014 , 114, 56-61 | 5.6 | 30 |
| 222 | Associations between presenting symptoms, clinicopathological parameters, and prognosis in a contemporary series of patients with renal cell carcinoma. <i>Korean Journal of Urology</i> , 2014 , 55, 505-10 | | 12 |
| 221 | Prospective comparison of molecular signatures in urothelial cancer of the bladder and the upper urinary tract--is there evidence for discordant biology?. <i>Journal of Urology</i> , 2014 , 191, 926-31 | 2.5 | 23 |
| 220 | Female gender is associated with a worse survival after radical cystectomy for urothelial carcinoma of the bladder: a competing risk analysis. <i>Urology</i> , 2014 , 83, 863-7 | 1.6 | 69 |
| 219 | Prospective analysis of Ki-67 as an independent predictor of oncologic outcomes in patients with high grade upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2014 , 191, 28-34 | 2.5 | 30 |
| 218 | Effect of diabetes mellitus and metformin use on oncologic outcomes of patients treated with radical cystectomy for urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 49.e7-14 | 2.8 | 32 |
| 217 | Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 433-40 | 2.8 | 28 |
| 216 | Effect of ABO blood type on mortality in patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 625-30 | 2.8 | 20 |
| 215 | Local tumor destruction in renal cell carcinoma--an inpatient population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 54.e1-7 | 2.8 | 8 |
| 214 | Gender-specific differences in clinicopathologic outcomes following radical cystectomy: an international multi-institutional study of more than 8000 patients. <i>European Urology</i> , 2014 , 66, 913-9 | 10.2 | 77 |
| 213 | Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8 | 10.2 | 94 |
| 212 | Quantitative apparent diffusion coefficient measurements obtained by 3-Tesla MRI are correlated with biomarkers of bladder cancer proliferative activity. <i>PLoS ONE</i> , 2014 , 9, e106866 | 3.7 | 25 |
| 211 | Bladder cancer risk: Use of PLCO and NLST to identify a suitable screening cohort.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4546-4546 | 2.2 | |
| 210 | Frequent truncating mutations of the cohesin complex gene STAG2 in urothelial carcinoma of the bladder.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 290-290 | 2.2 | 1 |
| 209 | Multi-institutional evaluation of the prognostic significance of altered mammalian target of rapamycin (mTOR) pathway biomarkers in upper-tract urothelial carcinoma (UTUC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 323-323 | 2.2 | |
| 208 | Postoperative nomogram for disease recurrence and cancer-specific death for upper tract urothelial carcinoma: comparison to American Joint Committee on Cancer staging classification. <i>Urology Journal</i> , 2014 , 11, 1435-41 | 0.9 | 19 |
| 207 | Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. <i>BJU International</i> , 2013 , 111, 249-55 | 5.6 | 61 |

| | | | |
|-----|---|------|-----|
| 206 | Accurate preoperative prediction of non-organ-confined bladder urothelial carcinoma at cystectomy. <i>BJU International</i> , 2013 , 111, 404-11 | 5.6 | 35 |
| 205 | EAU guidelines on non-muscle-invasive urothelial carcinoma of the bladder: update 2013. <i>European Urology</i> , 2013 , 64, 639-53 | 10.2 | 906 |
| 204 | Prediction of true nodal status in patients with pathological lymph node negative upper tract urothelial carcinoma at radical nephroureterectomy. <i>Journal of Urology</i> , 2013 , 189, 468-73 | 2.5 | 31 |
| 203 | Hexyl aminolevulinatate-guided fluorescence cystoscopy in the diagnosis and follow-up of patients with non-muscle-invasive bladder cancer: a critical review of the current literature. <i>European Urology</i> , 2013 , 64, 624-38 | 10.2 | 156 |
| 202 | Pathologic nodal staging score for bladder cancer: a decision tool for adjuvant therapy after radical cystectomy. <i>European Urology</i> , 2013 , 63, 371-8 | 10.2 | 39 |
| 201 | ICUD-EAU International Consultation on Bladder Cancer 2012: Screening, diagnosis, and molecular markers. <i>European Urology</i> , 2013 , 63, 4-15 | 10.2 | 190 |
| 200 | Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , 2013 , 111, E30-6 | 5.6 | 60 |
| 199 | Predictive tools for clinical decision-making and counseling of patients with upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 31-6 | 4 | 19 |
| 198 | Robotic-assisted radical cystectomy with extracorporeal urinary diversion for urothelial carcinoma of the bladder: analysis of complications and oncologic outcomes in 175 patients with a median follow-up of 3 years. <i>Urology</i> , 2013 , 82, 1323-9 | 1.6 | 34 |
| 197 | Urothelial carcinoma of the bladder and the upper tract: disparate twins. <i>Journal of Urology</i> , 2013 , 189, 1214-21 | 2.5 | 212 |
| 196 | Impact of smoking on oncologic outcomes of upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Urology</i> , 2013 , 63, 1082-90 | 10.2 | 65 |
| 195 | Impact of histological variants on oncological outcomes of patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , 2013 , 49, 1889-97 | 7.5 | 119 |
| 194 | Prognostic impact of preoperative neutrophil-to-lymphocyte ratio in localized nonclear cell renal cell carcinoma. <i>Journal of Urology</i> , 2013 , 190, 1999-2004 | 2.5 | 83 |
| 193 | Impact of smoking and smoking cessation on outcomes in bladder cancer patients treated with radical cystectomy. <i>European Urology</i> , 2013 , 64, 456-64 | 10.2 | 75 |
| 192 | Comparative analysis of oncologic outcomes of partial ureterectomy vs radical nephroureterectomy in upper tract urothelial carcinoma. <i>Urology</i> , 2013 , 81, 972-7 | 1.6 | 38 |
| 191 | Impact of smoking and smoking cessation on oncologic outcomes in primary non-muscle-invasive bladder cancer. <i>European Urology</i> , 2013 , 63, 724-32 | 10.2 | 87 |
| 190 | Prediction of cancer specific survival after radical nephroureterectomy for upper tract urothelial carcinoma: development of an optimized postoperative nomogram using decision curve analysis. <i>Journal of Urology</i> , 2013 , 189, 1662-9 | 2.5 | 117 |
| 189 | Incidence, survival and mortality rates of stage-specific bladder cancer in United States: a trend analysis. <i>Cancer Epidemiology</i> , 2013 , 37, 219-25 | 2.8 | 178 |

| | | | |
|-----|--|------|-----|
| 188 | European guidelines on upper tract urothelial carcinomas: 2013 update. <i>European Urology</i> , 2013 , 63, 1059-71 | 10.2 | 360 |
| 187 | Predictors of survival in patients with soft tissue surgical margin involvement at radical cystectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1027-34 | 3.1 | 22 |
| 186 | Multi-institutional validation of the ability of preoperative hydronephrosis to predict advanced pathologic tumor stage in upper-tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 904-8 | 2.8 | 60 |
| 185 | Two cases of retroperitoneal metastasis from a completely regressed burned-out testicular cancer. <i>Urologia</i> , 2013 , 80, 74-9 | 1.2 | 9 |
| 184 | A rare case of primary mantle cell lymphoma of the prostate: clinical aspects and open problems. <i>Urologia</i> , 2013 , 80, 247-50 | 1.2 | 5 |
| 183 | Gender-specific effect of smoking on upper tract urothelial carcinoma outcomes. <i>BJU International</i> , 2013 , 112, 623-37 | 5.6 | 22 |
| 182 | Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61 | 5.6 | 97 |
| 181 | Lymphovascular invasion is independently associated with bladder cancer recurrence and survival in patients with final stage T1 disease and negative lymph nodes after radical cystectomy. <i>BJU International</i> , 2013 , 111, 1215-21 | 5.6 | 43 |
| 180 | Innovations in the endoscopic management of bladder cancer: is the era of white light cystoscopy over. <i>Urologia</i> , 2013 , 80 Spec No 1, 1-8 | 1.2 | 1 |
| 179 | Immunocytology is a strong predictor of bladder cancer presence in patients with painless hematuria: a multicentre study. <i>European Urology</i> , 2012 , 61, 185-92 | 10.2 | 32 |
| 178 | The impact of tumor multifocality on outcomes in patients treated with radical nephroureterectomy. <i>European Urology</i> , 2012 , 61, 245-53 | 10.2 | 135 |
| 177 | Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. <i>European Urology</i> , 2012 , 61, 237-42 | 10.2 | 54 |
| 176 | Death certificates are valid for the determination of cause of death in patients with upper and lower tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 854-5 | 10.2 | 138 |
| 175 | Prognostic role and HER2 expression of circulating tumor cells in peripheral blood of patients prior to radical cystectomy: a prospective study. <i>European Urology</i> , 2012 , 61, 810-7 | 10.2 | 119 |
| 174 | Subclassification of pT3 urothelial carcinoma of the renal pelvicalyceal system is associated with recurrence-free and cancer-specific survival: proposal for a revision of the current TNM classification. <i>European Urology</i> , 2012 , 62, 224-31 | 10.2 | 33 |
| 173 | Predicting clinical outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 818-25 | 10.2 | 153 |
| 172 | Cancer control and functional outcomes of salvage radical prostatectomy for radiation-recurrent prostate cancer: a systematic review of the literature. <i>European Urology</i> , 2012 , 61, 961-71 | 10.2 | 180 |
| 171 | Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , 2012 , 62, 100-14 | 10.2 | 276 |

| | | | |
|-----|--|------|-----|
| 170 | Decision curve analysis assessing the clinical benefit of NMP22 in the detection of bladder cancer: secondary analysis of a prospective trial. <i>BJU International</i> , 2012 , 109, 685-90 | 5.6 | 23 |
| 169 | Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. <i>BJU International</i> , 2012 , 109, 564-9 | 5.6 | 32 |
| 168 | Potential role of photodynamic techniques combined with new generation flexible ureterorenoscopes and molecular markers for the management of urothelial carcinoma of the upper urinary tract: adapting new technologies for the diagnosis and management of upper tract urothelial carcinoma. <i>BJU International</i> , 2012 , 109, 613-614 | 5.6 | |
| 167 | Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. <i>BJU International</i> , 2012 , 109, 1147-54 | 5.6 | 52 |
| 166 | Multicenter validation of the prognostic value of patient age in patients treated with radical cystectomy. <i>World Journal of Urology</i> , 2012 , 30, 753-9 | 4 | 23 |
| 165 | Chronic kidney disease after nephrectomy in patients with small renal masses: a retrospective observational analysis. <i>European Urology</i> , 2012 , 62, 696-703 | 10.2 | 110 |
| 164 | Smoking reduces the efficacy of intravesical bacillus Calmette-Guérin immunotherapy in non-muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 1204-6 | 10.2 | 20 |
| 163 | Comparative outcomes of pure squamous cell carcinoma and urothelial carcinoma with squamous differentiation in patients treated with radical cystectomy. <i>Journal of Urology</i> , 2012 , 187, 74-9 | 2.5 | 45 |
| 162 | Risk stratification of organ confined bladder cancer after radical cystectomy using cell cycle related biomarkers. <i>Journal of Urology</i> , 2012 , 187, 457-62 | 2.5 | 38 |
| 161 | Macroscopic sessile tumor architecture is a pathologic feature of biologically aggressive upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 666-72 | 2.8 | 46 |
| 160 | Impact of smoking on outcomes of patients with a history of recurrent nonmuscle invasive bladder cancer. <i>Journal of Urology</i> , 2012 , 188, 2120-7 | 2.5 | 33 |
| 159 | Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44 | 3.1 | 42 |
| 158 | Concomitant carcinoma in situ is a feature of aggressive disease in patients with organ confined urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 252-8 | 2.8 | 65 |
| 157 | Impact of histological variants on clinical outcomes of patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 188, 398-404 | 2.5 | 78 |
| 156 | Biomolecular predictors of urothelial cancer behavior and treatment outcomes. <i>Current Urology Reports</i> , 2012 , 13, 122-35 | 2.9 | 45 |
| 155 | Combining imaging and ureteroscopy variables in a preoperative multivariable model for prediction of muscle-invasive and non-organ confined disease in patients with upper tract urothelial carcinoma. <i>BJU International</i> , 2012 , 109, 77-82 | 5.6 | 136 |
| 154 | Laparoscopic management of sacral neurofibroma causing hydronephrosis. <i>Urologia</i> , 2012 , 79 Suppl 19, 107-10 | 1.2 | 2 |
| 153 | High-grade ureteroscopic biopsy is associated with advanced pathology of upper-tract urothelial carcinoma tumors at definitive surgical resection. <i>Journal of Endourology</i> , 2012 , 26, 398-402 | 2.7 | 58 |

| | | | |
|-----|--|------|-----|
| 152 | Pilot study on the correlation of multiphoton microscopy of human testicular tumors with histology.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 338-338 | 2.2 | |
| 151 | Tumor markers in prostate cancer I: blood-based markers. <i>Acta Oncologica</i> , 2011 , 50 Suppl 1, 61-75 | 3.2 | 133 |
| 150 | Does preoperative symptom classification impact prognosis in patients with clinically localized upper-tract urothelial carcinoma managed by radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 716-23 | 2.8 | 50 |
| 149 | Soluble gp130 regulates prostate cancer invasion and progression in an interleukin-6 dependent and independent manner. <i>Journal of Urology</i> , 2011 , 186, 2107-14 | 2.5 | 13 |
| 148 | Adrenal ganglioneuroma with multifocal retroperitoneal extension: a challenging diagnosis. <i>Scientific World Journal, The</i> , 2011 , 11, 1548-53 | 2.2 | 11 |
| 147 | Discrepancy between clinical and pathological stage: external validation of the impact on prognosis in an international radical cystectomy cohort. <i>BJU International</i> , 2011 , 107, 898-904 | 5.6 | 136 |
| 146 | Oncological outcomes after laparoscopic and open radical nephroureterectomy: results from an international cohort. <i>BJU International</i> , 2011 , 108, 406-12 | 5.6 | 68 |
| 145 | Impact of smoking on outcomes after intravesical bacillus Calmette-Guérin therapy for urothelial carcinoma not invading muscle of the bladder. <i>BJU International</i> , 2011 , 108, 526-30 | 5.6 | 27 |
| 144 | Urinary cytology has a poor performance for predicting invasive or high-grade upper-tract urothelial carcinoma. <i>BJU International</i> , 2011 , 108, 701-5 | 5.6 | 128 |
| 143 | Racial differences in the outcome of patients with urothelial carcinoma of the upper urinary tract: an international study. <i>BJU International</i> , 2011 , 108, E304-9 | 5.6 | 31 |
| 142 | Evidence-based Urology. <i>BJU International</i> , 2011 , 107, 1844-1844 | 5.6 | |
| 141 | Bladder Tumors: Molecular Aspects and Clinical Management. <i>BJU International</i> , 2011 , 108, E163-E163 | 5.6 | 1 |
| 140 | Immunohistochemical biomarkers for bladder cancer prognosis. <i>International Journal of Urology</i> , 2011 , 18, 616-29 | 2.3 | 42 |
| 139 | Salvage radical prostatectomy for radiation-recurrent prostate cancer: a multi-institutional collaboration. <i>European Urology</i> , 2011 , 60, 205-10 | 10.2 | 140 |
| 138 | Select screening in a specific high-risk population of patients suggests a stage migration toward detection of non-muscle-invasive bladder cancer. <i>European Urology</i> , 2011 , 59, 1026-31 | 10.2 | 39 |
| 137 | Urine markers for detection and surveillance of non-muscle-invasive bladder cancer. <i>European Urology</i> , 2011 , 60, 484-92 | 10.2 | 142 |
| 136 | Lymphadenectomy at the time of nephroureterectomy for upper tract urothelial cancer. <i>European Urology</i> , 2011 , 60, 776-83 | 10.2 | 106 |
| 135 | Gender differences in radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2011 , 29, 481-6 | 4 | 108 |

| | | | |
|-----|--|-----|-----|
| 134 | Concomitant carcinoma in situ as an independent prognostic parameter for recurrence and survival in upper tract urothelial carcinoma: a multicenter analysis of 772 patients. <i>World Journal of Urology</i> , 2011 , 29, 487-94 | 4 | 64 |
| 133 | Impact of gender on bladder cancer incidence, staging, and prognosis. <i>World Journal of Urology</i> , 2011 , 29, 457-63 | 4 | 154 |
| 132 | Assessing the clinical benefit of nuclear matrix protein 22 in the surveillance of patients with nonmuscle-invasive bladder cancer and negative cytology: a decision-curve analysis. <i>Cancer</i> , 2011 , 117, 2892-7 | 6.4 | 42 |
| 131 | Retroperitoneal laparoscopic kidney biopsy: technical tips for a minimally invasive approach. <i>Journal of Endourology</i> , 2011 , 25, 1639-42 | 2.7 | 6 |
| 130 | Prognostic factors for upper urinary tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2011 , 8, 440-7 | 5.5 | 81 |
| 129 | Concomitant carcinoma in situ in cystectomy specimens is not associated with clinical outcomes after surgery. <i>Urologia Internationalis</i> , 2011 , 87, 42-8 | 1.9 | 17 |
| 128 | Long-term prognostic value of the combination of EORTC risk group calculator and molecular markers in non-muscle-invasive bladder cancer patients treated with intravesical Bacille Calmette-Guërin. <i>Urology Annals</i> , 2011 , 3, 119-26 | 1 | 20 |
| 127 | Emerging biomarkers for prostate cancer diagnosis, staging, and prognosis. <i>Archivos Espanoles De Urologia</i> , 2011 , 64, 681-94 | 0.4 | 17 |
| 126 | p53 expression in patients with advanced urothelial cancer of the urinary bladder. <i>BJU International</i> , 2010 , 105, 489-95 | 5.6 | 57 |
| 125 | Temporal stage and grade migration in surgically treated patients with upper tract urothelial carcinoma. <i>BJU International</i> , 2010 , 105, 799-804 | 5.6 | 16 |
| 124 | The effect of age and gender on bladder cancer: a critical review of the literature. <i>BJU International</i> , 2010 , 105, 300-8 | 5.6 | 193 |
| 123 | Human epidermal growth factor receptor 2 expression status provides independent prognostic information in patients with urothelial carcinoma of the urinary bladder. <i>BJU International</i> , 2010 , 106, 1216-22 | 5.6 | 62 |
| 122 | International validation of the prognostic value of lymphovascular invasion in patients treated with radical cystectomy. <i>BJU International</i> , 2010 , 105, 1402-12 | 5.6 | 114 |
| 121 | Update on intravesical agents for non-muscle-invasive bladder cancer. <i>Immunotherapy</i> , 2010 , 2, 381-92 | 3.8 | 14 |
| 120 | Clinical outcome of primary versus secondary bladder carcinoma in situ. <i>Journal of Urology</i> , 2010 , 184, 464-9 | 2.5 | 28 |
| 119 | Clinical outcomes of primary bladder carcinoma in situ in a contemporary series. <i>Journal of Urology</i> , 2010 , 184, 74-80 | 2.5 | 40 |
| 118 | Combination of multiple molecular markers can improve prognostication in patients with locally advanced and lymph node positive bladder cancer. <i>Journal of Urology</i> , 2010 , 183, 68-75 | 2.5 | 120 |
| 117 | Preoperative hydronephrosis, ureteroscopic biopsy grade and urinary cytology can improve prediction of advanced upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2010 , 184, 69-73 | 2.5 | 178 |

| | | | |
|-----|---|------|-----|
| 116 | Soft tissue surgical margin status is a powerful predictor of outcomes after radical cystectomy: a multicenter study of more than 4,400 patients. <i>Journal of Urology</i> , 2010 , 183, 2165-70 | 2.5 | 159 |
| 115 | Preoperative multivariable prognostic model for prediction of nonorgan confined urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2010 , 184, 453-8 | 2.5 | 151 |
| 114 | A critical appraisal of the value of lymph node dissection at nephroureterectomy for upper tract urothelial carcinoma. <i>Urology</i> , 2010 , 75, 118-24 | 1.6 | 118 |
| 113 | Adenocarcinoma versus urothelial carcinoma of the urinary bladder: comparison between pathologic stage at radical cystectomy and cancer-specific mortality. <i>Urology</i> , 2010 , 75, 376-81 | 1.6 | 48 |
| 112 | Considerations on implementing diagnostic markers into clinical decision making in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 441-8 | 2.8 | 79 |
| 111 | Statistical consideration for clinical biomarker research in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 389-400 | 2.8 | 99 |
| 110 | Association of angiogenesis related markers with bladder cancer outcomes and other molecular markers. <i>Journal of Urology</i> , 2010 , 183, 1744-50 | 2.5 | 77 |
| 109 | Impact of tumor location on prognosis for patients with upper tract urothelial carcinoma managed by radical nephroureterectomy. <i>European Urology</i> , 2010 , 57, 1072-9 | 10.2 | 133 |
| 108 | Characteristics and outcomes of patients with clinical T1 grade 3 urothelial carcinoma treated with radical cystectomy: results from an international cohort. <i>European Urology</i> , 2010 , 57, 300-9 | 10.2 | 127 |
| 107 | Tumour necrosis is an indicator of aggressive biology in patients with urothelial carcinoma of the upper urinary tract. <i>European Urology</i> , 2010 , 57, 575-81 | 10.2 | 125 |
| 106 | The effect of tumor location on prognosis in patients treated with radical nephroureterectomy at Memorial Sloan-Kettering Cancer Center. <i>European Urology</i> , 2010 , 58, 574-80 | 10.2 | 129 |
| 105 | Predictive and prognostic models in radical prostatectomy candidates: a critical analysis of the literature. <i>European Urology</i> , 2010 , 58, 687-700 | 10.2 | 118 |
| 104 | Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. <i>Cancer</i> , 2010 , 116, 3774-84 | 6.4 | 64 |
| 103 | Multi-institutional validation of the predictive value of Ki-67 labeling index in patients with urinary bladder cancer. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 114-9 | 9.7 | 119 |
| 102 | Prospective questionnaire-based evaluation of the prevalence of urinary incontinence in women with chronic cough. <i>Urologia Internationalis</i> , 2009 , 83, 181-6 | 1.9 | 6 |
| 101 | Survivin as a prognostic marker for urothelial carcinoma of the bladder: a multicenter external validation study. <i>Clinical Cancer Research</i> , 2009 , 15, 7012-9 | 12.9 | 57 |
| 100 | Use of nomograms for predictions of outcome in patients with advanced bladder cancer. <i>Therapeutic Advances in Urology</i> , 2009 , 1, 13-26 | 3.2 | 22 |
| 99 | Lymphovascular invasion predicts clinical outcomes in patients with node-negative upper tract urothelial carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 612-8 | 2.2 | 209 |

| | | | |
|----|--|------|-----|
| 98 | Predictive value of the differential expression of the urokinase plasminogen activation axis in radical prostatectomy patients. <i>European Urology</i> , 2009 , 55, 1124-33 | 10.2 | 51 |
| 97 | Comparison of oncologic outcomes for open and laparoscopic nephroureterectomy: a multi-institutional analysis of 1249 cases. <i>European Urology</i> , 2009 , 56, 1-9 | 10.2 | 130 |
| 96 | Outcomes of radical nephroureterectomy: a series from the Upper Tract Urothelial Carcinoma Collaboration. <i>Cancer</i> , 2009 , 115, 1224-33 | 6.4 | 739 |
| 95 | Tumour architecture is an independent predictor of outcomes after nephroureterectomy: a multi-institutional analysis of 1363 patients. <i>BJU International</i> , 2009 , 103, 307-11 | 5.6 | 131 |
| 94 | Can nomograms be superior to other prediction tools?. <i>BJU International</i> , 2009 , 103, 492-5; discussion 495-7 | 5.6 | 78 |
| 93 | Bladder cancer in the elderly. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009 , 27, 653-67 | 2.8 | 139 |
| 92 | Critical review of prostate cancer predictive tools. <i>Future Oncology</i> , 2009 , 5, 1555-84 | 3.6 | 125 |
| 91 | Location of the primary tumor is not an independent predictor of cancer specific mortality in patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , 2009 , 182, 2177-81 | 2.5 | 86 |
| 90 | Predictive value of combined immunohistochemical markers in patients with pT1 urothelial carcinoma at radical cystectomy. <i>Journal of Urology</i> , 2009 , 182, 78-84; discussion 84 | 2.5 | 80 |
| 89 | p53 predictive value for pT1-2 N0 disease at radical cystectomy. <i>Journal of Urology</i> , 2009 , 182, 907-13 | 2.5 | 44 |
| 88 | A population based assessment of perioperative mortality after cystectomy for bladder cancer. <i>Journal of Urology</i> , 2009 , 182, 70-7 | 2.5 | 109 |
| 87 | Adjuvant chemotherapy for high risk upper tract urothelial carcinoma: results from the Upper Tract Urothelial Carcinoma Collaboration. <i>Journal of Urology</i> , 2009 , 182, 900-6 | 2.5 | 172 |
| 86 | Impact of lymph node dissection on cancer specific survival in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Journal of Urology</i> , 2009 , 181, 2482-9 | 2.5 | 154 |
| 85 | New blood-based biomarkers for the diagnosis, staging and prognosis of prostate cancer. <i>BJU International</i> , 2008 , 101, 675-83 | 5.6 | 49 |
| 84 | Impact of risk factors on the performance of the nuclear matrix protein 22 point-of-care test for bladder cancer detection. <i>BJU International</i> , 2008 , 101, 1362-7 | 5.6 | 31 |
| 83 | Comparison of stage migration patterns between Europe and the USA: an analysis of 11 350 men treated with radical prostatectomy for prostate cancer. <i>BJU International</i> , 2008 , 101, 1513-8 | 5.6 | 122 |
| 82 | Features and outcomes of patients with grade IV renal injury. <i>BJU International</i> , 2008 , 102, 728-33; discussion 733 | 5.6 | 35 |
| 81 | Nomograms for bladder cancer. <i>European Urology</i> , 2008 , 54, 41-53 | 10.2 | 70 |

| | | | |
|----|---|------|-----|
| 80 | Outcomes of patients with clinical T1 grade 3 urothelial cell bladder carcinoma treated with radical cystectomy. <i>Urology</i> , 2008 , 71, 302-7 | 1.6 | 55 |
| 79 | Prospective evaluation of the clinical usefulness of reflex fluorescence in situ hybridization assay in patients with atypical cytology for the detection of urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2008 , 179, 2164-9 | 2.5 | 70 |
| 78 | Early postoperative plasma transforming growth factor-beta1 is a strong predictor of biochemical progression after radical prostatectomy. <i>Journal of Urology</i> , 2008 , 179, 1593-7 | 2.5 | 24 |
| 77 | Improved prediction of disease relapse after radical prostatectomy through a panel of preoperative blood-based biomarkers. <i>Clinical Cancer Research</i> , 2008 , 14, 3785-91 | 12.9 | 67 |
| 76 | Comparison of nomograms with other methods for predicting outcomes in prostate cancer: a critical analysis of the literature. <i>Clinical Cancer Research</i> , 2008 , 14, 4400-7 | 12.9 | 197 |
| 75 | Herbal/hormonal dietary supplement possibly associated with prostate cancer progression. <i>Clinical Cancer Research</i> , 2008 , 14, 607-11 | 12.9 | 8 |
| 74 | Development of a highly accurate nomogram for prediction of the need for exploration in patients with renal trauma. <i>Journal of Trauma</i> , 2008 , 64, 1451-8 | | 30 |
| 73 | Molecular markers in bladder cancer. <i>Current Opinion in Urology</i> , 2008 , 18, 1-8 | 2.8 | 55 |
| 72 | Prognostic value of syndecan-1 expression in patients treated with radical prostatectomy. <i>BJU International</i> , 2008 , 101, 232-7 | 5.6 | 16 |
| 71 | Multiple biomarkers improve prediction of bladder cancer recurrence and mortality in patients undergoing cystectomy. <i>Cancer</i> , 2008 , 112, 315-25 | 6.4 | 160 |
| 70 | Critical evaluation of urinary markers for bladder cancer detection and monitoring. <i>Reviews in Urology</i> , 2008 , 10, 120-35 | 1 | 60 |
| 69 | Screening for prostate cancer: an update. <i>Canadian Journal of Urology</i> , 2008 , 15, 4363-74 | 0.8 | 31 |
| 68 | Predictive value of cell cycle biomarkers in nonmuscle invasive bladder transitional cell carcinoma. <i>Journal of Urology</i> , 2007 , 177, 481-7; discussion 487 | 2.5 | 110 |
| 67 | Plasminogen activation inhibitor-1 improves the predictive accuracy of prostate cancer nomograms. <i>Journal of Urology</i> , 2007 , 178, 1229-36; discussion 1236-7 | 2.5 | 18 |
| 66 | Expression of cyclooxygenase-2 in normal urothelium, and superficial and advanced transitional cell carcinoma of bladder. <i>Journal of Urology</i> , 2007 , 177, 1163-8 | 2.5 | 39 |
| 65 | Blood biomarkers for prostate cancer detection and prognosis. <i>Future Oncology</i> , 2007 , 3, 449-61 | 3.6 | 20 |
| 64 | Survivin expression is associated with bladder cancer presence, stage, progression, and mortality. <i>Cancer</i> , 2007 , 109, 1106-13 | 6.4 | 117 |
| 63 | Caveolin-1 overexpression is associated with aggressive prostate cancer recurrence. <i>Prostate</i> , 2007 , 67, 614-22 | 4.2 | 120 |

| | | | |
|----|--|------|-----|
| 62 | Cooperative effect of cell-cycle regulators expression on bladder cancer development and biologic aggressiveness. <i>Modern Pathology</i> , 2007 , 20, 445-59 | 9.8 | 112 |
| 61 | Clinicians are poor raters of life-expectancy before radical prostatectomy or definitive radiotherapy for localized prostate cancer. <i>BJU International</i> , 2007 , 100, 1254-8 | 5.6 | 107 |
| 60 | Discrepancy between clinical and pathologic stage: impact on prognosis after radical cystectomy. <i>European Urology</i> , 2007 , 51, 137-49; discussion 149-51 | 10.2 | 248 |
| 59 | Concomitant carcinoma in situ is a feature of aggressive disease in patients with organ-confined TCC at radical cystectomy. <i>European Urology</i> , 2007 , 51, 152-60 | 10.2 | 66 |
| 58 | Advanced age is associated with poorer bladder cancer-specific survival in patients treated with radical cystectomy. <i>European Urology</i> , 2007 , 51, 699-706; discussion 706-8 | 10.2 | 125 |
| 57 | Challenges of cancer biomarker profiling. <i>European Urology</i> , 2007 , 52, 1601-9 | 10.2 | 162 |
| 56 | Preoperative plasma HER2 and epidermal growth factor receptor for staging and prognostication in patients with clinically localized prostate cancer. <i>Clinical Cancer Research</i> , 2007 , 13, 5377-84 | 12.9 | 21 |
| 55 | Evidence-based validation of the predictive value of the American Association for the Surgery of Trauma kidney injury scale. <i>Journal of Trauma</i> , 2007 , 62, 933-9 | | 83 |
| 54 | Survivin expression in patients with non-muscle-invasive urothelial cell carcinoma of the bladder. <i>Urology</i> , 2007 , 70, 482-6 | 1.6 | 46 |
| 53 | Association of cyclin D1 and E1 expression with disease progression and biomarkers in patients with nonmuscle-invasive urothelial cell carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 468-75 | 2.8 | 35 |
| 52 | Use of combined apoptosis biomarkers for prediction of bladder cancer recurrence and mortality after radical cystectomy. <i>Lancet Oncology, The</i> , 2007 , 8, 128-36 | 21.7 | 176 |
| 51 | Pre-operative percent free PSA predicts clinical outcomes in patients treated with radical prostatectomy with total PSA levels below 10 ng/ml. <i>European Urology</i> , 2006 , 49, 293-302 | 10.2 | 24 |
| 50 | Precystectomy nomogram for prediction of advanced bladder cancer stage. <i>European Urology</i> , 2006 , 50, 1254-60; discussion 1261-2 | 10.2 | 125 |
| 49 | Soluble Fas--a promising novel urinary marker for the detection of recurrent superficial bladder cancer. <i>Cancer</i> , 2006 , 106, 1701-7 | 6.4 | 48 |
| 48 | Nomograms provide improved accuracy for predicting survival after radical cystectomy. <i>Clinical Cancer Research</i> , 2006 , 12, 6663-76 | 12.9 | 188 |
| 47 | Ki-67 is an independent predictor of bladder cancer outcome in patients treated with radical cystectomy for organ-confined disease. <i>Clinical Cancer Research</i> , 2006 , 12, 7369-73 | 12.9 | 124 |
| 46 | Outcomes of radical cystectomy for transitional cell carcinoma of the bladder: a contemporary series from the Bladder Cancer Research Consortium. <i>Journal of Urology</i> , 2006 , 176, 2414-22; discussion 2422 | 2.5 | 514 |
| 45 | Variability in the performance of nuclear matrix protein 22 for the detection of bladder cancer. <i>Journal of Urology</i> , 2006 , 176, 919-26; discussion 926 | 2.5 | 84 |

| | | | |
|----|---|------|-----|
| 44 | Nomogram for predicting disease recurrence after radical cystectomy for transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2006 , 176, 1354-61; discussion 1361-2 | 2.5 | 165 |
| 43 | Clinical outcomes following radical cystectomy for primary nontransitional cell carcinoma of the bladder compared to transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2006 , 175, 2048-53; discussion 2053 | 2.5 | 135 |
| 42 | Correlation of cyclin D1 and E1 expression with bladder cancer presence, invasion, progression, and metastasis. <i>Human Pathology</i> , 2006 , 37, 1568-76 | 3.7 | 75 |
| 41 | Characteristics and outcomes of patients with carcinoma in situ only at radical cystectomy. <i>Urology</i> , 2006 , 68, 538-42 | 1.6 | 26 |
| 40 | Institutional variability in the accuracy of urinary cytology for predicting recurrence of transitional cell carcinoma of the bladder. <i>BJU International</i> , 2006 , 97, 997-1001 | 5.6 | 105 |
| 39 | Expression of survivin and apoptotic biomarkers in benign prostatic hyperplasia. <i>Journal of Urology</i> , 2005 , 174, 2046-50 | 2.5 | 43 |
| 38 | Nomograms including nuclear matrix protein 22 for prediction of disease recurrence and progression in patients with Ta, T1 or CIS transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2005 , 173, 1518-25 | 2.5 | 141 |
| 37 | Gastrointestinal hemorrhage as first manifestation of metastatic testicular tumor. <i>Urology</i> , 2005 , 66, 1319 | 1.6 | 16 |
| 36 | Urinary levels of soluble e-cadherin in the detection of transitional cell carcinoma of the urinary bladder. <i>European Urology</i> , 2005 , 48, 69-76 | 10.2 | 20 |
| 35 | Urinary levels of tumor-associated trypsin inhibitor (TATI) in the detection of transitional cell carcinoma of the urinary bladder. <i>European Urology</i> , 2005 , 48, 424-31 | 10.2 | 14 |
| 34 | Pilot study of radiofrequency interstitial tumor ablation (RITA) for the treatment of radio-recurrent prostate cancer. <i>Prostate</i> , 2005 , 65, 260-7 | 4.2 | 65 |
| 33 | Anomalies of the wolffian duct derivatives encountered at radical prostatectomy. <i>Reviews in Urology</i> , 2005 , 7, 75-80 | 1 | 18 |
| 32 | p53, p21, pRB, and p16 expression predict clinical outcome in cystectomy with bladder cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1014-24 | 2.2 | 253 |
| 31 | Association of preoperative plasma levels of vascular endothelial growth factor and soluble vascular cell adhesion molecule-1 with lymph node status and biochemical progression after radical prostatectomy. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1655-63 | 2.2 | 102 |
| 30 | Risk stratification for bladder tumor recurrence, stage and grade by urinary nuclear matrix protein 22 and cytology. <i>European Urology</i> , 2004 , 45, 304-13; author reply 313 | 10.2 | 33 |
| 29 | Survivin expression is associated with features of biologically aggressive prostate carcinoma. <i>Cancer</i> , 2004 , 100, 751-7 | 6.4 | 144 |
| 28 | Urine detection of survivin is a sensitive marker for the noninvasive diagnosis of bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 626-30 | 2.5 | 155 |
| 27 | Improved detection of clinically significant, curable prostate cancer with systematic 12-core biopsy. <i>Journal of Urology</i> , 2004 , 171, 1089-92 | 2.5 | 99 |

| | | | |
|----|---|------|-----|
| 26 | Lymphovascular invasion is a pathological feature of biologically aggressive disease in patients treated with radical prostatectomy. <i>Journal of Urology</i> , 2004 , 171, 1122-7 | 2.5 | 102 |
| 25 | Stage specific lymph node metastasis mapping in radical cystectomy specimens. <i>Journal of Urology</i> , 2004 , 171, 1830-4 | 2.5 | 197 |
| 24 | Association of pre- and postoperative plasma levels of transforming growth factor beta(1) and interleukin 6 and its soluble receptor with prostate cancer progression. <i>Clinical Cancer Research</i> , 2004 , 10, 1992-9 | 12.9 | 146 |
| 23 | Tissue expression of transforming growth factor-beta1 and its receptors: correlation with pathologic features and biochemical progression in patients undergoing radical prostatectomy. <i>Urology</i> , 2004 , 63, 1191-7 | 1.6 | 42 |
| 22 | Beyond prostate-specific antigen: new serologic biomarkers for improved diagnosis and management of prostate cancer. <i>Reviews in Urology</i> , 2004 , 6, 58-72 | 1 | 30 |
| 21 | Detection of clinically significant, occult prostate cancer metastases in lymph nodes using a splice variant-specific rt-PCR assay for human glandular kallikrein. <i>Journal of Clinical Oncology</i> , 2003 , 21, 1223-31 ² | 3.2 | 46 |
| 20 | Correlation of cyclooxygenase-2 expression with molecular markers, pathological features and clinical outcome of transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2003 , 170, 985-9 | 2.5 | 60 |
| 19 | Correlation of preoperative levels of IGF-I and IGFBP-3 with pathologic parameters and clinical outcome in patients with bladder cancer. <i>Urology</i> , 2003 , 61, 359-64 | 1.6 | 30 |
| 18 | Association of plasma urokinase-type plasminogen activator and its receptor with clinical outcome in patients undergoing radical cystectomy for transitional cell carcinoma of the bladder. <i>Urology</i> , 2003 , 61, 1053-8 | 1.6 | 54 |
| 17 | Association of p53 and p21 expression with clinical outcome in patients with carcinoma in situ of the urinary bladder. <i>Urology</i> , 2003 , 61, 1140-5 | 1.6 | 103 |
| 16 | Cyclooxygenase-2 is highly expressed in carcinoma in situ and T1 transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2003 , 169, 938-42 | 2.5 | 77 |
| 15 | The addition of urinary urokinase-type plasminogen activator to urinary nuclear matrix protein 22 and cytology improves the detection of bladder cancer. <i>Journal of Urology</i> , 2003 , 170, 2244-7 | 2.5 | 21 |
| 14 | Comparison of immunohistochemistry with reverse transcription-PCR for the detection of micrometastatic prostate cancer in lymph nodes. <i>Cancer Research</i> , 2003 , 63, 4662-70 | 10.1 | 51 |
| 13 | PREOPERATIVE PLASMA LEVELS OF INTERLEUKIN-6 AND ITS SOLUBLE RECEPTOR PREDICT DISEASE RECURRENCE AND SURVIVAL OF PATIENTS WITH BLADDER CANCER. <i>Journal of Urology</i> , 2002 , 167, 1475-1481 | 2.5 | 73 |
| 12 | Preoperative plasma levels of interleukin-6 and its soluble receptor predict disease recurrence and survival of patients with bladder cancer. <i>Journal of Urology</i> , 2002 , 167, 1475-81 | 2.5 | 31 |
| 11 | Preoperative plasma levels of transforming growth factor beta(1) (TGF-beta(1)) strongly predict progression in patients undergoing radical prostatectomy. <i>Journal of Clinical Oncology</i> , 2001 , 19, 2856-64 ² | 2.2 | 176 |
| 10 | Predictive value of expression of transforming growth factor-beta(1) and its receptors in transitional cell carcinoma of the urinary bladder. <i>Cancer</i> , 2001 , 92, 1475-83 | 6.4 | 50 |
| 9 | Preoperative plasma levels of transforming growth factor beta(1) strongly predict clinical outcome in patients with bladder carcinoma. <i>Cancer</i> , 2001 , 92, 2985-92 | 6.4 | 73 |

| | | | |
|---|---|-----|-----|
| 8 | Characteristics of normal prostate vascular anatomy as displayed by power Doppler. <i>Prostate</i> , 2001 , 46, 281-8 | 4.2 | 33 |
| 7 | Correlation of immunohistochemical molecular staging of bladder biopsies and radical cystectomy specimens. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 51, 16-22 | 4 | 24 |
| 6 | OPTIMAL COMBINATIONS OF SYSTEMATIC SEXTANT AND LATERALLY DIRECTED BIOPSIES FOR THE DETECTION OF PROSTATE CANCER. <i>Journal of Urology</i> , 2001 , 165, 1554-1559 | 2.5 | 182 |
| 5 | E-cadherin expression predicts clinical outcome in carcinoma in situ of the urinary bladder. <i>Urology</i> , 2001 , 57, 60-5 | 1.6 | 75 |
| 4 | E-CADHERIN IMMUNOSTAINING OF BLADDER TRANSITIONAL CELL CARCINOMA, CARCINOMA IN SITU AND LYMPH NODE METASTASES WITH LONG-TERM FOLLOWUP. <i>Journal of Urology</i> , 2001 , 165, 1473-1479 | 2.5 | 91 |
| 3 | Correlation of Immunohistochemical Molecular Staging of Bladder Biopsies and Radical Cystectomy Specimens. <i>Japanese Journal of Urology</i> , 2001 , 92, 256 | | |
| 2 | Prognostic value of P53 nuclear accumulation and histopathologic features in T1 transitional cell carcinoma of the urinary bladder. <i>Urology</i> , 2000 , 56, 735-40 | 1.6 | 69 |
| 1 | Risk stratification of high-grade Ta, CIS, and T1 urothelial carcinoma of the bladder18-25 | | |