

Veronica Tisato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1652124/veronica-tisato-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

2,116
citations

20
h-index

43
g-index

81
ext. papers

2,527
ext. citations

5
avg, IF

4.94
L-index

#	Paper	IF	Citations
79	TRAIL/DR5 pathway promotes AKT phosphorylation, skeletal muscle differentiation, and glucose uptake. <i>Cell Death and Disease</i> , 2021 , 12, 1089	9.8	1
78	Baseline and overtime variations of soluble adhesion molecule plasma concentrations are associated with mobility recovery after rehabilitation in multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2021 , 352, 577473	3.5	1
77	Genetics and Epigenetics of One-Carbon Metabolism Pathway in Autism Spectrum Disorder: A Sex-Specific Brain Epigenome?. <i>Genes</i> , 2021 , 12,	4.2	6
76	-Segregation of c.1171C>T Stop Codon (p.R391*) in Gene and c.1691G>A Transition (p.R506Q) in Gene and Selected GWAS Multilocus Approach in Inherited Thrombophilia. <i>Genes</i> , 2021 , 12,	4.2	3
75	Overcoming of Microenvironment Protection on Primary Chronic Lymphocytic Leukemia Cells after Treatment with BTK and MDM2 Pharmacological Inhibitors. <i>Current Oncology</i> , 2021 , 28, 2439-2451	2.8	0
74	Sustainable Agriculture through Multidisciplinary Seed Nanopriming: Prospects of Opportunities and Challenges. <i>Cells</i> , 2021 , 10,	7.9	9
73	COVID-19 and Individual Genetic Susceptibility/Receptivity: Role of ACE1/ACE2 Genes, Immunity, Inflammation and Coagulation. Might the Double X-chromosome in Females Be Protective against SARS-CoV-2 Compared to the Single X-Chromosome in Males?. <i>International Journal of Molecular Sciences</i> , 2021 , 22, 10000	6.3	183
72	Sex/Gender-Specific Imbalance in CVD: Could Physical Activity Help to Improve Clinical Outcome Targeting CVD Molecular Mechanisms in Women?. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
71	TRAIL treatment prevents renal morphological changes and TGF- β -induced mesenchymal transition associated with diabetic nephropathy. <i>Clinical Science</i> , 2020 , 134, 2337-2352	6.5	4
70	Rehabilitation Improves Mitochondrial Energetics in Progressive Multiple Sclerosis: The Significant Role of Robot-Assisted Gait Training and of the Personalized Intensity. <i>Diagnostics</i> , 2020 , 10,	3.8	4
69	Functional recovery in multiple sclerosis patients undergoing rehabilitation programs is associated with plasma levels of hemostasis inhibitors. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 44, 102319	4	5
68	Rationale for Considering Oral Idasanutlin as a Therapeutic Option for COVID-19 Patients. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1156	5.6	5
67	Genetic Hypothesis and Pharmacogenetics Side of Renin-Angiotensin-System in COVID-19. <i>Genes</i> , 2020 , 11,	4.2	20
66	Colorectal Cancer Study with Nanostructured Sensors: Tumor Marker Screening of Patient Biopsies. <i>Nanomaterials</i> , 2020 , 10,	5.4	4
65	Maternal Haplotypes in Promoter and Gene in Tuning Childhood Acute Lymphoblastic Leukemia Onset-Latency: Genetic/Epigenetic Mother/Child Dyad Study (GEMCDS). <i>Genes</i> , 2019 , 10,	4.2	6
64	Soluble neural cell adhesion molecule and behavioural recovery in minimally conscious patients undergoing transcranial direct current stimulation. <i>Clinica Chimica Acta</i> , 2019 , 495, 374-376	6.2	4
63	TRAIL, OPG, and TWEAK in kidney disease: biomarkers or therapeutic targets?. <i>Clinical Science</i> , 2019 , 133, 1145-1166	6.5	14

62	Crosstalk Between Adipokines and Paraoxonase 1: A New Potential Axis Linking Oxidative Stress and Inflammation. <i>Antioxidants</i> , 2019 , 8,	7.1	8
61	Evaluating the link between Paraoxonase-1 levels and Alzheimer's disease development. <i>Minerva Medica</i> , 2019 , 110, 238-250	2.2	15
60	"Everything that Could Have Been Avoided If We Had Applied Gender Medicine, Pharmacogenetics and Personalized Medicine in the Gender-Omics and Sex-Omics Era. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	31
59	Changes in Adipose Tissue Distribution and Association between Uric Acid and Bone Health during Menopause Transition. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
58	Plasma levels of soluble NCAM in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2019 , 396, 36-41,	3.2	10
57	Lower maternal serum tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) levels in early preeclampsia. A retrospective study. <i>Pregnancy Hypertension</i> , 2018 , 12, 1-5	2.6	4
56	Effects of intermittent pneumatic compression treatment on clinical outcomes and biochemical markers in patients at low mobility with lower limb edema. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2018 , 6, 500-510	3.2	9
55	Gene-gene interactions among coding genes of iron-homeostasis proteins and APOE-alleles in cognitive impairment diseases. <i>PLoS ONE</i> , 2018 , 13, e0193867	3.7	24
54	TRAIL reduces impaired glucose tolerance and NAFLD in the high-fat diet fed mouse. <i>Clinical Science</i> , 2018 , 132, 69-83	6.5	12
53	Inherited genetic predispositions in F13A1 and F13B genes predict abdominal adhesion formation: identification of gender prognostic indicators. <i>Scientific Reports</i> , 2018 , 8, 16916	4.9	10
52	Upregulation of the alternative splicing factor NOVA2 in colorectal cancer vasculature. <i>OncoTargets and Therapy</i> , 2018 , 11, 6049-6056	4.4	14
51	Gene Variant (V34L) and Residual Circulating FXIII A Levels Predict Short- and Long-Term Mortality in Acute Myocardial Infarction after Coronary Angioplasty. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	13
50	Relationship between low levels of circulating TRAIL and atheromatosis progression in patients with chronic kidney disease. <i>PLoS ONE</i> , 2018 , 13, e0203716	3.7	8
49	TRAIL and Ceruloplasmin Inverse Correlation as a Representative Crosstalk between Inflammation and Oxidative Stress. <i>Mediators of Inflammation</i> , 2018 , 2018, 9629537	4.3	6
48	Lower Plasma Klotho Concentrations Are Associated with Vascular Dementia but Not Late-Onset Alzheimer's Disease. <i>Gerontology</i> , 2018 , 64, 414-421	5.5	16
47	The effectiveness of Robot-Assisted Gait Training versus conventional therapy on mobility in severely disabled progressive Multiple sclerosis patients (RAGTIME): study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 88	2.8	13
46	The calendar of cytokines: Seasonal variation of circulating cytokines in chronic venous insufficiency. <i>JRSM Cardiovascular Disease</i> , 2017 , 6, 2048004017729279	1.1	4
45	MDM2/X inhibitors under clinical evaluation: perspectives for the management of hematological malignancies and pediatric cancer. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 133	22.4	153

44	The Bsecretase inhibitors enhance the anti-leukemic activity of ibrutinib in B-CLL cells. <i>Oncotarget</i> , 2017 , 8, 59235-59245	3.3	13
43	Low Circulating TRAIL Levels Are Associated with Increase of Resistin and Lipocalin-2/ngal Adipokines in Postmenopausal Women. <i>Mediators of Inflammation</i> , 2017 , 2017, 5356020	4.3	6
42	Serum Soluble Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Levels in Older Subjects with Dementia and Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 41, 273-300	3.6	10
41	Oscillatory flow suppression improves inflammation in chronic venous disease. <i>Journal of Surgical Research</i> , 2016 , 205, 238-45	2.5	8
40	Design, Synthesis, and Biological Characterization of Novel Mitochondria Targeted Dichloroacetate-Loaded Compounds with Antileukemic Activity. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 147-56	8.3	16
39	The Active Metabolite of Warfarin (3-Hydroxywarfarin) and Correlation with INR, Warfarin and Drug Weekly Dosage in Patients under Oral Anticoagulant Therapy: A Pharmacogenetics Study. <i>PLoS ONE</i> , 2016 , 11, e0162084	3.7	9
38	Association between circulatory levels of adipokines and bone mineral density in postmenopausal women. <i>Menopause</i> , 2016 , 23, 984-92	2.5	20
37	Clinical perspectives of TRAIL: insights into central nervous system disorders. <i>Cellular and Molecular Life Sciences</i> , 2016 , 73, 2017-27	10.3	27
36	Redox signaling and oxidative stress: Cross talk with TNF-related apoptosis inducing ligand activity. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 81, 364-374	5.6	27
35	Serum TRAIL levels increase shortly after insulin therapy and metabolic stabilization in children with type 1 diabetes mellitus. <i>Acta Diabetologica</i> , 2015 , 52, 1003-6	3.9	6
34	Kinetic Profiles of Inflammatory Mediators in the Conjunctival Sac Fluid of Patients upon Photorefractive Keratectomy. <i>Mediators of Inflammation</i> , 2015 , 2015, 942948	4.3	1
33	Ultrastructure of internal jugular vein defective valves. <i>Phlebology</i> , 2015 , 30, 644-7	2	13
32	Calcium micro-depositions in jugular truncular venous malformations revealed by Synchrotron-based XRF imaging. <i>Scientific Reports</i> , 2014 , 4, 6540	4.9	16
31	The levels of circulating TRAIL at the onset of type 1 diabetes are markedly decreased in patients with ketoacidosis and with the highest insulin requirement. <i>Acta Diabetologica</i> , 2014 , 51, 239-46	3.9	23
30	Inverse correlation between circulating levels of TNF-related apoptosis-inducing ligand and 17 β -estradiol. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E659-64	5.6	14
29	Heterogeneity of mesenchymal stromal cells in lymphoproliferative disorders. <i>Frontiers in Bioscience - Landmark</i> , 2014 , 19, 139-51	2.8	2
28	In vitro endothelial cell proliferation assay reveals distinct levels of proangiogenic cytokines characterizing sera of healthy subjects and of patients with heart failure. <i>Mediators of Inflammation</i> , 2014 , 2014, 257081	4.3	9
27	Intranasal administration of recombinant TRAIL down-regulates CXCL-1/KC in an ovalbumin-induced airway inflammation murine model. <i>PLoS ONE</i> , 2014 , 9, e115387	3.7	14

26	Modulation of circulating cytokine-chemokine profile in patients affected by chronic venous insufficiency undergoing surgical hemodynamic correction. <i>Journal of Immunology Research</i> , 2014 , 2014, 473765	4.5	19
25	Upregulation of SOCS-1 by Nutlin-3 in acute myeloid leukemia cells but not in primary normal cells. <i>Clinics</i> , 2014 , 69, 68-74	2.3	5
24	Patients affected by metabolic syndrome show decreased levels of circulating platelet derived growth factor (PDGF)-BB. <i>Clinical Nutrition</i> , 2013 , 32, 259-64	5.9	21
23	Endothelial PDGF-BB produced ex vivo correlates with relevant hemodynamic parameters in patients affected by chronic venous disease. <i>Cytokine</i> , 2013 , 63, 92-6	4	20
22	Dose-dependent neuroprotection of VEGF in Huntington's disease striatum. <i>Molecular Therapy</i> , 2013 , 21, 1862-75	11.7	19
21	GM-CSF exhibits anti-inflammatory activity on endothelial cells derived from chronic venous disease patients. <i>Mediators of Inflammation</i> , 2013 , 2013, 561689	4.3	9
20	Inhibitory effect of natural anti-inflammatory compounds on cytokines released by chronic venous disease patient-derived endothelial cells. <i>Mediators of Inflammation</i> , 2013 , 2013, 423407	4.3	16
19	MDM2 non-genotoxic inhibitors as innovative therapeutic approaches for the treatment of pediatric malignancies. <i>Current Medicinal Chemistry</i> , 2013 , 20, 2226-36	4.3	4
18	The energy balance positively regulates the levels of circulating TNF-related apoptosis inducing ligand in humans. <i>Clinical Nutrition</i> , 2012 , 31, 1018-21	5.9	11
17	Simultaneous determination of multiple cytokines reveals a pro-inflammatory and pro-angiogenic signature after major cardiothoracic surgery: potential role of C-reactive protein. <i>Cytokine</i> , 2012 , 60, 593-5	4	1
16	State of the art of the therapeutic perspective of sorafenib against hematological malignancies. <i>Current Medicinal Chemistry</i> , 2012 , 19, 4875-84	4.3	11
15	Soluble TRAIL is elevated in recurrent miscarriage and inhibits the in vitro adhesion and migration of HTR8 trophoblastic cells. <i>Human Reproduction</i> , 2012 , 27, 2941-7	5.7	22
14	Endothelial cells obtained from patients affected by chronic venous disease exhibit a pro-inflammatory phenotype. <i>PLoS ONE</i> , 2012 , 7, e39543	3.7	34
13	Xenotransplantation: an overview of the field. <i>Methods in Molecular Biology</i> , 2012 , 885, 1-16	1.4	16
12	Effects of MSC co-injection on the reconstitution of aplastic anemia patient following hematopoietic stem cell transplantation. <i>Leukemia</i> , 2010 , 24, 1791-5	10.7	22
11	Familial amyotrophic lateral sclerosis is associated with a mutation in D-amino acid oxidase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 7556-61	11.5	191
10	Bone marrow mesenchymal stromal cells non-selectively protect chronic myeloid leukemia cells from imatinib-induced apoptosis via the CXCR4/CXCL12 axis. <i>Haematologica</i> , 2010 , 95, 1081-9	6.6	119
9	Reprogramming T lymphocytes for melanoma adoptive immunotherapy by T-cell receptor gene transfer with lentiviral vectors. <i>Cancer Research</i> , 2009 , 69, 9385-94	10.1	47

8	Mesenchymal stem cells inhibit proliferation and apoptosis of tumor cells: impact on in vivo tumor growth. <i>Leukemia</i> , 2007 , 21, 304-10	10.7	317
7	Mesenchymal stem cells of cord blood origin are effective at preventing but not treating graft-versus-host disease. <i>Leukemia</i> , 2007 , 21, 1992-9	10.7	151
6	Establishment and characterization of xenografts and cancer cell cultures derived from BRCA1 -/- epithelial ovarian cancers. <i>European Journal of Cancer</i> , 2006 , 42, 1475-83	7.5	24
5	Gene therapy of ovarian cancer with IFN-alpha-producing fibroblasts: comparison of constitutive and inducible vectors. <i>Gene Therapy</i> , 2006 , 13, 953-65	4	19
4	Interferon-alpha gene therapy by lentiviral vectors contrasts ovarian cancer growth through angiogenesis inhibition. <i>Human Gene Therapy</i> , 2005 , 16, 957-70	4.8	33
3	Differential effects of angiostatin, endostatin and interferon-alpha(1) gene transfer on in vivo growth of human breast cancer cells. <i>Gene Therapy</i> , 2002 , 9, 867-78	4	70
2	Expression from cell type-specific enhancer-modified retroviral vectors after transduction: influence of marker gene stability. <i>Gene</i> , 2002 , 283, 199-208	3.8	11
1	Gene transfer in ovarian cancer cells: a comparison between retroviral and lentiviral vectors. <i>Cancer Research</i> , 2002 , 62, 6099-107	10.1	35