

# Matthew Sunderland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1654168/publications.pdf>

Version: 2024-02-01

116  
papers

5,388  
citations

134610

34  
h-index

116156

66  
g-index

132  
all docs

132  
docs citations

132  
times ranked

7633  
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with the time to transition from suicidal ideation to suicide plans and attempts in the Australian general population. <i>Psychological Medicine</i> , 2023, 53, 258-266.	2.7	2
2	Multiple lifestyle risk behaviours and hierarchical dimensions of psychopathology in 6640 Australian adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 241-251.	1.3	3
3	The Development of Preliminary HiTOP Internalizing Spectrum Scales. <i>Assessment</i> , 2022, 29, 17-33.	1.9	22
4	Weeding out the truth: a systematic review and meta-analysis on the transition from cannabis use to opioid use and opioid use disorders, abuse or dependence. <i>Addiction</i> , 2022, 117, 284-298.	1.7	20
5	The relationship between brain structure and general psychopathology in preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 734-744.	3.1	16
6	Lifestyle risks for chronic disease among Australian adolescents: a cross-sectional survey. <i>Medical Journal of Australia</i> , 2022, 216, 156-157.	0.8	15
7	The 7-Year Effectiveness of School-Based Alcohol Use Prevention From Adolescence to Early Adulthood: A Randomized Controlled Trial of Universal, Selective, and Combined Interventions. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 520-532.	0.3	29
8	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): Emotional dysfunction superspectrum. <i>World Psychiatry</i> , 2022, 21, 26-54.	4.8	97
9	The structure of psychopathology and association with poor sleep, self-harm, suicidality, risky sexual behavior, and low self-esteem in a population sample of adolescents. <i>Development and Psychopathology</i> , 2021, 33, 1208-1219.	1.4	10
10	Altered Neurocognitive Functional Connectivity and Activation Patterns Underlie Psychopathology in Preadolescence. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 387-398.	1.1	27
11	Is Adolescent Alcohol Use Linked to Spikes in Aggressive Behaviour? A Growth Curve Analysis. <i>Prevention Science</i> , 2021, 22, 534-544.	1.5	3
12	A Detailed Hierarchical Model of Psychopathology: From Individual Symptoms up to the General Factor of Psychopathology. <i>Clinical Psychological Science</i> , 2021, 9, 139-168.	2.4	54
13	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): II. Externalizing superspectrum. <i>World Psychiatry</i> , 2021, 20, 171-193.	4.8	98
14	A Brief Intervention to Increase Uptake and Adherence of an Internet-Based Program for Depression and Anxiety (Enhancing Engagement With Psychosocial Interventions): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e23029.	2.1	18
15	A systematic review of transdiagnostic risk and protective factors for general and specific psychopathology in young people. <i>Clinical Psychology Review</i> , 2021, 87, 102036.	6.0	69
16	Predictors of acceptability and engagement in a self-guided online program for depression and anxiety. <i>Internet Interventions</i> , 2021, 25, 100400.	1.4	23
17	Age-varying associations between lifestyle risk factors and major depressive disorder: a nationally representative cross-sectional study of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 129-139.	1.6	8
18	Comparing Scores From Full Length, Short Form, and Adaptive Tests of the Social Interaction Anxiety and Social Phobia Scales. <i>Assessment</i> , 2020, 27, 518-532.	1.9	5

#	ARTICLE	IF	CITATIONS
19	The role of maladaptive personality domains across multiple levels of the <scp>HiTOP</scp> structure. <i>Personality and Mental Health</i> , 2020, 14, 30-50.	0.6	21
20	Development and Validation of Static and Adaptive Screeners to Assess Suicidal Thoughts and Behavior. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 189-200.	0.9	4
21	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. <i>BMJ Open</i> , 2020, 10, e035662.	0.8	29
22	Association Between Maternal Perinatal Depression and Anxiety and Child and Adolescent Development. <i>JAMA Pediatrics</i> , 2020, 174, 1082.	3.3	208
23	Clustering of Six Key Risk Behaviors for Chronic Disease among Adolescent Females. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7211.	1.2	10
24	Development of the RMT20, a composite screener to identify common mental disorders. <i>BJPsych Open</i> , 2020, 6, e50.	0.3	5
25	Validity and utility of Hierarchical Taxonomy of Psychopathology (HiTOP): I. Psychosis superspectrum. <i>World Psychiatry</i> , 2020, 19, 151-172.	4.8	154
26	Measurement properties of smartphone approaches to assess key lifestyle behaviours: protocol of a systematic review. <i>Systematic Reviews</i> , 2020, 9, 127.	2.5	3
27	Examining differential item functioning of social interaction and performance fears in people with hazardous alcohol consumption and probable alcohol dependence. <i>Addiction Research and Theory</i> , 2020, 28, 484-492.	1.2	1
28	Changes over time in young adults's harmful alcohol consumption: A cross-temporal meta-analysis using the AUDIT. <i>Drug and Alcohol Dependence</i> , 2020, 214, 108172.	1.6	11
29	The psychometric properties of 30-day versions of the DSM-5 dimensional severity scales for social anxiety disorder and panic disorder. <i>Psychiatry Research</i> , 2020, 291, 113229.	1.7	2
30	Exploring the complex inter-relations between internalising symptoms, executive functioning and alcohol use in young adults. <i>Addictive Behaviors</i> , 2020, 106, 106351.	1.7	7
31	Transdiagnostic Risk and Protective Factors for Psychopathology in Young People: Systematic Review Protocol. <i>JMIR Research Protocols</i> , 2020, 9, e19779.	0.5	6
32	Consumer-Guided Development of an Engagement-Facilitation Intervention for Increasing Uptake and Adherence for Self-Guided Web-Based Mental Health Programs: Focus Groups and Online Evaluation Survey. <i>JMIR Formative Research</i> , 2020, 4, e22528.	0.7	11
33	The Development and Validation of the Thwarted Belongingness Scale (TBS) for Interpersonal Suicide Risk. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2019, 41, 456-469.	0.7	16
34	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. <i>The Lancet Digital Health</i> , 2019, 1, e206-e221.	5.9	91
35	Lifestyle risk indices in adolescence and their relationships to adolescent disease burden: findings from an Australian national survey. <i>BMC Public Health</i> , 2019, 19, 60.	1.2	17
36	Associations of fatigue and sleep disturbance with nine common mental disorders. <i>Journal of Psychosomatic Research</i> , 2019, 123, 109727.	1.2	33

#	ARTICLE	IF	CITATIONS
37	Key Considerations in Planning for Substance Use Treatment: Estimating Treatment Need and Demand. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2019, Sup 18, 22-30.	3.7	26
38	A Hierarchical Taxonomy of Psychopathology Can Transform Mental Health Research. <i>Perspectives on Psychological Science</i> , 2019, 14, 419-436.	5.2	243
39	Reductions in quality of life and increased economic burden associated with mental disorders in an Australian adult sample. <i>Australian Health Review</i> , 2019, 43, 644.	0.5	10
40	A brief intervention to increase uptake and adherence of an online program for depression and anxiety: Protocol for the Enhancing Engagement with Psychosocial Interventions (EEPI) Randomized Controlled Trial. <i>Contemporary Clinical Trials</i> , 2019, 78, 107-115.	0.8	22
41	Self-Report Scales for Common Mental Disorders. , 2019, , 263-277.		9
42	Content overlap between youth OCD scales: Heterogeneity among symptoms probed and implications. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2019, 21, 6-12.	0.7	13
43	Conditional probabilities of substance use disorders and associated risk factors: Progression from first use to use disorder on alcohol, cannabis, stimulants, sedatives and opioids. <i>Drug and Alcohol Dependence</i> , 2019, 194, 136-142.	1.6	69
44	Machine learning prediction of adolescent alcohol use: a cross-cultural study, cross-cultural validation. <i>Addiction</i> , 2019, 114, 662-671.	1.7	34
45	Developing and Validating a Computerized Adaptive Test to Measure Broad and Specific Factors of Internalizing in a Community Sample. <i>Assessment</i> , 2019, 26, 1030-1045.	1.9	17
46	Psychometric Properties of 7- and 30-Day Versions of the PROMIS Emotional Distress Item Banks in an Australian Adult Sample. <i>Assessment</i> , 2019, 26, 249-259.	1.9	20
47	High agreement was obtained across scores from multiple equated scales for social anxiety disorder using item response theory. <i>Journal of Clinical Epidemiology</i> , 2018, 99, 132-143.	2.4	5
48	The Structure of Psychopathology in Early Adolescence: Study of a Canadian Sample. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 223-230.	0.9	13
49	Assessing distress in the community: psychometric properties and crosswalk comparison of eight measures of psychological distress. <i>Psychological Medicine</i> , 2018, 48, 1316-1324.	2.7	74
50	Prevalence and predictors of distress associated with completion of an online survey assessing mental health and suicidality in the community. <i>Psychiatry Research</i> , 2018, 262, 348-350.	1.7	8
51	Independent Effects of Mental Disorders on Suicidal Behavior in the Community. <i>Suicide and Life-Threatening Behavior</i> , 2018, 48, 512-521.	0.9	30
52	Progress in achieving quantitative classification of psychopathology. <i>World Psychiatry</i> , 2018, 17, 282-293.	4.8	329
53	Validity of the PROMIS depression and anxiety common metrics in an online sample of Australian adults. <i>Quality of Life Research</i> , 2018, 27, 2453-2458.	1.5	25
54	Perceived needs for mental health care and barriers to treatment across age groups. <i>Aging and Mental Health</i> , 2017, 21, 1072-1078.	1.5	32

#	ARTICLE	IF	CITATIONS
55	Network approach to the symptom-level association between alcohol use disorder and posttraumatic stress disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 329-339.	1.6	51
56	Efficiently measuring dimensions of the externalizing spectrum model: Development of the Externalizing Spectrum Inventory-Computerized Adaptive Test (ESI-CAT).. <i>Psychological Assessment</i> , 2017, 29, 868-880.	1.2	12
57	The development and validation of static and adaptive screeners to measure the severity of panic disorder, social anxiety disorder, and obsessive compulsive disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	15
58	Trauma characteristics, post-traumatic symptoms, psychiatric disorders and suicidal behaviours: Results from the 2007 Australian National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1142-1151.	1.3	15
59	The relationship between social support networks and depression in the 2007 National Survey of Mental Health and Well-being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1463-1473.	1.6	126
60	The general relationship between internalizing psychopathology and chronic physical health conditions: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1257-1265.	1.6	10
61	A network approach to the comorbidity between posttraumatic stress disorder and major depressive disorder: The role of overlapping symptoms. <i>Journal of Affective Disorders</i> , 2017, 208, 490-496.	2.0	131
62	From Fear to Avoidance: Factors Associated with the Onset of Avoidance in People who Fear Social Situations. <i>Journal of Experimental Psychopathology</i> , 2016, 7, 534-548.	0.4	5
63	Development and community-based validation of eight item banks to assess mental health. <i>Psychiatry Research</i> , 2016, 243, 453-462.	1.7	12
64	The structure of adolescent psychopathology: a symptom-level analysis. <i>Psychological Medicine</i> , 2016, 46, 981-994.	2.7	89
65	The shared and specific relationships between exposure to potentially traumatic events and transdiagnostic dimensions of psychopathology. <i>Journal of Anxiety Disorders</i> , 2016, 38, 102-109.	1.5	15
66	The Distress Questionnaire-5: Population screener for psychological distress was more accurate than the K6/K10. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 35-42.	2.4	110
67	Online screening and feedback to increase help-seeking for mental health problems: population-based randomised controlled trial. <i>BJPsych Open</i> , 2016, 2, 67-73.	0.3	34
68	The Worry Behaviors Inventory: Assessing the behavioral avoidance associated with generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2016, 203, 256-264.	2.0	46
69	Discriminant validity and gender differences in DSM-5 posttraumatic stress disorder symptoms. <i>Journal of Affective Disorders</i> , 2016, 190, 56-67.	2.0	56
70	Investigating Factors that Bias the Reporting of Depression Symptomatology Among Older Australian Adults. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 1046-1055.	0.6	1
71	Antimicrobial and insect-resist wool fabrics by coating with microencapsulated antimicrobial and insect-resist agents. <i>Progress in Organic Coatings</i> , 2015, 85, 221-229.	1.9	32
72	Systematic item selection process applied to developing item pools for assessing multiple mental health problems. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 913-919.	2.4	17

#	ARTICLE	IF	CITATIONS
73	Social Phobia and Avoidant Personality Disorder: Similar but Different?. <i>Journal of Personality Disorders</i> , 2015, 29, 115-130.	0.8	21
74	DSM-IV and DSM-5 social anxiety disorder in the Australian community. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 227-235.	1.3	66
75	Developing a roadmap for the translation of e-mental health services for depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 776-784.	1.3	73
76	Examining the shared and unique relationships among substance use and mental disorders. <i>Psychological Medicine</i> , 2015, 45, 1103-1113.	2.7	6
77	The relationship between internalizing psychopathology and suicidality, treatment seeking, and disability in the Australian population. <i>Journal of Affective Disorders</i> , 2015, 171, 6-12.	2.0	24
78	Lifetime and current prevalence of common DSM-IV mental disorders, their demographic correlates, and association with service utilisation and disability in older Australian adults. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 145-155.	1.3	21
79	Recreational drug use and binge drinking: Stimulant but not cannabis intoxication is associated with excessive alcohol consumption. <i>Drug and Alcohol Review</i> , 2014, 33, 436-445.	1.1	26
80	Typologies of Alcohol Consumption on a Saturday Night Among Young Adults. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1745-1752.	1.4	9
81	An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis. <i>Psychological Medicine</i> , 2014, 44, 1701-1712.	2.7	13
82	Comparing profiles of mental disorder across birth cohorts: Results from the 2007 Australian National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 452-463.	1.3	8
83	Reductions in the internalising construct following internet-delivered treatment for anxiety and depression in primary care. <i>Behaviour Research and Therapy</i> , 2014, 63, 132-138.	1.6	7
84	Demographic, Clinical, and Lifestyle Correlates of Subjective Memory Complaints in the Australian Population. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1222-1232.	0.6	42
85	Investigating age-related differences in responses to screening items for internalising disorders in three national surveys. <i>Journal of Affective Disorders</i> , 2014, 152-154, 229-236.	2.0	4
86	Preventing anxiety and depression in adolescents: A randomised controlled trial of two school based Internet-delivered cognitive behavioural therapy programmes. <i>Internet Interventions</i> , 2014, 1, 90-94.	1.4	47
87	Health anxiety in Australia: prevalence, comorbidity, disability and service use. <i>British Journal of Psychiatry</i> , 2013, 202, 56-61.	1.7	204
88	Exploring the existence of drug policy "ideologies" in Australia. <i>Drugs: Education, Prevention and Policy</i> , 2013, 20, 258-267.	0.8	9
89	The 10-Item Kessler Psychological Distress Scale (K10) as a Screening Instrument in Older Individuals. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 596-606.	0.6	60
90	Hierarchical screening for multiple mental disorders. <i>Journal of Affective Disorders</i> , 2013, 151, 229-236.	2.0	9

#	ARTICLE	IF	CITATIONS
91	Factor mixture analysis of DSM-IV symptoms of major depression in a treatment seeking clinical population. <i>Comprehensive Psychiatry</i> , 2013, 54, 474-483.	1.5	13
92	Age-related differences in internalizing psychopathology amongst the Australian general population.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1010-1020.	2.0	9
93	Psychotic-like experiences in a community sample of 8000 children aged 9 to 11 years: an item response theory analysis. <i>Psychological Medicine</i> , 2012, 42, 1495-1506.	2.7	144
94	Psychological distress across the lifespan: examining age-related item bias in the Kessler 6 Psychological Distress Scale. <i>International Psychogeriatrics</i> , 2012, 24, 231-242.	0.6	40
95	Developing a short-form structured diagnostic interview for common mental disorders using signal detection theory. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 247-257.	1.1	7
96	Development of a short form Social Interaction Anxiety (SIAS) and Social Phobia Scale (SPS) using nonparametric item response theory: The SIAS-6 and the SPS-6.. <i>Psychological Assessment</i> , 2012, 24, 66-76.	1.2	221
97	Investigating trajectories of change in psychological distress amongst patients with depression and generalised anxiety disorder treated with internet cognitive behavioural therapy. <i>Behaviour Research and Therapy</i> , 2012, 50, 374-380.	1.6	74
98	Adherence as a determinant of effectiveness of internet cognitive behavioural therapy for anxiety and depressive disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 463-468.	1.6	180
99	Assessing DSM-IV symptoms of panic attack in the general population: An item response analysis. <i>Journal of Affective Disorders</i> , 2012, 143, 187-195.	2.0	7
100	Investigating the Factor Structure of the Kessler Psychological Distress Scale in Community and Clinical Samples of the Australian Population. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2012, 34, 253-259.	0.7	55
101	The 10-Item Kessler Psychological Distress Measure (K10) as a Screening Instrument in Older Individuals. <i>American Journal of Geriatric Psychiatry</i> , 2012, , 1.	0.6	2
102	Psychometric Comparison of the Generalized Anxiety Disorder Scale-7 and the Penn State Worry Questionnaire for Measuring Response during Treatment of Generalised Anxiety Disorder. <i>Cognitive Behaviour Therapy</i> , 2011, 40, 216-227.	1.9	211
103	Measuring the level of diagnostic concordance and discordance between modules of the CIDI-Short Form and the CIDI-Auto 2.1. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 775-785.	1.6	14
104	Estimating the Prevalence of DSM-IV Mental Illness in the Australian General Population Using the Kessler Psychological Distress Scale. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 880-889.	1.3	38
105	Psychometric Comparison of the PHQ-9 and BDHI for Measuring Response during Treatment of Depression. <i>Cognitive Behaviour Therapy</i> , 2011, 40, 126-136.	1.9	235
106	Quantifying point prevalence of major depressive episode using lifetime structured diagnostic interviews. <i>Journal of Affective Disorders</i> , 2010, 121, 39-44.	2.0	2
107	Consistency of Diagnostic Thresholds in DSM-V. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 309-313.	1.3	8
108	Investigating differential symptom profiles in major depressive episode with and without generalized anxiety disorder: true co-morbidity or symptom similarity?. <i>Psychological Medicine</i> , 2010, 40, 1113-1123.	2.7	35

#	ARTICLE	IF	CITATIONS
109	Neurocognitive disorders: Cluster 1 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009, 39, 2001-2012.	2.7	32
110	Telephone Case Management Reduces Both Distress and Psychiatric Hospitalization. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 809-811.	1.3	9
111	Neurodevelopmental disorders: Cluster 2 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009, 39, 2013-2023.	2.7	68
112	Normative Data for the 12 Item WHO Disability Assessment Schedule 2.0. <i>PLoS ONE</i> , 2009, 4, e8343.	1.1	320
113	Classification of Anxiety and Depressive disorders: problems and solutions. <i>Depression and Anxiety</i> , 2008, 25, 274-281.	2.0	77
114	Impact of Substance-Induced and General Medical Condition Exclusion Criteria on the Prevalence of Common Mental Disorders as Defined by the CIDI. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 898-904.	1.3	4
115	Issues for DSM-V: Simplifying DSM-IV to Enhance Utility: The Case of Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 1784-1785.	4.0	22
116	Response to Bahji <i>et al</i> .: Limitations of the available evidence that restrict our interpretation of the transition from cannabis to opioid use. <i>Addiction</i> , 0, , .	1.7	0