

Tomokazu Fukuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1655951/publications.pdf>

Version: 2024-02-01

125
papers

2,985
citations

218592

26
h-index

197736

49
g-index

131
all docs

131
docs citations

131
times ranked

3911
citing authors

#	ARTICLE	IF	CITATIONS
1	Immortalization of cells derived from domestic dogs through expressing mutant cyclin-dependent kinase 4, cyclin D1, and telomerase reverse transcriptase. <i>Cytotechnology</i> , 2022, 74, 181-192.	0.7	2
2	Transcriptome analysis to identify the downstream genes of androgen receptor in dermal papilla cells. <i>BMC Genomic Data</i> , 2022, 23, 2.	0.7	1
3	Lentiviral expression of calpain-1 C2-like domain peptide prevents glutamate-induced cell death in mouse hippocampal neuronal HT22 cells. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2022, 58, 289-294.	0.7	1
4	Immortalization of common marmoset-derived fibroblasts via expression of cell cycle regulators using the piggyBac transposon. <i>Tissue and Cell</i> , 2022, 77, 101848.	1.0	3
5	Combinatorial expression of cell cycle regulators is more suitable for immortalization than oncogenic methods in dermal papilla cells. <i>IScience</i> , 2021, 24, 101929.	1.9	8
6	KAv-1 is Better Suited to Chick Fibroblast Culture than DMEM or 199 Media. <i>Journal of Poultry Science</i> , 2021, 58, 270-279.	0.7	1
7	Establishment of induced pluripotent stem cells from prairie vole-derived fibroblast. , 2021, , 165-186.		0
8	Generation of a new mouse line with conditionally activated signaling through the BMP receptor, ACVR1 : A tool to characterize pleiotropic roles of BMP functions. <i>Genesis</i> , 2021, 59, e23419.	0.8	4
9	The transcriptome of wild-type and immortalized corneal epithelial cells. <i>Scientific Data</i> , 2021, 8, 126.	2.4	4
10	Establishment of human airway epithelial cells with doxycycline-inducible cell growth and fluorescence reporters. <i>Cytotechnology</i> , 2021, 73, 555-569.	0.7	0
11	Phototoxicities Caused by Continuous Light Exposure Were Not Induced in Retinal Ganglion Cells Transduced by an Optogenetic Gene. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6732.	1.8	8
12	Detailed chromosome analysis of wild-type, immortalized fibroblasts with SV40T, E6E7, combinational introduction of cyclin dependent kinase 4, cyclin D1, telomerase reverse transcriptase. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021, 57, 998-1005.	0.7	6
13	Oxytocin induced labor causes region and sex-specific transient oligodendrocyte cell death in neonatal mouse brain. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020, 46, 66-78.	0.6	11
14	Efficient immortalization of human dental pulp stem cells with expression of cell cycle regulators with the intact chromosomal condition. <i>PLoS ONE</i> , 2020, 15, e0229996.	1.1	19
15	ADAMTSL6 ¹ promotes fibrillin ¹ microfibril assembly, which is possibly mediated via binding through the third thrombospondin type I domain to fibrillin ¹ . <i>Cell Biology International</i> , 2020, 44, 1436-1446.	1.4	1
16	Japanese Golden Eagle Conservation Science: Current Status and Future Needs. <i>Japanese Journal of Zoo and Wildlife Medicine</i> , 2020, 25, 9-28.	0.2	2
17	Establishment of porcine nuclear transfer-derived embryonic stem cells using induced pluripotent stem cells as donor nuclei. <i>Journal of Reproduction and Development</i> , 2020, 66, 163-174.	0.5	1
18	Generation of mouse iPS cells using an inducible expression of transgenes via the cumate gene-switch. <i>Analytical Biochemistry</i> , 2020, 599, 113748.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Primary and immortalized cell lines derived from the Amami rabbit (<i>Pentalagus furnessi</i>) and evolutionally conserved cell cycle control with CDK4 and Cyclin D1. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 1046-1053.	1.0	11
20	Human Derived Immortalized Dermal Papilla Cells With a Constant Expression of Testosterone Receptor. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 157.	1.8	11
21	Transgenerational Effects on Calf Spermatogenesis and Metabolome Associated with Paternal Exposure to the Fukushima Nuclear Power Plant Accident. , 2020, , 125-138.		1
22	Incorporation and Accumulation of Strontium-90 in the Hard Tissue of Animals and Their Relationship with Strontium-90 Pollution in the Environment. , 2020, , 53-62.		1
23	Analysis of Ovaries and Fertilities in Domestic Animals Affected by the Fukushima Daiichi Nuclear Power Plant Accident. , 2020, , 113-123.		1
24	The Effect of Radiation on the Immune System in Pigs Affected by the Fukushima Daiichi Nuclear Power Plant Accident. , 2020, , 139-151.		0
25	Preparation and Genome Analysis of Immortalized Cells Derived from Wild Macaques Affected by the Fukushima Daiichi Nuclear Power Plant Accident. , 2020, , 215-220.		0
26	Title is missing!. , 2020, 15, e0229996.		0
27	Title is missing!. , 2020, 15, e0229996.		0
28	Title is missing!. , 2020, 15, e0229996.		0
29	Title is missing!. , 2020, 15, e0229996.		0
30	Title is missing!. , 2020, 15, e0229996.		0
31	Title is missing!. , 2020, 15, e0229996.		0
32	Human-Derived Corneal Epithelial Cells Expressing Cell Cycle Regulators as a New Resource for in vitro Ocular Toxicity Testing. <i>Frontiers in Genetics</i> , 2019, 10, 587.	1.1	11
33	Global transcriptome analysis of pig induced pluripotent stem cells derived from six and four reprogramming factors. <i>Scientific Data</i> , 2019, 6, 190034.	2.4	12
34	Establishment of immortalized primary cell from the critically endangered Bonin flying fox (<i>Pteropus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.1	28
35	Rat-derived feeder cells immortalized by expression of mutant CDK4, cyclin D, and telomerase can support stem cell growth. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 945-956.	1.9	18
36	Intestinal Bacteria as Powerful Trapping Lifeforms for the Elimination of Radioactive Cesium. <i>Frontiers in Veterinary Science</i> , 2019, 6, 70.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Extended proliferation of chicken and Okinawa rail derived fibroblasts by expression of cell cycle regulators. <i>Journal of Cellular Physiology</i> , 2019, 234, 6709-6720.	2.0	18
38	The polygenic expression of four transcriptional factors (CRX, RAX, NEUROD, OTX2) in fibroblasts via retroviral or lentivirus causes partial reprogramming into photoreceptor cells. <i>Cell Biology International</i> , 2018, 42, 608-614.	1.4	3
39	90 Sr specific activity of teeth of abandoned cattle after the Fukushima accident as teeth as an indicator of environmental pollution. <i>Journal of Environmental Radioactivity</i> , 2018, 183, 1-6.	0.9	17
40	Estimation of concentration of radionuclides in skeletal muscle from blood, based on the data from abandoned animals in Fukushima. <i>Animal Science Journal</i> , 2018, 89, 843-847.	0.6	5
41	Chick derived induced pluripotent stem cells by the polygenic transposon with enhanced transcriptional activity. <i>Journal of Cellular Physiology</i> , 2018, 233, 990-1004.	2.0	15
42	A basic fibroblast growth factor slow release system combined to a biodegradable nerve conduit improves endothelial cell and Schwann cell proliferation: A preliminary study in a rat model. <i>Microsurgery</i> , 2018, 38, 899-906.	0.6	12
43	Efficient immortalization of cells derived from critically endangered Tsushima leopard cat (<i>Prionailurus bengalensis euptilurus</i>) with expression of mutant CDK4, Cyclin D1, and telomerase reverse transcriptase. <i>Cytotechnology</i> , 2018, 70, 1619-1630.	0.7	28
44	Dietary intake of iodine enriched eggs decreases the incidence of mouse mammary tumors caused by the activated <i>ErbB2</i> oncogene. <i>Animal Science Journal</i> , 2018, 89, 1169-1177.	0.6	0
45	Expression of human mutant cyclin dependent kinase 4, Cyclin D and telomerase extends the life span but does not immortalize fibroblasts derived from loggerhead sea turtle (<i>Caretta caretta</i>). <i>Scientific Reports</i> , 2018, 8, 9229.	1.6	27
46	The Causal Relationship between DNA Damage Induction in Bovine Lymphocytes and the Fukushima Nuclear Power Plant Accident. <i>Radiation Research</i> , 2017, 187, 630-636.	0.7	28
47	miR-663a regulates growth of colon cancer cells, after administration of antimicrobial peptides, by targeting CXCR4-p21 pathway. <i>BMC Cancer</i> , 2017, 17, 33.	1.1	36
48	Specific and spatial labeling of <i>POU1f1</i> versus <i>Wnt1</i> in cranial neural crest in early mouse embryos. <i>Genesis</i> , 2017, 55, e23034.	0.8	37
49	Expression of Six Proteins Causes Reprogramming of Porcine Fibroblasts Into Induced Pluripotent Stem Cells With Both Active X Chromosomes. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 537-553.	1.2	38
50	Gene expression analyses of the small intestine of pigs in the ex-evacuation zone of the Fukushima Daiichi Nuclear Power Plant. <i>BMC Veterinary Research</i> , 2017, 13, 337.	0.7	13
51	Immortalized prairie vole-derived fibroblasts (VMF-K4DTs) can be transformed into pluripotent stem cells and provide a useful tool with which to determine optimal reprogramming conditions. <i>Journal of Reproduction and Development</i> , 2017, 63, 311-318.	0.5	24
52	Analysis of Plasma Protein Concentrations and Enzyme Activities in Cattle within the Ex-Evacuation Zone of the Fukushima Daiichi Nuclear Plant Accident. <i>PLoS ONE</i> , 2016, 11, e0155069.	1.1	27
53	Establishment of an immortalized cell line derived from the prairie vole via lentivirus-mediated transduction of mutant cyclin-dependent kinase 4, cyclin D, and telomerase reverse transcriptase. <i>Experimental Animals</i> , 2016, 65, 87-96.	0.7	25
54	Prolyl isomerase Pin1 regulates doxorubicin-inducible P-glycoprotein level by reducing Foxo3 stability. <i>Biochemical and Biophysical Research Communications</i> , 2016, 471, 328-333.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Induced Pluripotent Stem Cells with Six Reprogramming Factors from Prairie Vole, Which is an Animal Model for Social Behaviors. <i>Cell Transplantation</i> , 2016, 25, 783-796.	1.2	20
56	Cellular conservation of endangered midget buffalo (Lowland Anoa, <i>Bubalus quarlesi</i>) by establishment of primary cultured cell, and its immortalization with expression of cell cycle regulators. <i>Cytotechnology</i> , 2016, 68, 1937-1947.	0.7	34
57	⁹⁰ Sr in teeth of cattle abandoned in evacuation zone: Record of pollution from the Fukushima-Daiichi Nuclear Power Plant accident. <i>Scientific Reports</i> , 2016, 6, 24077.	1.6	30
58	Generation of <i>Oxtr cDNA^{HA}iresaCre</i> Mice for Gene Expression in an Oxytocin Receptor Specific Manner. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 1099-1111.	1.2	28
59	Transgenic expression of <i>Telomerase reverse transcriptase</i> (<i>Tert</i>) improves cell proliferation of primary cells and enhances reprogramming efficiency into the induced pluripotent stem cell. <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 1925-1933.	0.6	8
60	Software development for estimating the concentration of radioactive cesium in the skeletal muscles of cattle from blood samples. <i>Animal Science Journal</i> , 2016, 87, 842-847.	0.6	10
61	Expression of human cell cycle regulators in the primary cell line of the African savannah elephant (<i>Loxodonta africana</i>) increases proliferation until senescence, but does not induce immortalization. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2016, 52, 20-26.	0.7	9
62	Survival, Proliferation and Cell Cycle of Swine Fibroblast after Infection with <i>Salmonella enterica</i> . <i>Advances in Microbiology</i> , 2016, 06, 942-952.	0.3	0
63	Antimicrobial peptide FF/CAP18 induces apoptotic cell death in HCT116 colon cancer cells via changes in the metabolic profile. <i>International Journal of Oncology</i> , 2015, 46, 1516-1526.	1.4	43
64	A comprehensive dose evaluation project concerning animals affected by the Fukushima Daiichi Nuclear Power Plant accident: its set-up and progress. <i>Journal of Radiation Research</i> , 2015, 56, i36-i41.	0.8	23
65	Leptospiral lipopolysaccharide stimulates the expression of toll-like receptor 2 and cytokines in pig fibroblasts. <i>Animal Science Journal</i> , 2015, 86, 238-244.	0.6	10
66	Establishment of Cell Lines Derived From the Genus <i>Macaca</i> Through Controlled Expression of Cell Cycle Regulators. <i>Journal of Cellular Biochemistry</i> , 2015, 116, 205-211.	1.2	34
67	Cesium radioactivity in peripheral blood is linearly correlated to that in skeletal muscle: Analyses of cattle within the evacuation zone of the Fukushima Daiichi Nuclear Power Plant. <i>Animal Science Journal</i> , 2015, 86, 120-124.	0.6	15
68	Immortalization of Fetal Bovine Colon Epithelial Cells by Expression of Human Cyclin D1, Mutant Cyclin Dependent Kinase 4, and Telomerase Reverse Transcriptase: An In Vitro Model for Bacterial Infection. <i>PLoS ONE</i> , 2015, 10, e0143473.	1.1	33
69	Electron probe X-ray microanalysis of boar and inobuta testes after the Fukushima accident. <i>Journal of Radiation Research</i> , 2015, 56, i42-i47.	0.8	20
70	Comparative cytotoxicity and genotoxicity of soluble and particulate hexavalent chromium in human and hawksbill sea turtle (<i>Eretmochelys imbricata</i>) skin cells. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2015, 178, 145-155.	1.3	14
71	Generation of aminoterminally truncated, stable types of bioactive bovine and porcine fibroblast growth factor 4 in <i>Escherichia coli</i> . <i>Biotechnology and Applied Biochemistry</i> , 2015, 62, 164-172.	1.4	0
72	Low-molecular-weight inhibitors of cell differentiation enable efficient growth of mouse iPS cells under feeder-free conditions. <i>Cytotechnology</i> , 2015, 67, 191-197.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Interaction between Leptospiral Lipopolysaccharide and Toll-like Receptor 2 in Pig Fibroblast Cell Line, and Inhibitory Effect of Antibody against Leptospiral Lipopolysaccharide on Interaction. <i>Asian-Australasian Journal of Animal Sciences</i> , 2015, 28, 273-279.	2.4	10
74	Changes in estrogen receptor expression in the chick thymus during late embryonic development. <i>Animal Science Journal</i> , 2014, 85, 277-285.	0.6	4
75	Coffee consumption delays the hepatitis and suppresses the inflammation related gene expression in the Long-Evans Cinnamon rat. <i>Clinical Nutrition</i> , 2014, 33, 302-310.	2.3	15
76	Hexavalent chromium is cytotoxic and genotoxic to hawksbill sea turtle cells. <i>Toxicology and Applied Pharmacology</i> , 2014, 279, 113-118.	1.3	20
77	MAGI-2 Is Critical for the Formation and Maintenance of the Glomerular Filtration Barrier in Mouse Kidney. <i>American Journal of Pathology</i> , 2014, 184, 2699-2708.	1.9	34
78	Primary fibroblast cultures and karyotype analysis for the olive ridley sea turtle (<i>Lepidochelys</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	0.7	8
79	Bovine and porcine fibroblasts can be immortalized with intact karyotype by the expression of mutant cyclin dependent kinase 4, cyclin D, and telomerase. <i>Journal of Biotechnology</i> , 2014, 176, 50-57.	1.9	51
80	Peroxisome proliferator-activated receptor β mediates di-(2-ethylhexyl) phthalate transgenerational repression of ovarian <i>Esr1</i> expression in female mice. <i>Toxicology Letters</i> , 2014, 228, 235-240.	0.4	26
81	Common Amino Acid Sequences Deduced from Coding Exons of the Porcine FGF4 Gene in Two Breeds and Production of the Encoded Protein in <i>Escherichia coli</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 173-177.	0.6	4
82	Establishment of a reporter system to monitor silencing status in induced pluripotent stem cell lines. <i>Analytical Biochemistry</i> , 2013, 443, 104-112.	1.1	27
83	Ceragenin CSA-13 induces cell cycle arrest and antiproliferative effects in wild-type and p53 null mutant HCT116 colon cancer cells. <i>Anti-Cancer Drugs</i> , 2013, 24, 826-834.	0.7	28
84	Effects of radioactive caesium on bull testes after the Fukushima nuclear plant accident. <i>Scientific Reports</i> , 2013, 3, 2850.	1.6	65
85	Production of bioactive bovine fibroblast growth factor 4 in <i>Escherichia coli</i> based on the common nucleotide sequence of its structural gene in three breeds. <i>Animal Science Journal</i> , 2013, 84, 275-280.	0.6	4
86	Augmentation of smad-dependent BMP signaling in neural crest cells causes craniosynostosis in mice. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1422-1433.	3.1	88
87	Distribution of Artificial Radionuclides in Abandoned Cattle in the Evacuation Zone of the Fukushima Daiichi Nuclear Power Plant. <i>PLoS ONE</i> , 2013, 8, e54312.	1.1	76
88	Localization of Estrogen Receptor in the Central Lymphoid Organs of Chickens during the Late Stage of Embryogenesis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 2003-2007.	0.6	6
89	Effects of bisphenol A exposure on the proliferation and senescence of normal human mammary epithelial cells. <i>Cancer Biology and Therapy</i> , 2012, 13, 296-306.	1.5	93
90	Anti-proliferative effect of an analogue of the LL-37 peptide in the colon cancer derived cell line HCT116 p53 ^{+/+} and p53 ^{-/-} . <i>Oncology Reports</i> , 2012, 28, 829-834.	1.2	34

#	ARTICLE	IF	CITATIONS
91	Efficient Establishment of Pig Embryonic Fibroblast Cell Lines with Conditional Expression of the Simian Vacuolating Virus 40 Large T Fragment. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 1372-1377.	0.6	31
92	Efficient establishment of primary fibroblast cultures from the hawksbill sea turtle (<i>Eretmochelys</i>) Tj ETQq0 0 0 rgBT J Overlock 10 Tf 50	0.7	24
93	Identification of Novel Low-Dose Bisphenol A Targets in Human Foreskin Fibroblast Cells Derived from Hypospadias Patients. <i>PLoS ONE</i> , 2012, 7, e36711.	1.1	17
94	Individual Variation of the Genetic Response to Bisphenol A in Human Foreskin Fibroblast Cells Derived from Cryptorchidism and Hypospadias Patients. <i>PLoS ONE</i> , 2012, 7, e52756.	1.1	13
95	Identification of Stage-Specific Gene Expression Signatures in Response to Retinoic Acid during the Neural Differentiation of Mouse Embryonic Stem Cells. <i>Frontiers in Genetics</i> , 2012, 3, 141.	1.1	24
96	Generation of Venus reporter knock-in mice revealed MAGI-2 expression patterns in adult mice. <i>Gene Expression Patterns</i> , 2012, 12, 95-101.	0.3	17
97	Immunological characteristics and response to lipopolysaccharide of mouse lines selectively bred with natural and acquired immunities. <i>Animal Science Journal</i> , 2012, 83, 367-374.	0.6	0
98	Prolyl Isomerase Pin1 Regulates Mouse Embryonic Fibroblast Differentiation into Adipose Cells. <i>PLoS ONE</i> , 2012, 7, e31823.	1.1	21
99	Functional analysis of genetic polymorphisms. <i>Journal of Animal Genetics</i> , 2012, 40, 51-57.	0.5	0
100	Effect of dietary addition of seaweed and licorice on the immune performance of pigs. <i>Animal Science Journal</i> , 2011, 82, 274-281.	0.6	45
101	Immunophenotype Characterization for Swine Selected Line, Which is Resistant for the Mycoplasma Pneumonia. <i>Asian-Australasian Journal of Animal Sciences</i> , 2011, 24, 889-897.	2.4	12
102	Oxygenomics in environmental stress. <i>Redox Report</i> , 2010, 15, 98-114.	1.4	21
103	Title is missing!. <i>Journal of Animal Genetics</i> , 2010, 38, 83-91.	0.5	0
104	Importance of CDK7 for G1 Re-Entry into the Mammalian Cell Cycle and Identification of New Downstream Networks Using a Computational Method~!2009-11-05~!2010-03-01~!2010-04-02~!. <i>The Open Cell Signaling Journal</i> , 2010, 2, 1-12.	0.3	0
105	BMP type I receptor inhibition reduces heterotopic ossification. <i>Nature Medicine</i> , 2008, 14, 1363-1369.	15.2	559
106	The Anti-Proliferative Effects of the CHFR Depend on the Forkhead Associated Domain, but not E3 Ligase Activity Mediated by Ring Finger Domain. <i>PLoS ONE</i> , 2008, 3, e1776.	1.1	24
107	Generation of a mouse with conditionally activated signaling through the BMP receptor, ALK2. <i>Genesis</i> , 2006, 44, 159-167.	0.8	104
108	Genetically modified bone morphogenetic protein signalling Alters traumatic brain injury-induced gene expression responses in the adult mouse. <i>Journal of Neuroscience Research</i> , 2006, 84, 47-57.	1.3	21

#	ARTICLE	IF	CITATIONS
109	Expression of heregulin by mouse mammary tumor cells: Role in activation of ErbB receptors. <i>Molecular Carcinogenesis</i> , 2006, 45, 490-505.	1.3	8
110	Conditional Transgenic System for Mouse Aurora A Kinase: Degradation by the Ubiquitin Proteasome Pathway Controls the Level of the Transgenic Protein. <i>Molecular and Cellular Biology</i> , 2005, 25, 5270-5281.	1.1	41
111	Bone Morphogenetic Protein Type IA Receptor Signaling Regulates Postnatal Osteoblast Function and Bone Remodeling. <i>Journal of Biological Chemistry</i> , 2004, 279, 27560-27566.	1.6	169
112	Multifocal Micronodular Pneumocyte Hyperplasia and Lymphangiomyomatosis in Tuberous Sclerosis with a TSC2 Gene. <i>Modern Pathology</i> , 2001, 14, 609-614.	2.9	38
113	A New Western Blotting Method Using Polymer Immunocomplexes: Detection of Tsc1 and Tsc2 Expression in Various Cultured Cell Lines. <i>Analytical Biochemistry</i> , 2000, 285, 274-276.	1.1	25
114	Distribution of Tsc1 Protein Detected by Immunohistochemistry in Various Normal Rat Tissues and the Renal Carcinomas of Eker Rat: Detection of Limited Colocalization with Tsc1 and Tsc2 Gene Products In Vivo. <i>Laboratory Investigation</i> , 2000, 80, 1347-1359.	1.7	25
115	A Novel Geneâ€œNibanâ€œUpregulated in Renal Carcinogenesis: Cloning by the cDNA-amplified Fragment Length Polymorphism Approach. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 869-874.	1.7	39
116	Distribution of Tsc2 protein in various normal rat tissues and renal tumours of Tsc2 mutant (Eker) rat detected by immunohistochemistry. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1999, 434, 341-350.	1.4	17
117	Cloning of Differentially Expressed Genes in Highly and Low Metastatic Rat Osteosarcomas by a Modified cDNA-AFLP Method. <i>Biochemical and Biophysical Research Communications</i> , 1999, 261, 35-40.	1.0	20
118	Generation of Metastatic Variants of Eker Renal Carcinoma Cell Lines for Experimental Investigation of Renal Cancer Metastasis. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1104-1108.	1.7	19
119	Increased Telomerase Activities in Human Pancreatic Duct Adenocarcinomas. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 971-976.	1.7	25
120	Chemopreventive Efficacy of Piroxicam Administered Alone or in Combination with Lycopene and Î²-Carotene on the Development of Rat Urinary Bladder Carcinoma after AN-Butyl-N-(4-hydroxybutyl)nitrosamine Treatment. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 543-552.	1.7	43
121	Shortened telomere length and increased telomerase activity in hamster pancreatic duct adenocarcinomas and cell lines. , 1997, 18, 153-159.		28
122	Infrequent somatic alteration of p16/MTS1 in human primary superficial bladder cancers. <i>Cancer Letters</i> , 1996, 103, 227-231.	3.2	21
123	Frequent mutations of Ki-ras but no mutations of Ha-ras and p53 in lung lesions induced by N-nitrosobis(2-hydroxypropyl)amine in rats. <i>Molecular Carcinogenesis</i> , 1996, 15, 276-283.	1.3	42
124	Shortened Telomere Length in Hepatocellular Carcinomas and Corresponding Background Liver Tissues of Patients Infected with Hepatitis Virus. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 419-422.	1.7	16
125	Prevention by Methionine of Enhancement of Hepatocarcinogenesis by Coadministration of a Choline-deficient L-Amino Acid-defined Diet and Ethionine in Rats. <i>Japanese Journal of Cancer Research</i> , 1995, 86, 1136-1142.	1.7	16