

Hongsheng Guo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1656326/hongsheng-guo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

3,456
citations

32
h-index

57
g-index

114
ext. papers

4,022
ext. citations

4.4
avg, IF

5.43
L-index

#	Paper	IF	Citations
101	A study on split diesel injection on thermal efficiency and emissions of an ammonia/diesel dual-fuel engine. <i>Fuel</i> , 2022 , 316, 123412	7.1	2
100	Numerical investigation on NO formation in laminar counterflow methane/n-heptane dual fuel flames. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 13143-13156	6.7	
99	Effects of ammonia energy fraction and diesel injection timing on combustion and emissions of an ammonia/diesel dual-fuel engine. <i>Fuel</i> , 2021 , 122723	7.1	4
98	Effect of post-injection strategy on greenhouse gas emissions of natural gas/diesel dual-fuel engine at high load conditions. <i>Fuel</i> , 2021 , 290, 120071	7.1	11
97	Effect of fuel composition on properties of particles emitted from a diesel/natural gas dual fuel engine. <i>International Journal of Engine Research</i> , 2021 , 22, 77-87	2.7	5
96	Effect of pre-main-post diesel injection strategy on greenhouse gas and nitrogen oxide emissions of natural gas/diesel dual-fuel engine at high load conditions. <i>Fuel</i> , 2021 , 302, 121110	7.1	7
95	Split diesel injection effect on knocking of natural gas/diesel dual-fuel engine at high load conditions. <i>Applied Energy</i> , 2020 , 279, 115828	10.7	15
94	On the Variation of the Effect of Natural Gas Fraction on Dual-Fuel Combustion of Diesel Engine Under Low-to-High Load Conditions. <i>Frontiers in Mechanical Engineering</i> , 2020 , 6,	2.6	3
93	On greenhouse gas emissions and thermal efficiency of natural gas/diesel dual-fuel engine at low load conditions: Coupled effect of injector rail pressure and split injection. <i>Applied Energy</i> , 2019 , 242, 216-231	10.7	35
92	Effect of diesel injection timing on the combustion of natural gas/diesel dual-fuel engine at low-high load and low-high speed conditions. <i>Fuel</i> , 2019 , 235, 838-846	7.1	56
91	Combustion and Greenhouse Gas Emissions of a Natural Gas-Diesel Dual Fuel Engine at Low and High Load Conditions 2019 ,		2
90	Combustion and Emission Performance of an HCCI Engine Fuelled by n-Heptane/Toluene Blends at a Low-Load Operating Condition. <i>Journal of Advanced Thermal Science Research</i> , 2019 , 5, 17-26	0	
89	A Numerical Investigation on NO ₂ Formation in a Natural Gas/Diesel Dual Fuel Engine. <i>Journal of Engineering for Gas Turbines and Power</i> , 2018 , 140,	1.7	2
88	A numerical study on the chemical kinetics process during auto-ignition of n-heptane in a direct injection compression ignition engine. <i>Applied Energy</i> , 2018 , 212, 909-918	10.7	13
87	A numerical investigation on NO ₂ formation reaction pathway in a natural gas/diesel dual fuel engine. <i>Combustion and Flame</i> , 2018 , 190, 337-348	5.3	18
86	An experimental and numerical study on diesel injection split of a natural gas/diesel dual-fuel engine at a low engine load. <i>Fuel</i> , 2018 , 212, 332-346	7.1	71
85	Combustion Performance and Unburned Hydrocarbon Emissions of a Natural Gas/Diesel Dual Fuel Engine at a Low Load Condition. <i>Journal of Engineering for Gas Turbines and Power</i> , 2018 , 140,	1.7	6

84	Effect of swirl ratio on NG/diesel dual-fuel combustion at low to high engine load conditions. <i>Applied Energy</i> , 2018 , 229, 375-388	10.7	28
83	Injector Tip Temperature and Combustion Performance of a Natural Gas-Diesel Dual Fuel Engine at Medium and High Load Conditions 2018 ,		3
82	An experimental and numerical study of the effect of diesel injection timing on natural gas/diesel dual-fuel combustion at low load. <i>Fuel</i> , 2017 , 203, 642-657	7.1	75
81	A numerical investigation on methane combustion and emissions from a natural gas-diesel dual fuel engine using CFD model. <i>Applied Energy</i> , 2017 , 205, 153-162	10.7	65
80	A Numerical Investigation on NO2 Formation in a Natural Gas-Diesel Dual Fuel Engine 2017 ,		2
79	Effect of Diesel Injection Split on Combustion and Emissions Performance of a Natural GasDiesel Dual Fuel Engine at a Low Load Condition 2017 ,		4
78	Combustion Performance and Unburned Hydrocarbon Emissions of a Natural GasDiesel Dual Fuel Engine at a Low Load Condition 2017 ,		2
77	Evaluation of Kinetics Process in CFD Model and Its Application in Ignition Process Analysis of a Natural Gas-Diesel Dual Fuel Engine 2017 ,		5
76	CoFlame: A refined and validated numerical algorithm for modeling sooting laminar coflow diffusion flames. <i>Computer Physics Communications</i> , 2016 , 207, 464-477	4.2	81
75	The Combustion and Emissions Performance of a Syngas-Diesel Dual Fuel Compression Ignition Engine 2016 ,		9
74	Heat release rate variations in a globally stoichiometric, stratified iso-octane/air turbulent V-flame. <i>Combustion and Flame</i> , 2015 , 162, 944-959	5.3	21
73	Effects of stratification on locally lean, near-stoichiometric, and rich iso-octane/air turbulent V-flames. <i>Combustion and Flame</i> , 2015 , 162, 4231-4240	5.3	8
72	An Experimental Investigation on the Combustion and Emissions Performance of a Natural GasDiesel Dual Fuel Engine at Low and Medium Loads 2015 ,		14
71	Effect of Renewable Diesel and Jet Blending Components on Combustion and Emissions Performance of a HCCI Engine 2014 ,		3
70	The effect of hydrogen addition on combustion and emission characteristics of an n-heptane fuelled HCCI engine. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 11429-11437	6.7	48
69	Soot formation in a laminar ethylene/air diffusion flame at pressures from 1 to 8atm. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 1795-1802	5.9	33
68	An experimental study on the formation of polycyclic aromatic hydrocarbons in laminar coflow non-premixed methane/air flames doped with four isomeric butanols. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 779-786	5.9	35
67	The NOx and N2O Emission Characteristics of an HCCI Engine Operated With n-Heptane. <i>Journal of Energy Resources Technology, Transactions of the ASME</i> , 2012 , 134,	2.6	8

66	Fuel Property Effects on PCCI Combustion in a Heavy-Duty Diesel Engine. <i>Journal of Engineering for Gas Turbines and Power</i> , 2012 , 134,	1.7	7
65	An experimental study on the effect of hydrogen enrichment on diesel fueled HCCI combustion. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 13820-13830	6.7	47
64	A numerical and experimental study of a laminar sooting coflow Jet-A1 diffusion flame. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 601-608	5.9	42
63	Impact of CO ₂ , N ₂ or Ar diluted in air on the length and lifting behavior of a laminar diffusion flame. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 1071-1078	5.9	26
62	An experimental and numerical study of the effects of dimethyl ether addition to fuel on polycyclic aromatic hydrocarbon and soot formation in laminar coflow ethylene/air diffusion flames. <i>Combustion and Flame</i> , 2011 , 158, 547-563	5.3	69
61	A multi-spectral reordering technique for the full spectrum SLMB modeling of radiative heat transfer in nonuniform gaseous mixtures. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2011 , 112, 394-411	2.1	7
60	Effects of different cetane number enhancement strategies on HCCI combustion and emissions. <i>International Journal of Engine Research</i> , 2011 , 12, 89-108	2.7	14
59	The Effect of Iso-Octane Addition on Combustion and Emission Characteristics of a HCCI Engine Fueled With n-Heptane. <i>Journal of Engineering for Gas Turbines and Power</i> , 2011 , 133,	1.7	3
58	Effects of Cetane Number, Aromatic Content and 90% Distillation Temperature on HCCI Combustion of Diesel Fuels 2010 ,		17
57	The effect of preferential diffusion on soot formation in a laminar ethylene/air diffusion flame. <i>Combustion Theory and Modelling</i> , 2010 , 15, 125-140	1.5	2
56	An Experimental and Modeling Study of HCCI Combustion Using n-Heptane. <i>Journal of Engineering for Gas Turbines and Power</i> , 2010 , 132,	1.7	15
55	Modeling of Oxidation-Driven Soot Aggregate Fragmentation in a Laminar Coflow Diffusion Flame. <i>Combustion Science and Technology</i> , 2010 , 182, 491-504	1.5	29
54	A Numerical Study on the Effects of CO ₂ /N ₂ /Ar Addition to Air on Liftoff of a Laminar CH ₄ /Air Diffusion Flame. <i>Combustion Science and Technology</i> , 2010 , 182, 1549-1563	1.5	26
53	Fuel Property Effects on PCCI Combustion in a Heavy-Duty Diesel Engine 2010 ,		3
52	Burning rates and surface characteristics of hydrogen-enriched turbulent lean premixed methane/air flames. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 11342-11348	6.7	30
51	A numerical study of soot aggregate formation in a laminar coflow diffusion flame. <i>Combustion and Flame</i> , 2009 , 156, 697-705	5.3	62
50	Modeling of soot aggregate formation and size distribution in a laminar ethylene/air coflow diffusion flame with detailed PAH chemistry and an advanced sectional aerosol dynamics model. <i>Proceedings of the Combustion Institute</i> , 2009 , 32, 761-768	5.9	97
49	A numerical study on the effect of hydrogen/reformate gas addition on flame temperature and NO formation in strained methane/air diffusion flames. <i>Combustion and Flame</i> , 2009 , 156, 477-483	5.3	18

48	On the effect of carbon monoxide addition on soot formation in a laminar ethylene/air coflow diffusion flame. <i>Combustion and Flame</i> , 2009 , 156, 1135-1142	5.3	31
47	A Study on the Performance of Combustion in a HCCI Engine Using n-Heptane by a Multi-Zone Model 2009 ,		6
46	Implementation of an advanced fixed sectional aerosol dynamics model with soot aggregate formation in a laminar methane/air coflow diffusion flame. <i>Combustion Theory and Modelling</i> , 2008 , 12, 621-641	1.5	46
45	A Numerical Study on the Effect of Water Addition on NO Formation in Counterflow CH ₄ /Air Premixed Flames. <i>Journal of Engineering for Gas Turbines and Power</i> , 2008 , 130,	1.7	2
44	A Numerical Study on the Effect of CO Addition on Flame Temperature and NO Formation in Counterflow CH ₄ /Air Diffusion Flames. <i>Journal of Engineering for Gas Turbines and Power</i> , 2008 , 130,	1.7	1
43	A Numerical Study on the Influence of CO ₂ Addition on Soot Formation in an Ethylene/Air Diffusion Flame. <i>Combustion Science and Technology</i> , 2008 , 180, 1695-1708	1.5	56
42	The interaction between soot and NO formation in a laminar axisymmetric coflow ethylene/air diffusion flame. <i>Combustion and Flame</i> , 2007 , 149, 225-233	5.3	22
41	A numerical investigation on NO _x formation in counterflow n-heptane triple flames. <i>International Journal of Thermal Sciences</i> , 2007 , 46, 936-943	4.1	8
40	The effect of reformat gas enrichment on extinction limits and NO _x formation in counterflow CH ₄ /air premixed flames. <i>Proceedings of the Combustion Institute</i> , 2007 , 31, 1197-1204	5.9	21
39	Measurement and modeling of the sooting propensity of binary fuel mixtures. <i>Proceedings of the Combustion Institute</i> , 2007 , 31, 611-619	5.9	28
38	A Numerical Study on the Effect of CO Addition on Flame Temperature and NO Formation in Counterflow CH ₄ /Air Diffusion Flames 2007 , 701		
37	A numerical study on the effect of CO addition on extinction limits and NO _x formation in lean counterflow CH ₄ /air premixed flames. <i>Combustion Theory and Modelling</i> , 2007 , 11, 741-753	1.5	5
36	The NO _x and N ₂ O Emission Characteristics of an HCCI Engine Operated With N-Heptane 2007 ,		2
35	A numerical study of laminar methane/air triple flames in two-dimensional mixing layers. <i>International Journal of Thermal Sciences</i> , 2006 , 45, 586-594	4.1	11
34	Evaluation of the laminar diffusion flamelet model in the calculation of an axisymmetric coflow laminar ethylene/air diffusion flame. <i>Combustion and Flame</i> , 2006 , 144, 605-618	5.3	6
33	Numerical study on the influence of hydrogen addition on soot formation in a laminar ethylene/air diffusion flame. <i>Combustion and Flame</i> , 2006 , 145, 324-338	5.3	128
32	Numerical and experimental study of an axisymmetric coflow laminar methane/air diffusion flame at pressures between 5 and 40 atmospheres. <i>Combustion and Flame</i> , 2006 , 146, 456-471	5.3	79
31	An Experimental and Modeling Study of HCCI Combustion Using n-Heptane 2006 ,		3

30	A Numerical Investigation of NO _x Formation in Counterflow CH ₄ /H ₂ /Air Diffusion Flames 2006 ,		1
29	A Numerical Study on the Effect of Water Addition on NO Formation in Counterflow CH ₄ /Air Premixed Flames 2005 , 383		
28	A numerical study on NO _x formation in laminar counterflow CH ₄ /air triple flames. <i>Combustion and Flame</i> , 2005 , 143, 282-298	5.3	22
27	The effect of hydrogen addition on flammability limit and NO _x emission in ultra-lean counterflow CH ₄ /air premixed flames. <i>Proceedings of the Combustion Institute</i> , 2005 , 30, 303-311	5.9	137
26	Effects of radiation model on the modeling of a laminar coflow methane/air diffusion flame. <i>Combustion and Flame</i> , 2004 , 138, 136-154	5.3	87
25	Effects of gas and soot radiation on soot formation in counterflow ethylene diffusion flames. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2004 , 84, 501-511	2.1	40
24	A Numerical Investigation of Thermal Diffusion Influence on Soot Formation in Ethylene/Air Diffusion Flames. <i>International Journal of Computational Fluid Dynamics</i> , 2004 , 18, 139-151	1.2	31
23	Soot and NO formation in counterflow ethylene/oxygen/nitrogen diffusion flames. <i>Combustion Theory and Modelling</i> , 2004 , 8, 475-489	1.5	35
22	The chemical effect of CO ₂ replacement of N ₂ in air on the burning velocity of CH ₄ and H ₂ premixed flames. <i>Combustion and Flame</i> , 2003 , 133, 495-497	5.3	243
21	Numerical modelling of soot formation and oxidation in laminar coflow non-smoking and smoking ethylene diffusion flames. <i>Combustion Theory and Modelling</i> , 2003 , 7, 301-315	1.5	87
20	Numerical study of the superadiabatic flame temperature phenomenon in hydrocarbon premixed flames. <i>Proceedings of the Combustion Institute</i> , 2002 , 29, 1543-1550	5.9	32
19	A robust and accurate algorithm of the E _p df integration and its application to turbulent methane-air diffusion combustion in a gas turbine combustor simulator. <i>International Journal of Thermal Sciences</i> , 2002 , 41, 763-772	4.1	18
18	Effects of gas and soot radiation on soot formation in a coflow laminar ethylene diffusion flame. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002 , 73, 409-421	2.1	109
17	A numerical study of the influence of transport properties of inert diluents on soot formation in a coflow laminar ethylene/air diffusion flame. <i>Proceedings of the Combustion Institute</i> , 2002 , 29, 2359-2365	5.9	18
16	The flame preheating effect on numerical modelling of soot formation in a two-dimensional laminar ethylene-air diffusion flame. <i>Combustion Theory and Modelling</i> , 2002 , 6, 173-187	1.5	71
15	Numerical Modeling of a Lifted Laminar Coflow Methane Diffusion Jet Flames Using Detailed Chemistry and Non-Grey Gas Radiation Models 2002 , 119		
14	The chemical effects of carbon dioxide as an additive in an ethylene diffusion flame: implications for soot and NO _x formation. <i>Combustion and Flame</i> , 2001 , 125, 778-787	5.3	283
13	Effects of radiative heat loss on the extinction of counterflow premixed H ₂ /air flames. <i>Combustion Theory and Modelling</i> , 2000 , 4, 459-475	1.5	7

12	Determination of Burning Velocity and Flammability Limit of Methane/Air Mixture Using Counterflow Flames. <i>Japanese Journal of Applied Physics</i> , 1999 , 38, 961-967	1.4	12
11	Effects of the Lewis number and radiative heat loss on the bifurcation and extinction of CH ₄ /O ₂ -N ₂ -He flames. <i>Journal of Fluid Mechanics</i> , 1999 , 379, 165-190	3.7	65
10	Flame Bifurcations and Flammable Regions of Radiative Counterflow Premixed Flames with General Lewis Numbers. <i>Combustion and Flame</i> , 1998 , 113, 603-614	5.3	29
9	Extinction of low-stretched diffusion flame in microgravity. <i>Combustion and Flame</i> , 1998 , 112, 181-187	5.3	98
8	Further examinations on extinction and bifurcations of radiative CH ₄ /air and C ₃ H ₈ /air premixed flames. <i>Proceedings of the Combustion Institute</i> , 1998 , 27, 2551-2557		9
7	Numerical Investigation of CH ₄ /CO ₂ /Air and CH ₄ /CO ₂ /O ₂ Counterflow Premixed Flames with Radiation Reabsorption. <i>Combustion Science and Technology</i> , 1998 , 135, 49-64	1.5	28
6	Numerical Study of NO _x Emission in High Temperature Air Combustion.. <i>JSME International Journal Series B</i> , 1998 , 41, 331-337		12
5	On the extinction limit and flammability limit of non-adiabatic stretched methane-air premixed flames. <i>Journal of Fluid Mechanics</i> , 1997 , 342, 315-334	3.7	233
4	Low Stretched Premixed Methane-Air Flame.. <i>880-02 Nihon Kikai Gakkai Ronbunshu Transactions of the Japan Society of Mechanical Engineers Series B B-hen</i> , 1997 , 63, 699-704		2
3	Radiation extinction limit of counterflow premixed lean methane-air flames. <i>Combustion and Flame</i> , 1997 , 109, 639-646	5.3	80
2	A study on effect of engine operating parameters on NO _x emissions and exhaust temperatures of a heavy-duty diesel engine during idling. <i>International Journal of Engine Research</i> , 146808742210760	2.7	0
1	An Experimental Study on the Effect of Exhaust Gas Recirculation on a Natural Gas-Diesel Dual-Fuel Engine		2