

Miguel Ángel Olalla-Tajrraga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/165643/publications.pdf>

Version: 2024-02-01

68
papers

3,173
citations

186265

28
h-index

168389

53
g-index

70
all docs

70
docs citations

70
times ranked

4375
citing authors

#	ARTICLE	IF	CITATIONS
1	Coefficient shifts in geographical ecology: an empirical evaluation of spatial and non-spatial regression. <i>Ecography</i> , 2009, 32, 193-204.	4.5	231
2	Thermal tolerance patterns across latitude and elevation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20190036.	4.0	215
3	Energy and interspecific body size patterns of amphibian faunas in Europe and North America: anurans follow Bergmann's rule, urodeles its converse. <i>Global Ecology and Biogeography</i> , 2007, 16, 606-617.	5.8	189
4	Broad-scale patterns of body size in squamate reptiles of Europe and North America. <i>Journal of Biogeography</i> , 2006, 33, 781-793.	3.0	174
5	GlobTherm, a global database on thermal tolerances for aquatic and terrestrial organisms. <i>Scientific Data</i> , 2018, 5, 180022.	5.3	164
6	The evolution of critical thermal limits of life on Earth. <i>Nature Communications</i> , 2021, 12, 1198.	12.8	149
7	A GLOBAL EVALUATION OF METABOLIC THEORY AS AN EXPLANATION FOR TERRESTRIAL SPECIES RICHNESS GRADIENTS. <i>Ecology</i> , 2007, 88, 1877-1888.	3.2	139
8	Bergmann's rule and the geography of mammal body size in the Western Hemisphere. <i>Global Ecology and Biogeography</i> , 2008, 17, 274-283.	5.8	133
9	On the selection of phylogenetic eigenvectors for ecological analyses. <i>Ecography</i> , 2012, 35, 239-249.	4.5	107
10	MERRAclim, a high-resolution global dataset of remotely sensed bioclimatic variables for ecological modelling. <i>Scientific Data</i> , 2017, 4, 170078.	5.3	106
11	Testing the climate variability hypothesis in thermal tolerance limits of tropical and temperate tadpoles. <i>Journal of Biogeography</i> , 2016, 43, 1166-1178.	3.0	103
12	Climatic niche conservatism and the evolutionary dynamics in species range boundaries: global congruence across mammals and amphibians. <i>Journal of Biogeography</i> , 2011, 38, 2237-2247.	3.0	75
13	Geographic body size gradients in tropical regions: water deficit and anuran body size in the Brazilian Cerrado. <i>Ecography</i> , 2009, 32, 581-590.	4.5	74
14	Understanding global patterns in amphibian geographic range size: does Rapoport rule?. <i>Global Ecology and Biogeography</i> , 2012, 21, 179-190.	5.8	73
15	Climate history, human impacts and global body size of Carnivora (Mammalia: Eutheria) at multiple evolutionary scales. <i>Journal of Biogeography</i> , 2009, 36, 2222-2236.	3.0	69
16	Nullius in Bergmann's or the pluralistic approach to ecogeographical rules: a reply to Watt et al. (2010). <i>Oikos</i> , 2011, 120, 1441-1444.	2.7	64
17	The contribution of contemporary climate to ectothermic and endothermic vertebrate distributions in a glacial refuge. <i>Global Ecology and Biogeography</i> , 2010, 19, 40-49.	5.8	63
18	Human-mediated dispersal of terrestrial species between Antarctic biogeographic regions: A preliminary risk assessment. <i>Journal of Environmental Management</i> , 2019, 232, 73-89.	7.8	63

#	ARTICLE	IF	CITATIONS
19	High Resolution Spatial Mapping of Human Footprint across Antarctica and Its Implications for the Strategic Conservation of Avifauna. PLoS ONE, 2017, 12, e0168280.	2.5	63
20	Global thermal niche models of two European grasses show high invasion risks in Antarctica. Global Change Biology, 2017, 23, 2863-2873.	9.5	54
21	Ecological and evolutionary components of body size: geographic variation of venomous snakes at the global scale. Biological Journal of the Linnean Society, 0, 98, 94-109.	1.6	51
22	A conceptual framework to assess sustainability in urban ecological systems. International Journal of Sustainable Development and World Ecology, 2006, 13, 1-15.	5.9	45
23	Crossâ€species and assemblageâ€based approaches to Bergmann's rule and the biogeography of body size in <i>Plethodon</i> salamanders of eastern North America. Ecography, 2010, 33, 362-368.	4.5	45
24	Contrasting evidence of phylogenetic trophic niche conservatism in mammals worldwide. Journal of Biogeography, 2017, 44, 99-110.	3.0	45
25	Predicted impact of climate change on threatened terrestrial vertebrates in central Spain highlights differences between endotherms and ectotherms. Animal Conservation, 2010, 13, 363-373.	2.9	42
26	Bergmann's rule in the oceans? Temperature strongly correlates with global interspecific patterns of body size in marine mammals. Global Ecology and Biogeography, 2016, 25, 1206-1215.	5.8	39
27	A macroecological approach to evolutionary rescue and adaptation to climate change. Ecography, 2019, 42, 1124-1141.	4.5	36
28	The Imprint of Cenozoic Migrations and Evolutionary History on the Biogeographic Gradient of Body Size in New World Mammals. American Naturalist, 2012, 180, 246-256.	2.1	34
29	Untangling human and environmental effects on geographical gradients of mammal species richness: a global and regional evaluation. Journal of Animal Ecology, 2015, 84, 851-860.	2.8	32
30	Illegal logging, landscape structure and the variation of tree species richness across North Andean forest remnants. Forest Ecology and Management, 2008, 255, 1892-1899.	3.2	27
31	Global richness patterns of venomous snakes reveal contrasting influences of ecology and history in two different clades. Oecologia, 2009, 159, 617-626.	2.0	27
32	Global patterns of mammalian coâ€occurrence: phylogenetic and body size structure within species ranges. Journal of Biogeography, 2017, 44, 136-146.	3.0	27
33	Geographic variation of body size in New World anurans: energy and water in a balance. Ecography, 2019, 42, 456-466.	4.5	27
34	Combining correlative and mechanistic niche models with human activity data to elucidate the invasive potential of a subâ€Antarctic insect. Journal of Biogeography, 2020, 47, 658-673.	3.0	27
35	Quaternary refugia are associated with higher speciation rates in mammalian faunas of the Western Palaearctic. Ecography, 2018, 41, 607-621.	4.5	25
36	Dispersal potentials determine responses of woody plant species richness to environmental factors in fragmented Mediterranean landscapes. Forest Ecology and Management, 2008, 255, 2894-2906.	3.2	23

#	ARTICLE	IF	CITATIONS
37	The biogeography of thermal risk for terrestrial ectotherms: Scaling of thermal tolerance with body size and latitude. <i>Journal of Animal Ecology</i> , 2020, 89, 1277-1285.	2.8	23
38	Global patterns of body size evolution are driven by precipitation in legless amphibians. <i>Ecography</i> , 2019, 42, 1682-1690.	4.5	21
39	Time and environment explain the current richness distribution of non-marine turtles worldwide. <i>Ecography</i> , 2017, 40, 1402-1411.	4.5	20
40	A mechanistic model to scale up biophysical processes into geographical size gradients in ectotherms. <i>Global Ecology and Biogeography</i> , 2019, 28, 793-803.	5.8	19
41	GLOBAL MODELS FOR PREDICTING WOODY PLANT RICHNESS FROM CLIMATE: COMMENT. <i>Ecology</i> , 2007, 88, 255-259.	3.2	17
42	Phylogenetic path analysis reveals the importance of niche-related biological traits on geographic range size in mammals. <i>Global Change Biology</i> , 2015, 21, 3194-3196.	9.5	15
43	Niche conservatism and species richness patterns of squamate reptiles in eastern and southern Africa. <i>Austral Ecology</i> , 2011, 36, 550-558.	1.5	14
44	Anuran 3D models reveal the relationship between surface area-to-volume ratio and climate. <i>Journal of Biogeography</i> , 2019, 46, 1429-1437.	3.0	14
45	Assessing the invasive risk of two non-native <i>Agrostis</i> species on sub-Antarctic Macquarie Island. <i>Polar Biology</i> , 2016, 39, 2361-2371.	1.2	13
46	Biological traits, phylogeny and human footprint signatures on the geographical range size of passerines (Order <i>Passeriformes</i>) worldwide. <i>Global Ecology and Biogeography</i> , 2019, 28, 1183-1194.	5.8	13
47	Temperature is the main correlate of the global biogeography of turtle body size. <i>Global Ecology and Biogeography</i> , 2018, 27, 429-438.	5.8	12
48	Environmental determinants of woody and herb plant species richness patterns in Great Britain. <i>Ecoscience</i> , 2011, 18, 394-401.	1.4	11
49	Changing Only Slowly: The Role of Phylogenetic Niche Conservatism in Caviidae (Rodentia) Speciation. <i>Journal of Mammalian Evolution</i> , 2020, 27, 713-721.	1.8	11
50	Shallow water ray-finned marine fishes follow Bergmann's rule. <i>Basic and Applied Ecology</i> , 2018, 33, 99-110.	2.7	10
51	Humans and wind, shaping Antarctic soil arthropod biodiversity. <i>Insect Conservation and Diversity</i> , 2020, 13, 63-76.	3.0	10
52	Physical constraints on thermoregulation and flight drive morphological evolution in bats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2103745119.	7.1	10
53	Upscaling Microclimatic Conditions into Body Temperature Distributions of Ectotherms. <i>American Naturalist</i> , 2019, 193, 677-687.	2.1	7
54	Body size distributions of anurans are explained by diversification rates and the environment. <i>Global Ecology and Biogeography</i> , 2021, 30, 154-164.	5.8	7

#	ARTICLE	IF	CITATIONS
55	Deriving Species Richness, Endemism, and Threatened Species Patterns from Incomplete Distribution Data in the Bioko Island, Equatorial Guinea. <i>Natureza A Conservacao</i> , 2010, 08, 27-33.	2.5	7
56	Ensemble forecasting of invasion risk for four alien springtail (Collembola) species in Antarctica. <i>Polar Biology</i> , 2021, 44, 2151-2164.	1.2	7
57	Half a century of thermal tolerance studies in springtails (Collembola): A review of metrics, spatial and temporal trends. <i>Current Research in Insect Science</i> , 2022, 2, 100023.	1.7	7
58	Cold tolerance is similar but heat tolerance is higher in the alien insect <i>Trichocera maculipennis</i> than in the native <i>Parochlus steinenii</i> in Antarctica. <i>Polar Biology</i> , 2021, 44, 1203-1208.	1.2	6
59	Venomous animals in a changing world. <i>Global Change Biology</i> , 2022, 28, 3750-3753.	9.5	5
60	Water constraints drive allometric patterns in the body shape of tree frogs. <i>Scientific Reports</i> , 2021, 11, 1218.	3.3	4
61	Can classic biological invasion hypotheses be applied to reported cases of non-native terrestrial species in the Maritime Antarctic?. <i>Antarctic Science</i> , 2022, 34, 226-245.	0.9	4
62	The relationship between mammal faunas and climatic instability since the Last Glacial Maximum: A Nearctic vs. Western Palearctic comparison. <i>Acta Oecologica</i> , 2017, 82, 10-15.	1.1	3
63	MacroecologÃ•a: una disciplina de investigaciÃ•n en auge. <i>Ecosistemas</i> , 2014, 23, 1-3.	0.4	2
64	Human impact and species richness of terrestrial vertebrate: a review at different macroecological scales. <i>Ecosistemas</i> , 2014, 23, 13-20.	0.4	2
65	Past changes on fauna and flora distribution. , 2020, , 165-179.		1
66	Ecological and historical legacies on global diversity gradients in marine elapid snakes. <i>Austral Ecology</i> , 2021, 46, 3-7.	1.5	1
67	thesis abstract: On the biogeography of vertebrate body size: ecological and evolutionary insights from assemblage-level patterns. <i>Frontiers of Biogeography</i> , 2012, 2, .	1.8	0
68	Niche divergence and diversification in South American freshwater turtles of the genus <i>Acanthochelys</i> (Chelidae). <i>Amphibia - Reptilia</i> , 2019, 40, 475-485.	0.5	0