
MÃ;rton BojtÃ;r

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1657587/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bioorthogonal Ligationâ€Activated Fluorogenic FRET Dyads. Angewandte Chemie - International Edition, 2022, 61, e202111855.	13.8	10
2	Bioorthogonal Ligationâ \in Activated Fluorogenic FRET Dyads. Angewandte Chemie, 2022, 134, .	2.0	1
3	A pillararene-based indicator displacement assay for the fluorescence detection of vitamin B1. Sensors and Actuators B: Chemical, 2022, 369, 132364.	7.8	9
4	Complexes of carboxylato pillar[6]arene with Brooker-type merocyanines: Spectral properties, pKa shifts and the design of a displacement assay for trimethyl lysine. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 252, 119455.	3.9	3
5	Conditionally Activatable Visible-Light Photocages. Journal of the American Chemical Society, 2020, 142, 15164-15171.	13.7	56
6	Binding Modes of a Phenylpyridinium Styryl Fluorescent Dye with Cucurbiturils. Molecules, 2020, 25, 5111.	3.8	5
7	Green-Light Activatable, Water-Soluble Red-Shifted Coumarin Photocages. Organic Letters, 2019, 21, 9410-9414.	4.6	73
8	Potential Reproducibility of Potassium-Selective Electrodes Having Perfluorinated Alkanoate Side Chain Functionalized Poly(3,4-ethylenedioxytiophene) as a Hydrophobic Solid Contact. Analytical Chemistry, 2019, 91, 9111-9118.	6.5	51
9	Carboxylato-pillar[6]arene-based fluorescent indicator displacement assays for the recognition of monoamine neurotransmitters. RSC Advances, 2019, 9, 16856-16862.	3.6	9
10	Strong ion pair charge transfer interaction of 1,8-naphthalimide–bipyridinium conjugates with basic anions – towards the development of a new type of turn-on fluorescent anion sensors. New Journal of Chemistry, 2019, 43, 6666-6674.	2.8	5
11	Experimental evidence of TICT state in 4-piperidinyl-1,8-naphthalimide – a kinetic and mechanistic study. Physical Chemistry Chemical Physics, 2018, 20, 10155-10164.	2.8	27
12	Hydrogen bonding effects on the fluorescence properties of 4′-diethylamino-3-hydroxyflavone in water and water-acetone mixtures. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 203, 96-105.	3.9	12
13	An uracil-linked hydroxyflavone probe for the recognition of ATP. Beilstein Journal of Organic Chemistry, 2018, 14, 747-755.	2.2	11
14	Pillararene-based fluorescent indicator displacement assay for the selective recognition of ATP. Sensors and Actuators B: Chemical, 2017, 248, 305-310.	7.8	55
15	Expanding the Pillararene Chemistry: Synthesis and Application of a 10 + 1 Functionalized Pillar[5]arene. Organic Letters, 2017, 19, 4528-4531.	4.6	29
16	Amino acid recognition by fine tuning the association constants: tailored naphthalimides in pillar[5]arene-based indicator displacement assays. RSC Advances, 2016, 6, 86269-86275.	3.6	38
17	Supramolecular FRET modulation by pseudorotaxane formation of a ditopic stilbazolium dye and carboxylato-pillar[5]arene. Dyes and Pigments, 2016, 133, 415-423.	3.7	13
18	The kinetics and mechanism of photooxygenation of 4′-diethylamino-3-hydroxyflavone. Photochemical and Photobiological Sciences, 2016, 15, 219-227.	2.9	14

#	Article	IF	CITATIONS
19	Optical spectroscopic studies on the complexation of stilbazolium dyes with a water soluble pillar[5]arene. RSC Advances, 2015, 5, 26504-26508.	3.6	26
20	Aminonaphthalimide-based dipodal imidazolium/triazole receptors for fluorescent sensing of nucleoside polyphosphates. Sensors and Actuators B: Chemical, 2013, 182, 280-287.	7.8	17