

# Mark W Woolrich

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1658270/mark-w-woolrich-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

214  
papers

42,028  
citations

65  
h-index

205  
g-index

239  
ext. papers

51,668  
ext. citations

7.9  
avg, IF

7.39  
L-index

#	Paper	IF	Citations
214	Advances in functional and structural MR image analysis and implementation as FSL. <i>NeuroImage</i> , <b>2004</b> , 23 Suppl 1, S208-19	7.9	8876
213	FSL. <i>NeuroImage</i> , <b>2012</b> , 62, 782-90	7.9	5752
212	Probabilistic diffusion tractography with multiple fibre orientations: What can we gain?. <i>NeuroImage</i> , <b>2007</b> , 34, 144-55	7.9	2514
211	Characterization and propagation of uncertainty in diffusion-weighted MR imaging. <i>Magnetic Resonance in Medicine</i> , <b>2003</b> , 50, 1077-88	4.4	2240
210	Temporal autocorrelation in univariate linear modeling of FMRI data. <i>NeuroImage</i> , <b>2001</b> , 14, 1370-86	7.9	1941
209	Non-invasive mapping of connections between human thalamus and cortex using diffusion imaging. <i>Nature Neuroscience</i> , <b>2003</b> , 6, 750-7	25.5	1817
208	Bayesian analysis of neuroimaging data in FSL. <i>NeuroImage</i> , <b>2009</b> , 45, S173-86	7.9	1553
207	Network modelling methods for FMRI. <i>NeuroImage</i> , <b>2011</b> , 54, 875-91	7.9	1254
206	Learning the value of information in an uncertain world. <i>Nature Neuroscience</i> , <b>2007</b> , 10, 1214-21	25.5	1218
205	Multilevel linear modelling for FMRI group analysis using Bayesian inference. <i>NeuroImage</i> , <b>2004</b> , 21, 1732-47	7.9	1171
204	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , <b>2013</b> , 80, 144-68	7.9	865
203	Associative learning of social value. <i>Nature</i> , <b>2008</b> , 456, 245-9	50.4	676
202	Investigating the electrophysiological basis of resting state networks using magnetoencephalography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 16783-8	11.5	647
201	Functional connectomics from resting-state fMRI. <i>Trends in Cognitive Sciences</i> , <b>2013</b> , 17, 666-82	14	560
200	Temporally-independent functional modes of spontaneous brain activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 3131-6	11.5	555
199	Tools of the trade: psychophysiological interactions and functional connectivity. <i>Social Cognitive and Affective Neuroscience</i> , <b>2012</b> , 7, 604-9	4	529
198	How green is the grass on the other side? Frontopolar cortex and the evidence in favor of alternative courses of action. <i>Neuron</i> , <b>2009</b> , 62, 733-43	13.9	471

197	Robust group analysis using outlier inference. <i>NeuroImage</i> , <b>2008</b> , 41, 286-301	7.9	382
196	Brain network dynamics are hierarchically organized in time. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 12827-12832	11.5	311
195	Fast transient networks in spontaneous human brain activity. <i>ELife</i> , <b>2014</b> , 3, e01867	8.9	295
194	Mechanisms underlying cortical activity during value-guided choice. <i>Nature Neuroscience</i> , <b>2012</b> , 15, 470-6, S1-3	25.5	290
193	Relationship between physiological measures of excitability and levels of glutamate and GABA in the human motor cortex. <i>Journal of Physiology</i> , <b>2011</b> , 589, 5845-55	3.9	250
192	Measuring functional connectivity in MEG: a multivariate approach insensitive to linear source leakage. <i>NeuroImage</i> , <b>2012</b> , 63, 910-20	7.9	227
191	A symmetric multivariate leakage correction for MEG connectomes. <i>NeuroImage</i> , <b>2015</b> , 117, 439-48	7.9	218
190	A Bayesian framework for global tractography. <i>NeuroImage</i> , <b>2007</b> , 37, 116-29	7.9	215
189	Linked independent component analysis for multimodal data fusion. <i>NeuroImage</i> , <b>2011</b> , 54, 2198-217	7.9	210
188	How reliable are MEG resting-state connectivity metrics?. <i>NeuroImage</i> , <b>2016</b> , 138, 284-293	7.9	205
187	Variational Bayesian Inference for a Nonlinear Forward Model. <i>IEEE Transactions on Signal Processing</i> , <b>2009</b> , 57, 223-236	4.8	200
186	Constrained linear basis sets for HRF modelling using Variational Bayes. <i>NeuroImage</i> , <b>2004</b> , 21, 1748-61	7.9	192
185	Fully Bayesian spatio-temporal modeling of fMRI data. <i>IEEE Transactions on Medical Imaging</i> , <b>2004</b> , 23, 213-31	11.7	181
184	Exploring mechanisms of spontaneous functional connectivity in MEG: how delayed network interactions lead to structured amplitude envelopes of band-pass filtered oscillations. <i>NeuroImage</i> , <b>2014</b> , 90, 423-35	7.9	175
183	Spectrally resolved fast transient brain states in electrophysiological data. <i>NeuroImage</i> , <b>2016</b> , 126, 81-95	7.9	152
182	Variability in fMRI: a re-examination of inter-session differences. <i>Human Brain Mapping</i> , <b>2005</b> , 24, 248-57	5.9	140
181	Discovering dynamic brain networks from big data in rest and task. <i>NeuroImage</i> , <b>2018</b> , 180, 646-656	7.9	137
180	Spontaneous cortical activity transiently organises into frequency specific phase-coupling networks. <i>Nature Communications</i> , <b>2018</b> , 9, 2987	17.4	137

179	Attention to touch modulates activity in both primary and secondary somatosensory areas. <i>NeuroReport</i> , <b>2000</b> , 11, 1237-41	1.7	137
178	Functional brain reorganization for hand movement in patients with multiple sclerosis: defining distinct effects of injury and disability. <i>Brain</i> , <b>2002</b> , 125, 2646-57	11.2	136
177	Adding dynamics to the Human Connectome Project with MEG. <i>NeuroImage</i> , <b>2013</b> , 80, 190-201	7.9	132
176	Modulation of movement-associated cortical activation by transcranial direct current stimulation. <i>European Journal of Neuroscience</i> , <b>2009</b> , 30, 1412-23	3.5	132
175	Knowing when to stop: the brain mechanisms of chasing losses. <i>Biological Psychiatry</i> , <b>2008</b> , 63, 293-300	7.9	123
174	Local GABA concentration is related to network-level resting functional connectivity. <i>ELife</i> , <b>2014</b> , 3, e01465	8.5	120
173	The relationship between spatial configuration and functional connectivity of brain regions. <i>ELife</i> , <b>2018</b> , 7,	8.9	105
172	Assessment of arterial arrival times derived from multiple inversion time pulsed arterial spin labeling MRI. <i>Magnetic Resonance in Medicine</i> , <b>2010</b> , 63, 641-7	4.4	100
171	Inferring task-related networks using independent component analysis in magnetoencephalography. <i>NeuroImage</i> , <b>2012</b> , 62, 530-41	7.9	99
170	Mixture models with adaptive spatial regularization for segmentation with an application to FMRI data. <i>IEEE Transactions on Medical Imaging</i> , <b>2005</b> , 24, 1-11	11.7	99
169	Benefits of multi-modal fusion analysis on a large-scale dataset: life-span patterns of inter-subject variability in cortical morphometry and white matter microstructure. <i>NeuroImage</i> , <b>2012</b> , 63, 365-80	7.9	96
168	Frontoparietal and Cingulo-opercular Networks Play Dissociable Roles in Control of Working Memory. <i>Journal of Cognitive Neuroscience</i> , <b>2015</b> , 27, 2019-34	3.1	92
167	Measuring temporal, spectral and spatial changes in electrophysiological brain network connectivity. <i>NeuroImage</i> , <b>2014</b> , 91, 282-99	7.9	90
166	Dynamics of large-scale electrophysiological networks: A technical review. <i>NeuroImage</i> , <b>2018</b> , 180, 559-576	7.9	89
165	MEG beamforming using Bayesian PCA for adaptive data covariance matrix regularization. <i>NeuroImage</i> , <b>2011</b> , 57, 1466-79	7.9	88
164	Single or multiple frequency generators in on-going brain activity: A mechanistic whole-brain model of empirical MEG data. <i>NeuroImage</i> , <b>2017</b> , 152, 538-550	7.9	87
163	Partial volume correction of multiple inversion time arterial spin labeling MRI data. <i>Magnetic Resonance in Medicine</i> , <b>2011</b> , 65, 1173-83	4.4	86
162	Cognitive training enhances intrinsic brain connectivity in childhood. <i>Journal of Neuroscience</i> , <b>2015</b> , 35, 6277-83	6.6	85

161	Testing sensory evidence against mnemonic templates. <i>ELife</i> , <b>2015</b> , 4, e09000	8.9	79
160	Separation of macrovascular signal in multi-inversion time arterial spin labelling MRI. <i>Magnetic Resonance in Medicine</i> , <b>2010</b> , 63, 1357-65	4.4	79
159	Multiple-subjects connectivity-based parcellation using hierarchical Dirichlet process mixture models. <i>NeuroImage</i> , <b>2009</b> , 44, 373-84	7.9	77
158	Neural Oscillations: Sustained Rhythms or Transient Burst-Events?. <i>Trends in Neurosciences</i> , <b>2018</b> , 41, 415-417	13.3	74
157	Optimising network modelling methods for fMRI. <i>NeuroImage</i> , <b>2020</b> , 211, 116604	7.9	73
156	Discovery of key whole-brain transitions and dynamics during human wakefulness and non-REM sleep. <i>Nature Communications</i> , <b>2019</b> , 10, 1035	17.4	72
155	Learning to identify CNS drug action and efficacy using multistudy fMRI data. <i>Science Translational Medicine</i> , <b>2015</b> , 7, 274ra16	17.5	71
154	Evidence for a vascular contribution to diffusion FMRI at high b value. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 20967-72	11.5	70
153	Metastable brain waves. <i>Nature Communications</i> , <b>2019</b> , 10, 1056	17.4	69
152	Integrating cross-frequency and within band functional networks in resting-state MEG: A multi-layer network approach. <i>NeuroImage</i> , <b>2016</b> , 142, 324-336	7.9	68
151	Large-scale probabilistic functional modes from resting state fMRI. <i>NeuroImage</i> , <b>2015</b> , 109, 217-31	7.9	67
150	Combined spatial and non-spatial prior for inference on MRI time-series. <i>NeuroImage</i> , <b>2009</b> , 45, 795-809	7.9	65
149	Task-Evoked Dynamic Network Analysis Through Hidden Markov Modeling. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 603	5.1	64
148	Variational Bayes inference of spatial mixture models for segmentation. <i>IEEE Transactions on Medical Imaging</i> , <b>2006</b> , 25, 1380-91	11.7	64
147	Biophysical network models and the human connectome. <i>NeuroImage</i> , <b>2013</b> , 80, 330-8	7.9	62
146	The heritability of multi-modal connectivity in human brain activity. <i>ELife</i> , <b>2017</b> , 6,	8.9	62
145	Measurement of dynamic task related functional networks using MEG. <i>NeuroImage</i> , <b>2017</b> , 146, 667-678	7.9	59
144	Dynamic recruitment of resting state sub-networks. <i>NeuroImage</i> , <b>2015</b> , 115, 85-95	7.9	58

143	Investigations into within- and between-subject resting-state amplitude variations. <i>NeuroImage</i> , <b>2017</b> , 159, 57-69	7.9	51
142	Applying FSL to the FIAC data: model-based and model-free analysis of voice and sentence repetition priming. <i>Human Brain Mapping</i> , <b>2006</b> , 27, 380-91	5.9	51
141	Probabilistic inference of regularisation in non-rigid registration. <i>NeuroImage</i> , <b>2012</b> , 59, 2438-51	7.9	50
140	Meaningful design and contrast estimability in fMRI. <i>NeuroImage</i> , <b>2007</b> , 34, 127-36	7.9	50
139	Task induced modulation of neural oscillations in electrophysiological brain networks. <i>NeuroImage</i> , <b>2012</b> , 63, 1918-30	7.9	49
138	Dynamic state allocation for MEG source reconstruction. <i>NeuroImage</i> , <b>2013</b> , 77, 77-92	7.9	47
137	Automated single-trial measurement of amplitude and latency of laser-evoked potentials (LEPs) using multiple linear regression. <i>Clinical Neurophysiology</i> , <b>2006</b> , 117, 1331-44	4.3	47
136	The danger of systematic bias in group-level fMRI-lag-based causality estimation. <i>NeuroImage</i> , <b>2012</b> , 59, 1228-9	7.9	44
135	Using variance information in magnetoencephalography measures of functional connectivity. <i>NeuroImage</i> , <b>2013</b> , 67, 203-12	7.9	43
134	Guiding functional connectivity estimation by structural connectivity in MEG: an application to discrimination of conditions of mild cognitive impairment. <i>NeuroImage</i> , <b>2014</b> , 101, 765-77	7.9	43
133	Motor practice promotes increased activity in brain regions structurally disconnected after subcortical stroke. <i>Neurorehabilitation and Neural Repair</i> , <b>2011</b> , 25, 607-16	4.7	42
132	A tool for functional brain imaging with lifespan compliance. <i>Nature Communications</i> , <b>2019</b> , 10, 4785	17.4	41
131	Altered cortical beta-band oscillations reflect motor system degeneration in amyotrophic lateral sclerosis. <i>Human Brain Mapping</i> , <b>2017</b> , 38, 237-254	5.9	40
130	Disambiguating brain functional connectivity. <i>NeuroImage</i> , <b>2018</b> , 173, 540-550	7.9	38
129	Magnetoencephalography. <i>Practical Neurology</i> , <b>2014</b> , 14, 336-43	2.4	37
128	Bayesian inference in fMRI. <i>NeuroImage</i> , <b>2012</b> , 62, 801-10	7.9	37
127	Minor structural abnormalities in the infant face disrupt neural processing: a unique window into early caregiving responses. <i>Social Neuroscience</i> , <b>2013</b> , 8, 268-74	2	37
126	Modulation of hippocampal theta and hippocampal-prefrontal cortex function by a schizophrenia risk gene. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 2387-95	5.9	36

125	Altered temporal stability in dynamic neural networks underlies connectivity changes in neurodevelopment. <i>NeuroImage</i> , <b>2018</b> , 174, 563-575	7.9	35
124	A biophysical model of dynamic balancing of excitation and inhibition in fast oscillatory large-scale networks. <i>PLoS Computational Biology</i> , <b>2018</b> , 14, e1006007	5	35
123	Trial-type dependent frames of reference for value comparison. <i>PLoS Computational Biology</i> , <b>2013</b> , 9, e1003225	5	35
122	Vessel-encoded dynamic magnetic resonance angiography using arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , <b>2010</b> , 64, 698-706	4.4	35
121	Challenges and future directions for representations of functional brain organization. <i>Nature Neuroscience</i> , <b>2020</b> , 23, 1484-1495	25.5	35
120	Bayesian inference of hemodynamic changes in functional arterial spin labeling data. <i>Magnetic Resonance in Medicine</i> , <b>2006</b> , 56, 891-906	4.4	34
119	The relationship between spatial configuration and functional connectivity of brain regions revisited. <i>ELife</i> , <b>2019</b> , 8,	8.9	34
118	Intrusive memories to traumatic footage: the neural basis of their encoding and involuntary recall. <i>Psychological Medicine</i> , <b>2016</b> , 46, 505-18	6.9	34
117	Using generative models to make probabilistic statements about hippocampal engagement in MEG. <i>NeuroImage</i> , <b>2017</b> , 149, 468-482	7.9	33
116	Modeling dispersion in arterial spin labeling: validation using dynamic angiographic measurements. <i>Magnetic Resonance in Medicine</i> , <b>2013</b> , 69, 563-70	4.4	33
115	Tracking dynamic brain networks using high temporal resolution MEG measures of functional connectivity. <i>NeuroImage</i> , <b>2019</b> , 200, 38-50	7.9	31
114	A general framework for the analysis of vessel encoded arterial spin labeling for vascular territory mapping. <i>Magnetic Resonance in Medicine</i> , <b>2010</b> , 64, 1529-39	4.4	31
113	The role of transient spectral 'bursts' in functional connectivity: A magnetoencephalography study. <i>NeuroImage</i> , <b>2020</b> , 209, 116537	7.9	30
112	Training Working Memory in Childhood Enhances Coupling between Frontoparietal Control Network and Task-Related Regions. <i>Journal of Neuroscience</i> , <b>2016</b> , 36, 9001-11	6.6	30
111	Role of white-matter pathways in coordinating alpha oscillations in resting visual cortex. <i>NeuroImage</i> , <b>2015</b> , 106, 328-39	7.9	29
110	How delays matter in an oscillatory whole-brain spiking-neuron network model for MEG alpha-rhythms at rest. <i>NeuroImage</i> , <b>2014</b> , 87, 383-94	7.9	29
109	RubiX: combining spatial resolutions for Bayesian inference of crossing fibers in diffusion MRI. <i>IEEE Transactions on Medical Imaging</i> , <b>2013</b> , 32, 969-82	11.7	29
108	Evidence for a Caregiving Instinct: Rapid Differentiation of Infant from Adult Vocalizations Using Magnetoencephalography. <i>Cerebral Cortex</i> , <b>2016</b> , 26, 1309-1321	5.1	28

107	Bayesian deconvolution of [corrected] fMRI data using bilinear dynamical systems. <i>NeuroImage</i> , <b>2008</b> , 42, 1381-96	7.9	27
106	Task-driven ICA feature generation for accurate and interpretable prediction using fMRI. <i>NeuroImage</i> , <b>2012</b> , 60, 189-203	7.9	26
105	Replay bursts in humans coincide with activation of the default mode and parietal alpha networks. <i>Neuron</i> , <b>2021</b> , 109, 882-893.e7	13.9	26
104	Temporally Unconstrained Decoding Reveals Consistent but Time-Varying Stages of Stimulus Processing. <i>Cerebral Cortex</i> , <b>2019</b> , 29, 863-874	5.1	25
103	A dynamic system of brain networks revealed by fast transient EEG fluctuations and their fMRI correlates. <i>NeuroImage</i> , <b>2019</b> , 185, 72-82	7.9	25
102	EMD: Empirical Mode Decomposition and Hilbert-Huang Spectral Analyses in Python. <i>Journal of Open Source Software</i> , <b>2021</b> , 6,	5.2	24
101	A fast analysis method for non-invasive imaging of blood flow in individual cerebral arteries using vessel-encoded arterial spin labelling angiography. <i>Medical Image Analysis</i> , <b>2012</b> , 16, 831-9	15.4	22
100	First steps in using machine learning on fMRI data to predict intrusive memories of traumatic film footage. <i>Behaviour Research and Therapy</i> , <b>2014</b> , 62, 37-46	5.2	22
99	Electrophysiological measures of resting state functional connectivity and their relationship with working memory capacity in childhood. <i>Developmental Science</i> , <b>2016</b> , 19, 19-31	4.5	21
98	Impaired corticomuscular and interhemispheric cortical beta oscillation coupling in amyotrophic lateral sclerosis. <i>Clinical Neurophysiology</i> , <b>2018</b> , 129, 1479-1489	4.3	21
97	The Neural Dynamics of Fronto-Parietal Networks in Childhood Revealed using Magnetoencephalography. <i>Cerebral Cortex</i> , <b>2015</b> , 25, 3868-76	5.1	21
96	Do the posterior midline cortices belong to the electrophysiological default-mode network?. <i>NeuroImage</i> , <b>2019</b> , 200, 221-230	7.9	20
95	Subthalamic nucleus activity dynamics and limb movement prediction in Parkinson's disease. <i>Brain</i> , <b>2020</b> , 143, 582-596	11.2	20
94	Unpacking Transient Event Dynamics in Electrophysiological Power Spectra. <i>Brain Topography</i> , <b>2019</b> , 32, 1020-1034	4.3	20
93	Preparatory Eband oscillations reflect spatial gating independently of predictions regarding target identity. <i>Journal of Neurophysiology</i> , <b>2017</b> , 117, 1385-1394	3.2	19
92	Probabilistic non-linear registration with spatially adaptive regularisation. <i>Medical Image Analysis</i> , <b>2015</b> , 26, 203-16	15.4	18
91	Using Gaussian-process regression for meta-analytic neuroimaging inference based on sparse observations. <i>IEEE Transactions on Medical Imaging</i> , <b>2011</b> , 30, 1401-16	11.7	18
90	Longitudinal brain MRI analysis with uncertain registration. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 14, 647-54	0.9	18



89	Short timescale abnormalities in the states of spontaneous synchrony in the functional neural networks in Alzheimer's disease. <i>NeuroImage: Clinical</i> , <b>2018</b> , 20, 128-152	5.3	18
88	Directed functional connectivity using dynamic graphical models. <i>NeuroImage</i> , <b>2018</b> , 175, 340-353	7.9	17
87	Distinct criticality of phase and amplitude dynamics in the resting brain. <i>NeuroImage</i> , <b>2018</b> , 180, 442-447.9	7.9	17
86	Serotonin and social norms: tryptophan depletion impairs social comparison and leads to resource depletion in a multiplayer harvesting game. <i>Psychological Science</i> , <b>2014</b> , 25, 1303-13	7.9	17
85	The psychological correlates of distinct neural states occurring during wakeful rest. <i>Scientific Reports</i> , <b>2020</b> , 10, 21121	4.9	17
84	Spatial parcellations, spectral filtering, and connectivity measures in fMRI: Optimizing for discrimination. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 407-419	5.9	17
83	Altered transient brain dynamics in multiple sclerosis: Treatment or pathology?. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 4789-4800	5.9	16
82	Functional network dynamics in a neurodevelopmental disorder of known genetic origin. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 530-544	5.9	16
81	Increased cerebral functional connectivity in ALS: A resting-state magnetoencephalography study. <i>Neurology</i> , <b>2018</b> , 90, e1418-e1424	6.5	15
80	Non-Gaussian probabilistic MEG source localisation based on kernel density estimation. <i>NeuroImage</i> , <b>2014</b> , 87, 444-64	7.9	15
79	Ensemble learning incorporating uncertain registration. <i>IEEE Transactions on Medical Imaging</i> , <b>2013</b> , 32, 748-56	11.7	15
78	Modelling subject variability in the spatial and temporal characteristics of functional modes. <i>NeuroImage</i> , <b>2020</b> , 222, 117226	7.9	15
77	Behavioural relevance of spontaneous, transient brain network interactions in fMRI. <i>NeuroImage</i> , <b>2021</b> , 229, 117713	7.9	15
76	Biomagnetic biomarkers for dementia: A pilot multicentre study with a recommended methodological framework for magnetoencephalography. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2019</b> , 11, 450-462	5.2	14
75	Comparing model-based and model-free analysis methods for QUASAR arterial spin labeling perfusion quantification. <i>Magnetic Resonance in Medicine</i> , <b>2013</b> , 69, 1466-75	4.4	13
74	Dissecting beta-state changes during timed movement preparation in Parkinson's disease. <i>Progress in Neurobiology</i> , <b>2020</b> , 184, 101731	10.9	13
73	Multi-subject hierarchical inverse covariance modelling improves estimation of functional brain networks. <i>NeuroImage</i> , <b>2018</b> , 178, 370-384	7.9	12
72	Multi-session statistics on beamformed MEG data. <i>NeuroImage</i> , <b>2014</b> , 95, 330-5	7.9	12

71	Author response: The relationship between spatial configuration and functional connectivity of brain regions <b>2018</b> ,		12
70	Brain dysconnectivity relates to disability and cognitive impairment in multiple sclerosis. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 626-643	5.9	12
69	A Bayesian approach for spatially adaptive regularisation in non-rigid registration. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 16, 10-8	0.9	11
68	Modulation of alpha power at encoding and retrieval tracks the precision of visual short-term memory. <i>Journal of Neurophysiology</i> , <b>2014</b> , 112, 2939-45	3.2	10
67	Spatiotemporal and spectral dynamics of multi-item working memory as revealed by the n-back task using MEG. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 2431-2446	5.9	9
66	Vessel-encoded dynamic magnetic resonance angiography using arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , <b>2010</b> , 64, 430-8	4.4	9
65	Localization of MEG human brain responses to retinotopic visual stimuli with contrasting source reconstruction approaches. <i>Frontiers in Neuroscience</i> , <b>2014</b> , 8, 127	5.1	9
64	Tau pathology in early Alzheimer's disease is linked to selective disruptions in neurophysiological network dynamics. <i>Neurobiology of Aging</i> , <b>2020</b> , 92, 141-152	5.6	8
63	Statistical Analysis of fMRI Data. <i>Neuroinformatics</i> , <b>2009</b> , 179-236	0.4	8
62	Spontaneous network activity . <i>NeuroImage</i> , <b>2020</b> , 207, 116374	7.9	8
61	How Sensitive Are Conventional MEG Functional Connectivity Metrics With Sliding Windows to Detect Genuine Fluctuations in Dynamic Functional Connectivity?. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 797	5.1	7
60	Bayesian Optimisation of Large-Scale Biophysical Networks. <i>NeuroImage</i> , <b>2018</b> , 174, 219-236	7.9	7
59	Non-linear Parameter Estimates from Non-stationary MEG Data. <i>Frontiers in Neuroscience</i> , <b>2016</b> , 10, 366	5.1	7
58	Stable between-subject statistical inference from unstable within-subject functional connectivity estimates. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 1234-1243	5.9	7
57	Within-cycle instantaneous frequency profiles report oscillatory waveform dynamics. <i>Journal of Neurophysiology</i> , <b>2021</b> , 126, 1190-1208	3.2	7
56	Optimising beamformer regions of interest analysis. <i>NeuroImage</i> , <b>2014</b> , 102 Pt 2, 945-54	7.9	6
55	Fusion of magnetometer and gradiometer sensors of MEG in the presence of multiplicative error. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2012</b> , 59, 1951-61	5	5
54	Author response: Fast transient networks in spontaneous human brain activity <b>2014</b> ,		5

53	An Introduction to MEG Connectivity Measurements <b>2014</b> , 321-358		5
52	Dynamic analysis on simultaneous iEEG-MEG data via hidden Markov model. <i>NeuroImage</i> , <b>2021</b> , 233, 117923		5
51	Temporally delayed linear modelling (TDLM) measures replay in both animals and humans. <i>ELife</i> , <b>2021</b> , 10,	8.9	5
50	Automatic decomposition of electrophysiological data into distinct nonsinusoidal oscillatory modes. <i>Journal of Neurophysiology</i> , <b>2021</b> , 126, 1670-1684	3.2	4
49	Spontaneous cortical activity transiently organises into frequency specific phase-coupling networks		4
48	The psychological correlates of distinct neural states occurring during wakeful rest		4
47	Replay bursts coincide with activation of the default mode and parietal alpha network		4
46	Motor learning shapes temporal activity in human sensorimotor cortex		4
45	Post-stimulus beta responses are modulated by task duration. <i>NeuroImage</i> , <b>2020</b> , 206, 116288	7.9	4
44	Decoding Movement States in Stepping Cycles Based on Subthalamic LFPs in Parkinsonian Patients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2018</b> , 2018, 1384-1387	0.9	4
43	Memory load modulates graded changes in distracter filtering. <i>Frontiers in Human Neuroscience</i> , <b>2014</b> , 8, 1025	3.3	3
42	Modelling Subject Variability in the Spatial and Temporal Characteristics of Functional Modes		3
41	Author response: The heritability of multi-modal connectivity in human brain activity <b>2017</b> ,		3
40	Transient beta activity and connectivity during sustained motor behaviour		3
39	Within-cycle instantaneous frequency profiles report oscillatory waveform dynamics		3
38	Automatic decomposition of electrophysiological data into distinct non-sinusoidal oscillatory modes		3
37	The role of hippocampal theta oscillations in working memory impairment in multiple sclerosis. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 1376-1390	5.9	3
36	Increased brain atrophy and lesion load is associated with stronger lower alpha MEG power in multiple sclerosis patients. <i>NeuroImage: Clinical</i> , <b>2021</b> , 30, 102632	5.3	3

35	Transient spectral events in resting state MEG predict individual task responses. <i>NeuroImage</i> , <b>2020</b> , 215, 116818	7.9	2
34	Utility of Partial Correlation for Characterising Brain Dynamics: MVPA-based Assessment of Regularisation and Network Selection <b>2013</b> ,		2
33	MVPA to enhance the study of rare cognitive events: An investigation of experimental PTSD <b>2014</b> ,		2
32	Vascular territory image analysis using vessel encoded arterial spin labeling. <i>Lecture Notes in Computer Science</i> , <b>2009</b> , 12, 514-21	0.9	2
31	Multi-dynamic modelling reveals strongly time-varying resting fMRI correlations.. <i>Medical Image Analysis</i> , <b>2022</b> , 77, 102366	15.4	2
30	Temporally unconstrained decoding reveals consistent but time-varying stages of stimulus processing		2
29	Effective psychological treatment for PTSD changes the dynamics of specific large-scale brain networks		2
28	Intrinsic/extrinsic duality of large-scale neural functional integration in the human brain		2
27	Spontaneous activity changes in large-scale cortical networks in older adults couple to distinct hemodynamic morphology		2
26	Optimising network modelling methods for fMRI		2
25	Disambiguating brain functional connectivity		2
24	Adapting non-invasive human recordings along multiple task-axes shows unfolding of spontaneous and over-trained choice. <i>ELife</i> , <b>2021</b> , 10,	8.9	2
23	Balance between competing spectral states in subthalamic nucleus is linked to motor impairment in Parkinson's disease. <i>Brain</i> , <b>2021</b> ,	11.2	2
22	Revealing the Dynamic Nature of Amplitude Modulated Neural Entrainment With Holo-Hilbert Spectral Analysis. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 673369	5.1	2
21	Mild traumatic brain injury impairs the coordination of intrinsic and motor-related neural dynamics. <i>NeuroImage: Clinical</i> , <b>2021</b> , 32, 102841	5.3	2
20	A fast solution to robust minimum variance beamformer and application to simultaneous MEG and local field potential <b>2011</b> ,		1
19	A probabilistic non-rigid registration framework using local noise estimates <b>2012</b> ,		1
18	Stable between-subject statistical inference from unstable within-subject functional connectivity estimates		1

17	Projections of non-invasive human recordings into state space show unfolding of spontaneous and over-trained choice		1
16	Dynamic Analysis on Simultaneous iEEG-MEG Data via Hidden Markov Model		1
15	Metastable brain waves		1
14	Neural dynamics at rest associated with patterns of ongoing thought		1
13	Tau pathology in early Alzheimer's disease disrupts selective neurophysiological network dynamics		1
12	Multi-dynamic Modelling Reveals Strongly Time-varying Resting fMRI Correlations		1
11	Statistical Analysis of fMRI Data. <i>Neuroinformatics</i> , <b>2016</b> , 183-239	0.4	1
10	Hierarchical modelling of functional brain networks in population and individuals from big fMRI data		1
9	Dissociable Components of Information Encoding in Human Perception. <i>Cerebral Cortex</i> , <b>2021</b> , 31, 5664-5675		1
8	Modulations of local synchrony over time lead to resting-state functional connectivity in a parsimonious large-scale brain model		1
7	Transient beta activity and cortico-muscular connectivity during sustained motor behaviour.. <i>Progress in Neurobiology</i> , <b>2022</b> , 102281	10.9	1
6	Set-level threshold-free tests on the intrinsic volumes of SPMs. <i>NeuroImage</i> , <b>2013</b> , 68, 133-40	7.9	0
5	Hierarchical modelling of functional brain networks in population and individuals from big fMRI data. <i>NeuroImage</i> , <b>2021</b> , 243, 118513	7.9	0
4	Data and model considerations for estimating time-varying functional connectivity in fMRI.. <i>NeuroImage</i> , <b>2022</b> , 252, 119026	7.9	0
3	Brainwave viscosity in propofol anaesthesia.. <i>British Journal of Anaesthesia</i> , <b>2022</b> , 128, e61-e62	5.4	
2	An Introduction to MEG Connectivity Measurements <b>2019</b> , 433-470		
1	An Introduction to MEG Connectivity Measurements <b>2019</b> , 1-38		