

# Xiaohong Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1660620/publications.pdf>

Version: 2024-02-01

142  
papers

4,731  
citations

87723

38  
h-index

118652

62  
g-index

144  
all docs

144  
docs citations

144  
times ranked

4740  
citing authors

#	ARTICLE	IF	CITATIONS
1	PIC catalysis based on polyoxometalates promoting 5-HMF oxidation in H <sub>2</sub> O/MIBK biphase. <i>Chinese Chemical Letters</i> , 2023, 34, 107548.	4.8	0
2	Oxidation of phthalate acid esters using hydrogen peroxide and polyoxometalate/graphene hybrids. <i>Journal of Hazardous Materials</i> , 2022, 422, 126867.	6.5	7
3	Synthesis of heteropolyacid (HPA) functionalized graphitic carbon nitride as effective catalysts for converting polysaccharides into high-value chemicals. <i>Resources, Conservation and Recycling</i> , 2022, 185, 106473.	5.3	2
4	Developing Dawson-Type Polyoxometalates Used as Highly Efficient Catalysts for Lignocellulose Transformation. <i>ACS Catalysis</i> , 2022, 12, 9213-9225.	5.5	9
5	Polyoxometalates as catalysts for fluorescence amplification in rapid and sensitive detection of artemisinin. <i>Analytica Chimica Acta</i> , 2021, 1143, 101-108.	2.6	23
6	Achieving deep desulfurization with inverse-micellar polyoxometalates and oxygen. <i>RSC Advances</i> , 2021, 11, 9043-9047.	1.7	2
7	Hydroxyapatite-Supported Polyoxometalates for the Highly Selective Aerobic Oxidation of 5-Hydroxymethylfurfural or Glucose to 2,5-Diformylfuran under Atmospheric Pressure. <i>ChemPlusChem</i> , 2021, 86, 997-1005.	1.3	3
8	Fabrication of ordered mesoporous POMs/SiO <sub>2</sub> -NH <sub>2</sub> nanofibers for production of DFF from 5-HMF for cellulose wastewater resource recovery. <i>Chemosphere</i> , 2021, 277, 130316.	4.2	16
9	Amphiphilic peroxy polyoxometalate as reaction control phase transfer catalyst for efficient epoxidation of olefins. <i>Micro and Nano Letters</i> , 2021, 16, 615-620.	0.6	2
10	Facile preparation of polyoxometalate nanoparticles via a solid-state chemical reaction for aerobic oxidative desulfurization catalysis. <i>Dalton Transactions</i> , 2021, 50, 12179-12187.	1.6	2
11	A fast and facile electrochemical method for the simultaneous detection of epinephrine, uric acid and folic acid based on ZrO <sub>2</sub> /ZnO nanocomposites as sensing material. <i>Analytica Chimica Acta</i> , 2020, 1104, 69-77.	2.6	49
12	The fabrication of trifunctional polyoxometalate hybrids for the cascade conversion of glycerol to lactic acid. <i>Catalysis Science and Technology</i> , 2020, 10, 207-214.	2.1	10
13	Fabrication of folate functionalized polyoxometalate nanoparticle to simultaneously detect H <sub>2</sub> O <sub>2</sub> and sarcosine in colorimetry. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127429.	4.0	34
14	Heterogenization of polyoxometalates as solid catalysts in aerobic oxidation of glycerol. <i>Catalysis Science and Technology</i> , 2020, 10, 3771-3781.	2.1	6
15	Ag@AgCl nanoparticles in-situ deposited cellulose acetate/silk fibroin composite film for photocatalytic and antibacterial applications. <i>Cellulose</i> , 2020, 27, 7721-7737.	2.4	28
16	Surfactant decorated hydrotalcite-supported polyoxometalates for aerobic oxidation of 5-hydroxymethylfurfural and monosaccharides. <i>Sustainable Energy and Fuels</i> , 2020, 4, 2236-2248.	2.5	11
17	In situ loading of polyurethane/negative ion powder composite film with visible-light-responsive Ag <sub>3</sub> PO <sub>4</sub> @AgBr particles for photocatalytic and antibacterial applications. <i>European Polymer Journal</i> , 2020, 125, 109515.	2.6	31
18	Electrochemical sensor based on an electrode modified with porous graphitic carbon nitride nanosheets (C <sub>3</sub> N <sub>4</sub> ) embedded in graphene oxide for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Mikrochimica Acta</i> , 2020, 187, 149.	2.5	38

#	ARTICLE	IF	CITATIONS
19	The fabrication of IMo <sub>6</sub> @iPAF-1 as an enzyme mimic in heterogeneous catalysis for oxidative desulfurization under O <sub>2</sub> or air. Journal of Materials Chemistry A, 2020, 8, 9813-9824.	5.2	23
20	POMs nanofibers for the oxidation of 5-HMF with O <sub>2</sub> . Chinese Science Bulletin, 2020, 65, 940-947.	0.4	1
21	Synergic Catalysts of Polyoxometalate@Cationic Porous Aromatic Frameworks: Reciprocal Modulation of Both Capture and Conversion Materials. Advanced Materials, 2019, 31, e1902444.	11.1	65
22	Enzyme-like catalysis of polyoxometalates for chemiluminescence: Application in ultrasensitive detection of H <sub>2</sub> O <sub>2</sub> and blood glucose. Talanta, 2019, 205, 120139.	2.9	56
23	A promising role of interferon regulatory factor 5 as an early warning biomarker for the development of human non-small cell lung cancer. Lung Cancer, 2019, 135, 47-55.	0.9	10
24	Polyoxometalate Immobilized on Graphene via Click Reaction for Simultaneous Dismutation of H <sub>2</sub> O <sub>2</sub> and Oxidation of Sulfur Mustard Simulant. ACS Applied Nano Materials, 2019, 2, 6971-6981.	2.4	21
25	Full Utilization of Lignocellulose with Ionic Liquid Polyoxometalates in a One-Pot Three-Step Conversion. ChemSusChem, 2019, 12, 4936-4945.	3.6	17
26	Fabrication of Trifunctional Polyoxometalate-Decorated Chitosan Nanofibers for Selective Production of 2,5-Diformylfuran. ChemSusChem, 2019, 12, 3515-3523.	3.6	20
27	POM@surf(n)/CeO <sub>2</sub> electrospun nanofibers for the facile oxidation of 5-HMF to DFF. Applied Catalysis A: General, 2019, 583, 117122.	2.2	19
28	Aerobic oxidation of glycerol catalyzed by M salts of PMo <sub>12</sub> O <sub>40</sub> 3-(M = K <sup>+</sup> , Zn <sup>2+</sup> , Cu <sup>2+</sup> , Al <sup>3+</sup> , Cr <sup>3+</sup> , Fe <sup>3+</sup> ). Applied Catalysis A: General, 2019, 579, 52-57.	2.2	6
29	High production of levulinic acid from cellulosic feedstocks being catalyzed by temperature-responsive transition metal substituted heteropolyacids. Renewable Energy, 2019, 141, 802-813.	4.3	35
30	A Polyoxometalate-Based Microfluidic Device for Liquid-Phase Oxidation of Glycerol. ChemSusChem, 2019, 12, 2550-2553.	3.6	9
31	An ultrasensitive sensor based on polyoxometalate and zirconium dioxide nanocomposites hybrids material for simultaneous detection of toxic clenbuterol and ractopamine. Sensors and Actuators B: Chemical, 2019, 288, 347-355.	4.0	38
32	Fast degradation of phthalate acid esters by polyoxometalate nanocatalysts through adsorption, esterolysis and oxidation. Journal of Hazardous Materials, 2019, 368, 788-796.	6.5	12
33	Visual detection of H <sub>2</sub> O <sub>2</sub> and melamine based on PW <sub>11</sub> MO <sub>39</sub> <sup>n+</sup> (M = Cu <sup>2+</sup> , Co <sup>2+</sup> ), Tj ETQq1 1 0.784314 rgBT /Overlock 10 PW <sub>9</sub> M <sub>3</sub> O <sub>34</sub> <sup>n+</sup> (M = Cu <sup>2+</sup> ), Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.4	14
34	Assembly of metallophthalocyanine-polyoxometalate hybrid for highly efficient desulfurization of organic and inorganic sulfur under aerobic conditions. Fuel, 2019, 241, 861-869.	3.4	27
35	Fabrication of mesoporous POMs/SiO <sub>2</sub> nanofibers through electrospinning for oxidative conversion of biomass by H <sub>2</sub> O <sub>2</sub> and oxygen. RSC Advances, 2018, 8, 3499-3511.	1.7	19
36	Decorated magnetic nanoparticle-supported bromine as a recyclable catalyst for the oxidation of sulfides. Journal of Applied Polymer Science, 2018, 135, 46036.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Catalyzing Cascade Production of Methyl Levulinate from Polysaccharides Using Heteropolyacids HnPW11MO39 with Brønsted/Lewis Acidic Sites. ACS Sustainable Chemistry and Engineering, 2018, 6, 165-176.	3.2	38
38	Expression Levels of Interferon Regulatory Factor 5 (IRF5) and Related Inflammatory Cytokines Associated with Severity, Prognosis, and Causative Pathogen in Patients with Community-Acquired Pneumonia. Medical Science Monitor, 2018, 24, 3620-3630.	0.5	15
39	First triple-functional polyoxometalate Cs <sub>10</sub> .6[H <sub>2</sub> .4GeNb <sub>13</sub> O <sub>41</sub> ] for highly selective production of methyl levulinate directly from cellulose. Cellulose, 2018, 25, 6405-6419.	2.4	18
40	Genetic variants of interferon regulatory factor 5 associated with the risk of community-acquired pneumonia. Gene, 2018, 679, 73-80.	1.0	8
41	Incorporation of Ce <sup>3+</sup> ions into dodecatungstophosphoric acid for the production of biodiesel from waste cooking oil. Materials Science and Engineering C, 2018, 92, 922-931.	3.8	7
42	Fabrication of polyoxometalate/GO/PDDA hybrid nanocomposite modified electrode and electrocatalysis for nitrite ion, ascorbic acid and dopamine. Journal of Electroanalytical Chemistry, 2018, 824, 91-98.	1.9	32
43	Fabrication of Metal-Substituted Polyoxometalates for Colorimetric Detection of Dopamine and Ractopamine. Materials, 2018, 11, 674.	1.3	20
44	Synthesis of Butyl Levulinate Based on Î±-Angelica Lactone in the Presence of Easily Separable Heteropoly Acid Catalysts. ChemSusChem, 2017, 10, 1494-1500.	3.6	22
45	Heteropolyacids embedded in a lipid bilayer covalently bonded to graphene oxide for the facile one-pot conversion of glycerol to lactic acid. Journal of Materials Chemistry A, 2017, 5, 8325-8333.	5.2	27
46	Deep oxidative desulfurization catalyzed by (NH <sub>4</sub> ) <sub>5</sub> H <sub>6</sub> PV <sub>8</sub> Mo <sub>4</sub> O <sub>40</sub> using molecular oxygen as an oxidant. Fuel Processing Technology, 2017, 160, 136-142.	3.7	48
47	Designation of choline functionalized polyoxometalates as highly active catalysts in aerobic desulfurization on a combined oxidation and extraction procedure. Fuel, 2017, 207, 13-21.	3.4	26
48	Production of Biodiesel Through Esterification Reaction Using Choline Exchanging Polytungstoboric Acids as Temperature-Responsive Catalysts. Catalysis Surveys From Asia, 2017, 21, 151-159.	1.0	2
49	Efficient mineralization of phenol by a temperature-responsive polyoxometalate catalyst under wet peroxide oxidation at lower temperatures. RSC Advances, 2017, 7, 43681-43688.	1.7	4
50	An Oligodeoxynucleotide with AAAG Repeats Significantly Attenuates Burn-induced Systemic inflammatory Responses by inhibiting interferon Regulatory Factor 5 Pathway. Molecular Medicine, 2017, 23, 166-176.	1.9	8
51	Decoration of chitosan microspheres with Brønsted heteropolyacids and Lewis ion Ti: trifunctional catalysts for esterification to biodiesel. RSC Advances, 2017, 7, 42422-42429.	1.7	11
52	Highly efficient preparation of HMF from cellulose using temperature-responsive heteropolyacid catalysts in cascade reaction. Applied Catalysis B: Environmental, 2016, 196, 50-56.	10.8	125
53	Effect of carbon supports on RhRe bifunctional catalysts for selective hydrogenolysis of tetrahydropyran-2-methanol. Catalysis Science and Technology, 2016, 6, 7841-7851.	2.1	25
54	Fabrication of H <sub>3</sub> PW <sub>12</sub> O <sub>40</sub> /agarose membrane for catalytic production of biodiesel through esterification and transesterification. RSC Advances, 2016, 6, 81794-81801.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Designation of highly efficient catalysts for one pot conversion of glycerol to lactic acid. Scientific Reports, 2016, 6, 29840.	1.6	37
56	Lewis-acid-promoted catalytic cascade conversion of glycerol to lactic acid by polyoxometalates. Chemical Communications, 2016, 52, 3332-3335.	2.2	39
57	Design of a Highly Efficient Indium-Exchanged Heteropolytungstic Acid for Glycerol Esterification with Acetic Acid. Catalysis Surveys From Asia, 2016, 20, 82-90.	1.0	5
58	Temperature-Responsive Polyoxometalate Catalysts for DBT Desulfurization in One-Pot Oxidation Combined with Extraction. Catalysis Surveys From Asia, 2016, 20, 98-108.	1.0	9
59	Lysine functional heteropolyacid nanospheres as bifunctional acid-base catalysts for cascade conversion of glucose to levulinic acid. Fuel, 2016, 164, 262-266.	3.4	38
60	Single step conversion of cellulose to levulinic acid using temperature-responsive dodeca-aluminotungstic acid catalysts. Green Chemistry, 2016, 18, 742-752.	4.6	84
61	Tailoring the Synergistic Bronsted-Lewis acidic effects in Heteropolyacid catalysts: Applied in Esterification and Transesterification Reactions. Scientific Reports, 2015, 5, 13764.	1.6	41
62	Heteropolyacid-Catalyzed Oxidation of Glycerol into Lactic Acid under Mild Base-Free Conditions. ChemSusChem, 2015, 8, 4195-4201.	3.6	38
63	Fabrication of a Dendritic Heteropolyacid as Self-Separated, Water-Resistant Catalyst for Biodiesel Fuel Production. Energy Technology, 2015, 3, 871-877.	1.8	2
64	A highly active willow-derived sulfonated carbon material with macroporous structure for production of glucose. Cellulose, 2015, 22, 675-682.	2.4	16
65	Aerobic oxidation of starch catalyzed by isopolyoxovanadate Na <sub>4</sub> Co(H <sub>2</sub> O) <sub>6</sub> V <sub>10</sub> O <sub>28</sub> . Carbohydrate Polymers, 2015, 117, 673-680.	5.1	20
66	A heteropoly acid ionic crystal containing Cr as an active catalyst for dehydration of monosaccharides to produce 5-HMF in water. Catalysis Science and Technology, 2015, 5, 2496-2502.	2.1	48
67	Micellar Molybdovanadophosphates Producing High Content of Carboxylic Acids from Starch Using Hydrogen Peroxide. Catalysis Surveys From Asia, 2015, 19, 123-128.	1.0	1
68	Hydrogen peroxide as an oxidant in starch oxidation using molybdovanadophosphate for producing a high carboxylic content. RSC Advances, 2015, 5, 45725-45730.	1.7	8
69	Homogeneous borotungstic acid and heterogeneous micellar borotungstic acid catalysts for biodiesel production by esterification of free fatty acid. Biomass and Bioenergy, 2015, 76, 31-42.	2.9	18
70	Oxidative Desulfurization by Oxygen Using Amphiphilic Quaternary Ammonium Peroxovanadium Polyoxometalates. Catalysis Surveys From Asia, 2015, 19, 257-264.	1.0	15
71	Hydrolysis and alcoholysis of polysaccharides with high efficiency catalyzed by a (C <sub>16</sub> TA) <sub>x</sub> H <sub>6</sub> P <sub>2</sub> W <sub>18</sub> O <sub>62</sub> nanoassembly. RSC Advances, 2015, 5, 94155-94163.	1.7	14
72	Inorganic-bimolecular hybrids based on polyoxometalates: Intrinsic oxidase catalytic activity and their application to cancer immunoassay. Sensors and Actuators B: Chemical, 2015, 208, 497-504.	4.0	23

#	ARTICLE	IF	CITATIONS
73	Thermo-responsive polymer micelle-based nanoreactors for intelligent polyoxometalate catalysis. <i>Catalysis Communications</i> , 2015, 58, 164-168.	1.6	12
74	$\beta^2$ -diketone-cobalt complexes inhibit DNA synthesis and induce S-phase arrest in rat C6 glioma cells. <i>Oncology Letters</i> , 2014, 7, 881-885.	0.8	10
75	Facile one-pot synthesis of mesoporous heteropolyacids-silica hybrid for catalytic wet hydrogen peroxide oxidation of phenol. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 72, 663-667.	1.1	4
76	Mixed salts of silver and ammonium derivatives of molybdovanadophosphoric acid to improve the catalytic performance in the oxidation of starch. <i>Catalysis Today</i> , 2014, 234, 264-270.	2.2	13
77	A recyclable thermo-responsive catalytic system based on poly(N-isopropylacrylamide)-coated POM@SBA-15 nanospheres. <i>Catalysis Communications</i> , 2014, 51, 29-32.	1.6	13
78	Conversion of highly concentrated fructose into 5-hydroxymethylfurfural by acid-base bifunctional HPA nanocatalysts induced by choline chloride. <i>RSC Advances</i> , 2014, 4, 63055-63061.	1.7	48
79	Catalytic wet peroxide oxidation of phenol by $[C_{16}H_{33}(CH_3)_3N]_4H_2SiV_2W_{10}$ catalyst. <i>RSC Advances</i> , 2014, 4, 7266-7274.	1.7	3
80	Degradation of phenol by air and polyoxometalate nanofibers using a continuous mode. <i>RSC Advances</i> , 2014, 4, 25404-25409.	1.7	3
81	Effect of Cs content on $CsxH_5^+xPMo_{10}V_2O_{40}$ properties and oxidative catalytic activity on starch oxidation by $H_2O_2$ . <i>RSC Advances</i> , 2014, 4, 11232.	1.7	15
82	Polyoxometalates acid treatment for preparing starch nanoparticles. <i>Carbohydrate Polymers</i> , 2014, 112, 520-524.	5.1	11
83	Ultra-deep desulfurization via reactive adsorption on peroxophosphomolybdate/agarose hybrids. <i>Chemosphere</i> , 2014, 111, 631-637.	4.2	14
84	A water-tolerant $C_{16}H_3PW_{11}CrO_{39}$ catalyst for the efficient conversion of monosaccharides into 5-hydroxymethylfurfural in a micellar system. <i>RSC Advances</i> , 2013, 3, 23051.	1.7	27
85	A heteropolyacid-based ionic liquid as a thermoregulated and environmentally friendly catalyst in esterification reaction under microwave assistance. <i>Catalysis Communications</i> , 2013, 42, 125-128.	1.6	31
86	Oxidation of $SCN^-$ with air and micellar polyoxoperoxometalates. <i>Chemosphere</i> , 2013, 90, 318-322.	4.2	4
87	Polyoxometalate-based ionic liquid as thermoregulated and environmentally friendly catalyst for starch oxidation. <i>Applied Catalysis B: Environmental</i> , 2013, 138-139, 161-166.	10.8	61
88	Fabrication of an inorganic-organic hybrid based on an iron-substituted polyoxotungstate as a peroxidase for colorimetric immunoassays of $H_2O_2$ and cancer cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4699.	5.2	48
89	Water-tolerant heteropolyacid on magnetic nanoparticles as efficient catalysts for esterification of free fatty acid. <i>RSC Advances</i> , 2013, 3, 13748.	1.7	41
90	Acid-base bifunctional HPA nanocatalysts promoting heterogeneous transesterification and esterification reactions. <i>Catalysis Science and Technology</i> , 2013, 3, 2204.	2.1	50

#	ARTICLE	IF	CITATIONS
91	A micro reaction-controlled phase-transfer catalyst for oxidative desulfurization based on polyoxometalate modified silica. <i>Applied Catalysis A: General</i> , 2013, 467, 26-32.	2.2	69
92	Synthesis, crystal structure and antitumor activities of the dimeric silicotungstate containing cobalt: Na <sub>5</sub> K <sub>7</sub> [{ $\beta$ -SiCo <sub>2</sub> W <sub>10</sub> O <sub>36</sub> (OH) <sub>2</sub> (H <sub>2</sub> O)} <sub>2</sub> ] · 39.5H <sub>2</sub> O. <i>Inorganic Chemistry Communication</i> , 2012, 25, 70-73.	1.8	11
93	One-pot depolymerization of cellulose into glucose and levulinic acid by heteropolyacid ionic liquid catalysis. <i>RSC Advances</i> , 2012, 2, 9058.	1.7	108
94	Polyoxometalates as peroxidase mimetics and their applications in H <sub>2</sub> O <sub>2</sub> and glucose detection. <i>Biosensors and Bioelectronics</i> , 2012, 36, 18-21.	5.3	101
95	Study on antitumor activity of metal-based diketone complexes. <i>Medicinal Chemistry Research</i> , 2012, 21, 1071-1076.	1.1	9
96	A Brønsted-Lewis-surfactant-combined heteropolyacid as an environmental benign catalyst for esterification reaction. <i>Catalysis Communications</i> , 2012, 20, 103-106.	1.6	32
97	Assembly of folate-polyoxometalate hybrid spheres for colorimetric immunoassay like oxidase. <i>Chemical Communications</i> , 2011, 47, 2940.	2.2	60
98	One pot production of 5-hydroxymethylfurfural with high yield from cellulose by a Brønsted-Lewis-surfactant-combined heteropolyacid catalyst. <i>Chemical Communications</i> , 2011, 47, 2176.	2.2	158
99	A micellar polyoxoperoxometalate [C <sub>16</sub> H <sub>33</sub> N(CH <sub>3</sub> ) <sub>3</sub> ] <sub>7</sub> [PW <sub>10</sub> Ti <sub>2</sub> O <sub>38</sub> (O <sub>2</sub> ) <sub>2</sub> ]: A highly efficient and stable catalyst for air oxidation of thiocyanate under room conditions. <i>Catalysis Communications</i> , 2011, 12, 384-387.	1.6	8
100	Fabrication of micellar heteropolyacid catalysts for clean production of monosaccharides from polysaccharides. <i>Catalysis Communications</i> , 2011, 12, 1483-1487.	1.6	18
101	Synthesis and Crystal Structure of a Rare Tetra- $\gamma$ -ttrium-supported Krebs-type Tungstoantimonate. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 1178-1180.	0.6	6
102	Oxidative desulfurization of dibenzothiophene with dioxygen and reverse micellar peroxotitanium under mild conditions. <i>Applied Catalysis B: Environmental</i> , 2011, 106, 343-349.	10.8	67
103	Clean production of glucose from polysaccharides using a micellar heteropolyacid as a heterogeneous catalyst. <i>Applied Catalysis B: Environmental</i> , 2011, 107, 104-109.	10.8	70
104	Conversion of fructose and glucose into 5-hydroxymethylfurfural catalyzed by a solid heteropolyacid salt. <i>Biomass and Bioenergy</i> , 2011, 35, 2659-2665.	2.9	168
105	High selective production of 5-hydroxymethylfurfural from fructose by a solid heteropolyacid catalyst. <i>Fuel</i> , 2011, 90, 2289-2293.	3.4	139
106	Removal of organic dye by air and macroporous ZnO/MoO <sub>3</sub> /SiO <sub>2</sub> hybrid under room conditions. <i>Applied Surface Science</i> , 2011, 257, 7913-7919.	3.1	46
107	Synthesis and biological evaluation of cyclopenten-1-one Mannich base oxovanadium compound. <i>Medicinal Chemistry Research</i> , 2010, 19, 1162-1173.	1.1	6
108	Hydrolysis of cellulose by the heteropoly acid H <sub>3</sub> PW <sub>12</sub> O <sub>40</sub> . <i>Cellulose</i> , 2010, 17, 587-594.	2.4	195

#	ARTICLE	IF	CITATIONS
109	Degradation of Rhodamine B and Safranin <sup>6F</sup> by MoO <sub>3</sub> :CeO <sub>2</sub> Nanofibers and Air Using a Continuous Mode. <i>Clean - Soil, Air, Water</i> , 2010, 38, 268-274.	0.7	34
110	Catalytic wet air oxidation of phenol with air and micellar molybdovanadophosphoric polyoxometalates under room condition. <i>Applied Catalysis B: Environmental</i> , 2010, 97, 127-134.	10.8	60
111	Degradation of phenol accumulated in a micellar molybdovanadophosphate nanoreactor by air at ambient temperature and atmospheric pressure. <i>Dalton Transactions</i> , 2010, 39, 5087.	1.6	11
112	Zn <sub>1.2</sub> H <sub>0.6</sub> PW <sub>12</sub> O <sub>40</sub> Nanotubes with Double Acid Sites as Heterogeneous Catalysts for the Production of Biodiesel from Waste Cooking Oil. <i>ChemSusChem</i> , 2009, 2, 177-183.	3.6	83
113	Fabrication of Cs <sub>2.5</sub> H <sub>0.5</sub> PW <sub>12</sub> O <sub>40</sub> three-dimensional ordered film by colloidal crystal template. <i>Journal of Solid State Chemistry</i> , 2009, 182, 1661-1665.	1.4	5
114	Three-dimensional films of photoluminescent polyoxometalates fabricated by a colloidal crystal template. <i>Thin Solid Films</i> , 2009, 518, 154-159.	0.8	5
115	Biodiesel production from Eruca Sativa Gars vegetable oil and motor, emissions properties. <i>Renewable Energy</i> , 2009, 34, 1871-1876.	4.3	104
116	Catalytic wet air oxidation of dye pollutants by polyoxomolybdate nanotubes under room condition. <i>Applied Catalysis B: Environmental</i> , 2009, 86, 182-189.	10.8	79
117	Fast catalytic degradation of organic dye with air and MoO <sub>3</sub> :Ce nanofibers under room condition. <i>Applied Catalysis B: Environmental</i> , 2009, 92, 333-340.	10.8	104
118	Heteropolyacid Nanoreactor with Double Acid Sites as a Highly Efficient and Reusable Catalyst for the Transesterification of Waste Cooking Oil. <i>Energy &amp; Fuels</i> , 2009, 23, 4640-4646.	2.5	42
119	Synthesis and biological evaluation of decavanadate Na <sub>4</sub> Co(H <sub>2</sub> O) <sub>6</sub> V <sub>10</sub> O <sub>28</sub> ·18H <sub>2</sub> O. <i>Biomedicine and Pharmacotherapy</i> , 2009, 63, 51-55.	2.5	46
120	Degradation of dye on polyoxotungstate nanotube under molecular oxygen. <i>Dyes and Pigments</i> , 2008, 76, 113-117.	2.0	34
121	Biodiesel production from high acid value waste frying oil catalyzed by superacid heteropolyacid. <i>Biotechnology and Bioengineering</i> , 2008, 101, 93-100.	1.7	133
122	Synthesis and biological activity of triorganogermanium substituted heteropolytungstates. <i>Polyhedron</i> , 2008, 27, 1150-1154.	1.0	8
123	Synthesis and characterization of polyoxometalates loaded starch nanocomplex and its antitumoral activity. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 1911-1917.	2.6	40
124	Synthesis and structure of ditanium-containing 10-tungstogermanate [{{ <sup>3</sup> -GeTi <sub>2</sub> W <sub>10</sub> O <sub>36</sub> (OH) <sub>2</sub> } <sub>2</sub> ( <sup>1/4</sup> -O) <sub>2</sub> }] <sub>8</sub> <sup>-</sup> . <i>Inorganic Chemistry Communication</i> , 2008, 11, 835-836.	1.8	16
125	Polyoxometalate-based Colloidal Crystal Thin Film. <i>Chemistry Letters</i> , 2007, 36, 260-261.	0.7	2
126	Transesterification of Vegetable Oil to Biodiesel using a Heteropolyacid Solid Catalyst. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 1057-1065.	2.1	164



#	ARTICLE	IF	CITATIONS
127	Syntheses, properties and biological activity of organogermanium substituted heteropolytungstates. <i>Inorganic Chemistry Communication</i> , 2007, 10, 216-219.	1.8	7
128	W doped vanadium oxide nanotubes: Synthesis and characterization. <i>Materials Letters</i> , 2007, 61, 1328-1332.	1.3	23
129	Dendritic and tubular tungsten oxide by surface sol-gel mineralisation of cellulosic substance. <i>Materials Letters</i> , 2007, 61, 3939-3941.	1.3	14
130	Polyoxotungstates containing uranyl group: Germanotungstates with Keggin sandwich structure. <i>Inorganic Chemistry Communication</i> , 2006, 9, 1331-1334.	1.8	25
131	A novel organically templated three-dimensional open framework vanadium tellurite: $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3)_2\text{V}_2\text{Te}_6\text{O}_{18}$ . <i>Journal of Solid State Chemistry</i> , 2005, 178, 1825-1829.	1.4	12
132	New liposome-encapsulated-polyoxometalates: synthesis and antitumoral activity. <i>Journal of Inorganic Biochemistry</i> , 2005, 99, 452-457.	1.5	75
133	Polyoxometalates supporting cyclopentadienylzirconium : a new kind of olefin polymerization catalyst. <i>Inorganic Chemistry Communication</i> , 2005, 8, 70-71.	1.8	15
134	Synthesis, Characterization, and Antitumoral Activity of Polyoxometalate Loaded Starch Nanocomplexes. <i>Journal of Nanoscience and Nanotechnology</i> , 2005, 5, 905-908.	0.9	3
135	Preparation, characterization and in vitro antitumoral activity of a nanosize liposome complex encapsulated polyoxotungstate $\text{K}_6\text{H}_2[\text{CoW}_{11}\text{TiO}_{40}]$ . <i>Transition Metal Chemistry</i> , 2004, 29, 96-99.	0.7	19
136	Synthesis and antitumor activity of cyclopentadienyltitanium substituted polyoxotungstate $[\text{CoW}_{11}\text{O}_{39}(\text{CpTi})]^{7-}$ (Cp= $\eta^5\text{-C}_5\text{H}_5$ ). <i>Journal of Inorganic Biochemistry</i> , 2003, 94, 279-284.	1.5	82
137	New polyoxometalate/starch nanomaterial: synthesis, characterization and antitumoral activity. <i>Dalton Transactions</i> , 2003, , 957-960.	1.6	132
138	Synthesis and Characterization of $\eta^2$ -Diketonato Titanium Derivatives of Polyoxometalates. <i>Synthetic Communications</i> , 2003, 33, 3919-3927.	1.1	0
139	SYNTHESIS OF ISOMERS OF ORGANOTIN SUBSTITUTED POLYOXOTUNGSTATES AND COMPARISON OF THE ANTITUMOR ACTIVITY OF ISOMERS. <i>Main Group Metal Chemistry</i> , 2002, 25, .	0.6	26
140	Synthesis and crystal structure of the dimeric, $\text{Ti}_2\text{O}_2$ bridged hydrid form polyoxoanion $[\eta^2\text{-1,2-PW}_{10}\text{Ti}_2\text{O}_{39}]^{2-}$ . <i>Inorganic Chemistry Communication</i> , 2002, 5, 796-799.	1.8	18
141	Synthesis, Properties and Biological Activity of Organotitanium Substituted Heteropolytungstates. <i>Metal-Based Drugs</i> , 2001, 8, 179-182.	3.8	8
142	Synthesis, characterization and in vitro antitumor activity of diorganometallo complexes $\eta^3$ -Keggin anions. <i>Inorganic Chemistry Communication</i> , 2001, 4, 372-374.	1.8	31