Adriaan W Bruijnzeel

List of Publications by Citations

Source: https://exaly.com/author-pdf/1660738/adriaan-w-bruijnzeel-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,813
30
h-index

81
ext. papers

3,153
ext. citations

30
h-index

4.7
avg, IF

5.32
L-index

#	Paper	IF	Citations
77	Bupropion enhances brain reward function and reverses the affective and somatic aspects of nicotine withdrawal in the rat. <i>Psychopharmacology</i> , 2003 , 168, 347-58	4.7	178
76	kappa-Opioid receptor signaling and brain reward function. Brain Research Reviews, 2009, 62, 127-46		140
75	Characterization of the effects of bupropion on the reinforcing properties of nicotine and food in rats. <i>Synapse</i> , 2003 , 50, 20-8	2.4	126
74	Diminished nicotine withdrawal in adolescent rats: implications for vulnerability to addiction. <i>Psychopharmacology</i> , 2006 , 186, 612-9	4.7	122
73	Tobacco addiction and the dysregulation of brain stress systems. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 1418-41	9	115
72	Corticotropin-releasing factor-1 receptor activation mediates nicotine withdrawal-induced deficit in brain reward function and stress-induced relapse. <i>Biological Psychiatry</i> , 2009 , 66, 110-7	7.9	107
71	Effects of the CRF receptor antagonist D-Phe CRF(12-41) and the alpha2-adrenergic receptor agonist clonidine on stress-induced reinstatement of nicotine-seeking behavior in rats. Neuropharmacology, 2007, 53, 958-66	5.5	94
70	The role of corticotropin-releasing factor-like peptides in cannabis, nicotine, and alcohol dependence. <i>Brain Research Reviews</i> , 2005 , 49, 505-28		94
69	Antagonism of CRF receptors prevents the deficit in brain reward function associated with precipitated nicotine withdrawal in rats. <i>Neuropsychopharmacology</i> , 2007 , 32, 955-63	8.7	93
68	Nicotine withdrawal in adolescent and adult rats. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1021, 167-74	6.5	80
67	Methamphetamine- and trauma-induced brain injuries: comparative cellular and molecular neurobiological substrates. <i>Biological Psychiatry</i> , 2009 , 66, 118-27	7.9	74
66	Corticotropin-releasing factor within the central nucleus of the amygdala and the nucleus accumbens shell mediates the negative affective state of nicotine withdrawal in rats. Neuropsychopharmacology, 2009, 34, 1743-52	8.7	73
65	The role of the CRH type 1 receptor in autonomic responses to corticotropin- releasing hormone in the rat. <i>Neuropsychopharmacology</i> , 2000 , 22, 388-99	8.7	70
64	Long-term sensitization of Fos-responsivity in the rat central nervous system after a single stressful experience. <i>Brain Research</i> , 1999 , 819, 15-22	3.7	69
63	Effects of insulin and leptin in the ventral tegmental area and arcuate hypothalamic nucleus on food intake and brain reward function in female rats. <i>Behavioural Brain Research</i> , 2011 , 219, 254-64	3.4	66
62	Stimulation of Q -adrenergic receptors in the central nucleus of the amygdala attenuates stress-induced reinstatement of nicotine seeking in rats. <i>Neuropharmacology</i> , 2011 , 60, 303-11	5.5	63
61	Tobacco smoke exposure induces nicotine dependence in rats. <i>Psychopharmacology</i> , 2010 , 208, 143-58	4.7	63

(2010-2017)

60	The sigma-1 receptor modulates methamphetamine dysregulation of dopamine neurotransmission. <i>Nature Communications</i> , 2017 , 8, 2228	17.4	57
59	Adaptations in cholinergic transmission in the ventral tegmental area associated with the affective signs of nicotine withdrawal in rats. <i>Neuropharmacology</i> , 2004 , 47, 572-9	5.5	55
58	The Psychoactive Designer Drug and Bath Salt Constituent MDPV Causes Widespread Disruption of Brain Functional Connectivity. <i>Neuropsychopharmacology</i> , 2016 , 41, 2352-65	8.7	53
57	Differential regulation of agouti-related protein and neuropeptide Y in hypothalamic neurons following a stressful event. <i>Journal of Molecular Endocrinology</i> , 2005 , 35, 159-64	4.5	52
56	Stress-induced sensitization of CRH-ir but not P-CREB-ir responsivity in the rat central nervous system. <i>Brain Research</i> , 2001 , 908, 187-96	3.7	52
55	Blockade of CRF1 receptors in the central nucleus of the amygdala attenuates the dysphoria associated with nicotine withdrawal in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2012 , 101, 62-8	3.9	49
54	Behavioral Characterization of the Effects of Cannabis Smoke and Anandamide in Rats. <i>PLoS ONE</i> , 2016 , 11, e0153327	3.7	45
53	Effects of prazosin, clonidine, and propranolol on the elevations in brain reward thresholds and somatic signs associated with nicotine withdrawal in rats. <i>Psychopharmacology</i> , 2010 , 212, 485-99	4.7	43
52	Temporal MRI characterization, neurobiochemical and neurobehavioral changes in a mouse repetitive concussive head injury model. <i>Scientific Reports</i> , 2015 , 5, 11178	4.9	42
51	Exposure to chronic mild stress alters thresholds for lateral hypothalamic stimulation reward and subsequent responsiveness to amphetamine. <i>Neuroscience</i> , 2002 , 114, 925-33	3.9	42
50	Severe deficit in brain reward function associated with fentanyl withdrawal in rats. <i>Biological Psychiatry</i> , 2006 , 59, 477-80	7.9	39
49	Effects in rats of adolescent exposure to cannabis smoke or THC on emotional behavior and cognitive function in adulthood. <i>Psychopharmacology</i> , 2019 , 236, 2773-2784	4.7	31
48	Corticotropin-releasing factor mediates the dysphoria-like state associated with alcohol withdrawal in rats. <i>Behavioural Brain Research</i> , 2010 , 210, 288-91	3.4	30
47	Effects of NPY and the specific Y1 receptor agonist [D-His(26)]-NPY on the deficit in brain reward function and somatic signs associated with nicotine withdrawal in rats. <i>Neuropeptides</i> , 2008 , 42, 215-27	3.3	30
46	Long-term sensitization of cardiovascular stress responses after a single stressful experience. <i>Physiology and Behavior</i> , 2001 , 73, 81-6	3.5	30
45	Tobacco smoke diminishes neurogenesis and promotes gliogenesis in the dentate gyrus of adolescent rats. <i>Brain Research</i> , 2011 , 1413, 32-42	3.7	29
44	Deficit in brain reward function and acute and protracted anxiety-like behavior after discontinuation of a chronic alcohol liquid diet in rats. <i>Psychopharmacology</i> , 2009 , 203, 629-40	4.7	28
43	Preadolescent tobacco smoke exposure leads to acute nicotine dependence but does not affect the rewarding effects of nicotine or nicotine withdrawal in adulthood in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 95, 401-9	3.9	28

42	Effect of a benzodiazepine receptor agonist and corticotropin-releasing hormone receptor antagonists on long-term foot-shock-induced increase in defensive withdrawal behavior. <i>Psychopharmacology</i> , 2001 , 158, 132-9	4.7	27
41	Acute nicotine administration increases BOLD fMRI signal in brain regions involved in reward signaling and compulsive drug intake in rats. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	23
40	Overexpression of CRF in the BNST diminishes dysphoria but not anxiety-like behavior in nicotine withdrawing rats. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1378-1389	1.2	23
39	Prolonged nicotine exposure does not alter GABA(B) receptor-mediated regulation of brain reward function. <i>Neuropharmacology</i> , 2005 , 49, 953-62	5.5	21
38	Pros and Cons of Medical Cannabis use by People with Chronic Brain Disorders. <i>Current Neuropharmacology</i> , 2017 , 15, 800-814	7.6	21
37	Anabolic Steroid Abuse. <i>Journal of Addictive Diseases</i> , 2006 , 25, 33-45	1.7	20
36	Sex differences in the elevated plus-maze test and large open field test in adult Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021 , 204, 173168	3.9	20
35	Functional connectivity, behavioral and dopaminergic alterations 24 hours following acute exposure to synthetic bath salt drug methylenedioxypyrovalerone. <i>Neuropharmacology</i> , 2018 , 137, 178	- ₹ 953	19
34	Sustained AAV-mediated overexpression of CRF in the central amygdala diminishes the depressive-like state associated with nicotine withdrawal. <i>Translational Psychiatry</i> , 2014 , 4, e385	8.6	18
33	Neuropeptide systems and new treatments for nicotine addiction. <i>Psychopharmacology</i> , 2017 , 234, 141	9 ₄ 1 / 437	7 17
32	Simultaneous quantification of cannabinoids tetrahydrocannabinol, cannabidiol and CB1 receptor antagonist in rat plasma: An application to characterize pharmacokinetics after passive cannabis smoke inhalation and co-administration of rimonabant. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 119-125	3.5	15
31	The effects of buprenorphine on fentanyl withdrawal in rats. <i>Psychopharmacology</i> , 2007 , 191, 931-41	4.7	15
30	Enhancing effects of acute exposure to cannabis smoke on working memory performance. <i>Neurobiology of Learning and Memory</i> , 2019 , 157, 151-162	3.1	15
29	Chronic treatment with the vasopressin 1b receptor antagonist SSR149415 prevents the dysphoria associated with nicotine withdrawal in rats. <i>Behavioural Brain Research</i> , 2015 , 292, 259-65	3.4	14
28	Repeated pre-exposure to tobacco smoke potentiates subsequent locomotor responses to nicotine and tobacco smoke but not amphetamine in adult rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 100, 109-18	3.9	14
27	Effects of fentanyl dose and exposure duration on the affective and somatic signs of fentanyl withdrawal in rats. <i>Neuropharmacology</i> , 2008 , 55, 812-8	5.5	14
26	Decreased sensitivity to the effects of dopamine D1-like, but not D2-like, receptor antagonism in the posterior hypothalamic region/anterior ventral tegmental area on brain reward function during chronic exposure to nicotine in rats. <i>Brain Research</i> , 2005 , 1058, 91-100	3.7	14
25	Sex differences in long-term stress-induced colonic, behavioural and hormonal disturbances. <i>Life Sciences</i> , 1999 , 65, 2837-49	6.8	14

(2017-2015)

A critical role for the melanocortin 4 receptor in stress-induced relapse to nicotine seeking in rats. <i>Addiction Biology</i> , 2015 , 20, 324-35	4.6	13	
Anorexic effects of intra-VTA leptin are similar in low-fat and high-fat-fed rats but attenuated in a subgroup of high-fat-fed obese rats. <i>Pharmacology Biochemistry and Behavior</i> , 2013 , 103, 573-81	3.9	13	
Evaluation of the rewarding effects of mitragynine and 7-hydroxymitragynine in an intracranial self-stimulation procedure in male and female rats. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108235	4.9	12	
Sex differences in the reward deficit and somatic signs associated with precipitated nicotine withdrawal in rats. <i>Neuropharmacology</i> , 2019 , 160, 107756	5.5	11	
Evaluation of Sex Differences in the Elasticity of Demand for Nicotine and Food in Rats. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 925-934	4.9	9	
Rewarding Effects of Nicotine in Adolescent and Adult Male and Female Rats as Measured Using Intracranial Self-stimulation. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 172-179	4.9	8	
Reward Processing and Smoking. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 661-662	4.9	7	
Pharmacokinetic and Pharmacodynamic Characterization of Tetrahydrocannabinol-Induced Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. <i>Cannabis and Cannabinoid Research</i> , 2019 , 4, 240-254	4.6	7	
Self-administration of the synthetic cathinone MDPV enhances reward function via a nicotinic receptor dependent mechanism. <i>Neuropharmacology</i> , 2018 , 137, 286-296	5.5	7	
Overexpression of corticotropin-releasing factor in the nucleus accumbens enhances the reinforcing effects of nicotine in intactIfemale versus maleland ovariectomized female rats. <i>Neuropsychopharmacology</i> , 2020 , 45, 394-403	8.7	6	
Adolescent nicotine and tobacco smoke exposure enhances nicotine self-administration in female rats. <i>Neuropharmacology</i> , 2020 , 176, 108243	5.5	6	
Effects of repeated adolescent exposure to cannabis smoke on cognitive outcomes in adulthood. Journal of Psychopharmacology, 2021 , 35, 848-863	4.6	4	
Exposure to smoke from high- but not low-nicotine cigarettes leads to signs of dependence in male rats and potentiates the effects of nicotine in female rats. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 196, 172998	3.9	4	
Relationship Between Nicotine Intake and Reward Function in Rats With Intermittent Short Versus Long Access to Nicotine. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 213-223	4.9	4	
Rodent models for nicotine withdrawal. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1169-1187	4.6	3	
Rewarding Effects of Nicotine Self-administration Increase Over Time in Male and Female Rats. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 2117-2126	4.9	3	
Recent Updates in Animal Models of Nicotine Withdrawal: Intracranial Self-Stimulation and Somatic Signs. <i>Methods in Molecular Biology</i> , 2019 , 2011, 253-265	1.4	1	
Reducing the Prevalence of Smoking: Policy Measures and Focusing on Specific Populations. Nicotine and Tobacco Research, 2017, 19, 1003-1004	4.9	1	
	Addiction Biology, 2015, 20, 324-35 Anorexic effects of intra-VTA leptin are similar in low-fat and high-fat-fed rats but attenuated in a subgroup of high-fat-fed obese rats. Pharmacology Biochemistry and Behavior, 2013, 103, 573-81 Evaluation of the rewarding effects of mitragynine and 7-hydroxymitragynine in an intracranial self-stimulation procedure in male and female rats. Drug and Alcohol Dependence, 2020, 215, 108235 Sex differences in the reward deficit and somatic signs associated with precipitated nicotine withdrawal in rats. Neuropharmacology, 2019, 160, 107756 Evaluation of Sex Differences in the Elasticity of Demand for Nicotine and Food in Rats. Nicotine and Tobacco Research, 2020, 22, 925-934 Rewarding Effects of Nicotine in Adolescent and Adult Male and Female Rats as Measured Using Intracranial Self-stimulation. Nicotine and Tobacco Research, 2020, 22, 172-179 Reward Processing and Smoking. Nicotine and Tobacco Research, 2017, 19, 661-662 Pharmacokinetic and Pharmacodynamic Characterization of Tetrahydrocannabinol-Induced Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and Cannabinoid Research, 2019, 4, 240-254 Self-administration of the synthetic cathinone MDPV enhances reward function via a nicotinic receptor dependent mechanism. Neuropharmacology, 2018, 137, 286-296 Overexpression of corticotropin-releasing factor in the nucleus accumbens enhances the reinforcing effects of nicotine in intactifemale versus maleiand ovariectomized female rats. Neuropsychopharmacology, 2020, 45, 394-403 Adolescent nicotine and tobacco smoke exposure enhances nicotine self-administration in female rats. Neuropharmacology, 2021, 156, 108243 Effects of repeated adolescent exposure to cannabis smoke on cognitive outcomes in adulthood. Journal of Psychopharmacology, 2021, 135, 848-863 Exposure to smoke from high- but not low-nicotine cigarettes leads to signs of dependence in male rats and potentiates the effects of nicotine in female rats. Pharmacology, 30chemistry	Addiction Biology, 2015, 20, 324-35 Anorexic effects of intra-VTA leptin are similar in tow-fat and high-fat-fed rats but attenuated in a subgroup of high-fat-fed obese rats. Pharmacology Biochemistry and Behavior, 2013, 103, 573-81 Sex differences in the rewarding effects of mitragynine and 7-hydroxymitragynine in an intracranial self-stimulation procedure in male and female rats. Drug and Alcohol Dependence, 2020, 215, 108235 Sex differences in the reward deficit and somatic signs associated with precipitated nicotine withdrawal in rats. Neuropharmacology, 2019, 160, 107756 Evaluation of Sex Differences in the Elasticity of Demand for Nicotine and Food in Rats. Nicotine and Tobacco Research, 2020, 22, 925-934 Rewarding Effects of Nicotine in Adolescent and Adult Male and Female Rats as Measured Using Intracranial Self-stimulation. Nicotine and Tobacco Research, 2017, 19, 661-662 49 Pharmacokinetic and Pharmacodynamic Characterization of Tetrahydrocannabinol-Induced Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and Cannabinoid Research, 2019, 4, 240-254 Self-administration of the synthetic cathinone MDPV enhances reward function via a nicotinic receptor dependent mechanism. Neuropharmacology, 2018, 137, 286-296 Overexpression of corticotropin-releasing factor in the nucleus accumbens enhances the einforcing effects of nicotine in intactifemale versus malefand ovariectomized female rats. Neuropharmacology, 2020, 135, 848-863 Exposure to smoke from high- but not low-nicotine cigarettes leads to signs of dependence in male rats and potentiates the effects of nicotine in female rats. Pharmacology Biochemistry and Behavior, 2020, 196, 172998 Relationship Between Nicotine Intake and Reward Function in Rats With Intermittent Short Versus Long Access to Nicotine withdrawal. Journal of Psychopharmacology, 2021, 35, 1169-1187 49 Rewarding Effects of Nicotine Self-administration	Addiction Biology, 2015, 20, 324-35 Anorexic effects of intra-VTA leptin are similar in low-fat and high-fat-fed rats but attenuated in a subgroup of high-fat-fed obese rats. Phormacology Biochemistry and Behavior, 2013, 103, 573-81 Evaluation of the rewarding effects of mitragynine and 7-hydroxymitragynine in an intracranial self-stimulation procedure in male and female rats. Drug and Alcohol Dependence, 2020, 215, 108235 49 12 Evaluation of Sex Differences in the reward deficit and somatic signs associated with precipitated nicotine withdrawal in rats. Neuropharmacology, 2019, 160, 107756 Evaluation of Sex Differences in the Elasticity of Demand for Nicotine and Food in Rats. Nicotine and Tobacco Research, 2020, 22, 925-934 Rewarding Effects of Nicotine in Adolescent and Adult Male and Female Rats as Measured Using Intracranial Self-stimulation. Nicotine and Tobacco Research, 2020, 22, 172-179 Reward Processing and Smoking. Nicotine and Tobacco Research, 2020, 22, 172-179 Reward Processing and Smoking. Nicotine and Tobacco Research, 2020, 22, 172-179 Pharmacokinetic and Pharmacodynamic Characterization of Tetrahydrocannabinol-Induced Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and Cannabinoid Research, 2019, 4, 240-254 Self-administration of the synthetic cathinone MDPV enhances reward function via a nicotinic receptor dependent mechanism. Neuropharmacology, 2018, 137, 286-296 Overexpression of corticotropin-releasing factor in the nucleus accumbens enhances the enforcing effects of nicotine in IntactEmale versus malefland ovariectomized female rats. Neuropharmacology, 2020, 176, 108243 Effects of repeated adolescent exposure to cannabis smoke on cognitive outcomes in adulthood. Journal of Psychopharmacology, 2021, 138, 848-863 Exposure to smoke from high- but not low-nicotine cigarettes leads to signs of dependence in male rats. Neuropharmacology, 2021, 138, 848-

6	Tobacco smoke exposure enhances reward sensitivity in male and female rats. <i>Psychopharmacology</i> , 2021 , 238, 845-855	4.7	1
5	Adolescent nicotine treatment causes robust locomotor sensitization during adolescence but impedes the spontaneous acquisition of nicotine intake in adult female Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021 , 207, 173224	3.9	1
4	Effect of Second-Hand Tobacco Smoke on the Nitration of Brain Proteins: A Systems Biology and Bioinformatics Approach. <i>Methods in Molecular Biology</i> , 2017 , 1598, 353-372	1.4	0
3	Nicotine, Corticotropin-Releasing Factor, and Anxiety-Like Behavior 2019 , 159-164		Ο
2	Shifting Frontiers in Basic Research on Nicotine and Tobacco Products. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 145-146	4.9	0