Jesper Hastrup Svendsen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1661037/jesper-hastrup-svendsen-publications-by-year.pdf

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 345 | 10,208 | 51 | 87 |
|-----------------|-----------------------|----------------|----------------|
| papers | citations | h-index | g-index |
| 374 ext. papers | 13,177 ext. citations | 4.9 avg, IF | 5.9 L-index |

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 345 | Whole-Exome Sequencing Implicates Neuronal Calcium Channel with Familial Atrial Fibrillation <i>Frontiers in Genetics</i> , 2022 , 13, 806429 | 4.5 | |
| 344 | Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1 | 2.5 | 0 |
| 343 | Effect of implantable cardioverter-defibrillators in patients with non-ischaemic systolic heart failure and concurrent coronary atherosclerosis <i>ESC Heart Failure</i> , 2022 , | 3.7 | 1 |
| 342 | Accelerometer-assessed physical behavior and the association with clinical outcomes in implantable cardioverter-defibrillator recipients: A systematic review <i>Cardiovascular Digital Health Journal</i> , 2022 , 3, 46-55 | 2 | О |
| 341 | Business as (un)usual: A qualitative study of clerkship experiences during a health crisis <i>Medical Education</i> , 2022 , | 3.7 | 1 |
| 340 | NT-proBNP and ICD in Nonischemic Systolic Heart Failure: Extended Follow-Up of the DANISH Trial <i>JACC: Heart Failure</i> , 2022 , 10, 161-171 | 7.9 | О |
| 339 | Normal Values for Myocardial Work Indices Derived From Pressure-Strain Loop Analyses: From the CCHS <i>Circulation: Cardiovascular Imaging</i> , 2022 , 101161CIRCIMAGING121013712 | 3.9 | 1 |
| 338 | Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022 , 17, e0269475 | 3.7 | 0 |
| 337 | Early glycaemic changes after initiation of oral antidiabetic medication and risk of major adverse cardiovascular events: results from a large primary care population of patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 486-495 | 6.4 | O |
| 336 | The heart & mind trial: intervention with cognitive-behavioural therapy in patients with cardiac disease and anxiety: randomised controlled trial protocol. <i>BMJ Open</i> , 2021 , 11, e057085 | 3 | 1 |
| 335 | Clinician Preimplementation Perspectives of a Decision-Support Tool for the Prediction of Cardiac Arrhythmia Based on Machine Learning: Near-Live Feasibility and Qualitative Study. <i>JMIR Human Factors</i> , 2021 , 8, e26964 | 2.5 | 1 |
| 334 | Rationale and design of the SafeHeart study: Development and testing of a mHealth tool for the prediction of arrhythmic events and implantable cardioverter-defibrillator therapy <i>Cardiovascular Digital Health Journal</i> , 2021 , 2, S11-S20 | 2 | 0 |
| 333 | Left bundle branch block without a typical contraction pattern is associated with increased risk of ventricular arrhythmias in cardiac resynchronization therapy patients. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1843-1851 | 2.5 | |
| 332 | The Authors Reply. JACC: Cardiovascular Imaging, 2021, 14, 704-705 | 8.4 | |
| 331 | Evolution of P-wave indices during long-term follow-up as markers of atrial substrate progression in arrhythmogenic right ventricular cardiomyopathy. <i>Europace</i> , 2021 , 23, i29-i37 | 3.9 | O |
| 330 | A Randomized Trial of His Pacing Versus Biventricular Pacing in Symptomatic HF Patients With Left Bundle Branch Block (His-Alternative). <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 1422-1432 | 4.6 | 12 |
| 329 | Complications of implantable cardioverter-defibrillator treatment in arrhythmogenic right ventricular cardiomyopathy. <i>Europace</i> , 2021 , | 3.9 | 2 |

(2021-2021)

| 328 | Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failure-Results from the DANISH trial. <i>American Heart Journal</i> , 2021 , 232, 61-70 | 4.9 | O |
|-----|---|-----|-----|
| 327 | Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , 2021 , 23, 587-595 | 3.9 | 4 |
| 326 | Reply to: TFC ECG in arrhythmogenic cardiomyopathy: Inadequate mixture of criteria?. <i>International Journal of Cardiology</i> , 2021 , 323, 203 | 3.2 | |
| 325 | World Heart Federation Roadmap on Atrial Fibrillation - A 2020 Update. <i>Global Heart</i> , 2021 , 16, 41 | 2.9 | 7 |
| 324 | Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA). | 3.9 | 2 |
| 323 | Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC; Secondary prevention and rehabilitation section) and European Heart Rhythm Association (EHRA). | 3.9 | 3 |
| 322 | Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021 , 22, 621-628 | 3.6 | 6 |
| 321 | Assessment of cardiac arrhythmias using long-term continuous monitoring in patients with pulmonary hypertension. <i>International Journal of Cardiology</i> , 2021 , 334, 110-115 | 3.2 | O |
| 320 | Cardiac arrhythmias six months following traumatic spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2021 , 1-7 | 1.9 | 1 |
| 319 | Genome-wide association study identifies 18 novel loci associated with left atrial volume and function. <i>European Heart Journal</i> , 2021 , 42, 4523-4534 | 9.5 | 4 |
| 318 | Genotype-phenotype correlation in arrhythmogenic right ventricular cardiomyopathy-risk of arrhythmias and heart failure. <i>Journal of Medical Genetics</i> , 2021 , | 5.8 | 1 |
| 317 | Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 1507-1516 | 40 | 47 |
| 316 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021 , 42, 3427-3520 | 9.5 | 134 |
| 315 | Global longitudinal strain predicts atrial fibrillation in individuals without hypertension: A Community-based cohort study. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1801-1810 | 6.1 | |
| 314 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. Europace, 2021, | 3.9 | 6 |
| 313 | Day-to-day measurement of physical activity and risk of atrial fibrillation. <i>European Heart Journal</i> , 2021 , 42, 3979-3988 | 9.5 | 3 |
| 312 | Genetic Variant Score and Arrhythmogenic Right Ventricular Cardiomyopathy Phenotype in Plakophilin-2 Mutation Carriers. <i>Cardiology</i> , 2021 , 146, 763-771 | 1.6 | 1 |
| 311 | Atrial fibrillation burden and cognitive decline in elderly patients undergoing continuous monitoring. <i>American Heart Journal</i> , 2021 , 242, 15-23 | 4.9 | 1 |

| 310 | Left Atrial Remodeling and Cerebrovascular Disease Assessed by Magnetic Resonance Imaging in Continuously Monitored Patients. <i>Cerebrovascular Diseases</i> , 2021 , 1-10 | 3.2 | |
|-----|--|------|----|
| 309 | Screening relatives in arrhythmogenic right ventricular cardiomyopathy: yield of imaging and electrical investigations. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 175-182 | 4.1 | 5 |
| 308 | Clinical effectiveness of primary prevention implantable cardioverter-defibrillators: results of the EU-CERT-ICD controlled multicentre cohort study. <i>European Heart Journal</i> , 2020 , 41, 3437-3447 | 9.5 | 25 |
| 307 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. | 3.9 | 25 |
| 306 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. | 1.5 | 11 |
| 305 | European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. | 6.7 | 7 |
| 304 | Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1690-1700 | 8.4 | 10 |
| 303 | Early-onset atrial fibrillation patients show reduced left ventricular ejection fraction and increased atrial fibrosis. <i>Scientific Reports</i> , 2020 , 10, 10039 | 4.9 | 3 |
| 302 | Absence of ECG Task Force Criteria does not rule out structural changes in genotype positive ARVC patients. <i>International Journal of Cardiology</i> , 2020 , 317, 152-158 | 3.2 | 2 |
| 301 | Wearable cardioverter-defibrillator in patients at risk of sudden cardiac death: consensus document from Kalarus et al. contradicts current guideline recommendations-Authors' reply. <i>Europace</i> , 2020 , 22, 1442-1443 | 3.9 | |
| 300 | Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation: Insights From Patients at Risk Monitored Long Term With an Implantable Loop Recorder. <i>Circulation</i> , 2020 , 141, 1510-1522 | 16.7 | 39 |
| 299 | Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020 , 22, 724-731 | 3.9 | 18 |
| 298 | Loss-of-Function Variants in Cytoskeletal Genes Are Associated with Early-Onset Atrial Fibrillation. Journal of Clinical Medicine, 2020 , 9, | 5.1 | 7 |
| 297 | Usefulness of left atrial speckle tracking echocardiography in predicting recurrence of atrial fibrillation after radiofrequency ablation: a systematic review and meta-analysis. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1293-1309 | 2.5 | 8 |
| 296 | Atrial fibrillation and cardiac fibrosis: A review on the potential of extracellular matrix proteins as biomarkers. <i>Matrix Biology</i> , 2020 , 91-92, 188-203 | 11.4 | 9 |
| 295 | Wearable cardioverter-defibrillator to reduce the transient risk of sudden cardiac death in coronary artery disease: Authors' reply. <i>Europace</i> , 2020 , 22, 1600-1601 | 3.9 | |
| 294 | A Novel Loss-of-Function Variant in the Chloride Ion Channel Gene Clcn2 Associates with Atrial Fibrillation. <i>Scientific Reports</i> , 2020 , 10, 1453 | 4.9 | 4 |
| 293 | Relationship between left atrial strain, diastolic dysfunction and subclinical atrial fibrillation in patients with cryptogenic stroke: the SURPRISE echo substudy. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 79-89 | 2.5 | 13 |

(2020-2020)

| 292 | Appropriate Shocks and Mortality in Patients With Versus Without Diabetes With Prophylactic Implantable Cardioverter Defibrillators. <i>Diabetes Care</i> , 2020 , 43, 196-200 | 14.6 | 3 |
|-----|--|------|----|
| 291 | Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. <i>American Journal of Medicine</i> , 2020 , 133, 582-589.e7 | 2.4 | 2 |
| 290 | Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020 , 219, 117-127 | 4.9 | 20 |
| 289 | Myocardial fibrosis and the effect of primary prophylactic defibrillator implantation in patients with non-ischemic systolic heart failure-DANISH-MRI. <i>American Heart Journal</i> , 2020 , 221, 165-176 | 4.9 | 16 |
| 288 | Incidence, Predictors, and Success of Ventricular Tachycardia Catheter Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy (from the Nordic ARVC Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 803-811 | 3 | 3 |
| 287 | Verification of threshold for image intensity ratio analyses of late gadolinium enhancement magnetic resonance imaging of left atrial fibrosis in 1.5T scans. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 513-520 | 2.5 | 6 |
| 286 | Usefulness of left atrial strain for predicting incident atrial fibrillation and ischaemic stroke in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , | 4.1 | 8 |
| 285 | Pregnancies, ventricular arrhythmias, and substrate progression in women with arrhythmogenic right ventricular cardiomyopathy in the Nordic ARVC Registry. <i>Europace</i> , 2020 , 22, 1873-1879 | 3.9 | 3 |
| 284 | Cardiac Rehabilitation for Patients Treated for Atrial Fibrillation With Ablation Has Long-Term Effects: 12-and 24-Month Follow-up Results From the Randomized CopenHeart Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 1877-1886 | 2.8 | 4 |
| 283 | Left atrial structure and function among different subtypes of atrial fibrillation: an echocardiographic substudy of the AMIO-CAT trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1386-1394 | 4.1 | О |
| 282 | Renal I-MIBG Uptake before and after Live-Donor Kidney Transplantation. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 3 |
| 281 | Genome-wide association study identifies locus at chromosome 2q32.1 associated with syncope and collapse. <i>Cardiovascular Research</i> , 2020 , 116, 138-148 | 9.9 | 6 |
| 280 | Cognitive behavioural therapy significantly reduces anxiety in patients with implanted cardioverter defibrillator compared with usual care: Findings from the Screen-ICD randomised controlled trial. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 258-268 | 3.9 | 7 |
| 279 | Effect of diabetes duration on the relationship between glycaemic control and risk of death in older adults with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 231-242 | 6.7 | 16 |
| 278 | Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. <i>Europace</i> , 2020 , 22, 74-83 | 3.9 | 6 |
| 277 | A place of understanding: Patients' lived experiences of participating in a sexual rehabilitation programme after heart disease. <i>Scandinavian Journal of Caring Sciences</i> , 2020 , 34, 370-379 | 2.3 | 4 |
| 276 | Atrial fibrillation as a clinical characteristic of arrhythmogenic right ventricular cardiomyopathy: Experience from the Nordic ARVC Registry. <i>International Journal of Cardiology</i> , 2020 , 298, 39-43 | 3.2 | 5 |
| 275 | Defibrillators for prevention from sudden cardiac death: is it that easy?-Authors' reply. <i>Europace</i> , 2020 , 22, 1298-1299 | 3.9 | |

| 274 | Quantitative Proteomics of Human Heart Samples Collected Reveal the Remodeled Protein Landscape of Dilated Left Atrium Without Atrial Fibrillation. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 1132-1144 | 7.6 | 11 |
|-----|--|-------------------|----|
| 273 | Present criteria for prophylactic ICD implantation: Insights from the EU-CERT-ICD (Comparative Effectiveness Research to Assess the Use of Primary ProphylacTic Implantable Cardioverter Defibrillators in EUrope) project. <i>Journal of Electrocardiology</i> , 2019 , 57S, S34-S39 | 1.4 | 1 |
| 272 | Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2019 , 12, e006022 | 7.6 | 2 |
| 271 | Primary Prevention of Sudden Cardiac Death With Implantable Cardioverter-Defibrillator Therapy in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy. <i>American Journal of Cardiology</i> , 2019 , 123, 1156-1162 | 3 | 5 |
| 270 | Clinical implications of electrocardiographic bundle branch block in primary care. <i>Heart</i> , 2019 , 105, 1160- | 5 .167 | 6 |
| 269 | Rare non-coding Desmoglein-2 variant contributes to Arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 131, 164-170 | 5.8 | 3 |
| 268 | The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , 2019 , 21, 1203-1210 | 3.9 | 3 |
| 267 | Reappraisal of variants previously linked with sudden infant death syndrome: results from three population-based cohorts. <i>European Journal of Human Genetics</i> , 2019 , 27, 1427-1435 | 5.3 | 4 |
| 266 | Right Ventricular Dysfunction and the Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007022 | 6.4 | 10 |
| 265 | QT as a predictor of recurrence after atrial fibrillation ablation and the impact of amiodarone: results from the placebo-controlled AMIO-CAT trial. <i>Europace</i> , 2019 , 21, 1055-1062 | 3.9 | 2 |
| 264 | The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , 2019 , 21, 900-908 | 3.9 | 7 |
| 263 | Compromised Sexual Health Among Male Patients With Implantable Cardioverter Defibrillator: A Cross-Sectional Questionnaire Study. <i>Sexual Medicine</i> , 2019 , 7, 169-176 | 2.7 | 4 |
| 262 | Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit: Insights From the DANISH Trial. <i>JACC: Heart Failure</i> , 2019 , 7, 717-724 | 7.9 | 14 |
| 261 | Genetic variants on chromosomes 7p31 and 12p12 are associated with abnormal atrial electrical activation in patients with early-onset lone atrial fibrillation. <i>Annals of Noninvasive Electrocardiology</i> , 2019 , 24, e12661 | 1.5 | 1 |
| 260 | Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Acute | 3.9 | 33 |
| 259 | Cardiovascular Care Association (ACCA). Europace, 2019 , 21, 1603-1604 Unpacking telemonitoring work: Workload and telephone calls to patients in implanted cardiac device care. International Journal of Medical Informatics, 2019 , 129, 381-387 | 5.3 | 9 |
| 258 | Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905 | 3 | 5 |
| 257 | Impact of device programming on the success of the first anti-tachycardia pacing therapy: An anonymized large-scale study. <i>PLoS ONE</i> , 2019 , 14, e0219533 | 3.7 | 2 |

| 256 | Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 2019 , 2, CD011828 | 5.2 | 8 |
|-----|--|--------------|----|
| 255 | EHRA White Paper: knowledge gaps in arrhythmia management-status 2019. <i>Europace</i> , 2019 , 21, 993-99 | 94 .9 | 23 |
| 254 | Management of asymptomatic arrhythmias: a European Heart Rhythm Association (EHRA) consensus document, endorsed by the Heart Failure Association (HFA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa | 3.9 | 30 |
| 253 | (CASSA), and Latin America Heart Rhythm Society (LAHRS). Europace, 2019 , Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. Journal of the American College of Cardiology, 2019 , 74, 2771-2781 | 15.1 | 40 |
| 252 | Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2019 , 140, 1834-1850 | 16.7 | 93 |
| 251 | High Readmission Rates and Mental Distress 1 yr After Ablation for Atrial Fibrillation or Atrial Flutter: A NATIONWIDE SURVEY. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019 , 39, 33-38 | 3.6 | 9 |
| 250 | Mortality and Heart Failure Hospitalization in Patients With Conduction Abnormalities After Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 52-61 | 5 | 47 |
| 249 | Procedural outcomes associated with transvenous lead extraction in patients with abandoned leads: an ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) Registry Sub-Analysis. <i>Europace</i> , 2019 , 21, 645-654 | 3.9 | 20 |
| 248 | Visit-to-Visit Variability of Hemoglobin A in People Without Diabetes and Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Diabetes Care</i> , 2019 , 42, 134-141 | 14.6 | 24 |
| 247 | Sexual rehabilitation for cardiac patients with erectile dysfunction: a randomised clinical trial. <i>Heart</i> , 2019 , 105, 775-782 | 5.1 | 8 |
| 246 | Predicting electrical storms by remote monitoring of implantable cardioverter-defibrillator patients using machine learning. <i>Europace</i> , 2019 , 21, 268-274 | 3.9 | 13 |
| 245 | Rationale and design of the EU-CERT-ICD prospective study: comparative effectiveness of prophylactic ICD implantation. <i>ESC Heart Failure</i> , 2019 , 6, 182-193 | 3.7 | 14 |
| 244 | Predictors of Left Ventricular Remodeling After Myocardial Infarction in Patients With a Patent Infarct Related Coronary Artery After Percutaneous Coronary Intervention (from the Post-Myocardial Infarction Remodeling Prevention Therapy [PRomPT] Trial). American Journal of | 3 | 3 |
| 243 | Cardiology, 2018 , 121, 1293-1298 Next-generation sequencing of AV nodal reentrant tachycardia patients identifies broad spectrum of variants in ion channel genes. <i>European Journal of Human Genetics</i> , 2018 , 26, 660-668 | 5.3 | 6 |
| 242 | Antiarrhythmic drugs-clinical use and clinical decision making: a consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology (ESC) Working Group on Cardiovascular Pharmacology, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific | 3.9 | 81 |
| 241 | Heart Rhythm Society (APHRS) and International Society of Cardiovascular Pharmacotherapy (ISCP). Impact of transducer frequency setting on speckle tracking measures. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 457-463 | 2.5 | 3 |
| 240 | Effect of Rehabilitation on Sleep Quality After Ablation for Atrial Fibrillation: Data From a Randomized Trial. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, 261-268 | 2.1 | 2 |
| 239 | Genome-wide Study of Atrial Fibrillation Identifies Seven Risk Loci and Highlights Biological Pathways and Regulatory Elements Involved in Cardiac Development. <i>American Journal of Human Genetics</i> , 2018 , 102, 103-115 | 11 | 53 |

| 238 | Shortening of paced QRS duration after electrocardiographic optimization of left ventricular pacing vector in patients treated with Cardiac Resynchronization Therapy. <i>Journal of Electrocardiology</i> , 2018 , 51, 628-633 | 1.4 | |
|-----|--|-------------------------------|------|
| 237 | Functional consequences of genetic variation in sodium channel modifiers in early onset lone atrial fibrillation. <i>Personalized Medicine</i> , 2018 , 15, 93-102 | 2.2 | 3 |
| 236 | Matrix Metalloproteinase Mediated Type I Collagen Degradation is an Independent Predictor of Increased Risk of Acute Myocardial Infarction in Postmenopausal Women. <i>Scientific Reports</i> , 2018 , 8, 5371 | 4.9 | 11 |
| 235 | Precision of automated QRS duration measurement in patients treated with cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 52, 103-110 | 2.4 | 1 |
| 234 | Shock efficacy of single and dual coil electrodes-new insights from the NORDIC ICD Trial. <i>Europace</i> , 2018 , 20, 971-978 | 3.9 | 5 |
| 233 | Sex differences in outcomes of primary prevention implantable cardioverter-defibrillator therapy: combined registry data from eleven European countries. <i>Europace</i> , 2018 , 20, 963-970 | 3.9 | 35 |
| 232 | Heart transplantation in arrhythmogenic right ventricular cardiomyopathy - Experience from the Nordic ARVC Registry. <i>International Journal of Cardiology</i> , 2018 , 250, 201-206 | 3.2 | 14 |
| 231 | Immediate Post-Procedural 12-Lead Electrocardiography as Predictor of Late Conduction Defects After Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1509-1518 | 5 | 35 |
| 230 | Brugada Syndrome-Associated Genetic Loci Are Associated With J-Point Elevation and an Increased Risk of Cardiac Arrest. <i>Frontiers in Physiology</i> , 2018 , 9, 894 | 4.6 | 1 |
| 229 | Aligning Concerns in Telecare: Three Concepts to Guide the Design of Patient-Centred E-Health. <i>Computer Supported Cooperative Work</i> , 2018 , 27, 1181-1214 | 2.4 | 20 |
| 228 | Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018 , 50, 1225-1233 | 36.3 | 277 |
| 227 | Sex differences in health status and rehabilitation outcomes in patients with atrial fibrillation treated with ablation: Results from the CopenHeartRFA trial. <i>European Journal of Cardiovascular Nursing</i> , 2018 , 17, 123-135 | 3.3 | 7 |
| 226 | Rare truncating variants in the sarcomeric protein titin associate with familial and early-onset atrial fibrillation. <i>Nature Communications</i> , 2018 , 9, 4316 | 17.4 | 58 |
| 225 | Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 21 |
| 224 | High-sensitivity troponin I in persistent atrial fibrillation - relation to NT-proBNP and markers of inflammation and haemostasis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018 , 78, 386-392 | 2 | 0 |
| 223 | Exercise-based cardiac rehabilitation for adults with atrial fibrillation. <i>The Cochrane Library</i> , 2017 , 2, CDC | 0 ქ . 1 197 | 7 36 |
| 222 | Temporal changes of new-onset atrial fibrillation in patients randomized to surgical or transcatheter aortic valve replacement. <i>International Journal of Cardiology</i> , 2017 , 234, 16-21 | 3.2 | 29 |
| 221 | Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 674-681 | 3.8 | 17 |

| 220 | Screening for Atrial Fibrillation: A Report of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2017 , 135, 1851-1867 | 16.7 | 302 |
|-----|---|------|-----|
| 219 | Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality: Results From the Copenhagen ECG Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10, | 6.4 | 15 |
| 218 | Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017 , 241, 229-234 | 3.2 | 15 |
| 217 | Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017 , 187, 122-132 | 4.9 | 39 |
| 216 | Termination of Vernakalant-Resistant Atrial Fibrillation by Inhibition of Small-Conductance Ca-Activated K Channels in Pigs. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10, | 6.4 | 41 |
| 215 | Safety of magnetic resonance scanning without monitoring of patients with pacemakers. <i>Europace</i> , 2017 , 19, 818-823 | 3.9 | 13 |
| 214 | Is modification of the VVI backup mode in implantable cardioverter-defibrillators from St Jude medical required due to increased risk of inappropriate shocks?. <i>Europace</i> , 2017 , 19, 808-811 | 3.9 | 2 |
| 213 | Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , 2017 , 136, 1772-1780 | 16.7 | 89 |
| 212 | Chromogranin A in the mammalian heart: expression without secretion. <i>Biomarkers in Medicine</i> , 2017 , 11, 541-545 | 2.3 | 3 |
| 211 | Natriuretic Propeptides as Markers of Atrial Fibrillation Burden and Recurrence (from the AMIO-CAT Trial). <i>American Journal of Cardiology</i> , 2017 , 120, 1309-1315 | 3 | 16 |
| 210 | Employment Status and Sick Leave After First-Time Implantable Cardioverter Defibrillator Implantation: Results From the COPE-ICD Trial. <i>Journal of Cardiovascular Nursing</i> , 2017 , 32, 448-454 | 2.1 | 3 |
| 209 | Analysis of 60 706 Exomes Questions the Role of De Novo Variants Previously Implicated in Cardiac Disease. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10, | | 3 |
| 208 | Deep sequencing of atrial fibrillation patients with mitral valve regurgitation shows no evidence of mosaicism but reveals novel rare germline variants. <i>Heart Rhythm</i> , 2017 , 14, 1531-1538 | 6.7 | 7 |
| 207 | Integration of 60,000 exomes and ACMG guidelines question the role of Catecholaminergic Polymorphic Ventricular Tachycardia-associated variants. <i>Clinical Genetics</i> , 2017 , 91, 63-72 | 4 | 26 |
| 206 | Numerous Brugada syndrome-associated genetic variants have no effect on J-point elevation, syncope susceptibility, malignant cardiac arrhythmia, and all-cause mortality. <i>Genetics in Medicine</i> , 2017 , 19, 521-528 | 8.1 | 20 |
| 205 | Device-detected subclinical atrial tachyarrhythmias: definition, implications and management-an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de | 3.9 | 137 |
| 204 | Peri-infarct zone pacing to prevent adverse left ventricular remodelling in patients with large myocardial infarction. <i>European Heart Journal</i> , 2016 , 37, 484-93 | 9.5 | 8 |
| 203 | High interobserver variability in the assessment of epsilon waves: Implications for diagnosis of arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>Heart Rhythm</i> , 2016 , 13, 208-16 | 6.7 | 55 |

| 202 | European Heart Rhythm Association/Heart Failure Association joint consensus document on arrhythmias in heart failure, endorsed by the Heart Rhythm Society and the Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2016 , 18, 12-36 | 3.9 | 37 |
|-----|---|-------|-----|
| 201 | Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. <i>New England Journal of Medicine</i> , 2016 , 375, 1221-30 | 59.2 | 876 |
| 200 | Functional Promoter Variant in Desmocollin-2 Contributes to Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Circulation: Cardiovascular Genetics</i> , 2016 , 9, 384-7 | | 2 |
| 199 | Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). <i>American Heart Journal</i> , 2016 , 179, 136-41 | 4.9 | 20 |
| 198 | Multimodality Cardiac Imaging for the Assessment of Left Atrial Function and the Association With Atrial Arrhythmias. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9, | 3.9 | 45 |
| 197 | Flow measurement at the aortic root - impact of location of through-plane phase contrast velocity mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 55 | 6.9 | 16 |
| 196 | The effect of constructing versus solving virtual patient cases on transfer of learning: a randomized trial. <i>Perspectives on Medical Education</i> , 2016 , 5, 33-8 | 4.3 | 9 |
| 195 | pH-dependent inhibition of KP3.1 prolongs atrial refractoriness in whole hearts. <i>Pflugers Archiv European Journal of Physiology</i> , 2016 , 468, 643-54 | 4.6 | 11 |
| 194 | Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016 , 13, 915-24 | 6.7 | 25 |
| 193 | The Screen-ICD trial. Screening for anxiety and cognitive therapy intervention for patients with implanted cardioverter defibrillator (ICD): a randomised controlled trial protocol. <i>BMJ Open</i> , 2016 , 6, e013186 | 3 | 9 |
| 192 | Analyses of more than 60,000 exomes questions the role of numerous genes previously associated with dilated cardiomyopathy. <i>Molecular Genetics & Enomic Medicine</i> , 2016 , 4, 617-623 | 2.3 | 24 |
| 191 | Polymorphisms in the GNAS Gene as Predictors of Ventricular Tachyarrhythmias and Sudden Cardiac Death: Results From the DISCOVERY Trial and Oregon Sudden Unexpected Death Study. Journal of the American Heart Association, 2016, 5, | 6 | 12 |
| 190 | Reply to the EditorRegarding the Role of Advanced Interatrial Block Pattern as a Predictor of Atrial Fibrillation. <i>Heart Rhythm</i> , 2016 , 13, e87-8 | 6.7 | |
| 189 | Echocardiographic quantification of systolic function during atrial fibrillation: probing the 'ten heart cycles' rule. <i>Future Cardiology</i> , 2016 , 12, 159-65 | 1.3 | 5 |
| 188 | Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeart trial. <i>American Heart Journal</i> , 2016 , 181, 120-129 | 4.9 | 36 |
| 187 | Short-term amiodarone treatment for atrial fibrillation after catheter ablation induces a transient thyroid dysfunction: Results from the placebo-controlled, randomized AMIO-CAT trial. <i>European Journal of Internal Medicine</i> , 2016 , 33, 36-41 | 3.9 | 8 |
| 186 | The role of common genetic variants in atrial fibrillation. <i>Journal of Electrocardiology</i> , 2016 , 49, 864-870 | 0 1.4 | 15 |
| 185 | Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen Electrocardiographic Study). <i>American Journal of Cardiology</i> , 2016 , 118, 708-13 | 3 | 13 |

| 184 | Cooperative Epistemic Work in Medical Practice: An Analysis of Physicians Clinical Notes. <i>Computer Supported Cooperative Work</i> , 2016 , 25, 503-546 | 2.4 | 15 | |
|-----|--|-----|----|--|
| 183 | Rare genetic variants previously associated with congenital forms of long QT syndrome have little or no effect on the QT interval. <i>European Heart Journal</i> , 2015 , 36, 2523-9 | 9.5 | 45 | |
| 182 | The Post-Myocardial Infarction Pacing Remodeling Prevention Therapy (PRomPT) Trial: Design and Rationale. <i>Journal of Cardiac Failure</i> , 2015 , 21, 601-7 | 3.3 | 2 | |
| 181 | The NO Regular Defibrillation testing In Cardioverter Defibrillator Implantation (NORDIC ICD) trial: concept and design of a randomized, controlled trial of intra-operative defibrillation testing during de novo defibrillator implantation. <i>Europace</i> , 2015 , 17, 142-7 | 3.9 | 10 | |
| 180 | Reponse to 'Estimating the autonomic function from heart rate variability in mechanically ventilated patients after spinal cord injury'. <i>Spinal Cord</i> , 2015 , 53, 839-40 | 2.7 | | |
| 179 | P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015 , 12, 1887-95 | 6.7 | 99 | |
| 178 | Physical activity in primary versus secondary prevention indication implantable cardioverter defibrillator recipients 6-12 months after implantation - a cross-sectional study with register follow up. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 426-31 | 2.8 | 5 | |
| 177 | The acquisition and retention of ECG interpretation skills after a standardized web-based ECG tutorial-a randomised study. <i>BMC Medical Education</i> , 2015 , 15, 36 | 3.3 | 25 | |
| 176 | Comprehensive cardiac rehabilitation improves outcome for patients with implantable cardioverter defibrillator. Findings from the COPE-ICD randomised clinical trial. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 34-44 | 3.3 | 35 | |
| 175 | Incidence and risk factors of ventricular fibrillation before primary angioplasty in patients with first ST-elevation myocardial infarction: a nationwide study in Denmark. <i>Journal of the American Heart Association</i> , 2015 , 4, e001399 | 6 | 66 | |
| 174 | IKs Gain- and Loss-of-Function in Early-Onset Lone Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 715-23 | 2.7 | 22 | |
| 173 | Diagnostic accuracy of pace spikes in the electrocardiogram to diagnose paced rhythm. <i>Journal of Electrocardiology</i> , 2015 , 48, 834-9 | 1.4 | 4 | |
| 172 | Effect of cardiac rehabilitation in patients with ICD: are gender differences present? Results from the COPE-ICD trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 18-27 | 1.6 | 7 | |
| 171 | Intra-operative defibrillation testing and clinical shock efficacy in patients with implantable cardioverter-defibrillators: the NORDIC ICD randomized clinical trial. <i>European Heart Journal</i> , 2015 , 36, 2500-7 | 9.5 | 70 | |
| 170 | Assessment of autonomic function after acute spinal cord injury using heart rate variability analyses. <i>Spinal Cord</i> , 2015 , 53, 54-8 | 2.7 | 21 | |
| 169 | Common and Rare Variants in SCN10A Modulate the Risk of Atrial Fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73 | | 36 | |
| 168 | Implantable cardioverter defibrillator specific rehabilitation improves health cost outcomes: Findings from the COPE-ICD randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 267-72 | 3.4 | 6 | |
| 167 | Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 2015 , | 5.2 | 1 | |

| 166 | Are medical students being taught anatomy in a way that best prepares them to be a physician?. <i>Clinical Anatomy</i> , 2015 , 28, 568-75 | 2.5 | 5 |
|-----|---|------|-----|
| 165 | European Heart Rhythm Association/Heart Failure Association joint consensus document on arrhythmias in heart failure, endorsed by the Heart Rhythm Society and the Asia Pacific Heart Rhythm Society. <i>European Journal of Heart Failure</i> , 2015 , 17, 848-74 | 12.3 | 27 |
| 164 | Management of patients with Arrhythmogenic Right Ventricular Cardiomyopathy in the Nordic countries. <i>Scandinavian Cardiovascular Journal</i> , 2015 , 49, 299-307 | 2 | 14 |
| 163 | Renal denervation. European Journal of Internal Medicine, 2015, 26, 95-105 | 3.9 | 7 |
| 162 | Common and rare variants in SCN10A modulate the risk of atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73 | | 42 |
| 161 | New-onset atrial fibrillation after surgical aortic valve replacement and transcatheter aortic valve implantation: a concise review. <i>Journal of Invasive Cardiology</i> , 2015 , 27, 41-7 | 0.7 | 15 |
| 160 | Very early-onset lone atrial fibrillation patients have a high prevalence of rare variants in genes previously associated with atrial fibrillation. <i>Heart Rhythm</i> , 2014 , 11, 246-51 | 6.7 | 39 |
| 159 | Maximal heart rate does not limit cardiovascular capacity in healthy humans: insight from right atrial pacing during maximal exercise. <i>Journal of Physiology</i> , 2014 , 592, 377-90 | 3.9 | 39 |
| 158 | Investigations of the Navlb sodium channel subunit in human ventricle; functional characterization of the H162P Brugada syndrome mutant. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H1204-12 | 5.2 | 19 |
| 157 | The diagnostic performance of imaging methods in ARVC using the 2010 Task Force criteria. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 1219-25 | 4.1 | 56 |
| 156 | Recurrence of arrhythmia following short-term oral AMIOdarone after CATheter ablation for atrial fibrillation: a double-blind, randomized, placebo-controlled study (AMIO-CAT trial). <i>European Heart Journal</i> , 2014 , 35, 3356-64 | 9.5 | 85 |
| 155 | Integrating genetic, transcriptional, and functional analyses to identify 5 novel genes for atrial fibrillation. <i>Circulation</i> , 2014 , 130, 1225-35 | 16.7 | 143 |
| 154 | New population-based exome data question the pathogenicity of some genetic variants previously associated with Marfan syndrome. <i>BMC Genetics</i> , 2014 , 15, 74 | 2.6 | 12 |
| 153 | Brugada syndrome risk loci seem protective against atrial fibrillation. <i>European Journal of Human Genetics</i> , 2014 , 22, 1357-61 | 5.3 | 7 |
| 152 | Genetic variation in the two-pore domain potassium channel, TASK-1, may contribute to an atrial substrate for arrhythmogenesis. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 67, 69-76 | 5.8 | 51 |
| 151 | Exercise-based cardiac rehabilitation for adults with atrial fibrillation 2014, | | 5 |
| 150 | High incidence of secondary hypertension in patients referred for renal denervationthe Copenhagen experience. <i>Blood Pressure</i> , 2014 , 23, 233-9 | 1.7 | 3 |
| 149 | Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. <i>European Heart Journal</i> , 2014 , 35, 1335-44 | 9.5 | 74 |

| 148 | Electrocardiographic precordial ST-segment deviations and the risk of cardiovascular death: results from the Copenhagen ECG Study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000549 | 6 | 11 |
|-----|---|------|-----|
| 147 | Gain-of-function mutations in potassium channel subunit KCNE2 associated with early-onset lone atrial fibrillation. <i>Biomarkers in Medicine</i> , 2014 , 8, 557-70 | 2.3 | 17 |
| 146 | Cardiac arrhythmias the first month after acute traumatic spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2014 , 37, 162-70 | 1.9 | 20 |
| 145 | Anxiety predicts mortality in ICD patients: results from the cross-sectional national CopenHeartICD survey with register follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 1641-50 | 1.6 | 37 |
| 144 | Atrial fibrillation: the role of common and rare genetic variants. <i>European Journal of Human Genetics</i> , 2014 , 22, 297-306 | 5.3 | 74 |
| 143 | Early echocardiographic deformation analysis for the prediction of sudden cardiac death and life-threatening arrhythmias after myocardial infarction. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 851-60 | 8.4 | 66 |
| 142 | Strain echocardiography improves risk prediction of ventricular arrhythmias after myocardial infarction. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 841-50 | 8.4 | 162 |
| 141 | Risk of atrial fibrillation as a function of the electrocardiographic PR interval: results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2013 , 10, 1249-56 | 6.7 | 79 |
| 140 | Physicians[Progress Notes 2013 , 123-142 | | 5 |
| 139 | New population-based exome data are questioning the pathogenicity of previously cardiomyopathy-associated genetic variants. <i>European Journal of Human Genetics</i> , 2013 , 21, 918-28 | 5.3 | 177 |
| 138 | Mutations in genes encoding cardiac ion channels previously associated with sudden infant death syndrome (SIDS) are present with high frequency in new exome data. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1104-9 | 3.8 | 49 |
| 137 | Current investigation and management of patients with syncope: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 1812-5 | 3.9 | 17 |
| 136 | Phantom shocks in patients with implantable cardioverter defibrillator: results from a randomized rehabilitation trial (COPE-ICD). <i>Europace</i> , 2013 , 15, 1463-7 | 3.9 | 17 |
| 135 | Cardioversion for atrial fibrillation in current European practice: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 915-8 | 3.9 | 27 |
| 134 | Genetic modifier of the QTc interval associated with early-onset atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1234-40 | 3.8 | 7 |
| 133 | J-shaped association between QTc interval duration and the risk of atrial fibrillation: results from the Copenhagen ECG study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2557-64 | 15.1 | 90 |
| 132 | Angiotensin II blockade, YKL-40 and maintenance of sinus rhythm after electrical cardioversion for atrial fibrillation. <i>Immunobiology</i> , 2013 , 218, 1256-60 | 3.4 | 2 |
| 131 | A polymorphism associated with increased levels of YKL-40 and the risk of early onset of lone atrial fibrillation. <i>Journal of Negative Results in BioMedicine</i> , 2013 , 12, 1 | | 4 |

| 130 | Rare variants in GJA5 are associated with early-onset lone atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 111-6 | 3.8 | 37 |
|-----|--|--------------|----|
| 129 | Novel oral anticoagulants for stroke prevention in atrial fibrillation: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 1526-32 | 3.9 | 17 |
| 128 | The effect of integrated cardiac rehabilitation versus treatment as usual for atrial fibrillation patients treated with ablation: the randomised CopenHeartRFA trial protocol. <i>BMJ Open</i> , 2013 , 3, | 3 | 18 |
| 127 | The CopenHeartSF trialcomprehensive sexual rehabilitation programme for male patients with implantable cardioverter defibrillator or ischaemic heart disease and impaired sexual function: protocol of a randomised clinical trial. <i>BMJ Open</i> , 2013 , 3, e003967 | 3 | 9 |
| 126 | A novel KCND3 gain-of-function mutation associated with early-onset of persistent lone atrial fibrillation. <i>Cardiovascular Research</i> , 2013 , 98, 488-95 | 9.9 | 77 |
| 125 | Genetic variation in KCNA5: impact on the atrial-specific potassium current IKur in patients with lone atrial fibrillation. <i>European Heart Journal</i> , 2013 , 34, 1517-25 | 9.5 | 92 |
| 124 | Current practice for diagnosis and management of silent atrial fibrillation: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 1223-5 | 3.9 | 29 |
| 123 | Left atrial appendage occlusion for stroke prevention in atrial fibrillation in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 141-3 | 3.9 | 22 |
| 122 | Sexual concerns and practices after ICD implantation: findings of the COPE-ICD rehabilitation trial. European Journal of Cardiovascular Nursing, 2013 , 12, 468-74 | 3.3 | 17 |
| 121 | Current strategy for treatment of patients with Wolff-Parkinson-White syndrome and asymptomatic preexcitation in Europe: European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 750-3 | 3.9 | 17 |
| 120 | Implanted cardiac devices are reliably detected by commercially available metal detectors. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 271-4 | 2 | 3 |
| 119 | New exome data question the pathogenicity of genetic variants previously associated with catecholaminergic polymorphic ventricular tachycardia. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 481 | l - 9 | 64 |
| 118 | Familial atrial fibrillation predicts increased risk of mortality: a study in Danish twins. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 10-5 | 6.4 | 11 |
| 117 | The novel desmin mutant p.A120D impairs filament formation, prevents intercalated disk localization, and causes sudden cardiac death. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 615-23 | | 33 |
| 116 | Cardiac symptoms before sudden cardiac death caused by coronary artery disease: a nationwide study among young Danish people. <i>Heart</i> , 2013 , 99, 938-43 | 5.1 | 20 |
| 115 | CHADS2 and CHA2DS2-VASc score to assess risk of stroke and death in patients paced for sick sinus syndrome. <i>Heart</i> , 2013 , 99, 843-8 | 5.1 | 34 |
| 114 | Cascade screening in families with inherited cardiac diseases driven by cardiologists: feasibility and nationwide outcome in long QT syndrome. <i>Cardiology</i> , 2013 , 126, 131-7 | 1.6 | 16 |
| 113 | Skeletal muscle signaling and the heart rate and blood pressure response to exercise: insight from heart rate pacing during exercise with a trained and a deconditioned muscle group. <i>Hypertension</i> , 2013 , 61, 1126-33 | 8.5 | 20 |

(2012-2013)

| 112 | Screening of the ito regulatory subunit klf15 in patients with early-onset lone atrial fibrillation. <i>Frontiers in Genetics</i> , 2013 , 4, 88 | 4.5 | 3 |
|-----|--|-----|-----|
| 111 | Role of PR-Interval In Predicting the Occurrence of Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2013 , 6, 956 | 0.8 | 5 |
| 110 | Specificity of elevated intercostal space ECG recording for the type 1 Brugada ECG pattern. <i>Annals of Noninvasive Electrocardiology</i> , 2012 , 17, 108-12 | 1.5 | 19 |
| 109 | Differences in investigations of sudden unexpected deaths in young people in a nationwide setting. <i>International Journal of Legal Medicine</i> , 2012 , 126, 223-9 | 3.1 | 9 |
| 108 | The prevalence of mutations in KCNQ1, KCNH2, and SCN5A in an unselected national cohort of young sudden unexplained death cases. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 1092-8 | 2.7 | 57 |
| 107 | Patient satisfaction and suggestions for improvement of remote ICD monitoring. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 34, 317-24 | 2.4 | 36 |
| 106 | Mutation analysis of the candidate genes -, , and in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Applied & Translational Genomics</i> , 2012 , 1, 44-46 | | 2 |
| 105 | Sodium current and potassium transient outward current genes in Brugada syndrome: screening and bioinformatics. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 196-200 | 3.8 | 19 |
| 104 | Genetic loci on chromosomes 4q25, 7p31, and 12p12 are associated with onset of lone atrial fibrillation before the age of 40 years. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 191-5 | 3.8 | 40 |
| 103 | Peripheral vasodilatation determines cardiac output in exercising humans: insight from atrial pacing. <i>Journal of Physiology</i> , 2012 , 590, 2051-60 | 3.9 | 50 |
| 102 | Mutations in the potassium channel subunit KCNE1 are associated with early-onset familial atrial fibrillation. <i>BMC Medical Genetics</i> , 2012 , 13, 24 | 2.1 | 67 |
| 101 | SCN1Bb R214Q found in 3 patients: 1 with Brugada syndrome and 2 with lone atrial fibrillation. <i>Heart Rhythm</i> , 2012 , 9, 770-3 | 6.7 | 55 |
| 100 | Usefulness of immunostaining for plakoglobin as a diagnostic marker of arrhythmogenic right ventricular cardiomyopathy. <i>American Journal of Cardiology</i> , 2012 , 109, 272-5 | 3 | 30 |
| 99 | High prevalence of long QT syndrome-associated SCN5A variants in patients with early-onset lone atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 450-9 | | 103 |
| 98 | COPE-ICD: patient experience of participation in an ICD specific rehabilitation programme. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 207-15 | 3.3 | 16 |
| 97 | Risk of atrial fibrillation and stroke in rheumatoid arthritis: Danish nationwide cohort study. <i>BMJ, The</i> , 2012 , 344, e1257 | 5.9 | 114 |
| 96 | Current practice in transvenous lead extraction: a European Heart Rhythm Association EP Network Survey. <i>Europace</i> , 2012 , 14, 783-6 | 3.9 | 45 |
| 95 | Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. <i>Europace</i> , 2012 , 14, 682-9 | 3.9 | 45 |

| 94 | Outpatient evaluation and management of patients with ventricular premature beats or non-sustained ventricular tachycardia. <i>Europace</i> , 2012 , 14, 294-6 | 3.9 | 7 |
|----|--|-----|-----|
| 93 | Heart failure in patients with sick sinus syndrome treated with single lead atrial or dual-chamber pacing: no association with pacing mode or right ventricular pacing site. <i>Europace</i> , 2012 , 14, 1475-82 | 3.9 | 38 |
| 92 | Current practice in out-of-hospital cardiac arrest management: a European heart rhythm association EP network survey. <i>Europace</i> , 2012 , 14, 1195-8 | 3.9 | 7 |
| 91 | Approach to cardiac resyncronization therapy. <i>Europace</i> , 2012 , 14, 1359-62 | 3.9 | 3 |
| 90 | How European centres diagnose, treat, and prevent CIED infections: results of an European Heart Rhythm Association survey. <i>Europace</i> , 2012 , 14, 1666-9 | 3.9 | 50 |
| 89 | Low disease prevalence and inappropriate implantable cardioverter defibrillator shock rate in Brugada syndrome: a nationwide study. <i>Europace</i> , 2012 , 14, 1025-9 | 3.9 | 23 |
| 88 | A novel nonsense variant in Nav1.5 cofactor MOG1 eliminates its sodium current increasing effect and may increase the risk of arrhythmias. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 523.e17-23 | 3.8 | 37 |
| 87 | Abnormal atrial activation in young patients with lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 188-92 | 3.9 | 20 |
| 86 | Mutation analysis and evaluation of the cardiac localization of TMEM43 in arrhythmogenic right ventricular cardiomyopathy. <i>Clinical Genetics</i> , 2011 , 80, 256-64 | 4 | 43 |
| 85 | Abnormal atrial activation is common in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Electrocardiology</i> , 2011 , 44, 237-41 | 1.4 | 21 |
| 84 | Inflammatory single nucleotide polymorphisms and the risk of atrial fibrillation: a case control study. <i>Inflammation Research</i> , 2011 , 60, 209-11 | 7.2 | 4 |
| 83 | COPE-ICD: a randomised clinical trial studying the effects and meaning of a comprehensive rehabilitation programme for ICD recipients -design, intervention and population. <i>BMC Cardiovascular Disorders</i> , 2011 , 11, 33 | 2.3 | 21 |
| 82 | Whole-genome amplified DNA from stored dried blood spots is reliable in high resolution melting curve and sequencing analysis. <i>BMC Medical Genetics</i> , 2011 , 12, 22 | 2.1 | 12 |
| 81 | Sudden unexpected death in infancy in Denmark. Scandinavian Cardiovascular Journal, 2011, 45, 14-20 | 2 | 16 |
| 80 | A comparison of single-lead atrial pacing with dual-chamber pacing in sick sinus syndrome. <i>European Heart Journal</i> , 2011 , 32, 686-96 | 9.5 | 189 |
| 79 | Nationwide study of sudden cardiac death in persons aged 1-35 years. <i>European Heart Journal</i> , 2011 , 32, 983-90 | 9.5 | 225 |
| 78 | Association of rs2200733 at 4q25 with early onset of lone atrial fibrillation in young patients. <i>Scandinavian Cardiovascular Journal</i> , 2011 , 45, 324-6 | 2 | 6 |
| 77 | Common polymorphisms in KCNJ5 [corrected] are associated with early-onset lone atrial fibrillation in Caucasians. <i>Cardiology</i> , 2011 , 118, 116-20 | 1.6 | 18 |

| 76 | Mutations in sodium channel Bubunit SCN3B are associated with early-onset lone atrial fibrillation. <i>Cardiovascular Research</i> , 2011 , 89, 786-93 | 9.9 | 95 |
|----|--|------|-----|
| 75 | Incomplete right bundle branch block: a novel electrocardiographic marker for lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 182-7 | 3.9 | 21 |
| 74 | Screening of KCNN3 in patients with early-onset lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 963-7 | 3.9 | 40 |
| 73 | Screening of three novel candidate genes in arrhythmogenic right ventricular cardiomyopathy. <i>Genetic Testing and Molecular Biomarkers</i> , 2011 , 15, 267-71 | 1.6 | 15 |
| 72 | Wide spectrum of desmosomal mutations in Danish patients with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Medical Genetics</i> , 2010 , 47, 736-44 | 5.8 | 50 |
| 71 | Missense variants in plakophilin-2 in arrhythmogenic right ventricular cardiomyopathy patientsdisease-causing or innocent bystanders?. <i>Cardiology</i> , 2010 , 115, 148-54 | 1.6 | 38 |
| 70 | Genetic variation in the inwardly rectifying K channel subunits KCNJ3 (GIRK1) and KCNJ5 (GIRK4) in patients with sinus node dysfunction. <i>Cardiology</i> , 2010 , 115, 176-81 | 1.6 | 6 |
| 69 | Sick sinus syndrome, progressive cardiac conduction disease, atrial flutter and ventricular tachycardia caused by a novel SCN5A mutation. <i>Cardiology</i> , 2010 , 115, 311-6 | 1.6 | 16 |
| 68 | Screening for, and management of, possible arrhythmogenic syndromes (channelopathies/ion channel diseases). <i>Europace</i> , 2010 , 12, 741-2 | 3.9 | 9 |
| 67 | Incidence and etiology of sports-related sudden cardiac death in Denmarkimplications for preparticipation screening. <i>Heart Rhythm</i> , 2010 , 7, 1365-71 | 6.7 | 153 |
| 66 | Polymorphisms associated with ventricular tachyarrhythmias: rationale, design, and endpoints of the 'diagnostic data influence on disease management and relation of genomics to ventricular tachyarrhythmias in implantable cardioverter/defibrillator patients (DISCOVERY)' study. <i>Europace</i> , | 3.9 | 3 |
| 65 | 2010 , 12, 424-9 Plasma YKL-40 is elevated in patients with recurrent atrial fibrillation after catheter ablation. Inflammation Research, 2010 , 59, 463-9 | 7.2 | 18 |
| 64 | Single nucleotide polymorphisms in inflammatory genes and the risk of early onset of lone atrial fibrillation. <i>Inflammation Research</i> , 2010 , 59, 965-9 | 7.2 | 6 |
| 63 | A nationwide, retrospective analysis of symptoms, comorbidities, medical care and autopsy findings in cases of fatal pulmonary embolism in younger patients. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1723-9 | 15.4 | 8 |
| 62 | Increased NT-pro-B-type natriuretic peptide independently predicts outcome following catheter ablation of atrial fibrillation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 843- | -50 | 7 |
| 61 | Making post-mortem implantable cardioverter defibrillator explantation safe. <i>Europace</i> , 2009 , 11, 1317 | -32) | 9 |
| 60 | Plasma YKL-40, a new biomarker for atrial fibrillation?. <i>Europace</i> , 2009 , 11, 1032-6 | 3.9 | 38 |
| 59 | Prognostic impact of hs-CRP and IL-6 in patients undergoing radiofrequency catheter ablation for atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2009 , 43, 285-91 | 2 | 37 |

| 58 | Prognostic impact of hs-CRP and IL-6 in patients with persistent atrial fibrillation treated with electrical cardioversion. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 425-32 | 2 | 49 |
|----|--|------|-----|
| 57 | Familial aggregation of atrial fibrillation: a study in Danish twins. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009 , 2, 378-83 | 6.4 | 141 |
| 56 | Atrial fibrillation therapy in patients with a CRT defibrillator with wireless telemetry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 13-23 | 1.6 | 12 |
| 55 | Myocarditis mimicking arrhythmogenic right ventricular cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 663-4; author reply 665-6 | 15.1 | 2 |
| 54 | Ventricular tachycardia in a Brugada syndrome patient caused by a novel deletion in SCN5A. <i>Canadian Journal of Cardiology</i> , 2009 , 25, 156-60 | 3.8 | 12 |
| 53 | A Novel SCN5A Mutation in a Patient with Coexistence of Brugada Syndrome Traits and Ischaemic Heart Disease. <i>Case Reports in Medicine</i> , 2009 , 2009, 963645 | 0.7 | |
| 52 | ANP and BNP in atrial fibrillation before and after cardioversionand their relationship to cardiac volume and function. <i>International Journal of Cardiology</i> , 2008 , 127, 396-9 | 3.2 | 24 |
| 51 | Gain of function in IKs secondary to a mutation in KCNE5 associated with atrial fibrillation. <i>Heart Rhythm</i> , 2008 , 5, 427-35 | 6.7 | 102 |
| 50 | KCNE3 mutation V17M identified in a patient with lone atrial fibrillation. <i>Cellular Physiology and Biochemistry</i> , 2008 , 21, 47-54 | 3.9 | 66 |
| 49 | Cardiac myotonic dystrophy mimicking arrhythmogenic right ventricular cardiomyopathy in a young sudden cardiac death victim. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 317-20 | 6.4 | 12 |
| 48 | Characterizations of a loss-of-function mutation in the Kir3.4 channel subunit. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 364, 889-95 | 3.4 | 25 |
| 47 | KCNQ1 mutation Q147R is associated with atrial fibrillation and prolonged QT interval. <i>Heart Rhythm</i> , 2007 , 4, 1532-41 | 6.7 | 82 |
| 46 | Advanced quantitative echocardiography in arrhythmogenic right ventricular cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 27-35 | 5.8 | 49 |
| 45 | Atrial and ventricular volume and function evaluated by magnetic resonance imaging in patients with persistent atrial fibrillation before and after cardioversion. <i>American Journal of Cardiology</i> , 2006 , 97, 1213-9 | 3 | 60 |
| 44 | The effectiveness of a high output/short duration radiofrequency current application technique in segmental pulmonary vein isolation for atrial fibrillation. <i>Europace</i> , 2006 , 8, 962-5 | 3.9 | 41 |
| 43 | Atrial secretion of B-type natriuretic peptide. <i>European Heart Journal</i> , 2006 , 27, 1648-50 | 9.5 | 85 |
| 42 | Recurrence of pulmonary vein conduction and atrial fibrillation after pulmonary vein isolation for atrial fibrillation: a randomized trial of the ostial versus the extraostial ablation strategy. <i>American Heart Journal</i> , 2006 , 152, 537.e1-8 | 4.9 | 77 |
| 41 | Increased resting heart rate following radiofrequency catheter ablation for atrial fibrillation. <i>Europace</i> , 2005 , 7, 415-20 | 3.9 | 19 |

(1999-2005)

| 40 | The emerging role of inflammation in atrial fibrillation and the potential of anti-inflammatory interventions. <i>European Heart Journal</i> , 2005 , 26, 2207-8; author reply 2208-9 | 9.5 | 10 |
|----|--|------|-----|
| 39 | Relation of 97T polymorphism in KCNE5 to risk of atrial fibrillation. <i>American Journal of Cardiology</i> , 2005 , 96, 405-7 | 3 | 67 |
| 38 | Arrhythmogenic Right Ventricular Cardiomyopathy: A Presentation of Thirty Consecutive Patients. <i>Cardiology</i> , 2005 , 5, 146-152 | | |
| 37 | Indication of the radiofrequency induced lesion size by pre-ablation measurements. <i>Europace</i> , 2005 , 7, 525-34 | 3.9 | 21 |
| 36 | Atrial and ventricular volume and function in persistent and permanent atrial fibrillation, a magnetic resonance imaging study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005 , 7, 465-73 | 6.9 | 38 |
| 35 | Inflammation in the genesis and perpetuation of atrial fibrillation. <i>European Heart Journal</i> , 2005 , 26, 2083-92 | 9.5 | 305 |
| 34 | Mechanisms for enlarging lesion size during irrigated tip radiofrequency ablation: is there a virtual electrode effect?. <i>Journal of Interventional Cardiology</i> , 2004 , 17, 171-7 | 1.8 | 18 |
| 33 | Acute fatal pulmonary vein occlusion after catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004 , 11, 127-30 | 2.4 | 20 |
| 32 | Effects of amiodarone and thoracic epidural analgesia on atrial fibrillation after coronary artery bypass grafting. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004 , 18, 709-14 | 2.1 | 19 |
| 31 | Effect of Pulmonary Vein Isolation on Quality of Life in Patients with Paroxysmal Atrial Fibrillation. <i>Cardiology</i> , 2003 , 3, 173-179 | | 2 |
| 30 | Can lesion size during radiofrequency ablation be predicted by the temperature rise to a low power test pulse in vitro?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 1653-9 | 1.6 | 8 |
| 29 | Prolonged ischemic heart disease and coronary artery bypass - relation to contractile reserve. <i>European Journal of Cardio-thoracic Surgery</i> , 2002 , 21, 417-23 | 3 | 1 |
| 28 | Quality assessment of pacemaker implantations in Denmark. Europace, 2002, 4, 107-12 | 3.9 | 40 |
| 27 | The Danish Multicenter Randomized Study on Atrial Inhibited versus Dual-Chamber Pacing in Sick Sinus Syndrome (The DANPACE Study). <i>Cardiology</i> , 2001 , 1, 67-70 | | 7 |
| 26 | Regional myocardial oxygen consumption estimated by carbon-11 acetate and positron emission tomography before and after repetitive ischemia. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 228-34 | 2.1 | 3 |
| 25 | Tissue temperatures and lesion size during irrigated tip catheter radiofrequency ablation: an in vitro comparison of temperature-controlled irrigated tip ablation, power-controlled irrigated tip ablation, and standard temperature-controlled ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> | 1.6 | 77 |
| 24 | Lesion dimensions during temperature-controlled radiofrequency catheter ablation of left ventricular porcine myocardium: impact of ablation site, electrode size, and convective cooling. <i>Circulation</i> , 1999 , 99, 319-25 | 16.7 | 84 |
| 23 | Temperature-controlled radiofrequency ablation of cardiac tissue: an in vitro study of the impact of electrode orientation, electrode tissue contact pressure and external convective cooling. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1999 , 3, 257-62 | 2.4 | 24 |

| 22 | Lesion size in relation to ablation site during radiofrequency ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 322-6 | 1.6 | 14 |
|----|--|------------------|----|
| 21 | Temperature-controlled irrigated tip radiofrequency catheter ablation: comparison of in vivo and in vitro lesion dimensions for standard catheter and irrigated tip catheter with minimal infusion rate. <i>Journal of Cardiovascular Electrophysiology</i> , 1998 , 9, 409-14 | 2.7 | 52 |
| 20 | Myocardial blood flow rate and capillary permeability for 99mTc-DTPA in patients with angiographically normal coronary arteries. Evaluation of the single-injection, residue detection method with intracoronary indicator bolus injection and the use of a mobile gamma camera. | 1.6 | 4 |
| 19 | The Coronary Microcirculation In Patients With Normal Coronary Arteries And Symptoms Of Chest Pain [Myocardial Blood Flow Rate, Capillary Permeability And Interstitial Diffusion. <i>Developments in Cardiovascular Medicine</i> , 1994 , 175-192 | | |
| 18 | A miniature silicon diode matrix detector for in vivo measurement of 133Xe disappearance following local tissue injection. Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicistal Association, Deutsche Gesellschaft Fur Medizinische Physik and the European | | 2 |
| 17 | Federation of Organisations for Medical Physics, 1992, 13, 231-40 Effect of 5-aminosalicylic acid on myocardial capillary permeability following ischaemia and reperfusion. Cardiovascular Research, 1992, 26, 798-803 | 9.9 | 1 |
| 16 | Effects of exogenous oxygen derived free radicals on myocardial capillary permeability, vascular tone, and incidence of ventricular arrhythmias in the canine heart. <i>Cardiovascular Research</i> , 1992 , 26, 1181-8 | 9.9 | 9 |
| 15 | Capillary permeability of 99mTc-DTPA and blood flow rate in the human myocardium determined by intracoronary bolus injection and residue detection. <i>Cardiology</i> , 1992 , 80, 18-27 | 1.6 | 14 |
| 14 | Incidence of spontaneous bacterial peritonitis in patients with ascites. Diagnostic value of white blood cell count and pH measurement in ascitic fluid. <i>Liver</i> , 1991 , 11, 248-52 | | 0 |
| 13 | Myocardial capillary permeability after regional ischemia and reperfusion in the in vivo canine heart. Effect of superoxide dismutase. <i>Circulation Research</i> , 1991 , 68, 174-84 | 15.7 | 26 |
| 12 | Transport of beta-blockers and calcium antagonists by diffusion in cat myocardium. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17, 357-64 | 3.1 | 7 |
| 11 | Tissue to plasma capillary permeability of 1311-albumin in the perfused rabbit ear. <i>Microvascular Research</i> , 1991 , 41, 141-8 | 3.7 | 6 |
| 10 | Quantification of the total Na,K-ATPase concentration in atria and ventricles from mammalian species by measuring 3H-ouabain binding to intact myocardial samples. Stability to short term ischemia reperfusion. <i>Basic Research in Cardiology</i> , 1990 , 85, 411-27 | 11.8 | 20 |
| 9 | ECG and enzymatic indicators of therapeutic success after intravenous streptokinase for acute myocardial infarction. <i>American Heart Journal</i> , 1990 , 120, 503-9 | 4.9 | 4 |
| 8 | Effect of intravenous streptokinase on the relation between initial ST-predicted size and final QRS-estimated size of acute myocardial infarcts. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 1252-7 | 15.1 | 36 |
| 7 | N-acetylcysteine modifies the acute effects of isosorbide-5-mononitrate in angina pectoris patients evaluated by exercise testing. <i>Journal of Cardiovascular Pharmacology</i> , 1989 , 13, 320-3 | 3.1 | 12 |
| 6 | Capillary permeability of 131I-albumin in canine myocardium as determined by bolus injection, residue detection. <i>Microvascular Research</i> , 1989 , 37, 352-6 | 3.7 | 10 |
| 5 | Efficacy of controlled-release isosorbide-5-mononitrate as adjunctive treatment to beta-blocking agents in patients with stable angina pectoris. <i>Journal of Cardiovascular Pharmacology</i> , 1989 , 14, 358-6. | 3 ^{3.1} | 15 |

LIST OF PUBLICATIONS

| 4 | Combined first pass and equilibrium radionuclide cardiographic determination of stroke volume for quantitation of valvular regurgitation. <i>Journal of the American College of Cardiology</i> , 1988 , 11, 769-73 | 15.1 | 12 |
|---|---|------|----|
| 3 | Mononitrates in combination with beta-blocker therapy in the treatment of severe angina pectoris. <i>Drugs</i> , 1987 , 33 Suppl 4, 122-4 | 12.1 | 3 |
| 2 | Gastric cancer risk in achlorhydric patients. A long-term follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 1986 , 21, 16-20 | 2.4 | 77 |
| 1 | Irritable bowel syndromeprognosis and diagnostic safety. A 5-year follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 1985 , 20, 415-8 | 2.4 | 78 |