List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1661278/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Urinary glyphosate concentration in pregnant women in relation to length of gestation. Environmental Research, 2022, 203, 111811.	3.7	25
2	Design and methods of the Apple Women's Health Study: a digital longitudinal cohort study. American Journal of Obstetrics and Gynecology, 2022, 226, 545.e1-545.e29.	0.7	16
3	Urinary phthalate metabolite mixtures in pregnancy and fetal growth: Findings from the infant development and the environment study. Environment International, 2022, 163, 107235.	4.8	15
4	Inflammation and oxidative stress as mediators of the impacts of environmental exposures on human pregnancy: Evidence from oxylipins. , 2022, 239, 108181.		13
5	Associations between mixtures of urinary phthalate metabolite concentrations and oxidative stress biomarkers among couples undergoing fertility treatment. Environmental Research, 2022, 212, 113342.	3.7	4
6	Prenatal Phthalate Exposure and Child Weight and Adiposity from <i>in Utero</i> to 6 Years of Age. Environmental Health Perspectives, 2022, 130, 47006.	2.8	20
7	Combining Urinary Biomarker Data From Studies With Different Measures of Urinary Dilution. Epidemiology, 2022, 33, 533-540.	1.2	14
8	Associations between social, biologic, and behavioral factors and biomarkers of oxidative stress during pregnancy: Findings from four ECHO cohorts. Science of the Total Environment, 2022, 835, 155596.	3.9	11
9	Associations Between Prenatal Urinary Biomarkers of Phthalate Exposure and Preterm Birth. JAMA Pediatrics, 2022, 176, 895.	3.3	31
10	Environmental Factors Involved in Maternal Morbidity and Mortality. Journal of Women's Health, 2021, 30, 245-252.	1.5	20
11	Maternal Urinary Metal and Metalloid Concentrations in Association with Oxidative Stress Biomarkers. Antioxidants, 2021, 10, 114.	2.2	11
12	Maternal Oxidative Stress Biomarkers in Pregnancy and Child Growth from Birth to Age 6. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1427-1436.	1.8	22
13	Response to "Comment on â€~A Quantile-Based g-Computation Approach to Addressing the Effects of Exposure Mixtures'― Environmental Health Perspectives, 2021, 129, 38002.	2.8	5
14	Cross-Sectional Estimation of Endogenous Biomarker Associations with Prenatal Phenols, Phthalates, Metals, and Polycyclic Aromatic Hydrocarbons in Single-Pollutant and Mixtures Analysis Approaches. Environmental Health Perspectives, 2021, 129, 37007.	2.8	20
15	Fetal Growth Trajectories Among Small for Gestational Age Babies and Child Neurodevelopment. Epidemiology, 2021, 32, 664-671.	1.2	12
16	Prenatal exposure to consumer product chemical mixtures and size for gestational age at delivery. Environmental Health, 2021, 20, 68.	1.7	14
17	A hierarchical integrative group least absolute shrinkage and selection operator for analyzing environmental mixtures. Environmetrics, 2021, 32, e2698.	0.6	1
18	Maternal levels of perfluoroalkyl substances (PFAS) during early pregnancy in relation to preeclampsia subtypes. ISEE Conference Abstracts, 2021, 2021, .	0.0	0

#	Article	IF	CITATIONS
19	A prospective study of maternal 25-hydroxyvitamin D (25OHD) in the first trimester of pregnancy and second trimester heavy metal levels. Environmental Research, 2021, 199, 111351.	3.7	6
20	Urinary specific gravity measures in the U.S. population: Implications for the adjustment of non-persistent chemical urinary biomarker data. Environment International, 2021, 156, 106656.	4.8	59
21	Longitudinal exposure to consumer product chemicals and changes in plasma oxylipins in pregnant women. Environment International, 2021, 157, 106787.	4.8	12
22	First- and Third-Trimester Urinary Phthalate Metabolites in the Development of Hypertensive Diseases of Pregnancy. International Journal of Environmental Research and Public Health, 2021, 18, 10627.	1.2	11
23	Maternal Levels of Perfluoroalkyl Substances (PFAS) during Early Pregnancy in Relation to Preeclampsia Subtypes and Biomarkers of Preeclampsia Risk. Environmental Health Perspectives, 2021, 129, 107004.	2.8	29
24	Prenatal Exposure to Nonpersistent Chemical Mixtures and Fetal Growth: A Population-Based Study. Environmental Health Perspectives, 2021, 129, 117008.	2.8	30
25	Prenatal Exposure to Nonpersistent Chemical Mixtures and Offspring IQ and Emotional and Behavioral Problems. Environmental Science & amp; Technology, 2021, 55, 16502-16514.	4.6	20
26	Latent classes for chemical mixtures analyses in epidemiology: an example using phthalate and phenol exposure biomarkers in pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 149-159.	1.8	11
27	An exploratory analysis of urinary organophosphate ester metabolites and oxidative stress among pregnant women in Puerto Rico. Science of the Total Environment, 2020, 703, 134798.	3.9	41
28	Manganese is associated with increased plasma interleukin-1β during pregnancy, within a mixtures analysis framework of urinary trace metals. Reproductive Toxicology, 2020, 93, 43-53.	1.3	10
29	Repeated measures of urinary oxidative stress biomarkers and preterm birth in Puerto Rico. Free Radical Biology and Medicine, 2020, 146, 299-305.	1.3	20
30	Association of urinary levels of bisphenols F and S used as bisphenol A substitutes with asthma and hay fever outcomes. Environmental Research, 2020, 183, 108944.	3.7	51
31	Prenatal exposure to organophosphate pesticides and brain morphology and white matter microstructure in preadolescents. Environmental Research, 2020, 191, 110047.	3.7	23
32	Associations between urinary biomarkers of oxidative stress in the third trimester of pregnancy and behavioral outcomes in the child at 4Âyears of age. Brain, Behavior, and Immunity, 2020, 90, 272-278.	2.0	12
33	Phthalate and Bisphenol Exposure during Pregnancy and Offspring Nonverbal IQ. Environmental Health Perspectives, 2020, 128, 77009.	2.8	29
34	Longitudinal profiles of plasma eicosanoids during pregnancy and size for gestational age at delivery: AÂnested case-control study. PLoS Medicine, 2020, 17, e1003271.	3.9	15
35	Application of an analytical framework for multivariate mediation analysis of environmental data. Nature Communications, 2020, 11, 5624.	5.8	35
36	Non-targeted urinary metabolomics in pregnancy and associations with fetal growth restriction. Scientific Reports, 2020, 10, 5307.	1.6	17

#	Article	IF	CITATIONS
37	Urinary trace metals in association with fetal ultrasound measures during pregnancy. Environmental Epidemiology, 2020, 4, e075.	1.4	18
38	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. PLoS ONE, 2020, 15, e0227976.	1.1	16
39	A Quantile-Based g-Computation Approach to Addressing the Effects of Exposure Mixtures. Environmental Health Perspectives, 2020, 128, 47004.	2.8	563
40	Omega-3 fatty acid supplement use and oxidative stress levels in pregnancy. PLoS ONE, 2020, 15, e0240244.	1.1	11
41	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		Ο
42	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
43	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
44	Relationships between psychosocial factors during pregnancy and preterm birth in Puerto Rico. , 2020, 15, e0227976.		0
45	Associations between socioeconomic status, psychosocial stress, and urinary levels of 8-iso-prostaglandin-F2α during pregnancy in Puerto Rico. Free Radical Biology and Medicine, 2019, 143, 95-100.	1.3	13
46	Organophosphate Pesticide Exposure in Pregnancy in Association with Ultrasound and Delivery Measures of Fetal Growth. Environmental Health Perspectives, 2019, 127, 87005.	2.8	29
47	Organophosphate pesticide metabolite concentrations in urine during pregnancy and offspring attention-deficit hyperactivity disorder and autistic traits. Environment International, 2019, 131, 105002.	4.8	36
48	Environmental phthalate exposure and preterm birth in the PROTECT birth cohort. Environment International, 2019, 132, 105099.	4.8	87
49	Urinary trace metals, maternal circulating angiogenic biomarkers, and preeclampsia: a single-contaminant and mixture-based approach. Environmental Health, 2019, 18, 63.	1.7	18
50	Urinary concentrations of phenols in association with biomarkers of oxidative stress in pregnancy: Assessment of effects independent of phthalates. Environment International, 2019, 131, 104903.	4.8	48
51	Exposure to 17 trace metals in pregnancy and associations with urinary oxidative stress biomarkers. Environmental Research, 2019, 179, 108854.	3.7	42
52	Joint impact of phthalate exposure and stressful life events in pregnancy on preterm birth. Environment International, 2019, 133, 105254.	4.8	39
53	Association of urinary concentrations of early pregnancy phthalate metabolites and bisphenol A with length of gestation. Environmental Health, 2019, 18, 80.	1.7	23
54	Organophosphate pesticides exposure in pregnant women and maternal and cord blood thyroid hormone concentrations. Environment International, 2019, 132, 105124.	4.8	16

#	Article	IF	CITATIONS
55	Maternal urinary phthalate metabolites in relation to gestational diabetes and glucose intolerance during pregnancy. Environment International, 2019, 123, 588-596.	4.8	75
56	Maternal levels of perfluoroalkyl substances (PFASs) during pregnancy and childhood allergy and asthma related outcomes and infections in the Norwegian Mother and Child (MoBa) cohort. Environment International, 2019, 124, 462-472.	4.8	64
57	Pregnancy phthalate metabolite concentrations and infant birth weight by gradations of maternal glucose tolerance. International Journal of Hygiene and Environmental Health, 2019, 222, 395-401.	2.1	18
58	Demographic risk factors for adverse birth outcomes in Puerto Rico in the PROTECT cohort. PLoS ONE, 2019, 14, e0217770.	1.1	31
59	Fetal growth in environmental epidemiology: mechanisms, limitations, and a review of associations with biomarkers of non-persistent chemical exposures during pregnancy. Environmental Health, 2019, 18, 43.	1.7	78
60	A repeated measures study of phenol, paraben and Triclocarban urinary biomarkers and circulating maternal hormones during gestation in the Puerto Rico PROTECT cohort. Environmental Health, 2019, 18, 28.	1.7	71
61	Phthalates and Phthalate Alternatives Have Diverse Associations with Oxidative Stress and Inflammation in Pregnant Women. Environmental Science & Technology, 2019, 53, 3258-3267.	4.6	88
62	Association of antenatal depression with oxidative stress and impact on spontaneous preterm birth. Journal of Perinatology, 2019, 39, 554-562.	0.9	10
63	Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. Scientific Reports, 2019, 9, 17049.	1.6	52
64	Estimating Outcome-Exposure Associations when Exposure Biomarker Detection Limits vary Across Batches. Epidemiology, 2019, 30, 746-755.	1.2	28
65	Tea consumption and oxidative stress: a cross-sectional analysis of 889 premenopausal women from the Sister Study. British Journal of Nutrition, 2019, 121, 582-590.	1.2	8
66	The associations between prenatal exposure to triclocarban, phenols and parabens with gestational age and birth weight in northern Puerto Rico. Environmental Research, 2019, 169, 41-51.	3.7	83
67	Preterm birth in relation to the bisphenol A replacement, bisphenol S, and other phenols and parabens. Environmental Research, 2019, 169, 131-138.	3.7	58
68	Urinary oxidative stress biomarkers and accelerated time to spontaneous delivery. Free Radical Biology and Medicine, 2019, 130, 419-425.	1.3	24
69	Association of Antenatal Depression with Clinical Subtypes of Preterm Birth. American Journal of Perinatology, 2019, 36, 567-573.	0.6	12
70	Association of urinary concentrations of phthalate metabolites and bisphenol A with early pregnancy endpoints. Environmental Research, 2019, 168, 254-260.	3.7	29
71	Associations between maternal plasma measurements of inflammatory markers and urinary levels of phenols and parabens during pregnancy: A repeated measures study. Science of the Total Environment, 2019, 650, 1131-1140.	3.9	35
72	Association between prenatal psychological stress and oxidative stress during pregnancy. Paediatric and Perinatal Epidemiology, 2018, 32, 318-326.	0.8	41

#	Article	IF	CITATIONS
73	Subclinical Changes in Maternal Thyroid Function Parameters in Pregnancy and Fetal Growth. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1349-1358.	1.8	30
74	Environmental phenol associations with ultrasound and delivery measures of fetal growth. Environment International, 2018, 112, 243-250.	4.8	90
75	Urinary phthalate metabolite concentrations in relation to levels of circulating matrix metalloproteinases in pregnant women. Science of the Total Environment, 2018, 613-614, 1349-1352.	3.9	5
76	Distribution and predictors of urinary polycyclic aromatic hydrocarbon metabolites in two pregnancy cohort studies. Environmental Pollution, 2018, 232, 556-562.	3.7	35
77	Maternal Plasma Concentrations of Per- and Polyfluoroalkyl Substances and Breastfeeding Duration in the Norwegian Mother and Child Cohort. Environmental Epidemiology, 2018, 2, e027.	1.4	15
78	Environmental contaminants and preeclampsia: a systematic literature review. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2018, 21, 291-319.	2.9	49
79	Urinary trace metals individually and in mixtures in association with preterm birth. Environment International, 2018, 121, 582-590.	4.8	85
80	Associations between school lunch consumption and urinary phthalate metabolite concentrations in US children and adolescents: Results from NHANES 2003–2014. Environment International, 2018, 121, 287-295.	4.8	17
81	Associations between mixtures of urinary phthalate metabolites with gestational age at delivery: a time to event analysis using summative phthalate risk scores. Environmental Health, 2018, 17, 56.	1.7	30
82	Associations between repeated ultrasound measures of fetal growth and biomarkers of maternal oxidative stress and inflammation in pregnancy. American Journal of Reproductive Immunology, 2018, 80, e13017.	1.2	38
83	Foetal ultrasound measurement imputations based on growth curves versus multiple imputation chained equation (<scp>MICE</scp>). Paediatric and Perinatal Epidemiology, 2018, 32, 469-473.	0.8	5
84	Associations between longitudinal serum perfluoroalkyl substance (PFAS) levels and measures of thyroid hormone, kidney function, and body mass index in the Fernald Community Cohort. Environmental Pollution, 2018, 242, 894-904.	3.7	132
85	Racial and ethnic variations in phthalate metabolite concentration changes across full-term pregnancies. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 160-166.	1.8	49
86	Personal care product use among adults in NHANES: associations between urinary phthalate metabolites and phenols and use of mouthwash and sunscreen. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 326-332.	1.8	76
87	Thyroid hormone parameters during pregnancy in relation to urinary bisphenol A concentrations: A repeated measures study. Environment International, 2017, 104, 33-40.	4.8	52
88	Environmental Chemicals and Preterm Birth: Biological Mechanisms and the State of the Science. Current Epidemiology Reports, 2017, 4, 56-71.	1.1	88
89	Urinary Polycyclic Aromatic Hydrocarbon Metabolite Associations with Biomarkers of Inflammation, Angiogenesis, and Oxidative Stress in Pregnant Women. Environmental Science & Technology, 2017, 51, 4652-4660.	4.6	86
90	Repeated measures of inflammation and oxidative stress biomarkers in preeclamptic and normotensive pregnancies. American Journal of Obstetrics and Gynecology, 2017, 216, 527.e1-527.e9.	0.7	101

#	Article	IF	CITATIONS
91	Urinary phthalate metabolite concentrations and maternal weight during early pregnancy. International Journal of Hygiene and Environmental Health, 2017, 220, 1347-1355.	2.1	32
92	Serum polybrominated diphenyl ether (PBDE) concentrations in relation to biomarkers of oxidative stress and inflammation: The National Health and Nutrition Examination Survey 2003–2004. Science of the Total Environment, 2017, 575, 400-405.	3.9	22
93	Correcting Oxidative Stress Measurements using the 8-iso-PGF 2α /PGF 2α Ratio to Determine Appropriate Interventions. Free Radical Biology and Medicine, 2017, 112, 135-136.	1.3	0
94	Longitudinal Profiles of Thyroid Hormone Parameters in Pregnancy and Associations with Preterm Birth. PLoS ONE, 2017, 12, e0169542.	1.1	17
95	Urinary BPA and Phthalate Metabolite Concentrations and Plasma Vitamin D Levels in Pregnant Women: A Repeated Measures Analysis. Environmental Health Perspectives, 2017, 125, 087026.	2.8	42
96	Mediation of the Relationship between Maternal Phthalate Exposure and Preterm Birth by Oxidative Stress with Repeated Measurements across Pregnancy. Environmental Health Perspectives, 2017, 125, 488-494.	2.8	99
97	Associations between Repeated Measures of Maternal Urinary Phthalate Metabolites and Thyroid Hormone Parameters during Pregnancy. Environmental Health Perspectives, 2016, 124, 1808-1815.	2.8	84
98	Urinary Concentrations of Bisphenol A and Phthalate Metabolites Measured during Pregnancy and Risk of Preeclampsia. Environmental Health Perspectives, 2016, 124, 1651-1655.	2.8	97
99	Utilizing Longitudinal Measures of Fetal Growth to Create a Standard Method to Assess the Impacts of Maternal Disease and Environmental Exposure. PLoS ONE, 2016, 11, e0146532.	1.1	27
100	Association of Bisphenol A Exposure with Breastfeeding and Perceived Insufficient Milk Supply in Mexican Women. Maternal and Child Health Journal, 2016, 20, 1713-1719.	0.7	14
101	Phenols and parabens in relation to reproductive and thyroid hormones in pregnant women. Environmental Research, 2016, 151, 30-37.	3.7	144
102	Pregnancy urinary phthalate metabolite concentrations and gestational diabetes risk factors. Environment International, 2016, 96, 118-126.	4.8	81
103	Relationships Between Urinary Phthalate Metabolite and Bisphenol A Concentrations and Vitamin D Levels in U.S. Adults: National Health and Nutrition Examination Survey (NHANES), 2005–2010. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4062-4069.	1.8	63
104	Repeated measures analysis of associations between urinary bisphenol-A concentrations and biomarkers of inflammation and oxidative stress in pregnancy. Reproductive Toxicology, 2016, 66, 93-98.	1.3	65
105	Inflammatory and oxidative stress markers associated with decreased cervical length in pregnancy. American Journal of Reproductive Immunology, 2016, 76, 376-382.	1.2	19
106	Urinary phthalate metabolite and bisphenol A associations with ultrasound and delivery indices of fetal growth. Environment International, 2016, 94, 531-537.	4.8	65
107	Mediation Formula for a Binary Outcome and a Time-Varying Exposure and Mediator, Accounting for Possible Exposure-Mediator Interaction. American Journal of Epidemiology, 2016, 184, 157-159.	1.6	6
108	Relating Phthalate and BPA Exposure to Metabolism in Peripubescence: The Role of Exposure Timing, Sex, and Puberty. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 79-88.	1.8	61

#	Article	IF	CITATIONS
109	The Role of Environmental Exposures in Preterm Birth. Molecular and Integrative Toxicology, 2016, , 269-293.	0.5	1
110	Urinary Bisphenol A Levels during Pregnancy and Risk of Preterm Birth. Environmental Health Perspectives, 2015, 123, 895-901.	2.8	77
111	Phthalate metabolites and bisphenol-A in association with circulating angiogenic biomarkers across pregnancy. Placenta, 2015, 36, 699-703.	0.7	61
112	Associations between urinary phenol and paraben concentrations and markers of oxidative stress and inflammation among pregnant women in Puerto Rico. International Journal of Hygiene and Environmental Health, 2015, 218, 212-219.	2.1	181
113	Urinary Phthalate Metabolites and Biomarkers of Oxidative Stress in Pregnant Women: A Repeated Measures Analysis. Environmental Health Perspectives, 2015, 123, 210-216.	2.8	182
114	Urinary phthalate metabolites in relation to maternal serum thyroid and sex hormone levels during pregnancy: a longitudinal analysis. Reproductive Biology and Endocrinology, 2015, 13, 4.	1.4	125
115	Statistical methods for modeling repeated measures of maternal environmental exposure biomarkers during pregnancy in association with preterm birth. Environmental Health, 2015, 14, 9.	1.7	74
116	Repeated measures of urinary oxidative stress biomarkers during pregnancy and preterm birth. American Journal of Obstetrics and Gynecology, 2015, 212, 208.e1-208.e8.	0.7	90
117	Associations between Maternal Biomarkers of Phthalate Exposure and Inflammation Using Repeated Measurements across Pregnancy. PLoS ONE, 2015, 10, e0135601.	1.1	44
118	Environmental Phthalate Exposure and Preterm Birth. JAMA Pediatrics, 2014, 168, 61.	3.3	286
119	Urinary Phthalate Metabolites Are Associated With Decreased Serum Testosterone in Men, Women, and Children From NHANES 2011–2012. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4346-4352.	1.8	162
120	Prenatal and peripubertal phthalates and bisphenol A in relation to sex hormones and puberty in boys. Reproductive Toxicology, 2014, 47, 70-76.	1.3	113
121	Urinary Phthalate Metabolite Associations with Biomarkers of Inflammation and Oxidative Stress Across Pregnancy in Puerto Rico. Environmental Science & Technology, 2014, 48, 7018-7025.	4.6	157
122	In utero and peripubertal exposure to phthalates and BPA in relation to female sexual maturation. Environmental Research, 2014, 134, 233-241.	3.7	90
123	Urinary phthalate metabolite concentrations among pregnant women in Northern Puerto Rico: Distribution, temporal variability, and predictors. Environment International, 2014, 62, 1-11.	4.8	177
124	Dietary antioxidant and anti-inflammatory intake modifies the effect of cadmium exposure on markers of systemic inflammation and oxidative stress. Environmental Research, 2014, 131, 6-12.	3.7	60
125	Longitudinal Profiling of Inflammatory Cytokines and Câ€reactive Protein during Uncomplicated and Preterm Pregnancy. American Journal of Reproductive Immunology, 2014, 72, 326-336.	1.2	124
126	Variability in urinary phthalate metabolite levels across pregnancy and sensitive windows of exposure for the risk of preterm birth. Environment International, 2014, 70, 118-124.	4.8	193

#	Article	IF	CITATIONS
127	Distribution, Variability, and Predictors of Urinary Concentrations of Phenols and Parabens among Pregnant Women in Puerto Rico. Environmental Science & Technology, 2013, 47, 3439-3447.	4.6	323
128	Statistical strategies for constructing health risk models with multiple pollutants and their interactions: possible choices and comparisons. Environmental Health, 2013, 12, 85.	1.7	116
129	Relationship between urinary triclosan and paraben concentrations and serum thyroid measures in NHANES 2007–2008. Science of the Total Environment, 2013, 445-446, 299-305.	3.9	166
130	Environmental Contaminant Exposures and Preterm Birth: A Comprehensive Review. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2013, 16, 69-113.	2.9	139
131	Serum concentrations of p, p′-DDE, HCB, PCBs and reproductive hormones among men of reproductive age. Reproductive Toxicology, 2012, 34, 429-435.	1.3	25
132	Coping styles, depressive symptoms and race during the transition to adulthood. Mental Health, Religion and Culture, 2012, 15, 363-372.	0.6	5
133	Exploration of Oxidative Stress and Inflammatory Markers in Relation to Urinary Phthalate Metabolites: NHANES 1999–2006. Environmental Science & Technology, 2012, 46, 477-485.	4.6	106
134	Secondhand tobacco smoke exposure is associated with prolactin but not thyroid stimulating hormone among nonsmoking women seeking in vitro fertilization. Environmental Toxicology and Pharmacology, 2012, 34, 761-767.	2.0	16
135	Phthalates: Human Exposure and Related Health Effects. , 2012, , 415-443.		7
136	Urinary phthalate metabolites in relation to biomarkers of inflammation and oxidative stress: NHANES 1999–2006. Environmental Research, 2011, 111, 718-726.	3.7	176
137	Relationship between Urinary Phthalate and Bisphenol A Concentrations and Serum Thyroid Measures in U.S. Adults and Adolescents from the National Health and Nutrition Examination Survey (NHANES) 2007–2008. Environmental Health Perspectives, 2011, 119, 1396-1402.	2.8	265
138	Approaches to Avoid Immune Responses Induced by Repeated Subcutaneous Injections of Allogeneic Umbilical Cord Tissue-Derived Cells. Transplantation, 2010, 90, 494-501.	0.5	10
139	The Silencing Mediator of Retinoid and Thyroid Hormone Receptors (SMRT) Regulates Adipose Tissue Accumulation and Adipocyte Insulin Sensitivity in Vivo. Journal of Biological Chemistry, 2010, 285, 18485-18495.	1.6	30
140	In vivo observations of cell trafficking in allotransplanted vascularized skin flaps and conventional skin grafts. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2010, 63, 711-719.	0.5	12
141	Myelogenous leukemia in adult inbred MHC-defined miniature swine: A model for human myeloid leukemias. Veterinary Immunology and Immunopathology, 2010, 135, 243-256.	0.5	17
142	Induction of Tolerance to an Allogeneic Skin Flap Transplant in a Preclinical Large Animal Model. Transplantation Proceedings, 2009, 41, 539-541.	0.3	46
143	Recipient Damage After Musculocutaneous Transplant Rejection. Transplantation, 2008, 86, 1104-1110.	0.5	0
144	Conversion to Full Donor Chimerism without Gvhd Using High-Dose DLI in Minimally Conditioned Miniature Swine Recipients of Haploidentical HCT., Blood, 2008, 112, 2336-2336.	0.6	9